

## Index

### a

- Activated carbon (AC)
  - processing 211
- Agro-based fibers 204
- Animal fiber reinforced epoxy resin composites 134
- Arenga pinnata fibers 133
- Atomic force microscopy (AFM) analysis 254

### b

- Bagasse fiber 137
- Bamboo fibers 131
- Banana woven fabric 132
- Biochemical oxygen demand (BOD) 203
- Bio-composites
  - preparation 253
- Biodegradable polymer nanocomposites 15
- Bio-medical applications 15, 24
- Biopolymers 251
  - biodegradability 254
  - rheological properties 253
  - tensile testing 254
- Business Communications Company (BCC) Research 251

### c

- Carbon black
  - carbonization (pyrolysis) 211
  - physical characterization 207
- Carbon fiber (CF) 67
- Carbon fiber-polyamide composites
  - characterization 70
  - composite preparation 69
  - crystalline structure and spherulitic morphology 76
  - differential scanning calorimetry
  - materials 69

- mechanical properties 71
- mechanical testing 70
- non-isothermal crystallization behavior 73
- PA/CF 70, 71
- polarized optical microscopy
- ratio 68
- scanning electron microscopy 70
- subsequent melting behavior 75
- surface morphology 72
- thermal gravimetric analysis (TGA) 71
- thermal stability 77
- X-ray diffraction 71
- Carbon fiber-reinforced PA6 composites 87
- Carbonization 212
- Casting 51
- Cellulose 205
- Cetyltrimethylammonium bromide (CTAB) 3
- Charpy impact energy tests 238
- Chemical composition
  - carbon black 207
- Chemical oxygen demand (COD) 203
- Chemical vapor deposition method (CVD) 6
- Chicken feather 138
- CHNSO (CHN-932) elemental analyzers 208
- Coal combustion products (CCPs) 39
- Coatings 13
- Coconut (Cocos nucifera) 232
- Coconut shell (CS) 210
  - ash, characterization 234
  - ash particles 234
  - characteristics 232, 238
  - density determination 235
  - fresh particles 234
  - hardness value determination 236
  - impact energy determination 238
  - materials/equipment 233
  - mechanical properties 236

- Coconut shell (CS) (*contd.*)
  - microstructural analysis 236
  - particle size analysis 234
  - processing 234
  - samples preparation 235
  - tensile and flexural properties 236
  - thermal properties 238
  - X-ray diffraction (XRD) analysis 235
- Coconut shell fresh particle (CSF)
  - characteristics 238
  - density 240
  - SEM/EDS 239
  - XRD pattern 239
- Coconut shell particulates
  - crystal structure transition 218
  - FTIR analysis 220
- Coir-fiber-reinforced composites 136
- Coir-silk fibers 138
- Composites
  - surface morphology 241
- Compound annual growth rate (CAGR) 101, 251
- Copper (Cu) nanofiber 5
- Crystalline morphology and structure
  - PA6/Toughener/CF composites 93
- Crystalline structure and spherulitic morphology
  - PA/CF 76
  - PA/KCF 84
- Crystallization enthalpy 259
- Crystal structure transition
  - wood apple shell and coconut shell particulates 218
- Curing 51
  
- d**
- Date palm seed powder (DSP)
  - bio-composites preparation 253
  - biodegradable polyesters 252
  - characterization 253
  - degradation 260
  - EDX analysis 255
  - FT-IT spectrum 257
  - light microscopy image 256
  - polymer content 264
  - preparation 253
  - TGA thermogram 258, 260
- Dielectric permittivity 12
- Differential scanning calorimetry
  - PA/CF 70
- Diglycidyl ether of bisphenol-A (DGEBA) 129
- Dynamic mechanical analysis (DMA) test 114
  
- e**
- Eco-composites
  - material 231
  - natural fibers as 231
- EDX analysis 255
- Electromagnetic interface (EMI) shielding
  - application 26
- Electrospinning
  - chamber 6
  - method 4
- Empty fruit bunches (EFB) composites 130
- Energy dispersive X-ray spectroscopy (EDXS) 52, 254
- Epoxy
  - crosslinking mechanism in 47
- Epoxy/coconut shell particulate composites
  - flexural strength values 245
  - hardness values 246
  - impact energy values 246
  - mechanical properties 244
  - thermal properties 246
- Epoxy resins
  - applications 49
  - characteristics 46
  - curing of 47
  - experiment 49
  - fabrication 50
  - properties 49
  
- f**
- Fiber reinforced polymer composites (FRPCs) 67
- Fibrous nanomaterials
  - applications 24
  - characteristics 3
- Flexural property characterization 224
- Flexural strength values 245
- Fly ash
  - advantages 39, 41
  - bituminous 41
  - chemical composition 41, 44
  - chemical properties 43
  - classes, ASTM definition 45
  - classification 43
  - coal 43
  - colour 39, 41
  - dispersion 40
  - environmental toxins 45
  - experiment 50
  - fabrication 50
  - lignitic/sub-bituminous 41
  - particles 39
  - physical properties 42
  - size 39

- sources 42
- Fourier transform infrared (FTIR) spectrometer 254
- Fourier transform infrared spectroscopy (FTIR)
  - carbon black 209
- Friction and wear behavior
  - glass bead composites 187
- FTIR analysis
  - wood apple shell and coconut shell particulates 220

**g**

- Glass bead composites
  - preparation 185
- Glass beads 185
- Green composites 110
- Greenhouse gases 203

**h**

- Hardness value 246
  - determination coconut shell 236
- Hemicellulose 104, 205
- Holocellulose 204

**i**

- Impact energy determination
  - coconut shell 238
- Impact energy values
  - epoxy/coconut shell particulate composites 246

**k**

- Kapok fiber 133
- Kenaf fiber 133

**l**

- Lignin 206
- Lignocellulosic fibers
  - chemical composition 207
- Lignocellulosic particulates
  - proximate analysis 217
  - ultimate analysis 218
- Lignocellulosic structures 104
- Lignocellulosic waste carbon 210
- Linseis STA PT1600 TGA 253
- Loofah 136

**m**

- Maize stalk fiber USP resin composite 138
- Matrix material/resins
  - classification 46
- Mechanical properties
  - glass bead composites 187

- PA/CF 71
- PA6/Toughener/CF composites 87
- rice bran ceramics 187
- thermoset polymer composite 223
- treated CF 79
- Mechanical testing
  - PA/CF 70
- Microstructural analysis 236
- Misnomer 104
- Morphological characteristics 221

**n**

- Natural fiber
  - advantages 102
  - alkaline treatment (maceration) 108
  - chemical constituents 104
  - chemical treatment 107
  - classification 128
  - disadvantages 103
  - interfacial adhesion 129
  - peroxide treatment 110
  - physical treatment 107
  - properties 105
  - silane treatment 109
  - surface treatment 107
- Natural fiber composite (NFC)
  - dynamic mechanical performance 114
  - flexural properties 112
  - impact properties 113
  - mechanical performance 111
  - moisture absorption 117
  - processing 110
  - tensile properties 112
  - tribological performance 119
  - thermal stability 114
- Natural fiber-reinforced composites (NFC) 101
- Natural fiber reinforced epoxy resin composites
  - animal fibers 147
  - bast fibers 143
  - cereal fibers 146
  - characterization 129
  - fruit fibers 142
  - grass fibers 144
  - interfacial adhesion 129
  - leaf fiber 145
  - miscellaneous thermoset resin 139
  - seed fiber 148
  - and synthetic 134
  - USP 135
- Nanoparticles (NPs)
  - characteristics 2
  - self-assembly method 3

- Nanoparticles (NPs) (*contd.*)
  - synthesis 2
- Non-isothermal crystallization behavior
  - PA/CF 73
  - PA/KCF 82
  - PA6/Toughener/CF composites 91
- o**
- Oil palm ash 137
- Oil palm fibres 139
- p**
- PA/CF, *see* Carbon fiber-polyamide composites
- PA/KCF 83
  - crystalline structure and spherulitic morphology 84
  - non-isothermal crystallization behavior 82
  - PA6/Toughener/CF composites 92
  - subsequent melting behavior 83
  - surface morphology 81
  - thermal stability 86
- PA6/Toughener/CF composites
  - crystalline morphology and structure 93
  - mechanical properties 87
  - non-isothermal crystallization behavior 91
  - subsequent melting behavior 92
  - surface morphology 89
  - thermal stability 94
- Pectin 104, 207
- Pineapple leave fiber (PALF) 134
- Polarized optical microscopy
  - PA/CF 71
- Poly(butylene adipate-co-terephthalate) (PBAT) 252, 253,
  - 263 264
  - AFM height micrographs 269
  - bio-polyester 252
  - melting curves 258
  - optical micrographs 270
  - TEM images 267
  - TGA thermogram 260
  - thermograms 258
  - viscosity 265
  - weight loss vs. soil embedding 270
- Polyacrylonitrile (PAN) 4
- Polyamide (PA) 67, 181
- Polybutylene terephthalate (PBT) 181
- Polycarbonate (PC) 181
- Polyether ether ketone (PEEK) 181
- Polyetherimide (PEI) 181
- Polyimide (PI) 181
- Poly-L-lactide (PLA) 252, 253
- Polymer membranes
  - separation and purification applications 14
- Polymer nanocomposites 1
  - fibrous nanomaterials 16
  - fibrous nanomaterials applications 24
  - metal and metal oxide fibrous nanomaterials 18
  - natural fibers 16
  - vapor grown carbon nanofibers (VGCNFs) 20
- Polymer nanocomposites, nanoparticles 7
  - application 13
  - electrical properties 11
  - mechanical properties 9
  - size and dispersion 7
  - thermal properties 8, 9
- Polyoxymethylene (POM) 181
- Polypropylene (PP) composites
  - characterization 161
  - energy to break 170
  - jute and flax 158
  - matrices 157, 159
  - mechanical properties 166
  - morphological properties 171
  - preparation 160
  - rheological properties 162
  - size reduction 159
  - surface treatment 159
  - water sorption 174
  - Young's Modulus, composites 169
- Polyurethanes 140
- Proximate analysis
  - carbon black 208
- Pure resins 181
- r**
- Raw shell particles
  - chemical composition 217
- Resin transfer molding (RTM) 111
- Rheological properties
  - composites 161
- Rice bran ceramics 182
  - friction and wear behavior 187
  - preparation 185
- s**
- Scanning electron microscope (SEM)
  - carbon black 210
  - coconut shell 236
  - PA/CF 70
- Secondary ion mass spectrometry (SIMS) 52
  - advantages 53
  - limitations 54
- Self-assembly method 3
- Sheet molding compound (SMC) process 111

- Silane coupling agent 131
- Subsequent melting behavior
  - PA/CF 75
  - PA/KCF 83
  - PA6/Toughener/CF composites 92
- Surface morphology
  - PA/CF 72
  - PA/KCF 81
  - PA6/Toughener/CF composites 89
  - treated CF 79
- Surface-treated CF with silane coupling agent (KH550) 79
- Synthetic reinforced polymer composite 232
- Synthetic fiber co-reinforced epoxy resin composites 134
  
- t**
- Tensile properties 244
  - epoxy/coconut shell particulate composites 244
  - and flexural, coconut shell 236
- Tensile property characterization 223
- Thermal evaporation 7
- Thermal gravimetric analysis (TGA)
  - PA/CF 71
- Thermal properties
  - coconut shell 238
  - epoxy/coconut shell particulate composites 246
- Thermal stability
  - PA/CF 77
  - PA/KCF 86
  - PA6/Toughener/CF composites 94
- Thermogravimetric analyzer (TGA) 253
- Thermoplastic composites 67
- Thermoset polymer composite 213
  - mechanical properties 223
  - reinforced with waste carbon 216
  - tribological properties 225
- Thermosets 46
- Transmission electron microscopy (TEM) analysis 254
  
- Tribological properties
  - thermoset polymer composite 225
- Tribomaterials 181
  
- u**
- Ultimate analysis
  - carbon black 208
- Unplasticized poly vinyl chloride (PVC-U) 113
- Unsaturated polyester (USP) 135
- Unsaturated polyester resins (UPR) 135
  
- v**
- Vacuum infusion process (VIP) 111
- van Gurp compatibility analysis 265
- Vapor grown carbon nanofibers (VGCNFs) 20
  
- w**
- WAS particles 211
- Washing, carbon 212
- Water sorption
  - composites 162
- Weight percent 41
- Wood apple shell (WAS) 210
  - crystal structure transition 218
  - FTIR analysis 220
- Wood flour modification 158
- Wrinkles/roll-shaped particles 195
  
- x**
- X-ray diffraction (XRD)
  - carbon black 209
  - coconut shell 235
  - PA/CF 71
  
- y**
- Young's Modulus, composites 169
  
- z**
- Zinc chloride (ZnCl<sub>2</sub>) chemical activating agent 211

