

Index

a

Abbe criterion 288
 absorption edge 214
 absorption spectra 184, 199, 221
 absorption spectrum 189
 acceleration voltage 289
 additive technology 3
 adiabatic 137
 adiabatic enclosure 138
 adsorbate 280
 agglomeration 39, 55, 111
 allophanes 85
 angular detector 300
 anisotropic structure 37
 antiferromagnetic 148
 antiferromagnetism 161
 antiparallel ordering 148
Ashby–Verall “grain-switching”
 mechanism 262
 atomic resolution 288, 298, 300

b

ballistic conduction 232
 ballistic conductivity 230, 233
 ballistic electric conductivity 240
 bandgap 185, 190
 BET method 281
 bifunctional particle 9, 201
 binderless fiber 275
 biotechnology 169
 bistability 139
 bleached 224
 bleached state 221
Bloch wall 149, 150
 blocking temperature 152, 168
 blueshift 183, 186, 189–191, 194
Bohr radius 187
 bone 266
 boron nitride 90, 239

bottom-up 2
 bremsstrahlung 293
 “brick and mortar” structure 267
 broadband emitter 213
Brown’s superparamagnetism 114, 116,
 153, 167
Burgers vector 259, 260

c

carbon nanotubes 89, 95, 103, 104, 106,
 274
 ceramic-coated ceramic nanoparticle 73
 characteristic X-ray 293
 characterization 279
 charge-carrier injection 216
 charged particle 46
 chemical vapor synthesis 50
 chemisorption 280
 chirality 95, 235
 chirality vector 94
 chromatic aberration 288
 closed path 241
 cluster 39
 coagulation 36, 39, 55
 coagulation process 35
 coated nanoparticle 13
 coated particles 72
Coble mechanism 261
 coercivity 150, 152
 collision parameter 42, 43, 45
 collision probability 42
 colloid chemistry 4, 13
 colloid stabilization 13
 colloid stabilizer (surfactant) 111
 colored state 222, 224
 composite 103
 composite particle 9
 concave surface 34
 condensation 32, 39

- conductivity quantum 231
 - constant of magnetic anisotropy K_1 155
 - contact angle 5
 - convex surface 31, 34
 - core-shell type 9
 - corona discharge 71
 - correlation volume 174, 177
 - crossing temperature 123, 136
 - crystalline quasimelt 134, 135
 - crystallographic lattice 83
 - crystallographic structure 282
 - Curie temperature 149, 158
 - curvature 30, 31, 34
- d**
- dangling bond 85
 - dark-field imaging 291
 - dark-field microscopy 291
 - de Broglie* 289
 - decoration 9
 - defoliated layer 270, 271
 - defoliation 97, 102
 - deformation mechanism 253
 - deformation mode 259
 - delaminated 270
 - delocalized 90
 - diamagnetic behavior 147
 - diamagnetism 147
 - diffraction contrast 297
 - diffraction line 283, 286
 - diffraction pattern 282
 - diffraction technique 282
 - diffusion barrier 12
 - diffusion controlled 221
 - diffusion scaling law 17
 - diffusive conductance 229, 230
 - dimer 193
 - dimer spectrum 192
 - dislocation process 257, 263
 - dislocation 257, 259
 - disordered state 170
 - distribution function 40
 - doping 185
 - dynamic viscosity 113, 115
- e**
- easy direction 155
 - EDX 302
 - EELS spectrum 295, 296, 297, 301, 302
 - elastic deformation 250
 - elastic electron scattering 297
 - elastically scattered electron 292
 - electric conductance 232, 244
 - electric conductivity 90, 229, 231
 - electrical charging 45
 - electrical conductivity 236, 246
 - electrochromic cell 223–225
 - electrochromic effect 222
 - electrochromic material 219, 220, 222
 - electrodeless designs 63
 - electrodeless RF system 66
 - electroluminescence 215, 217
 - electroluminescence spectra 219
 - electromigration 35
 - electron density distribution 187
 - electron diffraction 283
 - electron energy loss spectrometry 295, 297
 - electron microscopy 287
 - electron monochromator 290
 - electron optical system 290
 - electron-hole combination 187
 - electron-hole recombination 216
 - electrostatic stabilization 111, 112
 - emission spectrum 189, 194, 195, 213
 - emission wavelength 217
 - energy bands 185, 186
 - energy gap 189, 190
 - energy level 165, 185
 - energy of anisotropy 155, 156
 - energy of formation 28
 - energy of magnetic anisotropy 157
 - energy product 150
 - energy transfer 56, 57
 - energy-dispersive systems 295
 - engineering stress–strain diagram 250
 - ensemble 137
 - enthalpy 121
 - enthalpy of melting 122
 - entropy 121, 170
 - ergodic theorem 137
 - evaporation and condensation 34
 - evaporation and condensation process 47
 - exchange-coupled magnetic material 176
 - exchange-coupled magnetically hard material 176
 - exchange-coupled particle 174
 - excimer* 191, 192, 193, 203
 - excimer emission spectrum 204, 205
 - excimer formation 192
 - exciton* 187
 - exciton radius 188
- f**
- Faraday* effect 225, 226
 - Faraday* rotation 226
 - Fermi* energy 186
 - ferrimagnetic material 148

ferrofluids 113–115, 117
 ferromagnetic 148
 ferromagnetism 201
 field effect transistor 238, 239
 field emission system 290
 flame aerosol process 67
 flame process 67, 69
 flame synthesis 68
 flammability 272
 fluctuating particle 195
 fluctuation 16, 132
 formation of particle 33
 fracture stress 269
Frank–Reed source 259, 260
 free enthalpy 121, 123
 fullerene-like particle 104
 fullerene-like structure 100
 fullerene 79, 89, 91

g

gas sensor 18, 19
 gas-phase process 39
 gate voltage 239
Gibbs–Thomson equation 124
global case 139
global enclosure 137
 global property 279
 gold ruby glass 12, 200, 214
 good electron diffraction 285
 grain-boundary 22, 121, 141, 144
 grain-boundary process 257, 260, 261, 263
 “grain-switching” mechanism 261
 graphane 90
 graphene 89–91, 97, 274, 277
 graphene oxide 97, 277

h

HAADF 301
Hall–Petch 252
Hall–Petch plot 252, 256
Hall–Petch relation 251, 255
 hard agglomerate 40
 hard direction 155
 hard magnetic particle 173
 heat capacity 121, 141, 142
 heat release 272, 273
 heterogeneous nucleation 32
 high-angle annular dark-field detector (HAADF) 300
 high-resolution electron micrograph 299
 high-resolution electron microscopy 297
 hole 187
 homogeneous nucleation 32

homogenization time 18
 homogenous nucleation 130
Hooke’s law 250, 251
 hydrostatic pressure 25, 28, 29
 hypostoichiometric 220
 hysteresis 140, 157

i

imogolite 86, 234
 index of refraction 181, 182
 inelastic scattered electron 292, 295
 inelastic scattering 297
 inert-gas condensation process 47
 inflammability 270, 273
 instantaneous alloying 18
 interface energy 130
 interface stress 26
 interference pattern 283
 inverse *Hall–Petch* 255, 256, 260
 isotherm 137

k

Kelvin equation 31
Kerr effect 225
Klitzing constant 231
Köhler illumination system 291

l

Landau order parameter 126, 128
Langevin formula 153, 162
Langevin function 153, 157
Langmuir adsorption isotherm 280
Larmor frequency 166, 167
Larmor precession 166
 laser-ablation process 52, 54
 lattice constant 30
 lattice expansion 30
 lattice fringe 27, 35, 73, 133
 lattice plane 283
 lattice resolution 288
 lattice vibration 121, 141
 layered silicate 85, 101, 103, 270
 layered structure 84
 line broadening 283, 286
local case 138
local enclosure 137
 local hyperthermia 177
 local property 279
 log-normal distribution 40
 longitudinal mode 198, 199
 longitudinal resonance 200
 long-range ordering 147
Lorentz transformation 289
Lotus effect 4

- luminescence intensity 208, 209
- luminescent composite 201
- luminescent magnetic particle 202
- luminescent particle 181, 215
- lumophore 201, 202, 203

- m**
- magnetic anisotropy 152, 155, 174
- magnetic crystal field 167, 168
- magnetic dipole 148
- magnetic domain 149
- magnetic resonance tomography (MRT) 169
- magnetic susceptibility 163
- magnetization 162, 202
- magnetization curve 150, 161
- magnetocaloric cooling 171, 172
- magnetocaloric effect 170, 171
- magnetocaloric material 172
- magnetocaloric refrigerator 172
- magnetoception 4
- magneto-optical material 224
- maximal frequency 162
- mechanical property 249
- medicine 169
- melting enthalpy 130
- metallic luster* 197
- mica 85
- microwave frequency 56
- microwave plasma 56, 60, 62
- microwave plasma process 55, 72
- microwave plasma system 58
- Miller indices* 83, 84, 283, 284, 298
- mobile dislocation 257
- molecule spectrum 203, 204
- monoclinic-tetragonal transformation 28
- monolayer 280
- monomer 192, 193
- montmorillonite 101, 102, 270, 271
- Moseley's law* 293, 294
- Mößbauer effect* 164
- Mößbauer spectrum* 166–168
- multicolor screen 217
- multifunctional particle 72
- multiwall carbon 106
- multiwall fullerene 92
- multiwall nanotube 93
- mutual solubility 11

- n**
- Nabarro–Herring mechanism* 261
- nacre (mother-of-pearl) 266, 267, 268, 270
- nanocomposite 204, 207, 208, 242, 244, 246, 247
- nanocomposite particle 9
- nanocomposite 11, 72, 213, 269, 274
- nanofluid 111, 169
- nanomotor 35–38
- nanoplate 79
- nanorod 79, 88, 108
- nanotubes 79, 88
- narrow-band emitter 213
- needle electrodes 71
- Néel temperature* 149
- Néel's superparamagnetism* 116, 154, 163, 167
- NMR 118
- NMR tomograph 119
- non-*Ohmic* 229
- nuclear magnetic resonance imaging 118
- nucleation** 39, 107, 108
- numerical aperture 288, 289

- o**
- Ohm's law* 229
- Ohmic conductor* 229
- one-dimensional 7
- one-dimensional nanocomposite 11
- onion crystal 92
- optical absorption 184
- optical property 181
- optical transmittance 96
- optomagnetic device 226
- ordered state 170
- organic lumophore 214
- oscillating system 36

- p**
- paramagnetic behavior 147, 148
- paramagnetism 147
- particle 39
- particle coagulation 27
- particle in a box 188
- particle-filled polymer 266
- particle-size distribution 59, 63
- particle-size distribution function 43
- Pauli's principle* 184
- percolating system 241
- percolation 242, 243
- percolation path 242
- percolation threshold 242–245
- phase diagram 134
- phase transformation 122, 123, 132
- phase-transformation temperature 125
- phonons 141
- photochromic behavior 221

- photochromic material 219, 220
 photoluminescence spectra 208
 phyllosilicate filler 272
 phyllosilicate 101, 270
 physical vapor synthesis 49
 physisorption 280
 pigment 214
Planck's equation 231
 plasma process 55
 plasmon resonance frequency 199
 plasmon resonance peak 214
 plasmon resonance 197
plasmon 187, 197, 295
 plastic deformation 250
 plate electrodes 71
Poisson distribution 40
Poisson process 39
 polarization plane 225
 polymer coating 75
 polymer matrix 274
 polypyrrole coating 234
 porosity 253, 254
 pseudo crystalline 135
 pseudocrystalline 134
 pseudohydrogen 187
- q**
- quantum confinement 187, 188, 190, 191, 213
 quantum dot 201, 213, 217
 quantum selection rule 193
 quasimelt 134
 quenching 45, 48
 quenching condition 65, 66
 quenching step 40, 43
- r**
- radio-frequency 63
 random process 39
Rayleigh formula 182
 relativistic correction 288
 relativistic phenomena 289
 relaxation time 162, 163
 remanence 150, 152
 resistance quantum 231
 resolution power 287
Rosenzweig phenomenon 114
- s**
- saturation magnetization 150, 158–161
 scanning electron microscope 292, 300
 scattering of electrons 295
Scherrer equation 284
Schrödinger equation 186–188, 198
- selected-area diffraction 287
 self cleaning 4
 self-destruction 183
 silicate filler 272
 silicate platelets exhibit 269
 single-wall carbon nanotube 274
 single-wall nanotube 93
 singularized 270
 slip plane 259
 soccer ball molecule 91
 soft agglomerates 40
 solid-state lubricant 99
 specific surface 158, 159, 279, 280, 282
 specific surface area 15
 spherical aberration 289, 290
 spider silk 276
 spin canting 160
 state 224
 steric stabilization 111, 112
 stoichiometry 220
 strain at fracture 269
 stress–strain diagram 249, 251, 252, 263, 264, 266, 268, 274, 275, 276, 277
 sub-Ångström 291
 subtractive 3
 supercooling of liquid 130
 superferromagnetism 154
 superparamagnetic ferrite 167
 superparamagnetic particle 169, 170, 173
 superparamagnetic refrigerator 170
 superparamagnetism 152, 153, 154, 157, 159
 superplastic ceramic 264
 superplasticity 263, 264
 surface 21
 surface energy 10, 23, 25, 26, 28, 37, 39, 79, 83, 121, 122, 124, 132
 surface layer 161
 surface over volume ratio 14
 surface plasmon 197, 198
 surface stress 5, 24, 25, 26
 surface stretching 25
 surface-active molecule 83
 surface-influenced volume 21, 22
 surfactant 114
 susceptibility 162
 suspension 111
 synthesis 32
- t**
- temperature compensated field 153
 temperature flash 27
 thermal conductivity 112
 thermal energy 15, 16

- thermal fluctuation 166, 168
 - thermal instability 16, 17, 132, 135, 152
 - thermal ionization 69
 - thermodiffusion 47
 - thermophoresis 47
 - thin plasmas 69
 - Thomson equation 31, 124, 129, 131
 - threshold voltage 218
 - time response 224
 - top-down 2
 - transmission electron microscopy 292
 - transversal modes 198, 199
 - true stress-strain diagram 250
 - two-dimensional 7
 - two-dimensional nanocomposite 11
 - two-zone model 160
- u**
- unit cell volume 30
- v**
- van der Waals* bond 111
 - van der Waals* force 84, 99
 - van-der-Waals* 280
 - vapor pressure 30, 32
- Verdet* constant 225, 226
- vibrations 88
 - viscosity 115, 116
 - volume dilation 31
- w**
- wavelength-dispersive system 295
 - white soot 7
 - wide-gap semiconductor 239
 - work function 216
- x**
- X-ray diffraction 285
 - X-ray fluorescence 284
 - X-ray photon 293
 - X-rays 282–284, 292, 294
- y**
- yield stress 249, 251, 253, 255
 - Young's* modulus 250, 252–254, 269, 271–276
- z**
- zero-dimensional 7
 - zero-dimensional particle 11