

Index

a

- accelerator mass spectrometry (AMS) 233
- accumulation mode 359, 360
- acetaldehyde 27, 34, 46, 98, 105, 130, 132, 146, 179, 182
- aerodynamic lens systems 384
- aerosol mass spectrometer (AMS) 192, 362
- aerosol inlet systems 383
- aerosol mass spectrometer 188, 189, 192, 193, 202, 362, 386
- aerosol mass spectrometer, commercial solutions 393
- aerosol particles 182, 193, 359, 361, 362, 367, 389
- aerosol time-of-flight mass spectrometry technique (ATOF-MS) 384
- ambient aerosols
 - in rural and marine environments 388–389
 - in urban and densely populated areas 387
- ambient mass spectrometry utilizing photoionization 278–279
- amino acids 42, 249–251, 288
- angiotensin 42
- antiaromatic compounds 50–61
- aromatic compounds 17, 50, 126, 127, 129, 130, 132, 136, 137, 139, 141, 142, 145, 149, 373–375
- atmospheric aerosol chemistry
 - aerosol mass spectrometer 189–194
 - gas chromatography 195–202
 - SVUV photoionization mass spectrometry 195–202
- atmospheric aerosols 359–362
- atmospheric pressure laminar premixed flame 171–173
- atmospheric pressure laser ionization (APLI) 145
- atmospheric pressure matrix-assisted laser desorption ionization (AP-MALDI) 335, 340
- atmospheric pressure photoionization (APPI) 202
 - ambient mass spectrometry utilizing photoionization 278–279
 - and APCI 272
 - applications 282–286
 - configuration of 268
 - in gas chromatography-mass spectrometry 274–277
 - interface 276
 - ion source 267–268
 - interface for capillary electrophoresis mass spectrometry 277
 - liquid chromatography mass spectrometry 272–274
 - multimode ion sources 278
 - negative ionization in 271–272
 - positive ionization in 268–270
- atomic force microscopy 307
- atom-limited analysis 234
- autoionizing state (AI) 217–219, 222, 229, 237
- autoprotolysis 312
- avalanche ionization 315

b

benzenoid band 15
 bimolecular kinetics 181
 bioaerosols 368, 392
 biomass/coal pyrolysis 163, 174–176
 biomass combustion 100, 138, 368
 biomass pyrolysis 97, 98, 175
 biomass-to-liquid (BTL) process 100
 biphenylene 50–61
 biphenyls, dichlorinated 49
 bovine serum albumin (BSA) 330, 331
 breath cycle 100
 1,3-butadiene 100, 105, 106, 172, 187, 188
 butanol isomers 171, 174
 butene density 185

c

capillary atmospheric pressure
 photoionization (cAPPI) 275, 276
 capillary electrophoresis mass
 spectrometry, interface for 277
 capillary photoionization 276
 chemical ionization (CI) 274
 chemical mass balance (CMB) 135
 chlorobenzene 270, 271, 273, 283–286
 chromophores 15, 315
 cloud condensation nuclei (CCN) 359, 360, 389–390
 cloud formation 360, 389
 Coffee roasting 104, 140–141
 coflow diffusion flame 129, 173–174
 coherent photo effect 29
 collisional cooling 175, 318
 collision broadening 12
 collision-induced dissociation (CID)
 112, 175
 combustion aerosols 368, 392–393
 combustion chemistry
 atmospheric-pressure laminar
 premixed flame 171–173
 jet-stirred reactor oxidation
 166–167
 low-pressure laminar premixed flame
 167–171
 pyrolysis, in flow reactor 163–165

comprehensive two-dimensional gas
 chromatography (GC x GC)
 107
 continuous wave lasers 218, 225
 Coulomb gauge 3, 6
 Coulomb repulsion effects 370, 382
 counterflow virtual impactor (CVI)
 389
 coupled photophysical and chemical
 dynamics (CPCD) model 311
 coupled rate equations 30
 Criegee intermediate 178, 179

d

degrees of fragmentation 40
 delayed extraction 382
 density of states 9, 222, 240
 desorption atmospheric pressure
 ionization (DAPPI) 278
 desorption atmospheric pressure
 photoionization (DAPPI) 274,
 279
 desorption beam 245
 desorption/ionization on silicon (DIOS)
 314, 336
 2,8 dichloro-dibenzofurane (2,8
 DC-DBF) 38
 dielectric barrier discharge 91, 341
 diesel exhaust 132, 189, 192, 198
 dihydroxybenzenes 98
 dioxin, chlorinated dioxins 61–67
 dipeptides 249–251
 diphenylmercury 40, 41
 dipole approximation 9–10
 dipole-forbidden 10, 11, 36, 55
 dipole matrix element 10
 direct APPI 268, 269, 287
 direct infusion REMPI-MS 148
 direct solid sampling 229
 discharge lamps 90, 275, 276, 340
 dissociative multiphoton ionization 41
 dopant effect 270–271
 dopant molecular ions 269
 Doppler broadening 12, 227
 Doppler effect 217
 Doppler shift 228
 duty cycle 32, 159, 160, 229, 232

e

eicosane, photoionization spectrum of
 159, 160
 eigenvalues 5
 Einstein coefficients 10, 240
 electromagnetic field 4, 7
 electron beam pumped excimer lamp
 (EBEL) 91, 95, 116
 electron beam pumped lamps 92, 93
 electronic line width and lifetime
 11–13
 electronic processes during vaporization
 238–240
 electronic transitions 1, 11, 13–15, 36,
 45, 49, 54, 59, 220, 227, 229, 249,
 307
 electron ionization (EI) 40, 42, 45, 95,
 107–109, 112, 116, 118, 143, 145,
 159, 188, 274
 electron's de Broglie wavelength 19
 electrospray ionization (ESI) 267, 318,
 327, 341
 enantiomers discrimination 68–72
 energy confinement 314
 entrainment 318
 evolved gas analysis (EGA) 107, 113,
 116
 excimer lamps 17, 90, 113, 116
 excimer lasers 89, 92, 126, 132, 137,
 142, 147, 177, 338, 363, 365, 369,
 371, 385, 391

f

femtosecond laser ablation (fs-LA)
 315–317, 328, 340
 femtosecond laser mass spectrometry
 (FLMS)
 amino acids, dipeptides, and C₆₀
 249–251
 gas chromatography-coupled analysis
 of explosives 253–254
 pesticides, and fragrances
 255–256
 polyaromatic hydrocarbons
 255–256
 laser secondary neutral mass
 spectrometry 256–259

multiply charged ions 251–253
 ultrashort pulse photoionization
 mechanisms 246–249
 volumetric intensity dependence
 251–253
 filaments 90, 94, 109, 225, 234, 362
 first puff high effect 105
 fixed-frequency lasers 26, 27, 125, 126,
 133, 136
 flame ionization detector 143, 144
 food analysis 286, 291–292
 Fourier transform infrared spectroscopy
 113
 Franck–Condon (FC)
 effects 47
 overlap 36, 37
 principle 13, 14, 72
 Franck–Condon factor (FCF) 54, 58,
 73
 frequency doubling 31, 33, 92
 furfuryl alcohol 98, 100, 102

g

gas chromatography (GC) 28, 107,
 108, 142, 195–202, 254, 274, 280
 gas chromatography-coupled analysis
 of explosives 253–254
 of pesticides and fragrances
 255–256
 of polyaromatic hydrocarbons
 255–256
 gas chromatography femtosecond laser
 mass spectrometry (GC-FLMS)
 253
 gas chromatography-mass spectrometry
 65, 118, 254, 274–277
 Gaussian laser beam 230
 GC/SPI-MS coupling 109
 guaiacol 98, 100, 102, 139, 141

h

highest occupied molecular orbital
 (HOMO) 17, 54
 high repetition-rate shock tube
 (HRRST) 179, 186
 hydrocarbon flames 169–170

hydrogen abstraction acetylene addition
(HACA) 181
hydroperoxides 166, 167
hydroxyl radicals 77, 189, 190

i

ice condensation nuclei 359, 360,
389–390
ignition failures 132
indicator compound for dioxin emission
127, 138
inductively coupled microplasma 91
internal combustion engines 100,
130–135, 169
intersystem crossing (ISC) 33, 34, 38,
64, 247
ion intensity distribution 251
ion sputtering 240, 245, 345
ionization efficiency 126
ionization energies 269
ionization ignition 369
ion yields 31, 75, 225, 245, 249, 256,
257, 258, 305, 311, 337, 338, 369,
370, 371, 372
isomers anthracene 142
isoprene 97, 105, 109, 198
isotopomers discrimination 67–68

j

Jablonski diagram 38
jet-cooled biphenylene 50–61
jet-cooled dichlorinated biphenyls 49
jet-cooled dibenzo-*p*-dioxin (DD) and
chlorinated congeners 61–67
jet-cooled [2,2]-paracyclophane 61–67
jet-cooled polycyclic aromatic
hydrocarbons 36, 51, 64
jet-cooled xylenes 68, 144
jet-stirred reactor (JSR) oxidation
166–167

k

Keldysh parameter 246, 248
kinetic energy 43, 72, 73, 75, 226, 306,
370
Koopmans' theorem 17
krypton 90, 91, 117, 268, 276

l

ladder-switching 41
lamp-based sources
discharge lamps 90
electron beam-pumped lamps 91
laser ablation (LA) 305, 327–329
laser ablation capture 343
laser ablation electrospray ionization
(LAESI) 313
laser ablation-inductively coupled
plasma mass spectrometry
(LA-ICP-MS) 328, 329
laser ablation mass spectrometry 327
laser ablation sample transfer (LAST)
313, 342, 343
laser ablation sampling
with off-line analysis 343–344
with online MS analysis 342–343
laser-based sources 1, 159
laser-based VUV light sources 92–94
laser capture microdissection (LCM)
343
laser desorption and laser ablation mass
spectrometry (LD/LA-MS) 327
laser desorption/ionization (LDI) 305,
327, 362
chemical quantification approaches
for 372–373
experimental and computational
parameters 306–307
femtosecond laser ablation 315–317
internal energy transferred 317–318
laser light sources for 371
mechanism 307
nanophotonic desorption 314–315
neutrals from metal surfaces
307–309
single-particle LDI 366–371
laser desorption laser postionization
(LDPI-MS)
laser desorption postionization of
neutrals in vacuum 338–340
postionization coupled to LD/LA
340–341
laser diode thermal desorption (LDTD)
340, 341
laser excitation wavelength 249

- laser fluence 318, 369
- laser-induced acoustic desorption 279, 308, 339, 340
- laser-induced breakdown spectroscopy (LIBS) 306
- laser-induced thermal desorption 307, 308, 314, 315
- laser intensity 1, 6, 29, 31, 35, 40, 42, 62, 69, 92, 247, 248, 250, 252, 257, 259, 337, 370, 385, 390
- laser ionization
- aerosol inlet systems 383–384
 - application of 26, 387–393
 - data evaluation 386–387
 - laser desorption/ionization (LDI) 365–373
 - laser photoionization 373–381
 - mass analyzers 381–382
 - MS–development and basic principle 362–365
 - particle sizing 384–386
 - pulsed 232
 - single-particle perspective 359–362
- laser light sources 371
- and supersonic cooling 317–318
 - chemical quantification approaches for 372–373
- laser microprobe mass analysis, laser microprobe mass spectrometry (LAMMA, LMMS) 362, 363
- laser overlap 229–231
- laser photoionization 337, 373–381
- laser pulse energy 31
- laser pulse intensity 40, 42, 308
- laser secondary neutral mass spectrometry (SNMS) 256–259
- laser selection 224–225
- laser spectroscopy 26, 166, 217–220, 225
- laser velocimetry 363, 376, 384
- laval nozzle 183, 186
- light propagation 2, 4, 69
- liquid chromatography (LC) 107, 269
- liquid chromatography atmospheric pressure photoionization mass spectrometry (LC-APPI-MS) 273–274, 281, 287, 289
- liquid chromatography mass spectrometry (LC-MS) 267, 272–274
- lithium fluoride (LiF) 90
- low-pressure laminar premixed flame 167–171
- low-pressure photoionization (LPPI) 267, 279–281
- applications 282
 - drugs, pharmaceuticals and metabolites 281–287
 - environmental monitoring 289–291
 - food analysis 291–292
 - oil analysis 291
 - other endogenic compounds 288–289
 - plant research 289
 - steroids 288
- Lucky Survivor theory 311
- m**
- magnesium fluoride 90
- magnetic Lorentz force 10
- marine gas oil (MGO) 135
- mass analyzers 45, 69, 70, 217, 232, 234, 274, 280, 307, 327, 362, 363, 377, 381–382, 389
- mass selective laser excitation 126
- mass spectrometer selection 225–229
- mass spectrometric detection 90, 95, 129, 145
- mass-to-charge ratio 142, 159, 177
- matrix-assisted laser desorption electro-spray ionization (MALDESI) 313
- matrix-assisted laser desorption/ionization (MALDI)
- imaging 332–335, 341, 343
 - ionization mechanism 310, 313
 - irradiation 309
 - matrices 310
 - nanophotonic desorption 314–315
 - nanosecond to picosecond IR laser ablation 313–314
 - physical aspects of 309
 - with UV lasers 310–313

- Maxwell–Boltzmann distribution 308, 379
- Maxwell equations 2
- medium optical resolution 45
- medium optical selectivity 45–48
- membrane introduction (MI) mass spectrometry 141, 142
- metal oxide nanoparticles 308, 314
- methane flames 174
- N*-methyl-*N*-trimethylsilyl trifluoroacetamide (MSTFA) 200
- methyl *tert*-butyl ether (MTBE) 163, 165
- microhollow cathode discharge 91, 279
- molecular absorptions 35
- molecular LD/LA-MS 336–337
- monochlorobenzene (MCB) 127
- monochromator 90, 93
- multielement analysis 236–238
- multimode ion sources 278
- multiphoton ionization (MPI) 23, 42, 43, 246, 248
- multiplexed chemical kinetics
photoionization mass spectrometer 177–179, 186
- multiply charged ions 249, 251–253, 278, 312
- n**
- nanophotonic desorption 314–315
- nanosecond IR laser ablation 313
- naphthalene 27, 28, 33, 34, 36, 97, 128, 133, 135, 141, 142, 174, 181
- natural line width 12
- negative ion APPI 271–273, 288, 290
- negative temperature coefficient (NTC) 167
- nicotine 98, 100, 105, 106
- nitrogen oxides (NO_x) 162, 170
- nitrosobenzene 181
- nitrotoluene 26, 27, 40, 41, 253
- noble gas 94, 217, 234
- non-imaging MALDI-MS
DNA and RNA 330–331
peptides, proteins, lipids, and sugars 330
- qualitative and quantitative performances 329–330
- synthetic polymers 331–332
- nonlinear photoionization 315
- non-negative matrix factorization (NMF) 103
- nonresonant multiphoton ionization (NRMPI) 246, 247
- nonvolatile compounds 309, 341
- normal-phase liquid chromatography (NP-LC) solvents 269, 273
- number of double bond equivalents (NDBE) 198
- o**
- odd–even effect 222–224
- oil analysis 291
- optical parametric oscillators (OPO) 33, 93, 125–126, 132, 225, 376
- optical spectroscopy 45–78
- organic aerosol 192, 193, 197, 198, 200, 360, 373, 375, 379, 389, 390
- organic compounds 17, 18, 97, 116, 117, 130, 255, 269, 373, 375, 376, 390–391
- orthogonal extraction time-of-flight mass spectrometer 177, 190
- oscillator strength 10, 13, 15, 52, 56, 61, 62
- oxygenated and nitrogenous hydrocarbon flames 170–171
- oxygen-to-carbon (O/C) ratios 192
- p**
- [2,2]-paracyclophane 61–67
- particle sizing 363, 378, 384–386
- peak intensity 70, 101, 251
- perturbation theory 5–7
- phenanthrene 128, 135, 142, 147, 174, 380
- phenylacetylene 174, 181
- phosphate buffer 277
- photoabsorption
absorption 7–9
dipole approximation 9–10
electronic line width and lifetime 11–13

- electronic transitions of molecules 13–15
 - perturbation theory 5–7
 - selection rules 11
 - single-photon ionization 15–19
 - photodissociation 251, 315
 - photoelectron–photoion coincidence (PEPICO) spectroscopy 16, 74, 75, 162
 - photoelectron spectroscopy (PES) 15, 26, 72–78
 - photoionization detectors (PID) 90
 - photoionization efficiency (PIE) 160, 161, 166
 - photoion–photoelectron coincidence spectroscopy 94, 161, 187
 - photon absorption 30, 35, 40, 62, 68, 217, 306
 - photon flux density 31
 - picosecond IR lasers (PIRL) 313–314
 - Planck constant 1, 5
 - polarization vector 3, 4
 - aromatic compounds 126, 129, 136
 - polycyclic aromatic hydrocarbons (PAH) 24, 36, 51, 64, 102, 128, 144, 169, 255–256, 279, 361
 - poly(dimethylsiloxane) (PDMS) 145
 - positive ion APPI 268–270, 272
 - positive matrix factorization (PMF) 135, 387
 - postionization coupled to LD/LA 340–341
 - Poynting vector 4
 - primary aerosol 359
 - proton affinities (PAs) 269, 270
 - pulsed fixed frequency 92
 - pulsed laval nozzle 177, 182–186
 - pulsed VUV light sources 94
 - pyrene 128, 142, 143, 147, 174
 - pyrolysis products 94, 101, 102, 113, 116, 163, 175, 176
 - pyrolysis reactors
 - bimolecular kinetics 181
 - in flow reactor 163–165
 - unimolecular kinetics 181–182
- q**
- quadrupole instruments 94
 - quadrupole mass analyzer 234, 363
 - quadrupole mass spectrometer (QMS) 112, 116, 147, 148, 183
 - quadrupole-time-of-flight mass spectrometer (QTOF-MS) 175
 - quartz crystal microbalance 307
 - quasi-continuous radiation 159
- r**
- rate equations 29–31, 39
 - reflectron time-of-flight mass spectrometer (RTOF-MS) 43, 163, 216, 228
 - refrigerator enhanced laser analyzer for xenon (RELAX) 234
 - resonance-enhanced multiphoton ionization mass spectrometry (REMPI-MS)
 - applications 138–142
 - combustion in industrial environment 135–138
 - combustion processes 135, 138
 - commercial REMPI-MS solutions and applications 150–152
 - hyphenated analytical systems 142–150
 - internal combustion engines 130–135
 - model flames 129–130
 - resonance-enhanced multiphoton ionization time-of-flight mass spectrometry (REMPI-ToFMS) 104, 129, 130, 132–139, 141, 142, 145–149, 150
 - resonance ionization mass spectrometry (RIMS)
 - atom-limited analysis 234
 - electronic processes during vaporization 238–240
 - laser overlap 229–230
 - laser selection 224–225
 - laser spectroscopy 217–220
 - mass spectrometer selection 225–229
 - multielement analysis 236–238

- resonance ionization mass spectrometry (RIMS) (*contd.*)
- odd–even effect 222–224
 - resources 240–241
 - selection rules 220–222
 - stardust grains 234–236
 - useful yield and abundance sensitivity 231–234
- resonance ionization spectroscopy (RIS) 26, 27, 217
- resonant frequency 144
- resonant multiphoton ionization (REMPI)
- detection efficiency 31–33
 - direct-infusion 147
 - and dissociation 40–45
 - emission of hazardous waste 127
 - enantiomers discrimination 68–72
 - isotopomers discrimination 67–68
 - laser wavelengths 126, 128
 - for optical spectroscopy 45
 - PAHs 128
 - PES, TPES, ZEKE, MATI, anion-PES and anion-ZEKE approaches 72–78
 - processes and countermeasures 33–40
 - rate equations 29–31
 - spectra with high optical selectivity 48–50
 - spectra with medium optical selectivity 45–48
 - spectroscopy of jet-cooled biphenylene 50–61
 - spectroscopy of jet-cooled dibenzo-*p*-dioxin (DD) 61–67
 - spectroscopy of jet-cooled [2,2]-paracyclophane 61–67
 - time-of-flight mass spectrometry 143
- Rice Ramsperger Kassel Marcus (RRKM) theory 317
- Rydberg states 74, 76, 77, 217–220
- S**
- secondary aerosol 359, 390
- secondary ion mass spectrometry (SIMS) 216
- secondary neutral mass spectrometry (SNMS) 215, 226
- shake-off model 309
- ship emissions 135, 367, 392
- ship engines 133
- shock tube kinetics 179–180
- Sigmund–Thompson distribution 226
- signal-to-noise ratio 160, 180, 237, 252, 272, 385
- silicon carbide 181, 234
- single active electron approximation 5
- single photon ionization (SPI) 6, 16, 19, 94, 150, 246, 337, 366
- single photon ionization mass spectrometry (SPI-MS)
- ambient monitoring 117–118
 - commercial solutions 118
 - data evaluation 386–387
 - in hyphenated applications 107–117
 - lamp-based VUV light sources 90–92
 - online analysis of complex mixtures 95–107
 - VUV light sources 89–90, 94–95
- single-particle LDI 363, 366–371
- soft ionization technique 159
- solvent additives 273
- spectroscopy
- of jet-cooled biphenylene 50–61
 - of jet-cooled dibenzo-*p*-dioxin (DD) and chlorinated dibenzo-*p*-dioxins 61–67
 - of jet-cooled [2,2]-paracyclophane 61–67
- SPI mass spectrometer 117
- squalane 190, 191, 193–195, 199, 200
- squalene 193, 200, 201
- stardust grains 231, 234–236
- strong-field ionization (SFI) 245, 246, 248
- amino acids and dipeptides 249–251
- sulfur emission control areas (SECA) 135
- supersonic cooling 317–318
- surface-assisted laser desorption ionization (SALDI) 314
- SVUV-PIMS JSR oxidation 166

- synchrotron light sources 159
 biomass/coal pyrolysis 174–176
 coflow diffusion flame 173–174
 jet-stirred reactor oxidation
 166–167
 low-temperature elementary
 reactions 182–186
 multiplexed chemical kinetics
 photoionization mass
 spectrometer 177–179
 premixed flames 167–173
 pyrolysis, in flow reactor 163–165
 pyrolysis reactors 180–182
 shock tube kinetics 179–180
 synchrotron radiation 16, 73, 89, 90,
 159, 160, 162, 163, 177, 179, 186,
 190, 202, 338
 synchrotron SVUV photoionization
 mass spectrometry
 (SVUV-PIMS) 161, 163,
 195–202
- t**
- thermal desorption (TD) 107, 117,
 149, 279, 307, 308, 314, 315, 341,
 374–376, 379
 thermal/optical carbon analyzer 149,
 150
 thermobalance/thermogravimetry
 113, 114, 116, 148
 thermometer ions 317
 three-way catalytic converter 132
 threshold photoelectron spectrum
 (TPES) 161, 188
 time-dependent Schrödinger equation
 (TDSE) 5, 50
 time lag energy focusing 382
 time-of-flight (ToF) 44, 94
 analyzers 117, 143, 363–364,
 381
 mass spectrometers 42–45, 46, 47,
 69, 90, 97, 99, 114, 117, 118, 141,
 142, 145, 150, 215
- time-of-flight mass spectrometry
 (ToF-MS) 94, 104, 129, 144,
 168, 177, 228, 363
 Torr flame 173
 transition overlap integral 50
 tunable lasers 27, 31, 33, 34, 35, 38, 45,
 62, 69, 125, 129, 130, 133, 138,
 150, 215, 216, 218, 219, 237, 376
 two laser MS 338
 two-step laser desorption/ionization
 (L2MS) 339, 374
- u**
- ultrafast ionization processes 246
 ultrashort pulse photoionization
 246–251, 253, 258, 260
 ultraviolet (UV) radiation 328
 undulators 90, 162
 unimolecular kinetics 180–182
 unresolved complex mixture (UCM)
 197
- v**
- vacuum ultraviolet (VUV)
 lamp 73, 94, 97, 99, 109, 116, 118,
 268, 276, 279
 light sources 16, 73, 89–90
 radiation 89–92, 94, 95, 159, 338
 valyl-valine 249, 250
 4-vinylguaiacol 98, 100, 139, 141
 volumetric intensity dependence
 251–253
- x**
- xenobiotic compounds 97
 xenon 90, 92, 93, 234, 251, 252, 375,
 376
 X-ray photoelectron spectroscopy 72,
 307
- z**
- ZEKE-Rydberg states 73–76

