

Contents

Preface *XV*

List of Abbreviations *XVII*

1	Cross-Coupling Arylations: Precedents and Rapid Historical Review of the Field	1
1.1	Metal-Catalyzed Cross-Couplings: From Its Origins to the Nobel Prize and Beyond	1
1.2	Arylation: What Is So Special?	12
1.3	Recent New Developments	14
1.3.1	Arylations with the Heck–Mizoroki Reaction	14
1.3.2	Arylations with the Heck–Matsuda Reaction–Recent Developments	43
1.3.3	Hiyama–Hatanaka Cross-Coupling Reaction	46
1.3.4	Arylations with the Stille Reaction	48
1.3.5	Arylations with the Sonogashira–Hagihara Reaction	48
1.3.6	Arylations with the Suzuki–Miyaura Reaction	55
1.3.7	Tamao–Kumada–Corriu Cross Coupling	75
1.3.8	Negishi–Baba Cross-Coupling	78
1.3.9	Beyond the Ullmann and Suzuki–Miyaura Reactions, Other Newer Approaches to Functional Biaryl Synthesis: Pd, Fe, Co, and Other Metals	83
1.3.9.1	With Palladium	83
1.3.9.2	With Iron	84
1.3.9.3	With Nickel	84
1.3.9.4	With Cobalt	84
1.3.10	Conclusions	84
1.4	Selected Experiments from the Literature	85
1.4.1	The Heck–Mizoroki Reaction	85
1.4.1.1	Heterogeneous Catalytic Synthesis of (<i>E</i>)-Butyl Cinnamate Using a Palladium Nanosphere Catalyst	85
1.4.1.2	The Preparative Catalytic Synthesis of 5-(<i>p</i> -Trifluoromethylphenyl)-2,3-dihydrofuran in Continuous Flow	85
1.4.2	The Heck–Matsuda Reaction	85
1.4.2.1	Catalytic Synthesis of (<i>E</i>)-3-(4-Methoxyphenyl)acrylic acid Using Palladium Acetate in Water	85
1.4.2.2	Catalytic Synthesis of 2-Phenyl-1 <i>H</i> -Indene Using Copper Chloride	86
1.4.2.3	Catalytic Synthesis of (<i>E</i>)-Ethyl 3-(4-methoxyphenyl)acrylate Using Palladium Nanoparticles Supported on Agarose Hydrogel	86
1.4.3	The Heck–Hiyama Reaction	87
1.4.3.1	Catalytic Synthesis of <i>p</i> -Nitrobiphenyl: Ligand-Free Coupling Using Pd/C	87
1.4.4	The Stille Reaction	87

- 1.4.4.1 The Cu Catalyzed Stille Reaction—Synthesis of *N*-Ethyl-*N*-(phenyl-*p*-tolylmethyl)benzamide 87
- 1.4.5 The Sonogashira-Hagihara Reaction 87
- 1.4.5.1 The Copper-Free Catalytic Synthesis of Diphenylethyne 87
- 1.4.5.2 Sonogashira-Hagihara Cross-Coupling with Arenediazonium Salts—Synthesis of 1-(4-Methoxyphenyl)-2-phenylacetylene 87
- 1.4.6 The Suzuki–Miyaura Reaction 88
- 1.4.6.1 Synthesis of 4-(2,6-Dimethylphenyl)-3,5-dimethylisoxazole Using Pd-PEPPSI-IPENT 88
- 1.4.6.2 Synthesis *p*-Phenylanisole via the Suzuki–Miyaura Reaction with a FibreCat-1034 Catalyst 88
- 1.4.7 Tamao–Kumada–Corriu Cross-Coupling Reaction 88
- 1.4.7.1 Synthesis of 2-(4-Methoxyphenyl)pyridine 88
- 1.4.8 Negishi-Baba Cross-Coupling 89
- 1.4.8.1 Synthesis of 1-Mesitylnaphthalene 89
- 1.4.9 Biaryl Synthesis with the Hindered Aryllithium Reagent, 2,6-Dimethoxyphenyllithium: Catalytic Synthesis of 1,3-Dimethoxy-2-(1-naphthyl)benzene 89
- References 89

2 Amine, Phenol, Alcohol, and Thiol Arylation 95

- 2.1 Introduction 95
- 2.2 Pd-Catalyzed Processes 98
- 2.2.1 Buchwald–Hartwig Arylations (C^{Ar} –NR Bond Formation) 98
- 2.2.2 Migita Thioether Synthesis (C^{Ar} –SR Bond Formation) 109
- 2.2.3 Arylether Synthesis (C^{Ar} –OR Bond Formation) 113
- 2.2.4 Phosphorous Arylations (C^{Ar} –P Bond Formation) 117
- 2.2.4.1 Pd-Catalyzed Phosphorous Arylations (C^{Ar} –P Bond Formation) 117
- 2.3 Cu-Catalyzed and Promoted Arylations: (C^{Ar} –N Bond Formation) 118
- 2.3.1 Arylamines (C–N Bond Formation) 118
- 2.3.1.1 The Modified Ullmann Reaction (Ullmann-Condensation-Type Arylations) 118
- 2.3.1.2 Use of Arylboronic Acids and Derivatives Instead of Arylhalides: Chan–Lam–Evans Coupling and Other Variants 123
- 2.3.2 Arylthioethers (C^{Ar} –S Bond Formation) 128
- 2.3.2.1 Use of Arylhalides 128
- 2.3.2.2 The Chan–Lam–Evans Variant (Use of Arylboronic Acids) 129
- 2.3.3 Arylethers (C^{Ar} –O Bond Formation) 129
- 2.3.3.1 The Copper-Catalyzed Ullmann Coupling Reaction 129
- 2.3.3.2 The Chan–Lam–Evans Reaction 131
- 2.3.4 Phosphorous Arylations (C^{Ar} –P Bond Formation) 133
- 2.4 Fe-Catalyzed Arylations 134
- 2.4.1 Fe-Catalyzed Aryl Amination: (C^{Ar} –N Bond Formation) 136
- 2.4.2 Arylethers (C^{Ar} –O Bond Formation) 136
- 2.4.3 Arylthioethers (C^{Ar} –S Bond Formation) 136
- 2.5 Ni-Catalyzed Reactions 137
- 2.5.1 Ni-Catalyzed Amine Arylation: (C^{Ar} –N Bond Formation) 137
- 2.5.2 Ni-Catalyzed Sulfide Arylation: (C^{Ar} –S Bond Formation) 138
- 2.5.3 Ni-Catalyzed Phosphorous Arylations (C^{Ar} –P Bond Formation) 138
- 2.6 Co-Catalyzed Arylations 139
- 2.6.1 Co-Catalyzed Amine Arylations: (C^{Ar} –N Bond Formation) 139
- 2.6.2 Co-Catalyzed Sulfide Arylation: (C^{Ar} –S Bond Formation) 139
- 2.7 Mn-Catalyzed Arylations 140

2.7.1	Mn-Catalyzed Amine Arylations: (C^{Ar} –N Bond Formation) 140
2.7.2	Mn-Catalyzed Sulfide Arylation: (C^{Ar} –S Bond Formation) 140
2.8	Cd-Catalyzed Arylations 140
2.8.1	Cd-Catalyzed Aryl Amination: (C^{Ar} –N Bond Formation) 140
2.9	Bi(III) and Indium Oxide-Catalyzed Thiol Arylations 141
2.10	Conclusions and Final Comment 141
2.11	Selected Experiments from the Literature 141
2.11.1	Amine Arylations 141
2.11.1.1	The Buchwald–Hartwig Amine Arylation 141
2.11.1.2	Copper-Catalyzed Amine Arylations 142
2.11.1.3	Fe Arylations 143
2.11.2	Thiol Arylation 143
2.11.2.1	Palladium-Catalyzed Arylation 143
2.11.2.2	Copper-Catalyzed Thiol Arylation 144
2.11.2.3	Fe Catalysis 144
2.11.3	Etherification Cross-Coupling Reactions 144
2.11.3.1	With Palladium 144
2.11.3.2	With Iron 145
	References 145
3	Decarboxylative Coupling Techniques 151
3.1	Introduction 151
3.2	Pd-Catalyzed Versions 152
3.2.1	Pd-Based Systems 152
3.2.2	Pd/Cu-Based Systems 159
3.3	Other Metal-Catalyzed Versions 163
3.3.1	Cu-Based Systems 163
3.3.2	Other Metal-Based Systems 165
3.4	Conclusions 166
3.5	Selected Experiments 169
3.5.1	Application of Pd Catalysts 169
3.5.1.1	Synthesis of 2-(3-Pyridyl)-1-methylpyrrole 169
3.5.1.2	Synthesis of 1-Methyl-2,3-bis(4-(trifluoromethyl)phenyl)-1 <i>H</i> -indole 169
3.5.1.3	Synthesis of 2,6-Dimethoxybiphenyl 169
3.5.1.4	Synthesis of 7-(Diethylamino)-3-(4-methoxyphenyl)-2 <i>H</i> -chromen-2-one 169
3.5.1.5	Synthesis of 4-(2-Nitrophenyl)benzophenone 170
3.5.1.6	Synthesis of 3,4'-Dimethyl-4-nitrobiphenyl 170
3.5.1.7	Synthesis of 4-Methylbenzophenone 170
3.5.1.8	Synthesis of <i>N</i> -[(1-Naphthyl)(phenyl)methylene]cyclohexanamine 170
3.5.1.9	Synthesis of 2,3,4,5,6-Pentafluoro-2'-methylbiphenyl 171
	References 171
4	C–H Bond Activation for Arylations 173
4.1	Introduction 173
4.2	$C(sp^2)$ –H Activations 176
4.2.1	Involving Ar/Ar Couplings $C(sp^2)$ –H Activations 176
4.2.1.1	Directed Metalating Group (DMG)-Assisted $C(sp^2)$ –H Activations Direct Arylation 176
4.2.2	Involving Ar/C=X (X = C, O, N) Couplings $C(sp^2)$ –H Activations 194
4.2.2.1	DMG Ar/C=X (X = C, O, N) Couplings $C(sp^2)$ –H Activations 194
4.2.2.2	Non-DMG Ar/C=X (X = C, O, N) Couplings $C(sp^2)$ –H Activations 216

4.2.3	Involving Ar/Alkyne Couplings C(sp ²)-H Activations	217
4.2.3.1	DMG Ar/Alkyne Couplings C(sp ²)-H Activations	217
4.2.3.2	Non-DMG Ar/Alkyne Couplings C(sp ²)-H Activations	229
4.2.4	Involving Ar/Alkyl Couplings	229
4.2.4.1	DMG Assisted Ar/Alkyl Couplings C(sp ²)-H Activations	231
4.2.4.2	Non-DMG Assisted Ar/Alkyl Couplings C(sp ²)-H Activations	235
4.2.5	Involving Ar/N Couplings C(sp ²)-H Activations	239
4.2.6	Involving Ar/Other Heteroatom Couplings	240
4.3	Conclusions	240
4.4	Selected Experiments from the Literature	240
4.4.1	C ^{Ar} -H Arylation	240
4.4.1.1	With Palladium	240
4.4.1.2	With Rhodium	241
4.4.1.3	With Ruthenium	242
4.4.2	C ^{Ar} -H C=X (X = C, O, N) Cross-Coupling	242
4.4.2.1	With Rhodium	242
4.4.2.2	With Ruthenium	242
4.4.3	C ^{Ar} -H Alkyne Cross-Couplings	243
4.4.3.1	With Rhodium	243
	References	243
5	Conjugate Additions	247
5.1	Conjugate Additions: A Powerful Tool for Appending Organic Residues to Cyclic and Acyclic Substrates	247
5.2	Applications of Rh Catalysts	248
5.3	Applications of Pd Catalysts	270
5.4	Applications of Ru and Other Catalysts	279
5.4.1	Ruthenium	279
5.4.2	Copper	280
5.4.3	Nickel	285
5.5	Conclusions	286
5.6	Selected Experiments	287
5.6.1	Application of Rh Catalysts	287
5.6.1.1	Synthesis of (<i>S</i>)-3-Phenylcyclohexanone	287
5.6.1.2	Synthesis of a Bidentate Phosphoramidite Ligand: <i>N,N</i> -Dimethyl (<i>R,R</i>)- <i>O</i> -linked-phosphoramidite	287
5.6.1.3	Synthesis of (<i>R</i>)-3-(2-Naphthyl)cyclohexanone	287
5.6.2	Application of Pd Catalysts	287
5.6.2.1	Synthesis of (-)-2-(Biphenyl-4-yl)-4-oxo-piperidine-1-carboxylic acid <i>tert</i> -Butyl Ester	287
5.6.3	Application of Cu Catalysts	288
5.6.3.1	Synthesis of (<i>R</i>)-(+)-3-Ethyl-3-methylcyclohexanone	288
	References	288
6	Imine Arylations-Synthesis of Arylamines	292
6.1	Arylation of C=N Bonds: Simple Access to Chiral Amine Units	292
6.2	Application of Rh Catalysts	292
6.3	Application of Pd Catalysts	305
6.4	Application of Ru and Other Catalysts	313
6.4.1	Ruthenium	313
6.4.2	Zinc	314

6.4.3	Copper	314
6.5	The Petasis–Akritopoulou Reaction	315
6.6	Conclusions	322
6.7	Selected Experiments	324
6.7.1	Application of Rh Catalysts	324
6.7.1.1	Synthesis of (<i>S</i>)- <i>N</i> -[(2-Furyl)phenylmethyl]-4-methylbenzenesulfonamide	324
6.7.1.2	Synthesis of <i>N</i> -(1-(4-Chlorophenyl)-1-phenylpropyl)-tosylamide	324
6.7.1.3	Synthesis of <i>N</i> -((4-Methoxy-2-methylphenyl)(phenyl)methyl)-4-nitrobenzenesulfonamide	324
6.7.2	Application of Pd Catalysts	325
6.7.2.1	Synthesis of [(4-Fluorophenyl)phenylmethyl]carbamic acid <i>tert</i> -butyl ester	325
6.7.3	Application of Ru and Other Catalysts	325
6.7.3.1	Synthesis of <i>N</i> -[(2-chlorophenyl)(phenyl)methyl]-4-methylbenzenesulfonamide	325
6.7.3.2	Synthesis of Ethyl 2-(4-(dimethylamino)phenyl)-2 ((methoxycarbonyl)amino)acetate	325
6.7.4	The Petasis–Akritopoulou Reaction	326
6.7.4.1	Synthesis of ($\pm$)- <i>N</i> -(Diphenylmethyl)- α -phenylglycine	326
6.7.4.2	Synthesis of (<i>R</i>)-2-((4-(Benzyloxy)phenyl)(pyrrolidin-1-yl)methyl)phenol	326
6.7.4.3	Synthesis of Ethyl 2-phenyl-2-(pyrrolidin-1-yl)acetate	326
	References	326
7	Carbonyl Group Arylation	329
7.1	Introduction	329
7.2	Application of Rh Catalysts	329
7.2.1	Additions to Aldehydes	330
7.2.2	Addition to Ketones	342
7.3	Application of Pd Catalysts	349
7.4	Application of Ru and Other Catalysts	355
7.4.1	Ruthenium Catalysis	355
7.4.2	Nickel Catalysis	357
7.4.3	Copper Catalysis	361
7.4.4	Platinum Catalysis	362
7.4.5	Iron Catalysis	363
7.4.6	Zinc Catalysis	365
7.4.7	Titanium Catalysis	367
7.5	Conclusions	370
7.6	Selected Experiments	370
7.6.1	Application of Rh Catalysts	370
7.6.1.1	Synthesis of (<i>R</i>)-(1-Naphthyl)phenylmethanol	370
7.6.1.2	Synthesis of (<i>S</i>)-(2-Chlorophenyl)(mesityl)methanol	370
7.6.1.3	Synthesis of (<i>R</i>)-Benzo[<i>d</i>] [1,3]dioxol-5-yl(phenyl)methanol	371
7.6.1.4	Synthesis of 1- <i>p</i> -Tolyl-1,2,3,4-tetrahydronaphthalen-1-ol	371
7.6.1.5	Synthesis of (<i>S</i>)-5-Chloro-3-(3,5-dimethylphenyl)-3-hydroxy-1-(4-methoxybenzyl)indolin-2-one	371
7.6.2	Application of Pd Catalysts	371
7.6.2.1	Synthesis of 3-Phenyl-3-hydroxy-2,3-dihydrobenzofuran	371
7.6.3	Application of Ru Catalysts	372
7.6.3.1	Synthesis of (<i>S</i>)-(4-Chlorophenyl)phenylmethanol	372
7.6.4	Application of Cu Catalysts	372
7.6.4.1	Synthesis of (<i>S</i>)-(4-Chlorophenyl)(phenyl)methanol	372
7.6.5	Application of Zn Catalysts	372

- 7.6.5.1 Synthesis of (*R*)-(Cyclohexyl)phenylmethanol 372
- 7.6.5.2 Synthesis of (*R*)-2,2-Dimethyl-1-phenylpropanol 372
- 7.6.5.3 Synthesis of 1-(4'-Methylphenyl)-1-phenylethanol 373
- References 373

8 α -Arylation Processes 376

- 8.1 Introduction 376
- 8.2 Arylation of Enolates and Equivalents 377
 - 8.2.1 Arylation of Ketones and Aldehydes 377
 - 8.2.1.1 Ketones 377
 - 8.2.1.2 Aldehydes 397
 - 8.2.2 Arylation of Amides 399
 - 8.2.3 Arylation of Esters 412
- 8.3 Other Metal-Catalyzed α -Arylations 419
 - 8.3.1 Copper Catalysts 419
 - 8.3.2 Nickel Catalysts 425
- 8.4 Conclusions 427
- 8.5 Selected Experiments 428
 - 8.5.1 Arylation of Enolates and Equivalents 428
 - 8.5.1.1 Synthesis of 2-(4-Biphenyl)-4-methyl-3-pentanone 428
 - 8.5.1.2 Synthesis of α -(*o*-Tolyl)acetophenone 430
 - 8.5.1.3 Synthesis of 1-Benzyl-4-methyl-1,2,3,4-tetrahydro-4-quinolinol 430
 - 8.5.1.4 Synthesis of (*R*)-1,3-Dimethyl-3-phenylindolin-2-one 430
 - 8.5.1.5 Synthesis of *tert*-Butyl (6-methoxynaphthalen-2-yl)acetate 430
 - 8.5.1.6 Synthesis of *tert*-Butyl α -mesitylpropanoate 430
 - 8.5.2 Other Metal-Catalyzed α -Arylations 431
 - 8.5.2.1 Synthesis of 1-Benzyl-6-chloro-5-fluoro-3-(1-hydroxyethylidene)indolin-2-one 431
 - 8.5.2.2 Synthesis of (*S*)-2-Phenyl-1-octanol 431
 - 8.5.2.3 Synthesis of 2-Methyl-2-(4-(trifluoromethyl)phenyl)-2,3-dihydro-1*H*-inden-1-one 431
- References 432

9 Catalytic Cycloaddition Aromatization Processes 436

- 9.1 Introduction 436
- 9.2 Cycloaddition Events 436
 - 9.2.1 [2+2+2] Cycloadditions 436
 - 9.2.1.1 With Rhodium 437
 - 9.2.1.2 With Cobalt 443
 - 9.2.1.3 With Ruthenium 445
 - 9.2.1.4 With Palladium 448
 - 9.2.1.5 With Iron 452
 - 9.2.1.6 With Nickel 452
 - 9.2.1.7 With Titanium 452
 - 9.2.1.8 With Iridium 454
 - 9.2.1.9 With Copper 454
 - 9.2.2 [3+2]-Cycloadditions for the Synthesis of Aromatic Compounds 455
 - 9.2.2.1 The Huisgen's Reaction 455
 - 9.2.2.2 Tetrazole Synthesis 469
 - 9.2.2.3 Pyrrole Synthesis 472
 - 9.2.2.4 The Diels-Alder Reaction 474
- 9.3 Radical-Based Cycloaromatization Processes 474

9.3.1	The Catalytic Bergman Cyclization	474
9.3.2	The Catalytic Myers-Saito Cyclization	481
9.4	Conclusions	482
9.5	Selected Experiments from the Literature	482
9.5.1	[2+2+2]-Cycloaddition	482
9.5.1.1	Rhodium-Catalyzed Synthesis of 2, 4, 5, 7-Tetraphenylisoindoline	482
9.5.1.2	Cobalt Catalyzed Synthesis of 2-(2-Methoxy-1-naphthyl)-6-phenyl-7,8-dihydro-5H-cyclopenta-[c]pyridine	482
9.5.1.3	Palladium-Catalyzed Synthesis of an Aromatic Hexa-ester	483
9.5.1.4	Iron-Catalyzed Synthesis of 3,6-Dimethyl-2- <i>n</i> -butyl pyridine	483
9.5.2	[3+2]-Cycloaddition: Click-Chemistry	484
9.5.2.1	Cu-Catalyzed Synthesis of 17-[3-(1-(1,2,3-Triazolyl))]estradiol	484
9.5.2.2	Organocatalytic Synthesis of 1,5-Diphenyl-1 <i>H</i> -1,2,3-triazole	484
9.5.2.3	CuI-NBS-Mediated Synthesis of <i>N</i> -[5''-(Phenylthio)Phosphorylethoxyethyl]-2',3'- <i>O</i> - isopropylidene-5'-phosphoryl-5- <i>I</i> -1,2,3-triazole-4-amide-1- <i>D</i> -ribofuranoside	485
9.5.2.4	Ru-Catalyzed Synthesis of 1-Benzyl-5-phenyl-1 <i>H</i> -1,2,3-triazole	485
9.5.2.5	Synthesis of 1-(2-Methylbenzyl)-5-benzoyl tetrazole	485
9.5.2.6	Catalytic Synthesis of Dimethyl 3-Cyclopropyl-1 <i>H</i> -pyrrole-2,4-dicarboxylate	486
	References	486

Index	491
--------------	-----

