

Index

a

- acidic substrates deprotonation
 - f-element–metal complexes 60
 - oligomerization 60, 61
- adduct formation
 - Coulomb attraction, ionic species 57
 - and ligand rearrangement, Fe/Yb system 59
 - [MCp*] (M = Al, Ga) and f-element moieties 58
 - RE–Sn bonds 59
- alkane and amine elimination
 - CH-activation, coligand periphery 54
 - [Cp₃USnPh₃] preparation 53
 - homogeneous reaction behaviour 51
 - RE–Re bonds 53
 - U–Re bonds 54
- alkane elimination 466
- allylic and benzylic oxidations 301
- amido, imido and nitride complexes 92, 93, 95

b

- BIAN, *see* 1,2-diiminoacenaphthenes (BIAN)
- bimetallic compounds
 - dinickel compounds, *see* dinickel compounds
 - dipalladium, *see* dipalladium compounds
 - diplatinum, *see* diplatinum compounds
 - heterobimetallic, *see* heterobimetallic compounds
 - metal–metal bonds 325
- borylene bridging dimanganese(I) complexes 178, 179
- bridging/terminal Pn atoms
 - cationic complexes 548
 - 92 and 94 core structures 548, 549

c

- CAFM, *see* conductive atomic force microscopy (CAFM)
- carbene bridging dimanganese(I) complexes 178
- carboxylate 250, 252
- CASSCF, *see* complete active space self consistent field (CASSCF)
- catecholates 248, 249

- C–C bond formation reactions 301, 302
- chalcogenide clusters 97Å–99
- chromium 139–141
- cluster compounds
 - classes 485
 - Zintl compounds, *see* Zintl compounds
- cobalt
 - Co(I) and Co(II) oxidation 279
 - Co–Co bond length 279
 - dicobalt compounds, *see* dicobalt compounds
 - doublet and quartet spin states 284
 - extended metal-atom chains (EMACs) 282
 - Hückel molecular orbital method 284
 - intermolecular interactions 283
 - LUMO 284
 - polymorphism 283
 - tri- and penta-nuclear cobalt 284
- complete active space self consistent field (CASSCF) 2
- complexes
 - with actinide metals 69
 - with rare earth metals 66
- conductive atomic force microscopy (CAFM) 13
- copper(I)–copper(I) interactions
 - *ab initio* investigation 399
 - acetonitrile and cuprophilic interaction 401
 - carbanion-bridged systems 400
 - copper–copper bond order 402
 - Cu–Cu distances 398
 - cyclic trimer 402
 - dicopper complexes 401
 - gold(I)–gold(I) interactions, *see* gold(I)–gold(I) interactions
 - Hückel calculations 398
 - hydride bridges 400
 - hydrogen bonding 403
 - linear geometry 401
 - lithium 402
 - metal–metal bonding 400
 - silver(I)–silver(I) interactions, *see* silver(I)–silver(I) interactions

- copper(I)–copper(I) interactions (*contd.*)
 - tetrameric (trimethylsilyl)methyl copper 398
 - triazenido ligands 398
- covalent metal–metal bonding
 - Figgis/Martin scheme 415
 - gold–gold bonding, *see* gold–gold bonding
 - mixed-valent copper(I)/copper(II) complexes 415, 417
 - paddlewheel complexes of copper(II) 415
 - silver–silver bonding 418, 419
- cyclo*-organobismuthines 524
- cyclo*-organostibines
 - dehalogenation, organoantimony dihalides 523
 - description 523
 - molecular and supramolecular structure 524, 525
 - solid state structure 523
 - supramolecular structure 524
- d**
 - DAD, *see* 1,4-diazadienes (DAD) ligands
 - d-block-group 13 464
 - alkane elimination 466
 - anionic gallium analogues 465
 - diyl systems 465
 - metal-mediated dehydrogenation 465
 - organometallic complexes 465
 - oxidative addition vs. adduct formation 466, 467
 - salt elimination 465, 466
 - density functional theory (DFT) 3
 - 1,4-diazadienes (DAD) ligands 51
 - dicobalt compounds 279
 - antiferromagnetic interactions 281
 - dicobalt paddlewheel compounds 280
 - magnetic communication 282
 - N-donor bridging ligands 280
 - one-electron oxidation 281
 - tetragonal species 280
 - 1,2-diiminoacenaphthenes (BIAN) 51, 52
 - diiron
 - Fe–Fe bonding 233, 235, 236
 - planar paddlewheel complex 231
 - tetragonal complexes 226, 227
 - trigonal paddlewheel complexes 228Å–231
 - dimeric magnesium(I) compounds 30, 31
 - dinickel compounds 326
 - dinickel(0), *see* dinickel(0) compounds
 - dinickel(I), *see* dinickel(I) compounds
 - dinickel(II), *see* dinickel(II) compounds
 - dinickel(III) 344, 345
 - mixed-valent 345, 346
 - dinickel(0) compounds
 - Ni(0)–Ni(0) bond lengths 326, 327
 - olefin ligands 326
 - dinickel(I) compounds
 - α -diimine 335
 - anionic NHC ligand 339
 - antiferromagnetic coupling 329
 - arenes 330
 - with aryl and aryne ligands 335–337
 - bis(phosphane) ligands 338
 - bidentate monoanionic carboxylates 328
 - bridging ligands 330
 - H-migration mechanism 332
 - LiN(SiMe₃)₂ 338
 - mechanism 330, 331
 - mediated hydrodesulfurization 338, 339
 - molecular hinge, Ni(I)–Ni(I) bond 332, 334
 - monoanionic pyrrole-based PNP pincer ligand 340
 - monoatomic bridged Ni(I)–Ni(I) bond 338
 - μ -iodide μ -nitrosyl compound 339
 - multidentate N,P-donor ligands 339
 - N-heterocyclic carbene (NHC) ligand 338
 - Ni(I)–Ni(I) bond lengths 329
 - N,N'-trimethylsilyl-phenylamidinate ligand 328
 - salt elimination 332
 - stepwise reduction, Ni(II) dibromide 335, 336
 - *syn*- η^2 : η^2 -bonding model 330, 332
 - dinickel(II) compounds
 - carbene ligand (RR'C²⁻) 344
 - closed-shell d⁸ electronic configuration 340
 - imide (AdN²⁻) bridging 342
 - μ -methylene compound 344
 - μ -N^{imide} bridging compounds 342
 - Ni(II)–Ni(II) bond lengths 342, 344
 - paddlewheel 341
 - dinickel(III) compounds 344, 345
 - dipalladium compounds
 - description 347
 - dipalladium, *see* dipalladium(0) compounds
 - dipalladium(I), *see* dipalladium(I) compounds
 - dipalladium(II), *see* dipalladium(II) compounds
 - dipalladium(III), *see* dipalladium(III) compounds
 - mixed-valent 370
 - dipalladium(0) compounds
 - aluminium(I) ligand 348
 - μ -P, P'-coordinated diphosphane ligands 348
 - Pd(0)–Pd(0) bond lengths 348
 - steric bulky Ga(I) ligand [GaCp*Ph] 347
 - dipalladium(I) compounds
 - allyl bridging and insertion of CO₂ 360, 361
 - bis-NHC ligand 362
 - chiral ligand 358
 - 'corner- and edge-sharing' 349, 350
 - gallium(III) halide 358
 - with mono-bridging-atom ligand 354
 - neutral arene, anionic allyl/cyclopentadiene ligands 358
 - NPN-tridentate ligands 360
 - paddlewheel compounds, *see* paddlewheel compounds
 - Pd(I)–Pd(I) bond lengths 351, 362
 - Pd-phenyl interactions 358
 - pyrrole-based PNP pincer ligand 361

- redox non-innocent ligands 362
- triene-bridging dipalladium(I) sandwich compounds 359, 360
- with unsupported Pd(I)–Pd(I) bond 349, 350, 352, 353
- dipalladium(II) compounds
 - with 2-arylpyridine ligand 363, 364
 - benzylidenic C=C double bond 364
 - bis(pentalene) compound 144 364, 366
 - catalytic functionalization, C–H bond 363
 - d^8 electron configuration 363
 - paddlewheel compounds 364, 365
 - Pd(II)–Pd(II) bis-(monoanionic-allyl) compound 366
- dipalladium(III) compounds
 - catalytic C–H bond acetoxylation 367, 368
 - C–Cl bond 367
 - 146 147 compounds 366
 - 155–156 compounds 368
 - as intermediate for Pd(II)/Pd(IV) oxidation. 367, 369
 - Pd(III)–Pd(III) bond lengths 367
 - UV–vis spectroscopy 367, 369
- diplatinum compounds
 - description 370
 - diplatinum(0), *see* diplatinum(0) compounds
 - diplatinum(I), *see* diplatinum(I) compounds
 - diplatinum(II), *see* diplatinum(II) compounds
 - diplatinum(III), *see* diplatinum(III) compounds
 - metal–metal bonded moieties 371
 - mixed-valent 382–384
- diplatinum(0) compounds
 - 160–163 compounds 371
 - kinetical stabilisation 371
 - Pt(0)–Pt(0) bond lengths 372
 - series of 371, 372
- diplatinum(I) compounds 371
 - Brønsted acid $\text{CF}_3\text{SO}_3\text{H}$ 372, 373
 - disproportionation reaction 374
 - $\text{C}(\text{sp}^1)\text{–P}$ bond 372, 374
 - diphosphane bridging 375
 - diplatinum(I) hydride 376
 - E–H bond activated products 376
 - phosphide bridged, bis-ethylene compound 166 371, 372
 - phosphinito (R_2PO^-) bridging 374
 - Pt(I)–Pt(I) bond lengths 373
- diplatinum(II) compounds
 - 194 compound 376, 379
 - description 376
 - hydride- and acetylide-bridging compounds 376, 378
 - hydride bridged Pt(II)–Pt(II) bond 379
 - macrocyclic N_2S_2 ligand 376, 378
 - Pt(II)–Pt(II) bond lengths 378
- diplatinum(III) compounds
 - 206 and 207 compounds 381, 382
 - description 379
 - *ortho*-C–H bond of phenol 380
 - paddlewheel 382, 383
 - Pt(III)–Pt(III) bond lengths 381
 - Pt(III)–Pt(III) compounds 198 and 199 380
 - Pt(IV) trimethyl compound, C_6D_6 solution 380, 381
- dirhodium complexes
 - carboxylate-containing residues 305
 - catalytic cycle 303
 - excited-state photophysical properties 304
 - as hosts 305, 306
 - multielectron transfer reactions 303
 - multimetallic assemblies 310, 312, 314
 - π -arene interactions 306, 307
 - π -backbonding 308, 309
- diruthenium
 - metal–metal bonds 237
 - paddlewheel, *see* paddlewheels
- distibines and dibismuthines 519
 - examples of reactions 520, 521
 - Pn–Pn bond formation 520
 - secondary 520
 - structures 520, 522
- d orbitals
 - bends and stretches, $\text{Ru}_3(\text{dpa})_4\text{X}_2$ and $\text{Cr}_3(\text{dpa})_4\text{X}_2$ 12, 13
 - dirhodium carbene complex $\text{Rh}_2(\text{HCOO})_4(\text{CH}_2)$ 10, 11, 12
 - electron–electron repulsions 7
 - $\text{Fe}_2(\text{CO})_9$ 15, 16
 - iconic quadruple bond $[\text{Re}_2\text{Cl}_8]^{2-}$ 7, 8
 - naked transition metal diatomics 6
 - $[\text{Ru}_2\text{Cl}_9]^{3-}$, M_2X_9 family 14
 - σ bonding 9
 - singlet ground state, sextuply bonded W_2 6
 - spherically symmetric 3d cores 7
 - ‘supported’ and ‘unsupported’ bonds 5
 - ultrashort Cr–Cr quintuple bonds 9, 10
- double-bonded species
 - dipnictenes structure 530
 - selected structural data 530, 531
 - 33 structure 529
 - 35 structure 530, 532
 - 34-Tbt and $[\text{34-Bbt}]^{\bullet-}$ structure 530, 531
- double bonds ($\text{E}=\text{E}$)
 - cyclic silylenes 496
 - description 494
 - distannanes bonding 38, 494, 495
 - refined bonding model 495
 - sila-butadienes 496
 - Si=Si and Ge=Ge bonds reactivity 497
 - *trans*-bent structure, 38 $[\text{R}=\text{CH}(\text{SiMe}_3)_2]$ 494
 - trialkylsilyl derivative $[(^t\text{BuMe}_2\text{Si})_2\text{Sn}]_2$ 495
- double bonds ($\text{Tm}=\text{E}$) 508, 509
- double salt elimination 468

e

- early-late heterobimetallic complexes
 - Bader surfaces 77
 - carbonyl metalate derivative 75
 - electronegativities 75
 - metal–metal bond polarity 75
 - Ti–Co bonds 76
 - Ti–M and Zr–M complexes 75
 - triarylphosphine ligand 76
 - Zr–Ru bonding 76
- early-late heterodinuclear complexes 81
 - cooperative reactivity 82
 - insertions, *see* insertions polar metal–metal bonds
 - phosphinoamide-bridged Zr–Co, *see* phosphinoamide-bridged Zr–Co
- electronic and magnetic materials 240, 241
- electronic coupling
 - anthracenyl bridge 146
 - bandwidth 150
 - classification 146
 - compounds 147
 - delocalized mixed valence ions 147
 - dimers of dimers 150
 - dinuclear complexes 146
 - frontier molecular orbital energy 145
 - IVCT band 148
 - lanthanide contraction 146
 - mixed valence systems 149
 - MM quadruply bonded systems 150
 - NIR electronic absorption spectra 149
 - orbital energies and metal–ligand 146
 - resonance electronic transitions 149
 - single cyclic voltammetric wave 146
 - terephthalate 147
 - voltammograms 147
 - X-band EPR spectra 148
- extended metal-atom chains (EMACs) 13

f

- f-block-group 476, 477
- f-block metal–group 14 bonds
 - group 14–lanthanide and actinide bonded compounds 504, 505
 - insertion reaction of 101 with ArHC 505, 506
 - 97 reaction with PhSiH₃ 505, 506
- Fe–Fe bonding
 - hexaamide ligands 234
 - hexaamide ligands multi-electron processes 235
 - hexanuclear Fe₆ 235
 - hydrocarbon-supported 236
 - intermetallic carbide clusters 236
 - Mössbauer doublets 234
- Fe-group 4 bonding in clusters 259
- f-element–MM bond formation
 - BIAN ligands 51, 52
 - DAD ligands 51, 52
 - ytterbium–tin bonds 51

f-element–TM bond formation 48

- early salt elimination reactions 49
- forming An–TM bonds 49, 50
- forming RE–TM bonds 49, 50
- limitations 49

Fe–M heterometallics

- Fe–group 4 heterometallics 258, 259
- Fe–(group 5–7) heterometallics 260–263
- Fe–group 9 heterometallics 263, 264
- Fe–group 10 heterometallics 264, 265
- Fe–group 11 heterometallics 265, 266

f orbitals

- C₆₀ 17, 18
- description 16
- orbitals occupations, U₂ (CASSCF) 17
- *trans* bending, distannenes and distannynes 17, 18, 19

formamidinate 252

formation of C–N bonds

- bimetallic framework 299
 - C–H amination reaction 298
 - dirhodium carboxamidates 298
 - intramolecular amination 298
 - intramolecular selectivity 299
 - X-ray crystallography 300
- functionalization of C–H bonds
- catalytic performance evaluation 293
 - diazo compounds 294
 - diazo insertion 294
 - dipolar cycloaddition reactions 296
 - dirhodium catalysts 293
 - indole derivatives 293
 - metal-catalyzed cycloadditions 294
 - orthometalated aryl phosphines 297
 - oxonium 296

functionalization of Si–H and S–H bonds 300, 301

g

G12 and transition metals

- AACVD 441
 - Au(I) metallocryptand cage 449
 - Cd–Ni distances 446
 - Cu–Hg bond 448
 - G12–Fe and G12–Ru 445
 - Hg–Ag-bonded compound 448
 - Hg–Mn-bonded complexes 443
 - iron and mercury 444
 - Li[Cp₂MSnPh₃] 442
 - Nb(II) radicals 442
 - Pd–Zn bonded compound 447
 - P,N-type bidentate donors 444
 - Pt–Cd bonded complexes 446
 - sodium amalgam 443
 - TM–ZnR complex 444
 - Vaska's complex 445
- [G12–G12]²⁺ ions
- dicadmium(I) and dizinc(I) salts 430

- reactivity 434
 - synthesis and structure 430, 431
 - gold–gold bonding
 - semi-/fully supported 419
 - unsupported gold–gold bonds 420, 421
 - gold(I)–gold(I) interactions 406
 - aurophilic interaction 407
 - diauration at hydrogen 407
 - geminal auration at carbon 407, 409
 - luminescent complexes 410, 411
 - photocatalysis 412
 - redox reactions 409, 410
 - thin-film deposition 411
 - group 1 bimetallics
 - homodiatomics and heterodiatomics 23, 24
 - $L \rightarrow M-M$ species 24
 - Li_2 and Na_2 24
 - stable complexes with group 1 25
 - stable metal–metal bonded complexes 25 Å–27
 - group 2 heterobimetallics
 - description 34
 - group 2–TM, *see* group 2–transitional metal complexes
 - group 8 heterobimetallics
 - intertriad M_2 complexes, *see* intertriad M_2 complexes
 - intratriad M_2 complexes 257
 - group 2 homobimetallics
 - description 27
 - diatomics and species 27, 28
 - isolable group, *see* isolable group 2 metal(I)–metal(I) bonded dimers
 - transient group 2 metal(I)–metal(I) bonded dimers 29
 - group 2–main group metal complexes
 - Ar = Dip 39
 - axial THF ligands 40
 - Ca–Ga dissociation energy 41
 - Ca–Sn distances 40
 - Mg–Ge interactions 40
 - $[Mg\{Ge(SiMe_3)_3\}_2 (THF)_2]$ structure 40
 - trigonal bipyramidal geometry with gallyl ligands 41
 - group 1 metal complexes 456
 - group 2 metal complexes 457, 458
 - group 12 metal complexes 458, 459
 - group 14 metal complexes 464
 - group 4 meta–metal bonds
 - degradative reaction 73
 - early-late heterodinuclear complexes, *see* early-late heterodinuclear complexes
 - heterobimetallic complexes, *see* heterobimetallic complexes
 - as potential catalysts 85
 - group 5 metal–metal bonds
 - inorganic and organometallic chemistry 91
 - vanadium complexes, *see* vanadium complexes
 - group 6 metal–metal bonds
 - chromium 139–141
 - electronic coupling, *see* electronic coupling
 - molecular assemblies 143 Å–145
 - molybdenum and tungsten 141
 - parallelepiped compounds 139
 - photophysical studies, *see* photophysical studies
 - quintuple bonds, *see* quintuple bonds
 - group 8 meta–metal bonds
 - cognization 225
 - homobimetallics, *see* homobimetallics
 - group 12 metal–metal bonds
 - dicadmium(I) salt 429
 - heterobimetallics, *see* heterobimetallics
 - homobimetallics, *see* homobimetallics
 - group 13 metal–metal bonds
 - d-block-group 13, *see* d-block-group 13
 - f-block-group 476, 477
 - p-block 458
 - ‘renaissance’ 455
 - s-block 455
 - group 2–transitional metal complexes
 - AIM analysis 38
 - Ar = Dip, R = $SiMe^tBu_2$ 34, 36, 37
 - Be–Pt distances 34
 - $\{Co\} = Co(CO)_2(PCy_3)$ 34, 35
 - heterobimetallic complexes with tolylcarbodiimide 38
 - hydride complex, $[Cp^*Ir(PMe_3)(H)(\mu-MgPh)]_2$ 37
 - Mg–Mo distances 34
 - short intermetal distances 38
 - Sr–Co bonding 38
 - guanidinate 252
- ## h
- halide 253
 - halide abstraction 469, 470
 - heteroatomic metal–metal bonds
 - f-block metal–group 14 bonds, *see* f-block metal–group 14 bonds
 - p-block, *see* p-block metal–group 14 bonds
 - s-block, *see* s-block metal–group 14 metal bonds
 - transition, *see* transition metal–group 14 bonds
 - heterobimetallic complexes 421–423, 74
 - metal–metal bond polarity 75
 - synthetic strategies, *see* synthetic strategies
 - Ti/Zr/Hf–M heterodimetallic complexes 79–81
 - heterobimetallic compounds
 - with $[Ag(ClO_4)PPh_3]$ 385, 387
 - description 384
 - ‘dimer-of-dimer’ 386, 389
 - gallium(I) ligand bridged 385, 388
 - heterobi-/multi-metallic Pt–Pd compounds 384, 385
 - M–M’ bond lengths 386
 - Pt(II) disilyl and $[Pd(PEt_3)_4]$ reactions 384
 - Pt(II)–Ni(II) compound 216 384, 385

heterobimetallic compounds (*contd.*)

- sterically demanding phosphine 386, 388

heterobimetallics

- G12 and transition metals, *see* G12 and transition metals

- G12–G13 bonds 437, 439

- G12–G14 bonds 439, 440

- G12–G15 bonds 440

homoatomic group 14–group 14 bonds

- cluster compounds, *see* cluster compounds

- double bonds (E=E), *see* double bonds (E=E)

- single bonds (E–E), *see* single bonds (E–E)

- triple bonds (E≡E), *see* triple bonds (E≡E)

homobimetallics 225

- diiron 226

- diruthenium, *see* diruthenium

- G12–G12 bonded complexes, *see* molecular

G12–G12 bonded complexes

- reactivity and catalysis 242, 243, 245

- synthesis and structures 430, 431

homodinuclear group 4 complexes 73, 74

i

icosahedral [Al₁₃]-cluster 4, 5

insertions polar metal–metal bonds 82, 84

intertriad M₂ complexes 258

intramolecular deprotonation and C–H activation

- cluster formation RE–Re complexes 61, 62

- polyhydride Lu–TM clusters formation 63

iridium

- small molecule and bond activation 316, 317

- synthesis and characterization 315, 316

isocarbonyl problem 48

isolable group 2 metal(I)–metal(I) bonded dimers

- dimeric magnesium(I) compounds 30, 31

- dimeric magnesium(I) compounds structure and bonding 32

- bulky ligands (R) into dimers 29

- low-valent Mg complexes 31

- magnesium(I) dimers synthesis 29, 30

- N centers, β-diketiminate ligands 29

- reactivity 32, 33

- structure and bonding 31, 32

l

ligand displacement reactions

- Fe–Al bond length 472

- Group 13 diyls 471

- homoleptic complexes 473

- monomeric state 471

- M–X bonds 473

- terphenyl indium diyl 472

m

magnesium(I) dimers synthesis 29, 30

manganese

- Mn₂⁰ core complexes 183, 185

- with Mn₂²⁺ core complexes, *see* Mn₂²⁺ core complexes

- with Mn₂³⁺ core complexes 176–178

- with Mn₂⁴⁺ core complexes 175–177

- Mn–Mn bonding species 175

metal–antimony bonds

- cationic palladium complex 97⁺ 550

- crystal structure of 98 550

- crystal structure of 99 551

- description 549

- group 6 and 8 complexes 549

- molybdenum complex 95 549

- stiboranyl complexes derivative 98, 550

metallophilic interactions involving gold(III) 414

metal–metal bond oxidation

- bond disruption enthalpies, uranium complexes 62, 63

- description 62

metal–metal bonds

- arbitrary metal centres 1, 2

- DFT 3

- discrete molecular systems 1

- d orbitals, *see* d orbitals

- f orbitals, *see* f orbitals

- ns orbitals, *see* ns orbitals

- p orbitals, *see* p orbitals

- radial distribution functions 1, 2

metal-only Lewis pairs

- Group 13 elements 467

- neutral and zwitterionic forms 468

- zwitterionic form 467

M^I heterocycles

- anionic gallium heterocycle 475

- coordination sphere 474

- heterocycle plane 474

- metal-halide bonds 475

- monomeric heterocycles 473

- σ-gallane complex 475

- transition metal carbonyls 476

M^I species

- heterocycles 471

- ligand displacement reactions, *see* ligand displacement reactions

- M–X and M–M bonds 471

mixed-valent dinickel compounds

- NHC-coordinated dinickel(0) compound 346

- Ni₂^{(n+m)+} 345

- Ni–Ni bond lengths 346

- Ni(II)–Ni(0) compounds 345Å–347

mixed-valent dipalladium compounds

- Pd₂⁵⁺ compound 159 370

- Pd–Pd bond lengths 370

- Pd(II)–Pd(0) interaction 370

mixed-valent diplatinum compounds

- 212–214 compounds 382, 384

- Pt–Pt bond lengths 383

- synergistic 2-centre oxidation 382, 383

- triplatinum compound 215 383, 384
- Mn_2^0 core complexes 183, 185
- Mn_2^{2+} core complexes
 - with carbene/borylene bridging ligands 177–179
 - with chalcogenide and bridging ligands 181–184
 - with unsupported Mn–Mn bonds 178, 179, 180, 182
- Mn_2^{3+} core complexes 176–178
- Mn_2^{4+} core complexes 175–177
- molecular G12–G12 bonded complexes
 - arylmetal iodide 433
 - catalytic activity 437
 - $\text{Cp}^*\text{ZnZnCp}^*$ 437
 - dimercury(I) salts 434
 - Hg–Hg–bonded complex 432
 - ligand exchange reactions 434
 - nitrogen ligands 431
 - pyrophoric compound 431
 - Zintl cluster anion 433
 - Zn–Zn bond cleavage 435
- molecular string complexes 151
- molecules and oligomers
 - cyclic oligostannanes 493
 - cyclic silanes 492
 - Ge–Ge bonding 492
 - low HOMO–LUMO energy gaps 491
 - mono- and bis-silylenes 492
 - Pb–Pb derivatives 493
 - Wurtz-type coupling 491
- molybdenum and tungsten 141Å–143
- M–Sb and M–Bi bonds
 - bridging/terminal Pn atoms, *see* bridging/terminal Pn atoms
 - description 533
 - RPn fragments, *see* RPn fragments
 - R_2Pn fragments, *see* R_2Pn fragments
- multimetallic sandwich compounds
 - description 387
 - $\text{Pd}_3(\text{C}_7\text{H}_7)_2\text{Cl}_3$][PPh_4] and $[\text{Pd}_5(\text{naphthalene})(\text{toluene})][\text{B}(3,5\text{-(CF}_3)_2\text{C}_6\text{H}_3)]$ 388, 389
 - redox reactions 389
- n**
- NIR electronic absorption spectra 149, 150
- (N, N) bridging ligands
 - anilopyridinate derivatives 212
 - bicyclic guanidinate complexes 211
 - description 211
 - electrochemical measurements 212
 - electronic absorption spectra 213
 - $\text{Re}_2(3,5\text{-(CH}_3)_2\text{ap})_4\text{Cl}_2$ and $\text{Re}_2(\text{ap})_4\text{Cl}_2$ 212
 - $\text{Re}_2(3\text{-Clap})_4\text{Cl}_2$ and $\text{Re}_2(3,5\text{-Cl}_2\text{ap})_4\text{Cl}_2$ 212
 - $\text{Re}_2(\text{DCyBA})_2\text{Cl}_4$ and $\text{Re}_2(\text{DmAniF})_2\text{Cl}_4$ 213, 214
 - $[\text{Re}_2(\text{DMBA})_4(\text{WO}_4)]_\infty$ 214, 215
 - $\text{Re}_2(\text{hpp})_4\text{F}_2$ 215
- $\text{Re}_2(\text{tbn})_4\text{Cl}_2$ and $\text{Re}_2(\text{tbo})_4\text{Cl}_2$ 211
- structural data 208, 215
- noncovalent metal–metal interactions
 - ‘aurophilicity’ 397
 - closed-shell attractions 397
 - copper(I)–copper(I) interactions, *see* copper(I)–copper(I) interactions
- non-paddlewheel Fe_2 complexes 231, 232
- non-paddlewheel Ru_2 complexes
 - tetragonal 247, 248
- ns orbitals
 - Cd–Cd bond 4
 - $(\text{Cp})_2\text{Lu}(\text{thf})\text{-Ru}(\text{Cp})(\text{CO})_2$ 5
 - HOMOs 3, 4
 - ‘superhalide’ 4, 5
 - pseudo-spherical clusters 4
 - Zn–Zn bonding 3
- o**
- (O, O) bridging ligands
 - *cis*- $\text{Re}_2[(\text{CH}_3)_3\text{CCOO}]_2\text{Cl}_4 \cdot 2\text{DMSO}$ and $\text{Re}_2(\text{HPO}_4)_2(\text{H}_2\text{PO}_4)_2(\text{H}_2\text{O})_2 \cdot 4\text{H}_2\text{O}$ 209, 210
 - compounds 206
 - $\text{Re}_2(\text{GABA})_2\text{Cl}_5(\text{H}_2\text{O})^+$ cation and $\text{Re}_2(\text{esp})_2\text{Cl}_2$ 207
 - $\text{Re}_2(\text{O}_2\text{C}(\text{CO})\text{Et})\text{Cl}_6^-$ anion. $\text{Re} \dots \text{Cl}$ contacts 208, 209
- Os–group 6 heterometallics 271
- Os–group 9 heterometallics 272
- oxidation state +1
 - aggregated oligomeric species 462
 - aluminium and gallium 462
 - dianionic systems 463
 - ligand steric profile 463
 - M–M interactions 461
 - organometallic systems 462
 - steric protection 463
 - tetrahedral arrangement 462
 - Ti–C vectors 462
 - triple bond formulation 463
- +2 oxidation state
 - alkoxo derivatives 460
 - alkyl/aryl and silyl donors 459
 - base-stabilized systems 460
 - carboxylate and acetylacetonate 461
 - dimeric systems 459
 - isomeric forms 461
 - M^{II} systems 460
 - steric factors 459
 - structural motifs 460
 - X-ray crystal structures 461
- oxidation states, less than +1
 - concentric shells 464
 - cubane system 464

p

paddlewheel compounds

- bidentate EXE type ligand and bridging M–M bond 355

- indolyl-phosphine ligand 355

- Pd(I)–Pd(I) compounds 356

- triazenido ligands (R–NH–N=N–R') 354

- tridentate ligand 356

paddlewheels 237

- Ru₂⁴⁺ 238

- Ru₂⁵⁺ 237

- Ru₂⁶⁺ 239

p-block metal–group 14 bonds

- (AlCl₃)₂[EN^tBu]₄, [{(Ph₃Ge)₃Ga}Ga][–] anion (73) and [(^tBu₂MeSi)₂Ge]₂In][–] anion (74) 502

- Ge–Bi bonded compounds 504

- N-heterocyclic carbene analogue to Group 14 centre 503

- neutral and anionic E–E' bonded cages 502, 503

phosphinoamide-bridged Zr–Co heterobimetallic complexes 85

photophysical studies

- heteroleptic compounds 152Å–155

- homoleptic compounds 151, 152

- transient absorption spectra 155

- TRIR, *see* time-resolved infrared studies (TRIR)

π-backbonding 308, 309

planar paddlewheel complex 231

- Pn–Pn (Pn=Sb, Bi) multiple bonds 529

- double-bonded species, *see* double-bonded species

- triple-bonded species, *see* triple-bonded species

polymers

- backbone, group 14 polymers 493

- transition metal-catalyzed dehydrocoupling 494

- σ- and π-conjugated polymers 493

- Wurtz coupling, dichlorosilanes 493

p orbitals

- description 17

- 'double-bond rule' 17

- *trans* bending, distannenes and distannynes 18, 19

porphyrin 245–248, 254

q

quintuple bonds

- arylchromium dimers 163

- dichromium compounds 164, 165

- dimolybdenum compounds 165, 166

- discovery 162, 163

- reactivity 170, 171

- structure 166–168

- theoretical studies 169

r

radial distribution functions, valence orbitals 2

reactivity, f-element–metal bonds

- deprotonation, *see* acidic substrates deprotonation

- description 60

- intramolecular deprotonation and C–H activation, *see* intramolecular deprotonation and C–H activation

- metal–metal bond, *see* metal–metal bond oxidation

- Re₂⁵⁺ core complexes 216, 217

- Re₂⁶⁺ core complexes

- compounds with (O, O) and (N, N) bridging ligands 206, 209–211

- compounds with (N, N) bridging ligands, *see* (N, N) bridging ligands

- compounds with no bridging ligands 205–207

- Re₂⁷⁺ core complexes

- description 204

- Re₂(tbn)₄Cl₂⁺ cation and tbn anion 204, 205

- structural data 204, 205

- Re₂⁸⁺ core complexes 203, 204

reductive cleavage, metal–metal bonds

- homometallic M–M bond 54

- lanthanoids Sm, Eu, and Yb into Ga–Ga bonds 56

- reactions within system activated ytterbium 55

- [SmCp*₂] reaction with BiPh₃ 57

- [(thf)₄Ln{Sn(SnMe₃)₃}₂] (Ln = Yb, Sm) from Me₃SnCl 55

- U–Co complex formation via Co–Co bonds 57

- Yb–Fe bonds formation of Fe–Fe bonds 56

rhenium

- complexes with Re₂⁸⁺ core 203, 204

- description 202

- Re₂Cl₈^{2–} anion 202, 203

- Re₂⁴⁺ core complexes 216, 218–220

- Re₂⁵⁺ core complexes, *see* Re₂⁵⁺ core complexes

- Re₂⁶⁺ core complexes, *see* Re₂⁶⁺ core complexes

- Re₂⁷⁺ core complexes, *see* Re₂⁷⁺ core complexes

- Re₃⁹⁺ core complexes 221–220

- (TBA)₂Re₂Cl₈ synthesis 202

rhodium

- catalytic activities 289

- chiral dirhodium catalysts 290

- cyclopropanation and cyclopropenation 286, 287

- cyclopropanation reactions 287

- cyclopropenation 289

- dirhodium metalloprotein catalysts 292

- functionalization of C–H bonds, *see*

functionalization of C–H bonds

- immobilized dirhodium 292

- Ph₃C groups 289

- Rh–Rh bond 288

- Rh–Rh single bond 285

- synthesis and characterization 285

- X-ray crystallography 285

RPn fragments

- as four-electron donor 545–547

- as two-electron donor 543–545

R₂Pn fragments 534

- group 4 and 5 complexes 535

- group 5 complexes 536

- group 6 and 7 complexes 537, 538

- group 9 complexes 541, 542
- group 10 and 11 complexes 542, 543
- organoantimony-/organobismuth–Group 8 metal bond 539, 540
- Ru–M heterometallics
 - Ru–group 4 heterometallics 266–268
 - Ru–group 6 heterometallics 267, 268
 - Ru–group 9 heterometallics 269
 - Ru–(groups 10, 11) heterometallics 270, 271
- Ru–Ru bond distances 240
- s**
 - salt elimination 465, 466
 - f-element–MM bond formation, *see* f-element–MM bond formation
 - f-element–TM bond formation, *see* f-element–TM bond formation
 - s-block, group 13 metal bonds
 - group 1 metal complexes, *see* group 1 metal complexes
 - group 2 metal complexes 457, 458
 - s-block metal–group 14 metal bonds
 - description 499
 - E–M bonded compounds, type $[(R_3E)_nML_m]$ 500
 - ion-separated/-paired Ph_3C^- anions 500
 - structurally characterized complexes with bonding arrangements 501
 - Sb–Sb and Bi–Bi bonds complexes
 - distibines and dibismuthines, *see* distibines and dibismuthines
 - *cyclo*-organobismuthines 523, 524
 - M–Sb and M–Bi bonds, *see* M–Sb and M–Bi bonds
 - Pn–Pn (Pn=Sb, Bi) multiple bonds, *see* Pn–Pn (Pn=Sb, Bi) multiple bonds
 - reactivity 526–529
 - thermal and photochemical stability 525, 526
 - silver(I)–silver(I) interactions
 - Ag–Ag distances 404
 - Ag–C–Ag moiety 404
 - dinuclear complex 404
 - metal–ligand bonding 403
 - NHC ligands 404
 - NMR spectroscopy 404
 - silver-based coordination polymers 406
 - single and partial–single bonds (Tm–E) 505, 508
 - single bonds (E–E)
 - molecules and oligomers 491
 - polymers, *see* polymers
 - solid state structures
 - bulky amides $[RE\{N(SiMe_3)_2\}_3]$ 63
 - factors 64
 - f-element–main group metal bond lengths 64–66
 - f-element–transition metal bond lengths 64, 67, 68
 - heterometallic compounds 63
 - Ln–MM/TM complexes 64
 - Sm–Ga complex 64
 - steric strains 64
 - U^{IV} –metal bonds stabilization 64
 - synthetic strategies
 - bimolecular amine/alkane elimination 79
 - dimetallic elimination reactions 77
 - early-late heterodinuclear complexes 77
 - salt metathesis 78
 - Ti–Rh heterodinuclear complex 79
 - Ti/Zr/Hf–Ir complexes 78
 - t**
 - Tc_2^{4+} core complexes
 - CASSCF/CASPT2 calculations 198
 - description 196
 - experimental band maxima (cm^{-1}), assignments, calculated excitation energies 199
 - structure 197
 - Tc_2^{5+} core complexes
 - active orbitals for $Tc_2X_8^{3-}$ (X = Cl, Br) 195
 - CASPT2/VTZP level of theory 195
 - description 193
 - $Tc_2Br_8^{3-}$ anion 194
 - $Tc_2Cl_8^{3-}$ in $HCl(aq)$ and $Tc_2Br_8^{3-}$ in $HBr(aq)$ 196
 - Tc_2^{6+} core complexes
 - acetate derivative $Tc_2(O_2CCH_3)_4Cl_2$ 189
 - active orbitals, $Tc_2Br_8^{2-}$ 187, 188
 - average Tc–Tc, Tc–X and Tc–L bond distances 187
 - description 186
 - emission spectra 189, 190
 - experimental band maxima (cm^{-1}) and proposed assignments 188, 189
 - $Tc_2Br_8^{2-}$ anion 187
 - $Tc_2(O_2CCH_3)_2Cl_4$
 - active orbitals 192
 - CH_2Cl_2 193
 - structure 191
 - $Tc_2(O_2CCH_3)_4Cl_2$ 190
 - $Tc_2Cl_8^{2-}$ and $Tc_2Br_8^{2-}$ in CH_2Cl_2 188, 189
 - VTZP basis set 187
 - technetium
 - β - $TcCl_2$ and α - $TcCl_2$ chains 201
 - complexes with a Tc_2^{6+} core, *see* Tc_2^{6+} core complexes
 - first man-made element 185
 - $Na[Tc_6Br_{12}]_2Br$ 201, 202
 - structure, α - $TcCl_3$ 200
 - Tc_2^{4+} core complexes, *see* Tc_2^{4+} core complexes
 - with Tc_2^{5+} core complexes, *see* Tc_2^{5+} core complexes
 - ^{99}Tc isotope 186
 - time-resolved infrared studies (TRIR)
 - amidinate ligands 157
 - charge distribution 158
 - electronic absorption and triplet emission spectra 160
 - experimental and calculated values 156, 161
 - frontier molecular orbital energy level 159
 - homoleptic compounds 158
 - infrared spectrum 156

time-resolved infrared studies (TRIR) (*contd.*)

- MLCT 156
- O₂CR ligands 156
- photoexcited states 157, 158
- recorded in THF 161
- tungsten 157

transient group 2 metal(I)–metal(I) bonded dimers

- ClMgMgCl and ·MgCl radicals 29
- diamagnetic magnesium(I) dimers RMgMgX 29
- PhMMPPh 28

transition metal–group 14 bonds

- double bonds (Tm=E) 508, 509
- single and partial–single bonds (Tm–E) 505, 508
- triple bonds (Tm≡E) 510, 511

trigonal complexes 249

triple–bonded species

- description 533
- 40 structure and bonding description 533

triple bonds (E≡E) 497

- germyne 59 reactions Reactions 498, 499
- Robinson's bonding model 498
- *trans*-bent arrangements group 14 REER 498

triple bonds (Tm≡E) 510, 511

u

ultrashort Cr–Cr quintuple bonds 9

unsupported gold(I)–gold(I) interactions 412

v

vanadium complexes

- borohydride reduction 91
- carbonyl compounds 92
- chalcogenide clusters 97–99
- hydride, alkyl and aryl complexes 95–97

y

ytterbium–tin bonds, salt elimination 51

z

Zintl compounds

- *closo*-[(E₉)M(CO)₃]^{4–} 486, 488
 - d-block organometallic fragments 486, 487
 - [E]₄^{4–} anions 1 486
 - electron-deficient, ligand-supported clusters 490
 - homatomic [E]_n^{x–} anions 485
 - ligand-free E-atoms, ligand elimination 489
 - ligand-stabilized electron-precise cages 489
 - [Sn]₉^{4–} with [Ir(cod)Cl]₂ 488, 489
 - structurally-characterized group 14 485, 486
 - structures [E]⁹-based anions 486, 487
- Zr–Co heterodinuclear complexes 80