

Index

a

adopted initial specific surface 200
 advanced fluidized-bed coal gasifiers
 308–309
 – agglomerating fluidized bed with internal
 post gasification 314–315
 – fluidized bed with slag bath 309–310
 – internal circulating fast fluidized-bed
 gasifier (INCI) 311–314
 – multistage spouted bed with slag bath
 310–311
 ambient gas composition effect 157–158
 ANSYS-CFX[®] 2
 ANSYS-Fluent[®] 2, 12–17, 76, 247, 248, 282,
 297
 – heterogeneous reactions setup 235
 – – boundary settings 238–239
 – – reactions definition 237–238
 – – species and mixtures defining 236–237
 – – species transport model 235–236
 Arrhenius equation 175, 211, 280–281, 292
 ash agglomeration 311, 313, 315

b

Baum and Street model 11
 Beeman–Verlet scheme 52
 Biot number 123
 Boudouard reaction 251, 256–257
 boundary conditions, on reacting interface
 296
 Brigham Young University (BYU) reactor
 19–20, 22
 Brinkman–Forchheimer
 equation 174
 British coal utilization research association
 (BCURA) reactor 14, 18

c

carbon burnout kinetic (CBK) model 273
 carbon mass flux 232, 297
 Carman–Kozeny equation 174
 Cartesian grids 75–77, 80, 106, 131, 178
 central difference scheme (CDS) 154
 char particle combustion and gasification
 pore-resolved simulation 243–245
 – 3D simulations under gasification conditions
 264–267
 – large porous particle of 2 mm
 – – large Reynolds numbers 259–262, 264
 – – small Reynolds numbers 257–259
 – model assumptions and chemistry
 245–248
 – – numerical scheme, discretization, and
 software validation 248–249
 – small porous particles of 90 μm 249–256
 – – gas temperature influence 256–257
 chemical percolation devolatilization (CPD)
 272, 276, 287, 290, 323
 chemically reacting porous particle 166
 coal oxidation 155
 commercial gasification technologies 32
 commercial software 14–17
 Commonwealth Scientific and Industrial
 Research Organization (CSIRO) 22
 – based modeling of entrained-flow gasifiers
 6–8
 – – mainstream computational submodels
 8–9
 – – review of works 13–17
 – drying model 125–126
 – model results 131–135
 – modeling benchmark tests 17
 – – Brigham Young University (BYU) reactor
 20, 22

- Commonwealth Scientific and Industrial Research Organization (CSIRO) (*contd.*)
 - British coal utilization research association (BCURA) reactor 18
 - pressurized-entrained-flow reactor (PEFR) 22–23
- Cooperative Research Centre for Coal in Sustainable Development (CCSD) 15, 22
- current developments and modeling
 - CFD modeling benchmark tests 18
 - Brigham Young University (BYU) reactor 20, 22
 - British coal utilization research association (BCURA) reactor 18
 - pressurized-entrained-flow reactor (PEFR) 23
 - CFD-based modeling of entrained-flow gasifiers 8
 - mainstream computational submodels 9–12
 - review of works 13–17
 - direct numerical simulation (DNS), in particulate-flow modeling 3–6
 - numerical modeling in engineering 1–3
- d**
- dense phase reactors. *See* transport reactors
- devolatilization 10–11
- diffusion coefficient 177
- diffusion kinetic single film (DKSF) 11–12, 15
- dilute particulate flows 44
- direct numerical simulation (DNS) 108, 110, 112, 116, 171, 217, 284
 - in particulate-flow modeling 3–6
- discrete element models (DEMs). *See* discrete particle models (DPM)
- discrete particle models (DPM) 43–45
- distributed activation energy models (DAEMs) 272, 323
- drag forces for two rotations 97, 100
- dry-feed entrained flow gasifiers 35
- e**
- eddy dissipation concept (EDC)
 - model 12
- eddy dissipation model (EDM) 12–13
- effective diffusion coefficient 177
- effectiveness factor 181–182
- energy conservation equation 126
- entrained-flow processes 34
- Euler–Euler model 43, 320, 322
- Euler–Lagrange models 3–5, 43, 45
- external heat transfer 113
- f**
- fixed-bed dry-bottom (FBDB) technology 31
- fixed-bed gasifiers. *See* moving-bed gasifiers
- fixed-grid models 144
- flamelet model 13
- FLASHCHAIN 272, 276, 323
- fluidized-bed processes 34, 36
- Fourier number 109, 123
- functional
 - group–devolatilization–vaporization crosslinking (FG–DVC) 272, 323
- future gasifier simulations
 - future numerical simulations additional fundamental aspects 322–325
 - proposed future gasifier requirements 319–322
- g**
- Golia relation 87
- grain model 244, 291
- grain pore model 199–200
- h**
- hard-sphere models 45–46, 59
 - formulation of collisions 63–65
 - collision treatment in dense particulate systems 62–63
 - governing equations 60–62
 - illustration 65–68
- Henry number 106
- highly loaded compact gasifiers 315–316
 - hybrid wall gasifier 316–318
- homogeneous reaction layer (H-zone) 276, 278–280
- homogeneous-zone single-film submodel ((H-zone model) 16
- i**
- ideal gas assumption 280
- ideal gas law 177
- immersed boundary (IB) method 75, 76, 80, 118
- impulse conservation equation 125, 210
- initial particle size and ambient gas
 - temperature effect, on oxidation regime 158–160
- integrated gasification combined cycle (IGCC)
 - power plants 30–31
- interface-marker function 147–148
- interface-tracking, during char particle gasification
 - 3D interface tracking for porous char particle in kinetic regime
 - internal surface reconstruction 196–197

- – porous particle description 194–195
- – problem description 192–194
- porosity tracking for moving char particle 171–172
- – boundary conditions at particle surface 175
- – governing equations in gas phase 173
- – governing equations in porous particles 174
- – model setup 172–173
- – numerics 178–180
- – porous structure and particle shape change 176
- – reaction kinetics 175–176
- – results and discussion 180–192
- – transport properties 177
- interfacial balance equations 293
- internal circulation gasifier (INCI) 36, 38–39, 311–314
- intrinsic heating regime 111
- intrinsic solid reactivity. *See* char particle combustion and gasification pore-resolved simulation
- intrinsic submodel 291

k

- kinetic/diffusion model. *See* diffusion kinetic single film (DKSF)

l

- laminar and turbulent regimes 214–217
- Langmuir–Hinshelwood mechanism 273
- large eddy simulations (LESs) 3, 14
- lattice Boltzmann method 4
- Lewis number 177, 208, 234, 277, 294
- Linde–Fränkel air separation process 30
- linear model 108–109
- linear spring–dashpot model 54
- Lurgi fixed-bed dry-bottom (FBDB) technology 31

m

- mass conservation equation 174, 210
- MATLAB[®] 2
- MFIX code 2
- moving-bed gasifiers 33–34
- moving coal particle devolatilization and combustion subgrid model
 - CFD-based model 281–282
 - char conversion models with homogeneous reaction 273–276
 - heterogeneous char conversion models 272
 - model formulation 276–281

- model validation 282–286
- pyrolysis models 271–272
- moving flame front (MFF) model 15, 219, 274–275
- moving-grid-based models 144
- moving particles modeling 43–47
 - hard-sphere model 59
 - – formulation of collisions 63–65
 - – collision treatment in dense particulate systems 62–63
 - – governing equations 60–62
 - – illustration 67–68
 - soft-sphere model 47
 - – illustrative examples 56–59
 - – numerical implementation 48–53
 - – validation cases 53–56
- multiparticle collision algorithm 62–63
 - application 65–68
- multiscale modeling strategy 5

n

- Navier–Stokes equations 43, 75–76, 118, 173, 290
- Neumann boundary condition 211
- noncommercial software 13–14
- nonporous spherical particle heating in hot air stream
 - problem and model formulation 107–109
 - results illustration and subgrid model 109–114
 - semiempirical two-temperature subgrid model 114–116
 - state of art 105–106
- Nusselt number 4, 10, 77, 79–80, 86, 88–91, 96–98, 100–101, 106, 110, 112–113, 115, 121, 123–124, 129, 234, 279, 294–295
- o**
- one-film model 162–163, 165
- OpenFOAM 2, 14

p

- particle conversion 9–12
- particle porosity impact and validation against experiments 217–218
- particle-resolved CFD simulations
 - non-spherical particles 225–226
 - – particle shapes 227–228
 - – results 228–234
 - spherical particles
 - – boundary condition 211–212
 - – governing equations 210–211
 - – numerics and software validation 212–218

- particle-resolved CFD simulations (*contd.*)
 - – relative particle velocity influence on oxidation regimes 219–225
 - – review of literature 205–207
 - – setup and model formulation 207–210
 - particle-source-in-cell method 8–9, 13
 - phenomenological flux relationships 124
 - point-implicit linear equation solver (Gauß–Seidel) 76
 - porous particle heating 116–117
 - analytical model 123–124
 - porosity 118–119
 - problem and model formulation 117–118
 - simulations results 119–123
 - porous particles oxidation behavior 156–157
 - porous sphericity 81
 - Prandtl number 91, 118, 221, 279
 - Pratt and Whitney Rocketdyne (PWR) 318
 - pressurized-entrained-flow reactor (PEFR) 24
 - pseudo-steady-state approach for carbon particle combustion and gasification
 - heterogeneous reactions setup in ANSYS-Fluent[®] 235
 - – boundary settings 238–239
 - – reactions definition 237–238
 - – species and mixtures defining 236–237
 - – species transport model 235–236
 - particle-resolved CFD simulations of non-spherical particles 225–226
 - – particle shapes 227–228
 - – results 228–234
 - particle-resolved CFD simulations of spherical particles
 - – boundary condition 211–212
 - – governing equations 210–211
 - – numerics and software validation 212–218
 - – relative particle velocity influence on oxidation regimes 219–225
 - – review of literature 205–207
 - – setup and model formulation 207–210
 - pyrolysis and particle conversion model 276–277
- q**
- quadratic upstream interpolation for convective kinematics (QUICK) scheme 77, 212, 248, 297
- r**
- random pore model 199–200
 - random pore model (RPM) 145
 - Ranz–Marshall relation 10, 13, 87, 91, 113, 129, 279, 295
 - reactive core models 144–145
 - resolved discrete particle models (RDPM) 4–5, 44
 - Reynolds-averaged Navier–Stokes equations (RANS) 3, 14–15
 - Reynolds number 75, 77, 79, 80, 82, 83, 85, 87–89, 92, 94–96, 100–101, 107, 111, 118–120, 122–123, 131–133, 181–182, 184–185, 187, 206–208, 217, 222–225, 232, 279, 295, 298, 320
 - large Reynolds numbers 259–262, 264
 - small Reynolds numbers 257–259
 - Rhie and Chow stabilization 76
 - Rosin–Rammler distribution 14, 58
- s**
- second Damköhler number 180, 182, 253–255
 - semiglobal chemical reactions 280–281
 - Semi-Implicit Method for Pressure-Linked Equations (SIMPLE) algorithm 76, 178, 212, 297
 - Sherwood number 130, 180, 221, 233–234, 294
 - shoelace algorithm 179
 - shrinking core model 144
 - shrinking particle model 144
 - single *N*th-order reaction (SNOR) model 16
 - single particle heating and drying
 - nonporous spherical particle heating in hot air stream 105–116
 - – problem and model formulation 107–109
 - – results illustration and subgrid model 109–114
 - – semiempirical two-temperature subgrid model 114–116
 - – state of art 105–106
 - porous particle heating 116–117
 - – analytical model 123–124
 - – porosity 118–119
 - – problem and model formulation 117–118
 - – simulations results 119–123
 - spherical particle drying in hot air stream 124–125
 - – CFD-based drying model 125–126
 - – CFD-based model results 131–135
 - – subgrid models and validation 127–131, 135–137
 - soft-sphere model 45–47
 - illustrative examples

- – breaking dam problem 56–57
 - – fixed beds generation 58–59
 - – rotating drum 57–58
 - numerical implementation
 - – collision parameters 49–50
 - – contact detection 50–52
 - – contact forces 48–49
 - – time integration 52–53
 - program flowchart 52–53
 - validation cases 53
 - – analytic solution for free-falling particle 54–55
 - – free-falling particle 53–54
 - – slipping sphere on rough surface 55–56
 - solids gasification 29–30
 - derived challenges for research 40
 - development trends 36–40
 - historical background 30–33
 - reactor types 33–36
 - species conservation of liquid water 126
 - species conservation of vapor 126
 - specific heat capacity 177
 - specific surface 183, 187, 190, 192, 198–200
 - spherical and nonspherical particles
 - code and software validation 78–80
 - literature review 73–74
 - model description 74–75
 - – numerical scheme and discretization 75–78
 - nonspherical particles
 - – heat and fluid flow of particles in flow direction 88–91
 - – particle flow characteristics at different attack angles 91–95
 - – particle orientation influence on drag forces and heat transfer 95–100
 - porous particles 81–88
 - – drag and Nusselt numbers for porous particles 85–88
 - – geometry assumptions 81–82
 - – heat and fluid flow past porous particles 82–85
 - spherical particle drying in hot air stream 124–125
 - CFD-based drying model 125–126
 - CFD-based model results 131–135
 - subgrid model validation 135–137
 - subgrid models 127–131
 - stagnant boundary layer approximation 143
 - STAR-CCM+[®] 2
 - Stefan flow 129–130, 185–186, 212–213, 225, 244, 245, 252–253, 255, 265, 267, 279, 291, 293, 297, 298
 - Stefan velocity 212
 - Strongly Implicit Procedure (SIP) algorithm 76, 178
 - subgrid models, for particle devolatilization-combustion-gasification
 - moving coal particle
 - – CFD-based model 282
 - – char conversion models with homogeneous reaction 274
 - – heterogeneous char conversion models 272–273
 - – model formulation 276–277
 - – model validation 287–290
 - – pyrolysis models 272
 - novel intrinsic submodel for moving char particle gasification 290–291
 - – CFD-based model 295–297
 - – model formulation 291–295
 - – model performance 297–300
 - subgrid models
 - new model 127–131
 - results illustration 109–114
 - semiempirical two-temperature model 114–116
 - standard model 127
 - validation 135–137
 - super-sampling method 76
 - surface Damköhler number 220–222
 - surface velocity 176
 - Sutherland–Hodgman clipping algorithm 179
 - syngas 30, 34
 - synthesis gas. *See* syngas
- t**
- thermal conductivity 177
 - Thiele modulus 180–181
 - time-splitting algorithm. *See* multiparticle collision algorithm
 - total carbon consumption rate 292–293
 - transport equations, for chemical species 294
 - transport reactors 316, 318
 - trends, in gasifier design 307–308
 - advanced fluidized-bed coal gasifiers 308–309
 - – agglomerating fluidized bed with internal post gasification 314–315
 - – fluidized bed with slag bath 309–310
 - – internal circulating fast fluidized-bed gasifier (INCI) 311–314
 - – multistage spouted bed with slag bath 310–311
 - highly loaded compact gasifiers 315–316
 - – hybrid wall gasifier 316–318
 - tridiagonal matrix algorithm (TDMA) 154

- turbulence–chemistry interactions 12–13
- two-film model (TFM) 165–166, 213, 219, 273–274

- u**
- unreacted core models 144
- unresolved discrete particle models (UDPM) 3–5, 44
- unsteady char gasification and combustion 143–145
 - advice for beginners 160–161
 - analytical models
 - – chemically reacting porous particle 166
 - – one-film model 162–163, 165
 - – two-film model 165–166
 - modeling approach 145–146
 - governing equations 146–148
 - initial conditions and boundary conditions 148–150
 - – pore structure and interface tracking 152–153
 - – reaction kinetics and transport properties 151–152
 - numerics and code validation 153–155
 - – results and discussion 155–160
- user-defined function (UDF) 16, 17, 247, 282

- v**
- Verlet list 51–52
- virtual H-zone single-film (VHZ-SF) model 275
- volume-averaged model 109–110, 124, 125, 138
- volume fraction of gas 147, 179

- w**
- wake flame 224, 231
- Wolfram Mathematica 98, 99