

Index

a

- acetylene hydroformylation 299
- acidic hydroformylation catalyst 636
- acylphosphites 145
- alanine 306
- alcohols, click chemistry 139
- aldol condensation 595
- Alkanox[®] 240 137
- Alkanox[®]P-24 175
- alkylformyl subunit 379
- alkynes hydroformylation
 - palladium catalyst 299
 - rhodium catalyst 298, 299
- allyl ethers 574
- (+)-ambruticin 331
- β^3 -amino acid 343
- amprenavir 353
- anethole 566, 567
- anionic rhodium clusters 624
- aqueous two phase hydroformylations 631
- 1-aryl-enolethers 571
- 1-aryl-prop-1-enes 569, 570
- asymmetric hydroformylation (AHF) 211, 326
 - acryl amides 348
 - allyl amides 346
 - allylthioethers 345
 - α -alkylacrylates 349
 - α -allyl cyanide 349
 - aryl propenes 572
 - β^3 -amino acid 343
 - butenoic acid derivatives 350
 - but-3-en-1-ylbenzene 350
 - chiral profens 335
 - cinnamyl alcohol 344
 - 1,3-diens 357
 - 1,1-disubstituted allyl amide 347
 - enol ester and enamide 342
 - (*E,Z*)-penta-1,3-dienes 359
 - herbicides 339
 - 1-hexene 351
 - isomeric dihydrofurans 352
 - L-Dopa precursor 343
 - 7-membered ring acetals 354
 - methyl acrylate 348
 - naproxen precursor 337
 - *N*-Boc allyl amide 346
 - *N*-protected 2- or 3-pyrrolines 352
 - para-substituted styrenes 336
 - phenylpropanoids 344
 - 1-phenyl-prop-1-ene 571
 - Roche aldehyde 345
 - styrene 336, 646
 - styrenyl enamides 342
 - 3,3' substituents influence 220
 - 3,3,3-trifluoropropene 350
 - vinyl acetates 339, 340
 - vinyl amides 341
 - vinyl sulfides 341
 - vinylfurans 338
 - *Z*/*E*-enamides 342
- asymmetric hydroformylation-crotylation one pot reaction 505
- asymmetric hydroformylation Garner's aldehyde 353
- asymmetric hydroformylation-(Wittig olefination) reaction 502
- asymmetric hydrogenation
 - *N*-[(*Z*)-1-hexen-1-yl]benzamide 223
 - *N*-[(*Z*)-1-hexen-1-yl]benzamide 224
- atropisomeric tetraphosphines 95
- atropisomeric triphos ligands 93
- azamacroheterocycles 489

b

benzofused nitrogen heterocycles 319
 benzopinacol 147
 benzyl-bridged tetraphenols 144
 benzyldialkylphosphines 79
 biarylphosphites 164
 biaryl tetraphosphines 95
 bicyclic acetals 459
 bicyclic phosphines 81
 bicyclo[3.3.0]-oct-2-ene 543
 bicyclo[4.3.0]nona-3,7-diene 551
 bidentate diphosphites 168
 bidentate NHC 246, 248
 bidentate phosphite-phosphoramidite ligands 196
 bimetallic catalysts 9
 bimetallic Pt/Sn precatalyst 53
 (*R,S*)-BINAPHOS 212, 213
 (*S*)-BIPHEN [= (*S*_{ax},*S,S*)-bobphos] 215, 216
 biphenols 139
 2,3'-biphenols 142
 biphenyl triarylphosphines 92
 BIPHEPHOS 154
 bis(eugenol) 141
 BISBI 88
 (*S,S,S*)-Bisdiazophos 222–225
 bishomoallyl alcohols 371
 Bourgeonal® 564
 α-branched aryl olefins 572
 brencatechol 177
 1,3-butadiene 446
 1,3-butadiene hydroformylation 293–295

c

cage phosphines 84
 calix[4]arene phosphites 165
 calix[4]arenes 143, 144
 camphene 59, 539
 carbenes 233
 carbonyl groups 2
 carvone 562
 (-)-β-caryophyllene 551
 caryophyllene oxide 551
 C-C bond formations 494
 C-C-coupling reactions 2
 β-cedrene 59, 542
 (+)-8(15)-cedren-9-ol 559, 560
 chemical equation 1
 chiral acylphosphites 167
 chiral C5 synthons 317, 318
 chiral diphosphites 162
 chiral indolizidines 317, 318
 chiral NHC-rhodium complex 251
 chiral *P,N*-ligand 226, 227

(*S,S*)-Chiraphite 216, 218
 Chirotech technology 321
 cis,trans-spiro[4.4]nonane-1,6-diol 148
 β-citronellene 544
 cobalt catalyzed Aldox process 498
 cobalt catalyzed decarbonylation 672
 cobalt catalyzed hydroformylation 22
 – epoxides 611
 – propene 644
 – activity and *n*-regioselectivity 19
 – alcohols and formate esters 18
 – bicyclic phosphines 19
 – bicyclic trialkylphosphine ligands 388
 – carbon oxide 618
 – dihydrooxazines 22
 – dihydropyran 21
 – equilibrium shift 18
 – ionic liquids 20
 – isomerization vs. hydroformylation 6, 7
 – mechanism 17
 – one-pot synthesis reaction 21
 – patent 16
 – phosphine ligands 10, 12
 – phosphite based complexes 20
 cobalt catalyzed tandem
 hydroformylation-hydrogenation
 reaction, paraformaldehyde 624
 cobalt containing ionic liquids 651
 cobalt NHC complexes 260
 co-catalysts 73
 CO₂-expanded liquids (CXLs) 687
 cryptands 489
 CXL process 684–687
 cyclic phosphites 153, 174
 cyclic terpenes 453
 1,5-cyclooctadiene 547
 cyclooctene 542
 cyclopentadienyl ruthenium complexes 41
 (*E*)-1-cyclopentylethyl but-2-enoate 543

d

decarbonylation 666
 decarbonylation-dehydration, stearic acid 597
 decarboxylative hydroformylation,
 α,β-unsaturated acids 519
 1-decene 638
 dehydrocarbonylation 666
 dehydroformylation 673
 dendrimers 105, 106
 dendriphos ligands 102
 dialkenyl carbinols 368
 dialkyl phosphates, hydrolysis 171
 diastereoselective hydroformylation

- (-)- α -pinene 329
- (-)- β -pinene 329
- bicyclic lactam 333, 334
- cyclopentene tetrol derivative 331
- Δ^4 -steroids 330
- 2,5-dicyclohexadienyl-1-carbinols 370
- homoallyl alcohols 371, 372
- 4-methylene 1,3-dioxanes 328
- (+)-phyllanthocin 363, 364
- oxygen versus methylene bridge 327
- vinyl- β -lactam precursor 332
- dibenzophospholmethylether group 367, 368
- dictyostatin 366, 367
- 2,5-dicyclohexadienyl-1-carbinols 370
- dicyclopentadiene 548
- diene hydroformylation 293–295
- 1,4-diformyl compounds 595
- 4,7-dihydro-1,3-dioxepines 576
- dihydrocarvone 562
- dihydroxy spiroketals 145, 146
- 2,6-dimethyl-1,5-cyclooctadiene 547
- 2,6-dimethylhepta-1,5-diene 545
- 2,6-dimethylocta-1,5-diene 545
- 5,7-dimethylocta-1,6-diene 545
- 3,7-dimethylocten-1-en-7-ol 555
- diphosphines 86
- α,ω -diphosphines 87
- diphosphites 154, 155, 161
- undesired transesterification 156
- domino hydroformylation-(aldol condensation)-hydrogenation reaction 500
- domino hydroformylation-cross aldol addition
- condensation catalyst 500
- acyclic olefins 499
- cyclic olefins 499
- domino hydroformylation-double cyclization 319
- DPEphos 89
- e**
- enantiomerically pure diols 148
- epoxides, cobalt catalyzed hydroformylation 611
- (*S,S*)-ESPHOS 221, 222
- ethane-1,2-dibutanoate bridged tetraphenols 144
- ethyl 3-butenolate 58
- 2-ethyl-2-butyl-1,3-propanediol 147
- ethylene glycol
- pathways to 617, 620
- syngas based production 618, 619
- ethylene oxide,
- hydroformylation-hydrogenation tandem reaction 613
- ethyl ethylenephosphite 175
- ethyl methallylic amine 476
- ethyl oleate, hydroaminomethylation 478
- eugenol 141, 391, 482, 484, 568
- ExxonMobil process 680
- catalyst recycling 682
- hydroformylation 681, 682
- f**
- (*E,E*)- α -farnesene 552, 553
- fatty acids/lipids hydroformylation 588
- ethyl crotonate 592, 593
- ethyl linoleate 592, 593
- ethyl ricinoleate 595, 596
- ethyl sorbate 593
- methyl linoleate 593, 594
- methyl linolenate, rhodium phosphine catalyst 600
- methyl oleate 598
- – activated Rh catalyst (ARC) 599
- – Co catalyst 598, 599
- – ionic liquid 601
- – non-isomerizing and isomerizing hydroformylation 592
- – proline 602
- – Rh phosphite catalyst 591
- oleic acid 600
- oleic alcohol 602, 603
- polyurethanes 605
- substrates 589, 590
- 1-undecenitril 604
- vinyl esters 603
- fatty aldehydes 588
- Florhydral® 564, 565
- fluorinated triaryl phosphites 642
- fluorous biphasic systems (FBS) 639
- formaldehyde
- hydroformylation 623
- nonionic hydroformylation 624
- rhodium catalyzed hydroformylation 621
- hydroformylation 620, 621
- formyl groups 2
- 3-formyl-pinanes 538
- 3-formylpyrrol 321
- β -formyl sulfonamides 373
- fuel additives 291
- fused azepine 486
- g**
- Garner's aldehyde 353
- glycols 454, 455
- glycerol acetals 454, 455
- glycol aldehyde 621
- guaiazulene 561

h

- halogen-free ionic liquids 649
- Hammett plot 336
- HASPOs 179 *see* heteroatom substituted phosphine oxides (HASPOs) 201
- helicene based alcohol 146
- hemiaminals 459
- heteroatom substituted phosphine oxides (HASPOs) 201
- heterobimetallic RuFe catalyst cluster 69
- heteroditopic NHC-ligands 241
- heterogenized biphenols 140
- hexane-1 255
 - 6-diol 452, 453
- α -hexyl cinnamaldehyde 533
- hexyl salicylate 532
- homoallyl alcohols 371, 372
- HRh(CO)3L complexes 234
- hydrido metal carbonyl complexes
 - catalytic cycle 5, 6
 - equilibrium reaction 7
 - isomerization and hydroformylation 6, 7
- hydroamidomethylation 474
- hydroamidomethylation-dehydration-hydrogenation 474
- hydroaminomethylation (HAM)
 - allyl amine derivative 485
 - allyl amines 485, 486
 - allyl ethers 486, 488
 - amines effects 468
 - androstene derivative 478, 479
 - cyclopentadiene 479
 - 1,1-diarylethenes 481
 - 1,4-diens 482, 483
 - divinylsilanes 482, 483
 - enamines 482, 483
 - *N*-ethyl-*N*-methallylic amine 476, 485
 - ethyl oleate 478
 - eugenol 482, 484
 - hydrogenation catalyst 469, 470
 - internal amino group 482
 - internal formyl group 482
 - isoprene 479, 480
 - Kalck group ligands 473
 - 2-methyl allyl chloride 485, 487
 - methyl oleate 478
 - multi-phase ligands 472, 473
 - *N*-ethyl-*N*-methallylic amine 486
 - 1-phenyl-1-propene 480
 - pregnane derivative 478, 479
 - quinazolinone-substituted allyl amines 485, 487
 - syngas 466, 467
 - tandem reaction steps 465
 - trivalent phosphorus ligands 470, 471
 - terminal olefins 477
 - vinyl arenes 480
 - Xantphos-derived phosphorus ligands 472
- hydroformylation
 - cyclohexene oxide 613
 - ethylene oxide 612
- hydroformylation-acetalization
 - acetals 451
 - alkaloids 459, 460
 - bicyclic acetals 459
 - 1,3-butadiene 446
 - cyclic terpenes 453
 - glycals 454, 455
 - glycerol acetals 454, 455
 - hemiacetals and hemiaminals 444, 445
 - mono-, bicyclic and open-chain terpenes 454
 - 1-octene 447, 448
 - oxazolopiperidines 460
 - phenylpropanoids 452
 - piperidines 459
 - principle 443, 444
 - pyrrolidinoindolines 461
 - reaction types 444
 - side reaction 443, 444
 - spirocyclic γ -lactones 457
 - tetrahydrofuranindolines 461
- Hydroformylation-(aldol condensation)-hydrogenation 500
- hydroformylation-(aldol condensation)-hydrogenation tandem reaction 578
- hydroformylation-allylboration-hydroformylation 457, 458
- hydroformylation-(β -elimination) reaction 520, 521
- hydroformylation-(Biginelli reaction) tandem reaction 516, 517
- hydroformylation-cyclization
 - 1-(2-methylallyl)-1H-imidazole 497
 - (R)-(+)-limonene 495
- Hydroformylation-cyclization-dehydration 496
- hydroformylation-(decarboxylative Knoevenagel) reaction
 - reaction products 507
 - product distribution 508
- hydroformylation-(Knoevenagel reaction)-hydrogenation 506
- hydroformylation-(Mannich reaction) tandem reaction 508
- Hydroformylation-(Mukayama-aldolization) reaction 496

- hydroformylation-(Strecker synthesis) tandem reaction 509
- hydroformylation-(Wittig olefination)-hydrogenation 501
- hydroformylation-(Wittig olefination) reaction
- β -proline derivatives 504
 - 4-hydroxyvalerate 503
 - homoallylic alcohols 503
- hydroformylation-lactolization
- linalool 455, 456
- hydroformylation-lactolization protocol 458
- hydroformylation-*N,O*-acetal formation 460
- hydrosulphonamidomethylation 475
- β -hydroxy acids 372
- hydroxycitronellal 555
- α -hydroxyphosphine oxides 124
- i**
- imidazolium salts 238
- immobilized NHC-rhodium complex 249, 250
- indanyl-2-carbaldehydes 564
- indene 564
- indoles, fluorescence spectra of 515
- ionic liquids 649
- ionic liquids (ILs) 648
- IPHOS 91
- iridium catalyzed decarbonylation 670
- iridium catalyzed hydroformylation
- chemoselectivity 65
 - intermediates 63
 - kinetic investigations 63
 - phosphine ligands 63
 - phosphine ligands 13
 - phosphorus ligands 64
 - vs rhodium catalyzed hydroformylation 65, 66
- iron catalyzed hydroformylation, 1-octene 407
- iron-rhodium cluster catalyst 69, 70
- isomeric 2-octenes 376, 377
- isomerization-hydroformylation 381
- α -pinene 390
 - aqueous two-phase system 395
 - β -isophorone acetal 391
 - CO partial pressure 392
 - CO-pressure 388
 - dihydrofurans 395
 - 2,3-dimethyl-2-butene 393
 - eugenol 391
 - glutaraldehyde monoethylene acetal 399
 - large bite-angle diphosphines 393
 - large bite-angle diphosphites 396
 - mechanisms 383
 - methyl oleate 399, 400
 - n-octene mixtures 397
 - 2-octene 401
 - methyl 3-pentenoate 398, 399
 - 2-pentenenes 389
 - phosphites 397
 - phosphonites 397
 - 1,2-sigmatropic alkyl shift 390
 - tetraphosphines 394
- β -isophorone 561, 562
- isoprene 552
- isopulegol 559
- iso-regioselective hydroformylation, propene 288, 289
- iso-selective hydroformylation, isoprene synthesis 290
- j**
- Johnson Matthey Oxo Alcohols ProcessTM
- hydroformylation 678
 - INA 680
 - rhodium separation 679
 - principle 678, 679
- k**
- (*S,S*)-Kelliphite 218, 219
- Knochel's method 79
- l**
- lactam-based phosphoramidites 207, 208
- lactic acid 306
- lactols 456
- large bite angle diphosphines 91
- Ley-Griffith oxidation 457
- ligand-free systems 73
- LIM ligands 83
- limonene 60, 548
- (+)-limonene 577
- (*R*)-(+)-limonene 549
- linalool 455, 456, 559
- linear aliphatic monoolefins 532
- long-chain hydroxy diolefins 556
- low-pressure-oxo processes' (LPOs) 25
- lycopladine H 488
- m**
- melatonin 317
- Merrifield resin 250
- metal catalyzed olefin isomerization 382
- metal-phosphide complexes 124
- metals
- cobalt, *see* cobalt catalyzed hydroformylation, 5

metals (*contd.*)

- hydrido carbonyl complexes, *see* hydrido metal carbonyl complexes, 5
- iridium, *see* iridium catalyzed hydroformylation, 5
- iron, *see* iron catalyzed hydroformylation, 5
- palladium, *see* palladium catalyzed hydroformylation, 5
- platinum, *see* platinum catalyzed hydroformylation, 5
- rhodium, *see* rhodium catalyzed hydroformylation, 5
- ruthenium, *see* ruthenium catalyzed hydroformylation, 5

methacrolein 286, 287

2-methyl allyl chloride 487

3-methylbut-3-en-1-ol. 6,6'-[(3,3'-Di-*tert*-butyl-5,5'-dimethoxy-1,1'-biphenyl-2,2'-diyl)bis(oxy)]bis(dibenzo[*d,f*][1,3,2] (BIPHEPHOS) 137

2-methyldodec-11-en-2-ol 554

methylene-bridged diphenols 142

methylene-bridged triphenols 143

 α, α, α -methylene-bridged triphenols 143

2-methyl glycerol 147

methylnonylacetaldehyde (MNA) 535

3-methylocta-2,6-diene 545

methyl oleate, hydroaminomethylation 478

2-methyl-undecanal 292, 293

miscibility diagrams 640

modern synthetic chemistry 2

monodentate phosphines 78, 158, 159

– cyclic phosphine 79

– guanidine group 80

– technical scale preparation 78

monodentate phosphoramidite ligands 197

monodentate phosphorus ligands 211

monodentate pyridinone-phosphine 79

monometallic iron catalysts 67, 68

monophosphine ligands 103

monophosphites 154, 155

Mukayama-aldol reaction 495

mushroom alcohol 533

myrcene 553

(-)-myrthenol 558, 559

n*N*-heterocyclic carbenes 233*n*-regioselective hydroformylation

– 2-propyl-heptanol synthesis 289

– styrene 563

– propylene 287, 288

– Raffinate II 290

n-regioselective rhodium catalyzed

hydroaminomethylation 408

n-regioselective rhodium catalyzed

isomerization-hydroformylation 396

NAPHOS 90

naphthol-coupling 142

nerolidol 560

neutral and cationic NHC-rhodium complexes 244

1-nonanol 669

non-asymmetric hydroformylation 211

non-NHC ligand 252

norbornenyl isopropanol 557, 558

o1,2-O-isopropylidene- α -D-hexofuranoses 1501,2-O-isopropylidene- α -D-xylofuranose 149o-Ph₂P-benzoate (o-DPPB) 365–367

olfactorius relevant natural compounds 530

one pot hydroformylation-crotylation

reactions

– dictyostatin 506

– (+)-Prelog-Djerassi lactone 505

orange flower ether 576

organic ligands 10, 11, 13, 14

– donor-acceptor properties 76

– historical development 74

oxazolopiperidines 460

oxo alcohols 677

oxo process reaction 1

p*p*-(isopropenyl)phenyl dimethylcarbinol 566

palladium catalyzed hydroformylation

– alkenes 51

– alkynes 50, 51, 299

– applications 50, 51

– dialkylphosphines 50

– diphosphine ligands 406

– diphosphine ligands 406

– 1-octene 406

– reaction mechanism 48, 49

– steps of 405

palladium catalyzed

hydroformylation-amination-(Diels-Alder)

reaction 517, 518

paraformaldehyde 623

– cobalt catalyzed tandem

hydroformylation-hydrogenation reaction 624

patents and publications 2

(+)–patulolide 341

(+)–patulolide C 504

- Pd(II) catalyzed acetalization 449, 450
 Pd catalyzed hydroformylation, alkynes 578
 pentaerythrol 148
 (S)-(-)-perillyl alcohol 557, 558
 periphery functionalized dendrimeric
 phosphines 107
 phenols, tert-butyl groups 138
 phenylpropanoids 452
 1-phenyl-prop-1-ene 571
 Phobane-H 81
 phosphabarrelenes 85
 phosphabenzenes 84, 86
 phosphates
 – acid-assisted decomposition 178
 – autocatalytic cascade degradation process 181
 – autocatalytic hydrolysis 178
 – base-assisted transesterification 177
 – chiral 1,3-diols 148
 – HALS 180
 – hydrolysis stability 172
 – intramolecular transesterification 176
 – one-step condensation 154
 – orthometallation process 176
 – phenolic backbones 139
 – radical mediated decomposition 169
 – stepwise hydrolysis 174
 – tetrazol mediated transesterification 151
 – water decomposition 170
 phosphine 74
 phosphine ligands, pH-dependent solubility 633
 phosphinines 85
 phosphite ligand 652
 phosphite modified Rh precatalysts 167
 phosphites
 – vs. phosphoramidites 189, 190
 – silyl groups 157
 phosphonated trialkylphosphine 101
 phosphoramidite
 – π -acceptor and σ -donor properties 190, 191
 – alcoholysis 204, 205
 – basic additives 205
 – decomposition of 206
 – examples 190
 – HASPOs 202, 203
 – modes of reaction 201
 – nucleophilic substitution reactions 200, 201, 203
 – protonation modes 201, 202
 – vs. phosphites 189, 190
 – Rh catalyzed hydroformylation
 – allyl cyanide 198
 – BINAPHOS 197
 – cyclopentanone 195
 – methyl 3-pentenoate 191, 192
 – pentenenitrile 192
 – styrene 199
 – Yanphos 197
 – spiro-ketal based 195
 phosphorfluoridites 160
 phosphorus ligands, polymeric supports 629
 o-Ph₂ P-benzoate (*o*-DPPB) 365
 (+)-phyllanthocin 363, 364
 pimelaldehyde 298
 (-)- β -pinene 58, 538, 539
 piperidines 459
 platinum catalyzed hydroformylation 52
 – β -cedrene 59
 – β -pinene 58
 – camphene 59
 – ethyl 3-butenate 58
 – limonene 60
 – phosphines 55, 56
 – phosphorus ligand 57, 58
 – tin(II) halide free systems 53, 54
 – 2-tosyloxystyrene 59
 platinum/tin catalyzed *n*-regioselective hydroformylation 402
 plinol 556
³¹P NMR spectroscopy 75
 polyacetals 605
 polyene hydroformylation
 – 1,3-butadiene 295, 296
 – cyclopentadiene 296, 297
 – dicyclopentadiene 296, 297
 – 1,5-hexadiene 297, 298
 – isoprene 295, 296
 – 1,3-pentadiene 295, 296
 – piperylene 295
 polyether-based dendrimeric polyphosphine 113
 polyfunctionalized phenols 141
 polymer-based Rh(NHC) complexes 256
 polymer-bound (*R,S*)-BINAPHOS 214
 polymer-bound (*R,S*)-BINAPHOS 215
 polymeric soluble hydroformylation catalyst 630
 polyolefin-iron complex 68
 polyphosphites 162
 porous organic ligands (POLs) 688, 689
 (+)-Prelog-Djerassi lactone 505
 propenylarenes
 – double bond isomers 566, 567
 – naturally occurring 566
 pseudoconhydrine 487, 489

- pseudomonic acid A 457
 Pt/Sn catalyzed hydroformylation, camphene 540
 Pt/Sn catalyzed
 isomerization-hydroformylation
 – 4-octene 403
 – 4-octene 403
 – methyl 3-pentenoate 403, 404
 pyrrole-based tetraphosphoramidites 398
 pyrrolidinoindolines 461
 pyrrolyldiamidites 193, 194
 pyrrolylphosphines 193
 – stabilization 205, 206
 pyrrolyl phosphoramidites 194
- q**
 QuinoxP* 226
- r**
 regioselective hydroformylation
 – α -functionalized olefins
 – acrylamide 312, 313
 – acrylic acid esters 311, 312
 – branched rhodium alkyl intermediates, stabilization of 305
 – cyclic vinyl ethers 307, 308
 – 3-formylpyrrol synthesis 321
 – methacrylates 312
 – Rh(diphosphine) catalyst 305
 – vinyl fluoride 305, 306
 – vinyl acetate 308, 309
 – vinyl chloride 306
 – vinyl ethers 306, 307
 – vinyl sulfones 311
 – β -formyl sulfonamides 373
 – β -functionalized olefins
 – β -hydroxy acids 372
 – acrylaldehyde acetal 320
 – allyl alcohols 313, 314
 – allyl amides 316, 317
 – allyl cyanide synthesis 320
 – allyl ethers 315
 – crotononitrile synthesis 320
 – cyclic allyl ethers 315
 – homoallyl alcohols 314
 – lactams 316, 318
 – melatonin synthesis 316, 317
 – regioselectivity order 313
 – vitamin A synthesis 316
 – homoallyl alcohols 371, 372
 – internal phosphine group 363, 364
 – internal phosphite group 364
 – isomeric 2-octenes 376, 377
 – olefins 362
 – (+)-phyllanthocin 363, 364
 – 2-propyl-heptanol synthesis 288
 – propylene 288
 – pyrrolins 310
 – at quaternary carbon center 373
 – Raffinate II 289
 – soft ligating phosphorus groups 363
 – substrate directed catalysis 363
 – *trans*-2-octene 375, 376
 reversed water-gas shift (RWGS) reaction 43, 274, 275, 477
 reversibly bound directing group 370
 reversibly bounded directing group 369, 370
 Rh(acac)(CO)₂ 27
 Rh(TPPTS) catalyst 122
 rhodium catalyzed Aldox process 498
 rhodium catalyzed cyclohydrocarbonylation 319
 rhodium catalyzed decarbonylation 666, 671
 – 3-methyl-3-phenylbutanal 669
 – heptanal 667
 – n-heptanal 666
 – pent-4-enal 668
 rhodium catalyzed
 dehydrocarbonylation-hydroformylation reaction 672
 rhodium catalyzed hydroformylation
 – advantages 25
 – alkynes 298, 299
 – catalyst precursors 26, 27
 – fluorinated acetylacetone ligands 645
 – formaldehyde 622
 – 1-hexene 645
 – *vs* iridium catalyzed hydroformylation 65, 66
 – LPO process 25
 – ortho-metalation reaction 31
 – phosphabenzene 86
 – phosphine ligands 13
 – phosphine modified complexes 29–31
 – *vs* ruthenium catalyzed hydroformylation 36
 – *trans*-2-hexene 644
 rhodium catalyzed isomerization, aldehydes 385
 rhodium triphos catalyst 668
 rhodium(I) catalyzed
 hydroformylation-acetalization 447, 448
 rhodium-NHC precatalyst 259
 ring closing hydroaminomethylation
 – allyl amines 485, 486
 – internal amino group 482
 – internal formyl group 482

- Ru catalyzed hydroformylation-acetalization reaction 46
 Ru(CO)₃(PPh₃)₂ catalyzed hydroformylation 42
 Ruhrchemie/Rhône-Poulenc process 635
 ruthenium catalyzed hydroformylation
 – catalyst precursors 37, 38
 – domino reaction 44
 – *N*-ligands 38
 – phosphine ligands 39, 40
 – phosphine ligands 13, 14
 – phosphine modified 36
 – RWGS reaction 43
 – *vs.* rhodium catalyzed hydroformylation 36
 ruthenium catalyzed hydroformylation-acetalization 449
 ruthenium catalyzed isomerization-hydroaminomethylation, 2-octene 409
- s**
- scaffolding ligand
 – asymmetric hydroformylation 374
 – proximal control versus distal control 374
 selective hydroformylation
 – 1-octene 647
 Sn-free Pt catalyzed isomerization-hydroformylation
 – 2-heptene 404, 405
 – E-3-pentenitrile 404, 405
 – methyl 3-pentenoate 404
 solid supported ionic liquid-phase hydroformylation 652
 Spirambrene® 541
 spirocyclic γ -lactones 457
 spiro-ketal based phosphoramidites 195
 stereoselective hydroformylation, α -amino acids 310
 steam reforming of methane (SMR) 267
 stereodirecting auxiliary 371, 372
 stereoselective hydroformylation, *see also*
 asymmetric hydroformylation 326, *see also*
 diastereoselective hydroformylation, 326
 – 3,3-disubstituted cyclopropene 356
 – general approaches 326
 – isomeric 2-octenes 376, 377
 sterically demanding bis-phenoxaphosphine 92
 4-styryldiphenylphosphine 118
 α -substituted styrenes 565
 substrate-directed diastereoselective hydroaminomethylation 469
 sugar based diphosphites 220
 sulfonated phosphine ligands 632
 sulfonated trialkylphosphine 99
 sulphur-bridged polynuclear rhodium clusters 28
 supercritical fluid-ionic liquid biphasic system (SCF-SILP) 653, 654
 supported aqueous phase catalysis (SAPC) 634
 supported ionic liquid-phase (SILP) hydroformylation 652
 supramolecular hydroformylation, Zn-porphyrine ligands 375
 switchable catalyst system 635
 syngas generation
 – CO₂, 274–277
 – formaldehyde, 269–273
 – formalin 271, 272
 – formic acid 278, 279
 – methanol 277, 278
 – methyl formate 278, 279
 – paraformaldehyde 270, 271, 273
 – polyols 280, 281
 – sources 268
 syngas-uptake curves 228
 synthesis gas, *see* syngas generation 267
 synthon concept 379
- t**
- tandem hydroformylation-acetalization
 – cyclohexene oxide 614
 – sugar based epoxides 615
 – epoxides 614
 tandem hydroformylation-(Fischer indolization) reaction 510, 512
 tandem hydroformylation-(Fischer indolization)-(Wagner Meerwein type rearrangement) reaction 513
 – cyclic olefins 514
 – regiochemistry determination 514
 tandem hydroformylation-(Pictet-Spengler cyclocondensation) reaction 516
 tandem hydroformylation-(S_N1 alkylation) reaction 515, 517
 tandem hydroformylation-acyloin reaction 501
 tandem hydroformylation-borylation reaction 516
 tandem hydroformylation-decarboxylation-hydrogenation reaction 520
 tandem hydroformylation-deformylation reaction 521
 tandem hydroformylation-hydrogenation-cyclization reaction 511, 513
 tandem reactions 379

- tashiromine 319
 - terminal monoolefins 531
 - α -terpinene 553, 554
 - γ -terpinene 550
 - α -terpineol 557
 - terpinolene aldehyde 550
 - tertiary phobanes 82
 - tertiary phosphines
 - cobalt(II) supported oxidation 123
 - rhodium(I) supported oxidation 122
 - $\alpha, \alpha, \alpha', \alpha'$ -tetraaryl-1,3-dioxolan-4,5-dimethanol (TADDOL) 145, 147
 - tetrahydrofuran-2-carbaldehyde 307
 - tetrahydrofuranoindolines 461
 - 5,6,7,8-tetrahydroindolizines 497
 - 1,2,3,4-tetrahydroquinolines 481
 - tetraphosphine 94
 - tetraphosphines 93
 - isomerization-hydroformylation 394
 - thermomorphic solvent systems (TMS) 654–656
 - thixantphos 88
 - (*S*)-tiaprofenic acid 338
 - (*R,R,R*)- α -tocopherol 366, 367
 - 2-tosyloxystyrene 59
 - TPPMS 127
 - (*R,R*)-trans-isolimonene 549
 - trans*-2-octene 375, 376
 - trialkylphosphines 109
 - triarylphosphine 78, 636
 - tricyclohexylphosphines 100
 - tricyclic phosphines 81
 - triposphine ligand 92
 - tris(2,4-di-*tert*-butylphenyl)phosphite 136
 - Tris-SwitchPhos ligand 635
 - trivalent P-ligands 74
 - trivalent phosphorus ligands 76, 77, 641
-
- U**
 - 1-undecene 292
 - 10-undecen-1-ol 546
 - α, β -unsaturated aldehydes 367
 - α, β -unsaturated esters
 - deconjugation of 383
 - unsaturated fatty acid compounds 588
-
- V**
 - VCH ligands 84
 - vertral 542
 - vinyl-aryl ethers 573
 - vitamin A 316
-
- W**
 - Wagner-Meerwein rearrangement 21
 - water-gas shift reaction 477
-
- X**
 - xanthene-based hybrid
 - phosphine-phosphonite ligand 225
 - xanthene diol 145
 - Xantphos 87, 88
 - Xantphos-based diphosphine 104
 - Xantphos-based diphosphine ligands 96
 - Xantphos modified (Cp^*)Ru hydride complex 41
 - Xantphos-type diphosphine 104
-
- Y**
 - (+)-yohimbenone 674
-
- Z**
 - zwitterionic Rh complexes 29









