

Index

a

acoustic waves
 asymmetric X-ray reflection 56–59
 atomic scattering factor 55, 61, 64–66, 67

b

backscattering neutron spectrometers 219
 bandgap engineering 121
 Bessel function 7, 233
 Bohr model 244
 Borrmann effect 33
 Bose–Einstein statistics 228
 boundary conditions 83, 85, 88, 89
 Bragg law 15
 Bragg scattering geometry
 – Darwin plateau 41
 – diffracted and transmitted waves 42
 – diffraction intensity 71–75
 – diffraction profile 41
 – symmetric 38
 – thick crystal 42–43
 – X-ray interaction with acoustic waves 231, 232, 235–236
 Bragg–Brentano powder diffractometer
 – angular divergence 280
 – crystal monochromator 280, 281
 – detector 280, 281
 – focusing geometry 281
 – high resolution 283, 284
 – receiving slit 280, 281
 Bragg–Fresnel lenses 268
 Bravais lattices
 – body-centered modifications 146, 147, 150
 – crystallography 148
 – face-centered modifications 146, 151
 – holohedry group 147
 – international notations 146

– primitive/centered 150
 – P-type 150
 – side-centered modifications 146
 – symmetry systems 145
 – types 147
 bremsstrahlung 241, 242
 Brillouin zone boundary 25, 26

c

chromatic aberration effect 206–209, 208
 classical radius of electron 48
 coherent Rayleigh scattering 224
 coherent scattering
 – acoustic phonons 230, 231
 – angular intervals 233
 – boundary condition 232
 – Bragg scattering geometry 231, 232, 235–236
 – Laue scattering geometry 231, 234
 – parallel scattering geometry 235
 – Pendellösung effect 234
 – perpendicular scattering geometry 235
 – ultrasound effect 234
 Compton scattering 61, 62, 77
 Coolidge tube 241, 242
 crystal monochromator
 – double crystal 276
 – four-crystal 278–279
 – single crystal 276
 crystal reflectivity 75
 crystallography 145

d

Darwin approach, dynamical diffraction
 – diffraction intensity 71–75
 – scattering amplitude 68–71, 70
 Darwin plateau 41, 59, 175
 Debye–Scherrer rings 142, 168, 169, 173

Debye–Waller factor (D–W factor)
135–137, 193 196

diced monochromators 223

dielectric polarizability 46, 47, 48, 49, 50,
53, 54

diffraction optics

- asymmetric reflections 272–273
- focal spot size 8, 9
- Fresnel zones (*see* Fresnel zones)
- light transmission 5, 6
- Rayleigh criterion 8
- spatial resolution 8
- wave vector 5, 6

diffraction vector 13

diffractometer. *See* Bragg–Brentano powder
diffractometer; high-resolution
diffractometer

Dirac delta function 166

direct wave summation method

- heterostructures (*see* heterostructures,
single-crystalline thin films)
- quantum-well structures (*see* quantum-well
structures)
- scattering amplitude 103
- superlattices (*see* superlattices)

dispersion corrections 63

dispersion law 21, 22, 24

double-crystal monochromator 206, 207

d-spacings 15, 16, 17, 279, 280

dynamical diffraction

- Bragg scattering geometry 38–43
- Darwin approach 61–75
- Ewald–Laue approach 45–59
- in nonhomogeneous media 77–89
- nonstationary Schrödinger equation 21
- single-scattering approximation (*see*
single-scattering approximation)
- two-beam approximation 23–33

dynamical factor 225

e

Einstein model 227

electromagnetic waves 45, 46, 47, 50

electron backscatter diffraction (EBSD) 161

electron density 48, 49, 54, 55, 65

electron scattering 61–64

energy-variable diffraction (EVD)

- basic principle 206
- chromatic aberration effect 206–209, 208
- double-crystal monochromator 206, 207
- exponential attenuation, X-ray beams 209
- homogeneous materials 211–212
- inhomogeneous materials 212–215

European Synchrotron Radiation Facility
(ESRF) 237

Ewald sphere 12, 17

Ewald–Laue approach

- critical angle 48–49
- dielectric polarizability 48
- dispersion law 47
- electric displacement field 46
- force balance equation 47
- Maxwell's equations 45
- periodic function 47
- polarization 48
- symmetric Bragg diffraction 58, 59
- symmetric Laue diffraction 58–59
- time-dependent differential equations 45,
46–47
- total external reflection 48, 49
- two-beam approximation 49–59
- X-ray propagation 48, 49

extended X-ray absorption fine structure
(EXAFS) 92–93

extinction length 31, 41

f

Fermat's principle 257–258, 261

finite crystallite size, line broadening analysis

- Bragg scattering geometry 175
- characteristic broadening 174
- Darwin plateau 175
- Heisenberg uncertainty principle 174
- kinematic diffraction theory 174
- Laue scattering geometry 178–180, 179
- powder diffraction 174
- Scherrer equation 175–177

Fink scheme 157

forbidden reflections 67

four-crystal monochromator (FCM)
278–279

Fraunhofer diffraction 5

free-electron lasers (FELs) 255

Fresnel zones 70

- focal length 268
- Fresnel zone plates (FZP) 269
- total scattering amplitude 270
- wavefront construction 269

Friedel pairs 151

g

Gaussian function

geometrical optics

- angular deviations 262
- capillary optic focusing 266
- compact lenses focusing 264
- critical angle 265

- elliptic surface focusing 263, 264
- entrance angle 265
- Fermat's principle 261
- focusing mirror system 265
- focusing surface shape 262
- Göbel mirrors 266
- graded multilayers 266, 267
- Kirkpatrick–Baez mirrors 265
- parabolic equation 262
- parabolic surface focusing 263
- parallel beam 266
- total external reflection 265
- glide plane 147, 148
- grazing-incidence diffraction (GID) 261
- Guinier approximation 200

h

- Hanawalt scheme 157
- harmonic approximation 226
- Harris index 163, 164
- heavy-atom method 153–154
- Heisenberg uncertainty principle 174
- heterostructures, single-crystalline thin films
 - diffraction profile, $\text{Si}_{0.9}\text{Ge}_{0.1}/\text{Si}$ heterostructure 106, 107, 108, 109
 - diffraction vector 107
 - *d*-spacings 103
 - film contribution 105, 107, 108, 109, 110
 - fluctuating phase 104
 - interference term 107, 108, 109, 110
 - phase shift 104
 - relative diffraction intensity 105
 - substrate contribution 104, 106, 107, 108, 109, 110
 - symmetric Bragg diffraction profiles 106
 - X-ray diffraction simulation, hypothetical heterostructure 111, 112
- heterostructures, strain measurements
 - of crystalline materials 122
 - cubic symmetry system 123
 - diffraction experiments 126
 - fully relaxed film 124, 126, 127, 128
 - fully strained film 124, 126, 127, 128
 - Hooke's equations 123
 - in-plane strain components 123
 - lattice mismatch 122
 - out-of-plane strain component 122, 123
 - reciprocal space mapping 127
 - strain degree 123
 - symmetric and asymmetric reflections 121–122, 125
- high-frequency ultrasound 232
- high-resolution diffractometer
 - angular divergence 276, 277

- angular resolution 279–280
- dispersion 275
- dispersive setting 278
- double crystal monochromator 276
- *d*-spacing 279, 280
- four-crystal monochromator 278–279
- monochromatization 275
- nondispersive setting 277
- parallel beam optics 280
- receiving slit 279
- single crystal monochromator 276
- homogeneity of space 11
- Hooke's equations 123
- Huang scattering 197

i

- ideal mosaic crystal 139–141
- inelastic scattering
 - Bragg diffraction peaks 217
 - diced monochromators 223
 - law of conservation of energy 217
 - law of conservation of quasi-momentum 217
 - neutron scattering (*see* neutron scattering (inelastic))
 - X-ray scattering (*see* X-ray scattering (inelastic))
- isoenergetic dispersion surface, asymmetric reflection 56–59
- isoenergetic surface 26, 27, 28, 31

j

- Joint Committee for Powder Diffraction Standards (JCPDS) file 155, 156

k

- kinematic approximation, X-ray diffraction
 - crystal irradiation 132
 - Debye–Waller factor 135–137
 - diffraction power 132
 - parallel atomic planes 131, 132
 - relative scattering intensity 131
 - X-ray polarization factor 133–135
- kinematic diffraction theory 99, 100, 131
- Kirkpatrick–Baez mirrors 265

l

- Laplace operator 79
- lattice defects, X-ray diffraction
 - Burgers vector 194
 - chaotically distributed linear dislocations 197–198
 - Debye–Waller factor (D–W factor) 193, 196

lattice defects, X-ray diffraction (*contd.*)

- deformation field 194
- diffraction intensity 196, 197
- Huang scattering 197
- intrinsic stacking fault 198
- kinematic approximation 194
- linear defects 193
- plane defects 193
- point defects 193
- polycrystalline samples 199
- screw dislocation 194
- small defect concentrations 196
- small-angle X-ray scattering 199, 201
- spherical inclusions 199–200
- Stokes–Wilson scattering 197
- two-dimensional defects 198
- volume defects 193
- Williamson–Hall analysis 194

lattice potential 21, 22, 24, 25, 26, 27

Laue classes 151

Laue diffraction 237

Laue scattering geometry 231, 234

- boundary conditions 34
- diffraction intensity profile 35
- excitation (tie) points 33, 34
- integrated diffraction intensity 37–22
- Lorentz point 36

line broadening analysis

- convolution approach 182–184
 - defect-mediated local d -spacing fluctuations 173
 - dislocation-mediated curvature, atomic planes 171–173, 172
 - finite crystallite size (*see* finite crystallite size, line broadening analysis)
 - grain size 187, 173, 186–188, 187
 - instrumental broadening 173, 184–186, 185
 - microstrain fluctuations 180–181
 - microstrain-induced broadenings 187, 186–188, 187
 - polycrystalline systems 173
 - Williamson–Hall method 181–183, 182
- Lorentzian (Cauchy) function
- Lorentz point 26, 27, 34
- low-frequency ultrasound 232, 234

m

March–Dollase approach

- degree of preferred orientation 167, 170, 168, 169
- Dirac delta function 166
- distribution function 166
- fraction of crystallites 166–167

- reciprocal lattice vectors, mutual arrangement 165
 - virtually ideal uniaxial texture 166
- Marquardt optimization algorithm 160
- Miller indices 14, 16, 222, 230
- Mössbauer diffractometer 223, 224
- multilayered structures 84, 88–89

n

neutron scattering (inelastic)

- backscattering spectrometers 219
- coherent 219
- crystal analyzer 218, 219
- crystal monochromator 218, 219
- incoherent 219
- phase transition 219, 221
- spin-echo spectrometers 220
- time-of-flight spectrometers 219
- triple-axis neutron diffractometer 218

o

orientation distribution function (ODF)

161

p

parallel beam optics 280

parametric X-ray radiation 55

partial distribution function 225

Patterson function 154

Pendellösung effect 30, 234

phonon dispersion law 230

plane wave, definition 11

point-group symmetry 146

polycrystalline materials, X-ray diffraction

- ideal mosaic crystal 139–141
 - powder diffraction 141–143
- polycrystals, X-ray diffraction measurements
- absorbing wire, triangulation method 204, 205
 - 3-D X-ray diffraction microscopy 203
 - EVD (*see* energy-variable diffraction (EVD))
 - grain localization problem 203–204
 - movable area detector, triangulation method 204, 205
 - unique phase sensitivity 205
 - white radiation 204
 - X-ray penetration depth 206
- powder diffraction 141–143
- preferred orientation (texture) analysis
- conventional $\Theta/2\Theta$ diffractometer 161
 - distribution function 163
 - electron backscatter diffraction (EBSD) 161

- inverse pole figures 162, 163
- Kikuchi lines 161
- kinematic approximation 164
- March–Dollase approach (*see* March–Dollase approach)
- orientation density function (ODF) 161, 162
- pole figures 161–162
- uniaxial texture 165
- X-ray reflections 164

q

- qualitative phase analysis
 - definition 155
 - diffraction pattern quality index 157
 - figure of merit 158
 - Fink scheme 157
 - Hanawalt scheme 157
 - JCPDS file 155, 156
 - permutation procedure 157
 - pronounced lines 157
 - search-and-match routine 157
 - X-ray density 155
- quantitative phase analysis
 - I/I_{cor} ratio 157
 - internal standard method 158–159
 - Rietveld refinement 159–160
- quantum-well structures
 - additional phase 114
 - d -spacing 112
 - GaAs/InGaAs/GaAs quantum-well structure 114, 115
 - relative diffraction intensity 114
- quasimomentum 14, 15
- quasi-wave vector 14, 15

r

- reciprocal lattice 14, 15, 17, 18
- residual stress measurements, polycrystalline materials 190–192, 191
- Rietveld refinement 159–160

s

- scanning transmission X-ray microscopy 203
- scattering amplitude 61, 62, 63, 64, 66, 68–71, 70
- scattering vector 13
- Scherrer equation 175–177
- screw rotation axis 147, 148
- self-amplified spontaneous radiation emission (SASE) 255
- single crystal monochromator 276

single-scattering approximation

- Bragg angle 97, 98
- crystal reflectivity 100
- Darwin diffraction profile 101
- diffraction intensity 101
- diffraction profile 102
- direct wave summation method (*see* direct wave summation method)
- extinction and absorption effects 102
- geometrical regression 97
- integrated scattering intensity 99
- kinematic diffraction theory 99, 100
- Lorentzian (Cauchy) function 101
- parallel atomic planes 100
- relative scattering intensity 97, 102
- thickness fringes 97, 98
- total scattering amplitude 100
- $\sin^2\Psi$ method 190, 191
- small-angle X-ray scattering 199, 201
- Snell's law 258, 259
- spatial Fourier transform 225
- spin-echo neutron spectrometers 220
- static factor 225, 226
- Stokes–Wilson scattering 197
- strain measurements, single-crystalline systems 189–190
- stroboscopic measurement 237, 238
- structure factor 61, 66–68
- superlattices
 - diffraction profiles, hypothetical superlattice 118, 119, 120
 - diffraction reflectivity 116
 - diffraction vector magnitude 118
 - ideal interfaces conditions 116
 - relative diffraction intensity 118
 - on single-crystalline substrate 116
 - superlattice contribution 116
 - superlattice period 116
- synchrotron radiation
 - Coulomb term 252
 - delay time 251
 - free-electron lasing 255
 - nonhomogeneity 252
 - principle of operation 241, 250
 - radiation intensity 254
 - SASE 255
 - spectral brilliance 254
 - Taylor series 251
 - velocity-dependent term 252

t

- Takagi equations, dynamical diffraction
 - atomic planes in deformed crystal 77, 78
 - centrosymmetric crystals 82

- Takagi equations, dynamical diffraction (*contd.*)
 - deformation field 81, 82, 83
 - diffracted (D) and transmitted (T) intensities 83
 - diffraction intensity 80
 - extinction length 84
 - Fourier components 79
 - reflecting planes 77, 78
 - symmetric Laue scattering geometry 81
 - Taupin equations, dynamical diffraction
 - for multilayered structures 88–89
 - symmetric Bragg case 86–87
 - symmetric Laue case 81, 84–86
 - Taylor series 251
 - thermal diffuse scattering
 - vs. Brillouin scattering 230
 - vs. thermal neutron scattering technique 230
 - atomic displacements 228
 - Boltzmann constant 228
 - Bose–Einstein statistics 228
 - Bragg position 230
 - Miller indices 230
 - one-phonon 229
 - tie points 33, 34
 - time-of-flight neutron spectrometers 219
 - time-resolved X-ray diffraction
 - acoustic waves 238
 - angular frequency 239
 - delay time 240
 - electron bunches 238
 - ESRF 237
 - Laue diffraction 237
 - Lorentzian (Cauchy) function 239
 - phase locking 239
 - pump-and-probe experiment 237
 - relaxation time 240
 - storage ring 238
 - stroboscopic measurement 237, 238
 - wavefront visualization 239
 - translation vectors 12
 - translational symmetry 12, 14
 - triple-axis neutron diffractometer 218
 - two-beam approximation
 - asymmetric reflection, isoenergetic dispersion surface 56–59
 - Borrmann effect 33
 - centrosymmetric crystals 27
 - dielectric polarizability 50
 - dispersion curve 25
 - excitation point 28, 29
 - extinction length 31
 - forbidden zone 26
 - Laue scattering geometry 29, 31
 - nontrivial (nonzero) solution 24
 - Pendellösung effect 30
 - two-branch isoenergetic dispersion surface 27, 28, 52–55
 - wave vector 24
 - X-ray polarization 50–52
 - X-ray standing waves 32, 33
 - two-branch isoenergetic dispersion surface
 - characteristic depth 55
 - characteristic gap 53, 54, 58
 - extinction length 54
 - parametric X-ray radiation 55
 - structure factor 55
 - wave vectors 53
- v**
- vectors of reciprocal lattice 14
- w**
- wave propagation
 - Bragg condition 19
 - Bragg law 15
 - coherence length calculation 19
 - diffraction vector 13
 - *d*-spacings 16
 - electron diffraction 18
 - Ewald construction 17, 18
 - homogeneous medium 11
 - infinite medium 12
 - nonhomogeneous medium 11
 - quasimomentum 14
 - reciprocal lattice 14, 15, 17, 18
 - reciprocal space 13, 14
 - wave vectors, graphical representation 14, 15
 - X-ray coherence 19–20
 - X-ray scattering 12, 16
 - wave vector gap 27
 - wave vector transfer 13
 - Williamson–Hall method 181–183, 182, 194
- x**
- X-ray absorption
 - asymmetric Bragg scattering geometry 95
 - EXAFS 92–93
 - linear absorption coefficient 94, 96
 - mass absorption coefficient 95, 96
 - multiphase materials 96
 - Ni filter installation 91
 - penetration depth 95
 - photoelectric effect 91, 92
 - resonant nature 92

- symmetric Bragg scattering geometry 94
- X-ray attenuation 93, 94
- X-ray coherence 19
- X-ray density 152
- X-ray focusing optics
 - critical angle 259
 - diffraction optics (*see* diffraction optics)
 - Fermat's principle 257–258
 - geometrical optics (*see* geometrical optics)
 - GID 261
 - glancing angle 260
 - homogeneous media refraction 257, 258
 - optical path 257
 - Snell's law 258, 259
 - total external reflection 259
- X-ray polarization
 - Brewster angle 52
 - mathematical representation 50
 - scalar magnitudes 52
 - transverse X-ray polarization 51
- X-ray polarization factor 133–135
- X-ray scattering
 - angular resolution 224
 - coherent Rayleigh scattering 224
 - dispersion law 221
 - in periodic medium 12
 - Miller indices 222
 - Mössbauer diffractometer 223, 224
 - parallel atomic planes 16
- X-ray sources
 - atomic level 243
 - Auger electron 244
 - beam compression 249
 - Bohr model 244
 - bremsstrahlung 241, 242
 - Coolidge tube 241, 242
 - Coulomb field 245
 - electron velocity 244
 - filtering principle 248
 - fine line focus 249
 - intensity ratio 246, 247
 - K terms 245, 246
 - K terms splitting 246
 - Moseley law 245
 - orbit radius 244
 - point focus 249
 - principal quantum number 244, 245
 - quantum energy 241
 - rotating anode 249
 - sealed tube 247, 248
 - shortest wavelength 242
 - spectral doublet 246
 - stable electron orbits 244
 - synchrotron radiation (*see* synchrotron radiation)
 - total angular momentum 245
- X-ray standing waves 32, 33
- X-ray tomography 203

