

Index

a

acidic fibroblast growth factor (aFGF) 81
 adeno-associated virus (AAV) 224
 alginate (ALG) 296
 alkaline phosphatase (ALP) 461
 alpha-melanocyte stimulating hormone
 (α -MSH) 199
 amplex red 372
 antigen presenting cells (APCs) 222
 antimicrobial peptide (AMP) 517
 antithrombogenic biomolecules 402
 atomic force microscopy (AFM) 52–54, 402,
 467, 469, 470

b

balloon angioplasty 182
 balloon-mediated DNA transfer 180, 182
 basic fibroblast growth factor (bFGF) 515
 bi-enzymatic system 371
 bioactive multilayer films, PEMs, 509 *see also*
 polyelectrolyte multilayer (PEM) films
 biosensors 371
 block copolymer micelle (BCM)-containing
 LbL films
 – drug delivery applications 215
 – features 213
 – glassy BCMs 213
 – temperature and pH responsive BCMs 214
 blood-capillary model
 – cell-accumulation technique 436
 – tissue interaction 438
 blood vessel channel model
 – in hydrogel 441
 – in vitro permeability assay 442
 blood vessel wall model
 – construction of 433
 – quantitative 3D analysis, nitric oxide 433
 bone morphogenetic protein (BMP)

– CHI/pGB LbL-modified titanium films 116
 – P_4VN 115
 bone morphogenic protein-2 (BMP-2) 147,
 514, 520
 – intramolecular β -sheets 460
 – osteoinduction in vivo 471
 – osteoinductive properties 461
 – PEMs, 467 *see also* polyelectrolyte
 multilayer (PEM) films
 – physico-chemistry and secondary structure
 455
 branched polyethyleneimine (BPEI) 498
 bulk modulus, PEMUs
 – A7r5 rat aortic smooth muscle cells 40
 – durotaxis 38
 – mechanotransduction signaling mechanisms
 38
 – modulus gradient 39

c

C2C12 myoblasts 54, 56
 cadherins 105
 calcium phosphate nanoparticles (CPnp) 203
 cancer cell targeting
 – active targeting 327
 – passive targeting 327
 capillary force lithography (CFL)
 – collagen I 118
 – fibronectin application 118
 – glass substrate patterning 118
 – parylene-C stencil 118
 capsule synthesis
 – calcium carbonate ($CaCO_3$) microspheres
 261
 – schematic representation 262
 – shell functionalization 263
 carbodiimide-coupling chemistry 298

- carboxymethyl cellulose (CMC)-loaded CHI/ALG capsules 303
 - cargo encapsulation
 - postloading 317
 - preloading 316
 - within capsule shells 317
 - charge shifting cationic polymers 185
 - chemically defined medium (CDM) 58
 - chitosan (CHI) 296, 298, 299, 402, 492
 - chondroitin 6-sulfate (ChS) 404
 - confocal laser scanning microscopy (CLSM) 407, 408, 423
 - cubic lipid mesophase nanoparticles 223
 - cyclic guanosine monophosphate (cGMP) 433
 - cyclodextrin (CD) 300
 - cyclodextrin (CD)-containing LbL films
 - assembly 209
 - drug delivery applications 209
 - cytokines 304
- d**
- 3D layer-by-layer (LbL) devices
 - biosensors 371
 - compartmentalization and hierarchical components 372
 - drug carriers 369
 - freestanding multilayer films 364
 - porous structures 376
 - tubular structures 366
 - degradable polymers 185
 - dequenching ovalbumin 246
 - dichloromethane (DCM) 367
 - diclofenac 211
 - disulfide cross-linked hyaluronan beads 297
 - DNA delivery-based gene therapy
 - plasmid DNA insertion 196
 - pre-complexed plasmid DNA insertion 196, 201
 - recombinant adenoviral particles 198, 199
 - semaphorin 3A signalling 201
 - substrate-mediated gene delivery 201
 - vectors 195
 - DNA polyelectrolyte multilayers
 - cationic polymers 189, 190
 - charge shifting cationic polymers 185
 - degradable polymers 185
 - design 172
 - DNA-containing thin films 171
 - fabrication 173
 - multilayer-coated microneedles 184
 - multiple different DNA constructs 187
 - vascular gene delivery, 178 *see also* vascular gene delivery
 - DNA spatial and temporal scheduled delivery 199
 - doxorubicin (DOX)-loaded capsules 303
 - durotaxis 38
- e**
- E. coli* 58, 60
 - elastin-like polypeptide (ELP) 493
 - ellipsometry-measured film thickness values 70
 - endocytosis 370
 - endothelial cells (ECs) 399, 400, 409, 410
 - enhanced permeability and retention (EPR) 158, 440
 - β-estradiol 517
 - 1-ethyl-3-[3-(dimethylamino)propyl]carbodiimide (EDC) 47
 - extracellular matrix (ECM) 3, 4
 - extracellular matrix (ECM) proteins 389
- f**
- fibroblast growth factor 2 (FGF-2) 146
 - fibronectin (FN) 46, 56, 420, 423, 512
 - fluorescein isothiocyanate (FITC) 407, 408
 - fluorescence microscopy 57
 - FN-dextran sulfate (FN-DS) 426
 - Fourier transform infrared spectroscopy in attenuated total reflection mode (FTIR-ATR) 67
 - freestanding multilayer films 364
 - functionally engineered multilayer capsules
 - electrostatic assembly 238
 - gold nanoparticle 239
 - hydrogen bonded LbL assembly 241
 - phagocytotic pathway 238
 - physico-chemical and physiological environment 237
 - self-exploding capsules 240
- g**
- gene therapy 405
 - gentamicin sulfate (GS) 139
 - glucose oxidase (GOX) 372, 374
 - graphene oxide 145
- h**
- heat shock protein 70 (Hsp70) 431
 - HeLa human cervical cancer cells 367
 - heparin (HEP) 80
 - heparin/chitosan (HEP/CHI) multilayers
 - cell proliferation 16
 - cytophobic character 16
 - PEM formation 10
 - PEM-9 and PEM-5 11

- properties 5
- SPR measurements 12, 16
- total mass growth 11
- water contact angle measurements 6
- zeta potentials 9
- hepatic tissue engineering
 - challenges 491
 - PEMs, 491 *see also* polyelectrolyte multilayers (PEMs)
- hepatocyte growth factor (HGF) 411
- Hertz sphere model 51
- horseradish peroxidase (HRP) 372
- human aortic endothelial cells (HAECs) 434
- humanized A33 monoclonal antibody (huA33 MAb) 252
- human mesenchymal stem cells (hMSCs) 511
- human serum albumin (HSA) 373
- human umbilical vein endothelial cells (HUVECs) 430, 438
- hyaluronic acid (HA) 49, 296, 492
- hydrogen bonded LbL assembly 242
- hydrolytically degradable polyamines 173
- hydrophobic hyperbranched
 - poly(3-ethyl-3-oxetanemethanol) (HBPO) 213
- hydrophobicity 138
- hydroxyapatite 149
- i**
- iminobiotin-neutravidin interaction 252
- immunolabeling 54
- immunostaining assays 56
- induced pluripotent stem cells (iPSCs) 104
- inkjet cell printing
 - cell and ECM printing 445
 - human liver tissue chips and liver function assay 445
- in-stent restenosis (ISR) 407
- interbilayer-cross-linked liposomes (ICLs) 222
- interbilayer-crosslinked multilamellar vesicles (ICMVVs) 141
- interleukin-6 (IL-6) 426
- intimal hyperplasia reduction 183
- k**
- Kupffer cells (KCs) 489, 496
- l**
- Lactococcus lactis* 59
- laponite 145, 151
- laser scanning confocal microscopy (LSCM) 68, 71
- lateral force microscopy (LFM) 402
- layer-by-layer (LbL) assembly technique 207
- layer-by-layer (LbL) films
 - assembly approach and spray-LbL films 142
 - BMP-2 147
 - capability of 134
 - 2D and 3D geometries 133
 - DNA/siRNA release 152
 - DNA vaccination 153
 - electrostatics 136
 - FGF-2 146
 - high drug density and scalability 133
 - hydrogen bonding 141
 - hydrolytic release 137
 - multiple drug combinations 134
 - nanoparticles, 156 *see also* nanoparticles, LbL systems
 - ovalbumin 144
 - PPO-PAMAM 141
 - small molecule release 139
 - wound healing, siRNA 154
- layer-by-layer (LbL) method 408
- layer-by-layer (LbL) technique 3, 388
 - classification 508
 - PEMs films, 509 *see also* polyelectrolyte multilayer (PEM) films
- layer-by-layer (LbL) technology
 - acidic fibroblast growth factor (aFGF) 81
 - alpha-melanocyte-stimulating hormone (α -MSH) 81
 - bFGF 82
 - bone morphogenetic protein (BMP) family 114, 116
 - bone morphogenetic protein 2 (BMP2) 82, 83
 - bubble formation 267, 269
 - C6S scaffold 114
 - capillary force lithography (CFL), 117 *see also* capillary force lithography (CFL)
 - capsule synthesis 261
 - CD34 85
 - cell anchoring peptides 84
 - cell-microenvironment interactions 116
 - chemical cross-linking 86
 - crosslinking 120
 - culture conditions 117
 - cytokines and ligands 84
 - cytosolic reactions 272, 273
 - cytosolic release 269, 271
 - 3D scaffolds 111
 - ECM proteins 83
 - final layer 83
 - gold-modified 264, 267
 - gradient PEMs 91, 93

layer-by-layer (LbL) technology (*contd.*)

- HA/CHI multilayers 114
 - hESC adhesion 122
 - hESCs culture surfaces 122
 - light responsive components, 258 *see also* light responsive components
 - microcapsules, 343 *see also* microcapsules
 - MSC adhesion 107, 111
 - pH/salt concentration 87, 88
 - mannose and lactose 84
 - multilayers components 532, 533
 - murine ESC differentiation 120, 122
 - natural polyelectrolytes 80
 - nerve regeneration, 536 *see also* nerve regeneration
 - neural cell attachment 533, 534
 - patterned co-cultures 534, 535
 - patterned PEMs 89, 91
 - polyelectrolyte multilayers 531, 532
 - polystyrene-based tissue/cell culture substrates 119
 - spinal cord injury, 525 *see also* spinal cord injury
 - stiff building blocks 86, 87
 - substrate stiffness 111
 - surface topography 89
 - TGF- β supplement 114
 - water retention capacity 112
- light responsive components
- nanoparticles 259, 261
 - polyelectrolytes 258, 259
 - shells 259
- linear polyethyleneimine/DNA (LPEI/DNA) film 189
- liposome-containing LbL films
- assembly 216
 - cargo release capability 219
 - drug delivery applications 219
- liver sinusoidal endothelial cells (LSECs) 496
- Luciferase-targeting siRNA-loaded nanoparticles 204

m

- major histocompatibility class II (MHC II) molecules 222
- mesenchymal stem cells, 107 *see also* layer-by-layer technology
- micro-arc oxidation (MAO) 520
- microcapsules
- blood substitutes 356, 357
 - drug carriers, cancer treatment 350
 - drug loading 350, 351
 - lipid-based 344, 346
 - photodynamic therapy (PDT) 354

- polysaccharide-based 346, 347
 - protein-based 348, 349
 - thermotherapy 352, 353
- migration assays 46
- movat pentachrome staining 400
- multilayer capsules
- blood circulation 245
 - functionally engineered, 236 *see also* functionally engineered multilayer capsule
 - in vivo uptake and degradation 244
 - layer-by-layer assembly 236
 - tissue response 243
 - tumor targeting 252
 - vaccine delivery 251
- multilayer-coated microneedles 184

n

- nanoengineered polymer capsules
- anticancer drug delivery 326
 - biosensors and bioreactors 331, 335
 - cancer cell targeting, 326 *see also* cancer cell targeting
 - capsule design and assembly 310, 311
 - cargo encapsulation, 315 *see also* cargo encapsulation
 - cellular interactions 323
 - circulation and biodistribution 322, 323
 - click assembly and crosslinking 314
 - DNA base pairing 313
 - electrostatic assembly 312
 - enzymatically-responsive cargo release 318, 319
 - hydrogen bonding-facilitated assembly 312
 - intracellular trafficking 324, 325
 - pH-responsive cargo release 319
 - redox-responsive cargo release 320
 - vaccine delivery 329, 331
- nanofilm biomaterials
- material properties 65
 - NP templating, 67 *see also* nanoparticle (NP) templating
 - surface-cross linking, 67 *see also* surface cross-linking, nanofilm biomaterials
- nano lithography 389
- nanoparticle (NP) templating 66
- biomolecular loading 71
 - ellipsometry-measured film thickness values 70, 71
 - film assembly 70
 - film formation 70
 - mechanical rigidity 69
 - mitochondrial activity 72
 - THF dissolution 71

- nanoparticles, LbL systems
 - *in vivo* stability 156
 - molecular targeting 160
 - siRNA chemotherapy 161
 - tumor microenvironment, hypoxic response 159
- natural charged polysaccharides 296
- neointimal hyperplasia 411
- nerve regeneration
 - drug release 536, 537
 - lysozyme release profile 537, 538
- neuropilin-1 (NRP1) 200
- N*-hydrosulfosuccinimide (sulfo-NHS) 47
- nitrous oxide (NO) 404
- non-parenchymal cells (NPCs) 489
- nonsteroidal anti-inflammatory drugs (NSAIDs) 140
- o**
- optical waveguide lightmode spectroscopy (OWLS) 37
- osseointegration 149
- ovalbumin 144
- p**
- paclitaxel (PTX) 300, 404, 518
- parenchymal cells (PCs) 489
- Particle Replication in Non-wetting Templates (PRINT) technology 224
- pDNA and a TAT-based cationic polypeptide (PTAT) 196
- percutaneous transluminal coronary angioplasty (PTCA) 409
- see also* phagocytotic pathway 237
- pH-modified PEM films
 - PEI/HEP multilayers, 5 *see also* poly(ethylene imine)/heparin (PEI/HEP) multilayers
 - HEP/CHI multilayers, 5 *see also* heparin/chitosan (HEP/CHI) multilayers
 - Photo cross-linking 86
- photocrosslinkable polyelectrolyte multilayer (PEM) system, 47 *see also* polyelectrolyte multilayers (PEMs)
- photodynamic therapy
 - (ALG/CHI)₄ microcapsules 354
 - disadvantages 354
 - D-luciferin 355
 - LbL microcapsules use 354
 - oxygen-dependent therapy 355
 - photosensitizers 354
- photomask 52
- pinocytosis 371
- PKC- δ expression 182, 183
- plasma recalcification time (PRT) 402
- plexin-A1 (PLXA1) 200
- pluripotent stem cells, 116 *see also* layer-by-layer technology
- poly(allylamine hydrochloride) (PAH) 367, 371
- poly(β -amino ester)s (PBAs) 137, 173
- polycarbonate membranes 367
- polyelectrolyte multilayer (PEM) films
 - adhesion properties 389
 - anti-adhesive properties 388
 - cell specific recognition 511
 - compositions of 510
 - drug-device combination 516
 - endothelial cell function 391
 - gene activating 512
 - growth factors/cytokines 515
 - γ irradiation 469, 470
 - layer-by-layer coating 388
 - nanoparticles 518
 - protection of 518
 - stem cells behaviour 390
 - stiffness of 511
 - TCP/HAP granules and porous titanium 467
 - vascular prosthesis 391
- polyelectrolyte multilayers (PEMs) 209, 364, 401
 - applications 31
 - bacterial behavior, film rigidity on 58
 - bulk modulus, 32 *see also* bulk modulus, PEMs
 - cardiovascular devices 407
 - cytotoxicity 32
 - ECM proteins/peptides 492
 - homogeneous and photopatterned films 54
 - homogeneous films 48
 - immobilization 401
 - mechanical and chemical properties 492
 - mechanical properties 406
 - mechanical stiffness 31
 - porous scaffolds 496
 - PrS/HGF-pDNA 408
 - QCM-D 409
 - rigidity patterns 52
 - SNP 404
 - Space of Disse 495
 - stamping method, primary hepatocyte co-cultures 498
 - structure 32
 - surface hydrophilicity, 32 *see also* surface hydrophilicity, PEMs

- poly (ethylene imine)/heparin (PEI/HEP) multilayers
 - bioactivity monitoring 21
 - cell proliferation 24
 - layer mass growth 20
 - qualitative cell adhesion studies 22
 - static water contact angle measurements 17
 - polyethylenimine (PEI) 402
 - polylactide (PLA) scaffold 407
 - poly(lactide-co-glycolide) (PLGA) 158
 - poly(L-glutamic acid) (PGA) 67
 - poly(L-lysine) (PLL) 67
 - polymer-on-polymer stamping (POPS) 494
 - polymer/DNA aggregates 177
 - polymeric nanoparticles
 - anisotropic capsules 286
 - capsules, mechanical properties 285, 286
 - catalysis 285
 - fluorescence imaging 284
 - fluorescent labeling of films 289
 - laser activation 287, 288
 - LbL films 287
 - light and magnetic field induced permeability control 282, 284
 - magnetic nanoparticles 284
 - polyelectrolyte multilayer capsules 281
 - silica addition 290
 - stiffness, cell adhesion 289, 290
 - poly(methacrylic acid) (PMA) 241
 - poly(methacrylic acid)-*co*-(cholesteryl methacrylate) (PMA_c) 217
 - polyplex-mediated cell transfection 176
 - poly(propylacrylic acid) (PPAA) 190
 - poly(propylene oxide)—poly(amidoamine) (PPO-PAMAM) 141
 - polysaccharide capsules
 - alkylated hyaluronic acid 300
 - anti-cancer therapy and tissue engineering 303, 304
 - assembly 297
 - hyaluronic acid and dextran 300
 - living cell interaction 306
 - natural charged polysaccharides 296
 - quaternized chitosan 302
 - shell cross-linking 298
 - tissue engineering 304
 - polysaccharide-based microcapsules
 - alginate dialdehyde (ADA) 346
 - chitosan (CHI) 346
 - dithiothreitol (DTT) 348
 - hyaluronic acid (HA) 346
 - poly(styrene sulfonate) (PSS) 80, 367, 371
 - poly(styrene)-*block*-poly(acrylic acid) (PS-*b*-PAA) 213
 - poly-(tetrafluoroethylene) (PTFE) 496
 - poly(vinyl alcohol) (PVA) 366
 - poly(vinyl pyrrolidone) (PVP) 241
 - Prussian blue (PB) nanoparticles 144
- q**
- quartz crystal microbalance (QCM) analysis 9, 423, 424
 - quartz crystal microbalance with dissipation (QCM-D) 48, 49
 - quaternized chitosan (QCHI) 302
- r**
- Rayleigh instability 367
 - rhodamine 374
 - risedronate 211
- s**
- scanning electron microscopy (SEM) 409, 426, 427
 - self-exploding capsules 240
 - semaphorin 3A signalling 201
 - sensor particles (SPs) 433
 - short hairpin interfering RNAs (siRNA) delivery 202
 - signal transduction process 3
 - sinusoidal endothelial 1 antibody (SE-1) 496
 - Sirolimus 404
 - smooth muscle cells (SMCs) 388, 391, 400, 401, 410
 - sodium nitroprusside (SNP) 404
 - solid freeform fabrication (SFF) 496
 - space of disse 489, 495
 - spinal cord injury (SCI)
 - axon formation 527
 - definition 525
 - nerve regeneration 526
 - neural tissue regeneration 527
 - neurotrophic factors (NTFs) 529
 - oligodendrocytes 526
 - prevalence of 525
 - templated agarose scaffold 528
 - therapeutic approaches 526
 - tissue damage 525
 - stem cell differentiation
 - LbL assembly technique, 508 *see also* layer-by-layer (LbL) technique
 - PEMs, 509 *see also* polyelectrolyte multilayer (PEM) films
 - stem cells
 - cell–cell interactions 105

- cell–ECM interactions 106
 - differentiation 104
 - intrinsic ECM properties 106
 - layer-by-layer films, 107 *see also* Layer-by-layer technology
 - mechanotransduction 107
 - multipotent 106
 - soluble factors 105
 - types of 103, 104
 - stent-mediated vascular gene transfer 180
 - substrate mediated drug delivery (SMDD) 207
 - BCM-containing LbL films 215
 - cyclodextrin (CD)-containing LbL films 212
 - drug deposits 223
 - liposome-containing LbL films 222
 - substrate-mediated gene delivery 201
 - sulfonated polystyrene (SPS) 494
 - surface cross-linking, nanofilm biomaterials
 - activated polymer 67
 - chemical cross-linking agents 67
 - LSCM micrographs 69
 - MC3T3-E1 pre-osteoblasts 69
 - mechanical rigidity 67
 - PLL and PGA 67, 68
 - surface hydrophilicity, PEMUs 33
 - AFM images 37
 - cell alignment 34
 - diblock PEG copolymers 34
 - PAH/PAA 34
 - protein adsorption 35
 - zwitterion-bearing polyelectrolytes 34
 - surface topography 89
- t**
- temperature and pH responsive BCMs 213
 - three-dimensional (3D) tissue engineering, LbL nanofilms
 - blood-capillary model 436
 - blood vessel channel model 439
 - blood vessel wall model 432
 - cellular function 426
 - inkjet cell printing, 442 *see also* inkjet cell printing
 - nano-ECM coating 423
 - permeability assay 431
 - thrombin 142
 - thrombogenicity 402
 - tissue culture polystyrene (TCPS) 80
 - topography 53
- u**
- UV spectroscopy 49
- v**
- vancomycin 139, 516
 - vascular endothelial growth factor (VEGF) 148, 404, 515
 - vascular gene delivery
 - balloon-mediated DNA transfer 180, 182
 - film-coated intravascular stents 178
 - intimal hyperplasia reduction 183
 - vascular tissue engineering 387
 - LbL technology 387
 - PEMs, 389 *see also* polyelectrolyte multilayer (PEM) films
 - vinylbenzyl (VB) groups 48
- w**
- water contact angle (WCA) measurements
 - HEP/CHI multilayers 6
 - PEI/HEP multilayers 17
 - World Health Organization 391
- y**
- Young modulus 47, 51, 52, 54

