

Index

a

accelerometer model 101
 for one axis 72
 acoustic data transfer 356
 acoustic emission (AE) techniques 546
 ACROSOMA process 171
 acrylic coating 177
 acrylic sheet adhesive (Dupont LF0100) 142
 activated carbon 454
 active fiber composite (AFC) 201
 active messaging 381
 activity-transition graph (ATG) 394
 dynamic 395
 actuators 34, 58
 concept 596
 functionality 204, 595
 adapting control strategies 36
 adapting system behavior 38
 adaptive learning 332
 adaptive path finding (routing) 416
 adaptronic spindle system 600
 ADA software language 344
 A/D converter 84
 additional subsystems 601
 additive manufacturing (AM) 222,
 243
 business cases 223
 controlled multimaterial
 capabilities 228
 generalized process sequence 218
 processes 217, 220, 236, 239

sensors/functional structures 237
 rapid prototyping to rapid
 tooling 219
 sensor/electronics integration 217,
 228, 233
 in additive manufacturing 224
 advent of 224
 case studies 230
 cavity-based sensor/electronic
 system integration 236
 demand for customization 224
 direct write (DW) techniques 224
 importance of smart products 224
 multiprocess hybrid manufacturing
 systems 239
 process overview 224
 single AM platform for structural
 electronics fabrication 243
 techniques 233
 cloud-based design and
 manufacturing scenario 231
 adhesive films 177
 ad hoc network 6
 Aerosol JetTM printing 178, 240,
 243
 aerospace 57
 Aerospace Recommended Practice
 (ARP) 6461 535
 guidelines 167
 agent-based systems 388
 learning 415, 416

- agent behaviors 394
- class 395
- data processing, features
 - autonomy 387
 - creation 388
 - inheritance/replication 388
 - interaction 388
 - mobility 387
- models 391
 - agents and objects 393
 - communication 393
 - computation 393
 - mobility 393
 - reconfiguration 393
 - replication 393
 - used to manage/distribute energy 444
- agent characteristics 394
- agent implementation, with pipelined multiprocess architecture 409
- agent models 392
 - computation models 389, 391
- agent processing platform (APP) 20
 - heterogeneous networks support 406
- JAM platform 411
- PAVM platform 410
 - PAVM virtual machine, and code architecture 410
- PCSP platform 407
- program code frame 411
- programmable *vs.* application-specific platforms 406
- SEJAM/JAM simulator world 414
 - technologies 404
- agent programming models 397
- Airbus A320 539
- Airbus A350 22, 532
- aircraft applications 202
- AlgoBlocks 636
- algorithmic design errors 343
- algorithms/computational models 283
- Alias frequency
 - caused by undersampling 262
- alkaline battery (Zn/MnO₂) 459
- alkaline fuel cell (AFC) 468
- aluminum tube
 - piezoceramic ring integrated 202
- ambient and pervasive networks
 - (APN) 380
- heterogeneous network environment 381
- ambient energy, types 480
 - light energy 502
 - mechanical 481
 - radio-frequency electromagnetic energy 506
 - thermal energy 496
- ambient intelligence 32
- Ambient Textile Information Displays 634
- ambient vibration energy 494
- Ambimax 450
- Amdahl's law 292
- AMF format 217
- amplitude 110
- analog data processing 264, 440
 - quantizes 263
 - signal to noise ratio (SNR) 273
- analog signal processing (ASP) 16, 259, 426
 - sensor 259
- analog-to-digital converters (ADC) 16, 71, 259, 262, 337
 - architectures 268
 - basic architecture of 274
 - circuits 426
 - coarse and fine conversion 276
 - dynamic range 267
 - first-order sigma-delta 271
 - ideal, transfer curve 264
 - linear errors 265
 - nonlinear errors 265
 - normalized power dissipation 277
 - power dissipation 267
 - quantization 263
 - range and resolution 264
 - sampling 262
 - second-order sigma-delta 272
 - transfer curve 266
 - zooming and moving window 278
- analytic hierarchy process (AHP) 49
- analyzing current situation 36
- angular velocity 73
- ANSI EIA/TIA-232-F 357

- ANSI EIA/TIA-232 standard 357
 antenna, monopole 356
 aperture uncertainty 263
 application severity 620
 ARALL beam 201
 ARM Cortex-R 584
 Armijo rule 315
 artificial intelligence (AI) 20, 553, 601
 concepts 20
 ASTM, definition 217
 ASTM F2792-12a 224
 defined 217
 ASTM F2792, additive manufacturing
 processes 225
 A2T abstraction tool 72
 ATG-based agent programming
 language (AAPL)
 simulation of 410
 statements 398
 atmospheric pressure CVD 94
 Au electrode 95
 autoclave 176
 automated prepreg layup
 processes 173
 automobile technology 31
 automotive ethernet 358
 autonomous agent systems 347
- b**
 ball-screw drives 597
 Banach/Hilbert spaces, infinite-dimensional 308
 barely visible impact damage (BVID) 167
 batteries 458
 based electronics 450
 capacity 463
 chemistries 459
 battery manufacturing, three-dimensional
 based on template deposition 465
 integrated all-solid-state battery to be applied as energy supply unit to 466
 BeagleBone 618
 beginning-of-life (BoL) 9, 11
 belief–desire–intention (BDI) 392
- agent model 389
 bendability 13
 bender geometries 122
 bending deformations 203
 bend loss coefficient 124
 benzocyclobutene (BCB) 86
 biaxial magnetoelectric generator 494
 bidirectional communication 363
 Big Data 385
 binary coding 295
 binary-weighted capacitor array 274
 binder jetting processes 227
 Biologic 632
 bit error rate (BER) 359
 3-bit parallel flash converter 275
 black box 42
 block diagram simulation 58
 Bluetooth low energy (BLE) 359
 boat's seaworthiness 619
 body area network (BAN) 379
 Boeing 787 532
 Dreamliner 22
 Bosch processes 92
 boundary element method (BEM) 58
 boundary-value problem 305
 broadcasting strategies 376
 bulk micromachining process 96
 bulk piezopolymers 488
 bus request-acknowledge protocol 369
- c**
 cables 109
 camera-based computer games 630
 cantilever-based gas sensor 100
 cantilever structure 485
 capacitive detection 101
 capacitive e-skin, applied to different robots 579
 capacitive technology 574
 sensing 99
 tactile sensors 574
 capacitors 452, 453, 575
 classification of 453
 electrodes 101
 working principle 452
 carbon-based materials 454
 carbon fiber filaments 177

- carbon fiber-reinforced polymers (CFRP) 167, 203
- laminates 181
- material 181
- online measured pressure values 186
- resonance frequency, Influence of 182
- structure 599
- carbon monoxide 469
- carbon nanotube (CNT) 501, 574
- Cartesian direction 372
- case studies 617
 - composite bridge 622
 - limitations and opportunities of sensorial materials 623
 - potential application of sensorial materials 623
 - sensors used 623
- leisure boats, life cycle of 617
 - limitations and opportunities of sensorial materials 619
 - potential application of sensorial materials 619
 - sensors used 618
- model development and system-level simulation 71
- PROMISE-product life cycle
 - management/information using smart embedded systems 620
- sensorial materials
 - limitations/opportunities of 621
 - potential application of 621
 - uses 620
- sensor node for drift-free limb tracking 69
- system architecture 71
- casting/molding processes 9
- Cauchy stress tensor 302, 319
- C4.5 decision trees 337
- cellular/lattice gas automata 6
- cellular networks 506
- cellular polypropylene (PP) 489
- centralized processing
 - architectures 365
 - sensor fusion 344
- central neutral plane 178
- central processing unit (CPU) 434
- ceramic 462
- channels 354
- charge redistribution architecture
 - using binary-weighted capacitor array 274
- chatter suppression 601
- chemical-electrical converter 459
- chemical interaction 100
- chemically amplified resist (CAR) 90
- chemical vapor deposition (CVD) 87
- chip package miniaturization
 - technologies 140
 - applications 143
 - circuit integration
 - embedding 142
 - stacking 143
 - ultrathin chip package technology (UTCP) 140
- chip-to-chip communication 357
- Cholesky factor, covariance matrix 308
- circuit design 180
- circular radio transmission ranges 365
- circumferential strain 120
- civil structures 116
- cladding 109, 111, 123, 124, 125
- clamping mechanisms 596
- CLIP processes 236
- closed-loop operation 87
 - PLM applications 620
- cloud-based design and manufacturing (CBDM) 22
- cloud computing 18, 363, 385
 - large-scale sensor network
 - applications 385
 - manufacturing 229
 - multiple goals 385
 - storage and computation 385
 - coarse conversion 276
 - code navigator 414
 - coefficient of thermal expansion (CTE) 12
 - cognitive functions 36, 430
 - information processing 34
 - processing 34
 - regulation 34
 - science 34
 - collaboration 387, 635

- Collaborative Research Centre
 (CRC) 614 31, 38
- combinatorial logic 294
- common fault 347
- common-mode rejection ratio
 (CMRR) 261, 262
- common-mode voltage gain 262
- communication 179, 294, 343, 387,
 388, 389, 393, 426, 430, 614
- agents, interaction of 396
 - channels 370
 - failures 343, 344, 377
 - hardware 351
 - applications 351
 - data throughput/latency 353
 - efficiency 352
 - electrical wires 354
 - embedded, requirements for 352
 - error protection 353
 - maintainability 353
 - material-integrated intelligent systems 351
 - physical communication
 - classes 354, 356
 - polling *vs.* event-triggered data transfer 353
 - robustness regarding
 - environmental conditions 353
 - security 353
 - wireless electromagnetic transfer 355
- link failures 343
- networks 363, 377
- reliability 377
- robustness 377
- structures 347
- system 31, 34, 427
- yarns 156
- communication unit (CMU) 259
- comparative vacuum monitoring
 (CVM) 168, 546
- sensors, surface-attached 562
- compensation circuit 87
- complementary metal-oxide-semiconductor (CMOS) 13
- circuit designs 267
- compatible materials 486
- compatible microfabrication techniques 495
- compatible silicon-based microfabrication 491
- compatible technique 14, 17, 180, 426, 485
- complex models, 3D visualization of 58
- complex pattern recognition 287
- composite manufacturing processes 171
- composite materials 112, 113, 127, 161, 162, 168
- aerospace structures 107
 - embedded FOS 114
 - modern automobiles 112
 - SHM, challenges 128
 - surface-mounted FOS 115
- computational complexity 572
- computational efficiency 58
- computational fabrication 638
- computational requirements 582, 583, 584
- electrical impedance tomography 582
 - tensorial kernel 583
- computational technology 638
- computation time 293
- bounds 293
- computer-integrated manufacturing (CIM) 22
- computer numerical control (CNC) 22
- conceptual design 39
- subsystem level 42, 47
 - system level 42
- CONceptual design Specification technique for ENgineering of complex Systems (CONSENS) 39
- conditioning 34
- conductivity 86
- fillers 574
 - polymer 574
- ConPro language 344
- contaminants
- organic and inorganic 89
- continuous fiber-reinforced polymers 170

- continuous liquid interface production (CLP) 227
- core-cladding interface 109
- corning SMF28e fiber 125
- corrosion 457
- Cortex-R7 processor 585
- cosimulation 60
- cost-benefit ratio 31, 44
- CPU communication hardware 351
- crack first sensors 620
- crack growth rate 114
- crack initiation 114
- creativity
 - tangibles 635
- crystalline rare earth-iron alloy TbDyFe (Terfenol-D) 493
- CSP-packaged ZL70102 144
- cube networks 365
- Cu conductors, polyimide flex 139
- Curie temperatures 10, 484, 600
- curing process 164
- cut-through (Ct) 372
 - message routing, store-and-forward 371
- cyber-physical system (CPS) 19, 33, 390, 629
- Czochralski process 88

- d**
- damage detection system 545
- damage estimation, of a technical structure 331
- damage monitoring 535, 553
- damage-tolerant design
 - context 537
 - strategy 561
- Darcy's law 166
- data acquisition
 - physical model 302
 - system 260
- data analysis 110, 288
- database management 58
- data-centric approach 368
 - directed diffusion algorithms 377
- data communication 440
- data converter architectures 268
 - flash 275
- integrating 269
- low-power designs 276
- sigma-delta converters 270
- successive approximation 273
- data delivery 387
- data dependency classes of algorithms 294
- data fusion 287, 344, 389
- data latency 294
- data mining process 287, 288
- datapath selectors 295
- data processing 179, 287, 387
 - algorithm classes
 - used with single and multiple sensor nodes 286
 - architecture 293
 - classes 285
 - decentralized architectures 425
 - errors 347
 - factors impact on design/performance 292
 - failures 343
 - nodes 345
 - parallel 287, 291
 - pipeline 293
 - in RTL architectures 295
 - data processing unit (DPU) 259
 - data quality 616
 - data reduction 289
 - data sinks 368
 - data storage 287
 - data throughput rate 352
 - data transmission latency 73
 - 3D batteries, 3D architectures for 464
 - decimation 270
 - decision-level fusion 344
 - decision-making processes 344
 - decision rule (DR) learners 332
 - decision tree learner (DTL) 332, 334
 - decomposing computation 291
 - dedicated short-range communications (DSRC) 358
 - deep reactive ion etching (DRIE) 92
 - deformations 571
 - deformable materials, 3D printing 633
 - of FOLS 124

- mechanical measures/CTE
 - mismatch 14
 - model 418
- deposition techniques 93
 - lift-off process 94
 - wafer bonding 95
- designs, moving window approach 277
- diamond-like carbon (DLC) 597
- dielectric analysis (DEA) 165, 167
- dielectric capacitors 453
- dielectric elastomers 489
- dielectric materials 86, 452
- dielectric systems 165
- differential nonlinearity (DNL) 265
- differential signal or differential pair (DS/DP) 354
- digital analog converter (DAC) 270
 - capacitors 274
- digital circuit 426
 - optimization strategies 426
- digital data processing 426, 430, 440
- digital filtering 270
- digital front-end (DFE) 71
- digital hardware 58
- digital information 631
- digital light processing (DLP) 227
 - process 236, 244
- digital logic 17
- digital micromirror device 83
- digital processing units 337
- digital signal processing (DSP) 15
 - circuits 84
- digital storage (DS) 15, 259
- direct component (DC)
 - error 263
- directed diffusion routing 376
- direct print/cure (DPC) 244
 - process 244, 245
- Dirichlet boundary condition 319
- discrepancy principle 310
- disposable sensors 167
- distributed learning 332
 - event-based learning 333
- distributed material-embedded sensor networks 19
- distributed sensor network (DSN) 20, 378
- embedded sensor 19
- domain-spanning conceptual design 39
- concept integration 47
- conceptual design, on (sub-)system level 46
- dependability, analysis of 48
- dynamical behavior, analysis of 48
- economic efficiency, analysis of 47
- evaluate the solution 50
- phases 41
- planning/clarifying task 42
- domain-specific design
 - development 39
 - tools 41
- domestic/personal devices 633
- dopant diffusion 10
- doping 109
- 3D pressure/force sensing 574
- 3D printers 111
- 2.5D rigid thermoplastic circuits 152
- dry etching 92
- dual-core architecture 585
- Dual Logo 357
- dual process material jetting
 - platforms 236
- dual-slope integrating architecture 269
- DuPontTM Kapton 182
- DuraActTM modules 560
- dynamic activity-transition graphs 394
- dynamic ad hoc network
 - topologies 370
- dynamic current 426
- dynamic incremental learning 332
- dynamic power management
 - (DPM) 434
- CPU-centric DPM 434, 435
 - EDF algorithm 435
 - LEDF algorithm 435
 - EDS algorithm 437
 - I/O-centric DPM 434, 437
 - LEDES algorithm 439
- dynamic redundancy 347

e

- ebeam lithography 89
- ECAD tool 41
- EC FP7 TERASEL project 153
- eco-friendly hybrid composites 480
- economic efficiency model 31, 32, 43, 44
- EDA tools 56, 59
- EEG monitors 380
- EEPROM system 143
 - chips 144
 - memory device 143
 - in single UTCP 145
- effective number of bit (ENOB) 267, 270
- elastic circuits 145
 - printed circuit board 145
 - stretchable displays 149
 - thin film metal 148
 - wearable light therapy 148
- elastomer composites 574
- elastomer membrane 489
- electrical communication 356
- electrical connections 137
- electrical energy 451, 452
- electrical impedance tomography (EIT) 572, 582
 - algorithmic steps 582
- electrical interconnections 154
- electrical resistivity 165
- electric cars 113
- electric charge, from direct piezoelectric effect 209
- electric conductivity 454
- electric insulator 452
- electricity generating performance 201
- electroactive polymer (EAP) 489
 - films 489
- electrochemical capacitors 453
- electrochemical stability 457
- electrochemical storage
 - devices 459
 - units 454
- electrode layer thickness 455
- electrode materials 454
- electrolyte materials 457
- electrolytic capacitors 453
- electromagnetic (EM) 506
 - based communication methods 356
 - energy 449, 450
 - induction 451, 493
 - noise 110
 - sensors 550
 - vibration energy harvester, schematic representation 492
- electromagnetic compatibility (EMC) 552
- electromagnetic interference (EMI) 353, 574, 575
- electromechanical conversion 489
- electromechanical coupling 485
- electromechanical transduction 481, 490
- electronic double-layer capacitor (EDLC) 454
- electronics
 - circuits 146, 571
 - design level 59
 - conductivities 463
 - cosimulation of 60
 - devices 452, 506
 - failures 343
 - functionality 76
 - integration 179
 - materials integration of 180
 - modules, conductive yarns 155
 - printing 629
 - skin (e-skin) 571
- electroplating process 87
- electrorheologic fluid (ERF) 600
 - applications of 600
- electrostatic sensing 58
- electrostatic vibration energy harvesters, comparison of 491
- electrostrictive polymers 489
- ELTRAN 88
- embedded-AMS (E-AMS) 60
- embedded systems 59
 - design 58
 - electronics 180
 - embodied interaction 630
 - networks 413

- schematic overview 142
- sensor 623
- energy-aware systems
 - address minimization of energy consumption 425
 - aims 425
- Energy-aware Algorithmic Scaling 17
- energy cells 461
- energy consumers 432
- energy consumption 36, 425, 428, 449
 - by transmitting data, using wireless communication 440
- energy converters 432
- energy density 454, 468
- energy distribution 445
- energy efficiency 376
- energy generation performance 481
- energy harvesting (EH) 431, 449, 451, 479, 480, 595
 - batteries, technologies 479
 - device 431
 - mechanical 451
 - thermal 451
- energy management (EM) units 259, 425, 426, 430, 431
- energy scavenging 450, 451, 479
- energy sources 431
- energy storage (ES) 16, 259, 432, 450, 452
 - devices 454
 - historical background 452
- energy supply
 - decentralized architectures 425
 - and management 21
- energy transmission 551, 601
- entertainment 635
- ϵ -entropy 334, 335
 - computation 335
- environmental temperature 74
- epoxy-based structural adhesive 205
- equivalent series resistance (ESR) 454
- Erichsen testing machine 206
- error detection or error correction codes (EDC/ECC) 353
- e-skin system 572
- etching 91
- ethernet 357
- Open Alliance BroadR-Reach™ (OABR) 357
- Euclidean space 302
- Euler angles 72, 74, 75
 - estimation 75, 76
- event and distributed agent-based
 - learning of noisy sensor data 416
- event-based sensor data distribution strategies 375
- event-based sensor distribution behavior 416
- Everlast 450
- experiential embodiment 631
- explicit interaction 638
- explicit minimizers, for linear models 311
- extraordinary cycle life 454
- extravehicular activity (EVA) 359
- extrinsic Fabry–Pérot interferometer (EFPI) 108, 111, 118
 - operation 118
 - sensors, sensitivities of 119
- f**
- fabrication
 - of sheet metal compounds 204
- Fabry–Pérot sensors 118
- failure mode and criticality analysis (FMCA) 48
- failure mode and effect analysis (FMEA) 48
- failure mode, effect, and failure cost analysis (FMEFA) 48
- fault tolerance 430
- fault tree analysis (FTA) 48
- feature extraction 344
- feature-level fusion 344
- feedback controller 601
- ferroelectric nanowires 486
- ferroelectric piezoceramics 484
- ferroelectric polymers 574
- fetch–execute cycle 291
- fiber Bragg grating (FBG) 108, 119, 176, 542
- hydrostatic pressure sensor 114
 - in optical fibers 548

- fiber Bragg grating (FBG) (*continued*)
 sensors 119, 177
 optical, sensing principle of 117
 strain 110
 thermal 602
 fiber–metal laminates (FML) 8, 201
 fiber microbend sensors 122
 fiber-optic loop sensor (FOLS) 108, 123
 fiber-optic sensor (FOS) 107, 110, 166, 178, 179, 187, 549
 for structural monitoring 112, 115
 aerospace structures 115
 technology for SHM
 applications 107
 fiber orientation 171
 fiber permeability 166
 fiber placement 175
 fiber-reinforced composites 112, 201
 fiber-reinforced polymer (FRP) 161, 164, 192
 composite production 166, 170, 171
 fiber-reinforced structures 203
 fiber volume content 162
 field-driven actuators 600
 field-effect transistors (FET) 17
 Field Programmable Gate Arrays (FPGA) 17
 filament winding process 171, 175
 finite-dimensional vector space 308
 linear vector space 311
 finite element analysis 120
 finite element method (FEM) 57, 583
 simulations 12, 59, 337, 417
 finite element model-based simulation (FEM) 285
 finite state machine (FSM) 287, 295
 fixed-point iteration relies, on scalar function 312
 Flame Retardant 4 (FR4) 137
 Flash ADCs 275
 FlexCase 635
 flex foil manufacturing
 technologies 145
 flexibility 14
 circuits 138
 electronics 148
 printed circuits 180
 PVDF-based piezoelectric–pyroelectric–photovoltaic hybrid cell 502
 schematic representation 498
 flexible circuit board (FCB) 141
 flexible printed circuit board (FPCB) 575
 flexoelectric effect 487
 flexographic printing 111
 flits 372
 fluoropolymers 489
 foglets 6
 foil-based sensor 110
 foil technology 180
 Follow the Grass prototype 634
 force–time graphs 127
 FORTH programming 296
 FPGA implementations 367
 Fraunhofer Institute for Manufacturing Technology and Advanced Materials (IFAM) 238
 Fréchet differentiability 314
 free-space optical communication (FSO) 360
 frequency modulation sensors 117
 Bragg grating sensors 117
 Fabry–Pérot interferometer sensor 118
 fresnel reflection 187
 fuel cells 467, 468
 fully interpenetrating nanoscale battery, steps needed to assemble 467
 functionality
 characterization of 208
 integrated structures 601
 nets 169
 functionally graded materials (FGM) 222
 fundamental concepts, schematic representation 13
 fused deposition modeling (FDM) systems
 polymer material 242
 fusion architectures 344, 345
 fusion process, levels 344

g

Galfenol 493
 galvanic cells 458
 gap-closing converters 491
 gap-closing electrostatic generator,
 schematic representation 490
 gas sensors 100
 gate-level simulation 428
 Gaussian elimination 311
 Gauss–Newton method 318
 generalized minimal residual (GMRES)
 method 311
 generation-to-generation product
 optimization 229
 generic hypercube networks 365
 GigaDock 360
 GLARE® 201
 glass fibers 128
 composite structures 110
 glass transition temperature 176
 glass-type lithium phosphorous
 oxynitride (LiPON) 462
 global monitoring 168
 GPS-based solutions 556
 graded-index fibers 109
 gradient descent schemes 314
 graphene 454
 grid intelligence 430
 GSM900 base station 506
 Guidelines for the Implementation of
 Structural Health Monitoring on
 Fixed Wing Aircraft 535
 Gustafson's law 292
 gyroscope 73

h

half-Heusler compounds 500
 Hanke–Raus rule 316
 hardware description language
 (HDL) 60
 harvesters 451
 hearing aids 144
 heart rate monitoring 144
 heat conduction 305
 inverse 307
 heat flux reversal 11
 heating coil 88

heat losses 596
 helicopter fuselage 548
 Heliomote 450
 hertz contact theory 120
 heterogeneous systems 389
 components/subsystems 57
 hierarchical networks 365
 HIFSuite tools 72
 high frequency (HF) 181
 high-k fillers 574
 high-level synthesis (HLS) 20
 high-quality standard 165
 high-temperature electronic (HTE) 10
 high-temperature fuel cells 469
 host architectures 389
 hot embossing process 111
 human-computer interaction
 (HCI) 629, 630, 638
 applications/scenarios 633
 challenges 637
 design methodology 59
 integrates 630
 new forms 630
 with novel and advanced
 materials 629
 research 629
 soap bubble interface 637
 third wave of 633
 human culture 630
 human intelligence 630
 human-machine interaction 24
 human-machine interface 34, 46
 human nervous system 3
 human–robot interaction (HRI) 579
 humidity sensors 83, 84
 HW/SW systems 60
 hybrid capacitors (HCs) 454
 hybrid data processing approach 287
 hybrid drives 596
 hybrid gap-closing/overlap
 configurations 491
 hybrid integration approach 6
 hybrid manufacturing system
 building, functionalization, and
 secondary processes 243
 Hybrid mechanical energy
 harvesting 493

- hybrid solar/vibration energy harvester
 - schematic representation of 503
- hydrated ionomeric membrane
 - 489
- hydraulic transmission systems 597
- hydrofluoric acid 86
- hysteresis 573, 575
- i**
- iCub robot 575
 - humanoid robot 575
- ideal S/H circuit, output of 262
- IDTEx report 228
- IEEE-488 356
- IEEE 1609 359
- IEEE 488/GPIB protocol 369
- IEEE 802.11p 358
- IEEE standardized Bluetooth 359
- IEEE 802.11 standards 359
- image analysis 288
- image processing, parallelized 388
- image sensors 83
- IMEC, thermoformed lighting module 153
- implicit interaction 638
- incremental learning 332
- inductive coupling 179
- industrial agents, behavior model classes
 - deliberative agents 391
 - hybrid agents 392
 - reactive agents 391
- industrial exploitation 56
- industrialized society, development
 - stages 23
- industrial manufacturing
 - environments 603
- industrial, scientific, and medical (ISM) bands 181
- Industry 4.0 604
- inelastic material behavior 207
- iNEMO Engine Lite 72
- iNEMO M1 System-on-Board 70
- infinite-dimensional theory 308
- information communication technology (ICT) 16
- information, levels of 281
 - load monitoring 282
- structural control, adaptive and morphing structures 282
- structural monitoring
 - control 281
 - health 282
 - tactile sensing 283
- information processing 34
 - methodologies 17
 - unit 34
- inFORM platform 636
- Infrared Data Association (IrDA) 360
- Infrared Link Management Protocol (IrLMP) 360
- Infrastructure-as-a-Service (IaaS) 229
- inkjet printing 111
 - microstructures 456
 - nozzles 83
- inkjet printing module (IPM) 240
- IN–OUT 272
- in-process sensor integration 230
- Institute for Microsensors, -Actuators and -Systems (IMSAS) 190
 - embedded microscale capacitive sensor 190
- instrumentation amplifier 261
 - for high input impedance 261
- integral nonlinearity 267
- integrated circuit (IC) 83, 180, 357
 - design 56, 60
 - devices 85
 - packaging technologies 56
- Integrated Project (IP) 56
- integrating capacitor
 - vs. time, charge of 269
- intelligent materials 595
 - clamping system 599
 - in manufacturing technology applications 595
 - mechatronic systems 34
- intelligent networked systems 34
- Intelligent Product 617
- intelligent sensing systems
 - modules contributing 20
- intelligent/smart materials 595
- intelligent technical systems 31, 32, 34, 601, 602
 - characteristics 33, 34

- adaptive 33
 anticipative 33
 robust 33
 user-friendly 33
 design methodology for 38
 domain-spanning conceptual design 41
 domain-specific conceptual design 50
 miniaturization of electronics 32
 networking of information systems 32
 software technology, as driver for innovations 32
 intensity modulation sensors 110, 122
 fiber microbend sensors 122
 fiber-optic loop sensor 123
 interaction model 389
 interdigital planar capacitive sensors 188
 complex relative permittivity of resin 188
 in'situ measuring of the resistivity ρ of resin by 191
 relative permittivity and the loss factor for a capacitor with parallel plate 188
 interdigitated array 188
 interdigitated electrode (IDE) 177
 limitation 484
 interferometric sensors 547
 internal objectives 36
 international technology roadmap 450
 Internet 57, 413
 clouds, material-integrated intelligent systems 18
 Internet-of-Everything 20, 24
 Internet-of-Thing (IoT) 16, 140, 386, 387, 629
 interprocess communication (IPC) 291
 InterRRap architecture 392
 intrinsic/extrinsic fiber optic sensor principles 108
 intrinsic sensors 108
 inverse heatconduction 305
 inverse numerical approaches 287, 301
 inversion problem 305
 ion beam lithography 89
 ion conductivity 165, 457
 ionic polymer metal composite (IPMC) 481
 mechanical-to-electrical energy conversion 489
 ion viscosity 189
 vs. degree of resin cure 189
 iPeM-Modell 39
 iPhone 6 449
 ISIS Sensorial Materials Scientific Centre 24
 isotropic/anisotropic wet etching 91
 iterative regularization schemes 313
- j**
- JAM AgentJS processing platform 413
 JavaScript (JS) 389
 software language 344
 Java software language 344
 jetting testbed module (JTM) 240
 JSON-like tree presentation 414
 junction-based routing 371
- k**
- Kalman filter 75
 algorithm 72
 Kalman noise covariance matrices 74
 Kapton PCB 185
 KASPAR humanoid robot 578
 Keysight SystemVue environment 72
 k-Nearest-neighbor 337
 classifier 337
 Kozeny–Carman equation 166
- l**
- Lagrange equation 311
 Lamb waves 168, 547, 560
 Lamé parameters 319
 laminar piezomodules 203
 laminates 8, 162
 Landweber iteration 315, 316, 320, 321, 322, 323, 325, 326
 discrepancy principle 326
 linear and nonlinear models 316
 for load monitoring 319

- Landweber regularization 316, 326
 laser beam melting 239
 latter matrix–vector equation 311
 lead zirconate titanate (PZT) 201
 nanofibers, nanogenerator 487
 sensor 10
 single-patch 550
 learning 635
 algorithm 332
 of data streams 331
 with noise 333
 rewarded behavior 390
 tangibles 635
 least significant bit (LSB) 263, 264
 Leclanché cell 459
 LEDs 634
 engine 149, 150
 islands 151
 Lego Mindstorms™ 635
 Lepskii's balancing principle 316, 318
 Levenberg–Marquardt iteration 317, 318
 LF0100 adhesive 142
 life cycle costs 44
 Li-Fi Consortium 360
 lift-off process 94
 light energy harvester (LEH) 502
 operation principle, schematic
 representation of 503
 light modulations 108, 110
 light transmitter 356
 Li-ion technology 460
 battery manufacturing 461
 microbatteries 462
 limb movement recordings 73
 limb position estimation algorithms 73
 linear actuation 600
 linear errors 265
 linear models, explicit minimizers 311
 liquid composite manufacturing (LCM) 163
 lithium-ion technology 462
 lithography 88
 development 90
 exposure 90
 fabrifications technique 456
 photoresist coating, and baking 89
 substrate preparation 89
 Living Wall 633
 interactive wallpaper 634
 load-bearing structures 5
 load–execute–store model 291
 loading–unloading cycles 123
 load monitoring (LM) 20
 algorithmic and information level
 hierarchy 282
 Landweber iteration 319
 load reconstruction
 numerical examples 318
 load scenarios R250
 normalized capacitance and computed
 residual performance 211
 load strain, fiber 209
 local information processing 389
 LogitBoost classifier 583, 584
 long fiber-reinforced polymers 170
 lookup table (LUT) 336
 loop sensors 127
 low-energy device schedule (LEDES)
 algorithm 439
 low-power processors 427
 low-power smart sensor systems,
 design 426
 low-pressure CVD 94
 low-temperature fuel cells 469
 low-voltage differential signaling (LVDS) 355
- m**
- MAC address 380
 machine learning (ML) 21, 287, 329, 331, 336, 415, 572
 algorithms 332
 association learning 330
 classifier systems 330
 clustering 331
 regression 331
 reinforcement learning 330
 semisupervised learning 330
 software language 344
 supervised learning 329
 techniques 288
 unsupervised learning 329

- machine tool
 - applications 595
 - components 595
- Mach-Zehnder interferometer 547
- macrofiber composite (MFC) 201
 - integrated rectangular deep drawn cup 213
- macro/mesoscale generators 485
- macroscopic systems 83
 - mechanical properties 178
- magnet/coil assembly 482
- magnetic field forces 600
- magnetic shape memory alloy (MSMA) 493
- magnetization 451
- magnetometer 83
- magnetorheologic fluid (MRF) 600, 601
 - damping systems 601
 - gripper utilizing controllable wet adhesion 601
 - shock absorbers 601
- magnetostrictive materials 451
 - applications of 598
- Maintenance on Demand (MoD) 532
- mandrel 177
- mapping function 329, 391, 638
- Marble Answering Machine 633, 636
- Marcuse models 126
- mass flow sensor 97
- mass-spring system 101
- material appreciation 638
- material extrusion transfers 227
- material-integrated systems 56, 76, 171
 - intelligent systems 168, 228
 - fundamental elements 7
 - material-integrated sensing system (MISS) 386
 - clouds 386
- material jetting 227
- MATLAB framework 76, 430
- MATLAB-SIMULINK approach 58
- MATLAB tool 41
- matrix materials, used in fiber-reinforced polymers 173
- max. comfort 42, 43
- max. dependability 42
- max. driving speed 42
- max. energy efficiency 36
- max. safety 36, 42
- max. user satisfaction 42
- MCAD tool 41
- mean time to failure (MTTF) 346
- mechanical compliance 13
- mechanical components 36
- mechanical energy 450, 451
- mechanical energy harvester (MEH) 480–496, 481, 487, 492
 - classification of 481
 - devices 482
 - electromagnetic micropower generators 491
 - electrostatic micropower generators 490
 - hybrid micropower generators 493
 - main transduction mechanisms, comparison of 483
 - micropower generators based on electroactive polymers (EAP) 489
 - piezoelectric micropower generators 482
 - triboelectric nanogenerators 492
 - wideband/nonlinear micropower generators 494
- mechanical stability 112
- mechanical-to-electrical energy conversion 481, 486
- mechatronic system 31, 32, 33, 34, 36
- mega sample per second (MSPS) 273
- MEMS gyroscope, one-axis 103
- mental models 639
- mesh-like networks 375
 - redundancy 366
 - two-dimensional 365
- mesh sensor network
 - two-dimensional 376
- message typical format 370
- message-based communication 378
- message formats 370
- message passing 363, 370
- message passing network 368
- metallic AM part 238

- metalorganic chemical vapor deposition 94
- methanol 469
- MFC
 - actuator function 209
 - applied
 - foam core 202
 - elastic and inelastic parameters 207
 - Gauss curvature 207
 - load regime with loading/unloading phase 207, 210
 - location detection 203
- M8528P1
 - bending specimen 204
 - performance degradation 210
- microbend deformer geometries 122
- microbending optical fiber sensors 123
- microbend sensors 123
- microbial fuel cells 469
- microchannel plate (MCP) 464
- microchip-level sensor network
 - designs 367
- microchip resources 367
- microcombustors 470
- microelectromechanical system (MEMS) 55, 450, 602
 - acceleration sensor 602
 - accelerometer 83
 - capacitive humidity sensor 100
 - gyroscopes 83, 102
 - micro/MEMS-scale generators 485
 - microphones 83
 - power supplies for 450
 - scale piezoelectric VEH 486
 - with clamped-clamped multibeam configuration 484
- sensor 8, 84, 95
 - accelerometer 101
 - cantilever-based gas sensor 99
 - capacitive sensors 99
 - gyroscope 102
 - humidity sensor 99
 - piezoresistive sensor 97
 - resistive sensors 95
 - sensing quantity 85
 - thermoresistive sensor 96
 - working principle 84
- specific physics 58
- subsystem 77
- systems 112
- technology 110
- thermoresistive sensor 97
- three-axis MEMS accelerometer 102
- transducers 74, 84
- validated MEMS IP design 60
- microelectronics 449, 453
- microfabrication technologies 84, 87
 - silicon wafers 87
- microheater 97
- micromachining 84
 - surface accelerometer structures 602
 - surface and bulk 95
 - technologies 83, 99
- micro-nano scratching processes 602
- micropower generator 479
- microscale devices
 - construction of 455
 - interdigital sensor 190
 - planar capacitive sensor 190
 - sensors 112
 - supercapacitors 454
- microsupercapacitors 454, 457
 - materials in 456
- microTEGs 497
- middle-of-life (MoL) 9, 11
- miniaturization 55, 107, 110, 111, 112
 - sensor 112
- Miniaturized Smart Systems 57
- MinIMU-9 v2 618
- MIT Media Lab 631, 634
- mobile ad hoc networks 365
- mobile agents
 - autonomous behavior model 388
 - based computation 386
 - layers occupied by 389
 - modal analysis 168
 - model-based computing 301
 - modeling errors 304
 - model order reduction (MOR) 58
 - modern automobiles, large-scale composite parts in 113
- modified vacuum infusion process 173

- modular manufacturing platform (MMP) 239
- functionalization processes 241
- M-of-N independent modules 347
- M-of-N system designs 347
- molded interconnect device (MID) technique 229
- molten carbonate fuel cell (MCFC) 468
- monocrystalline silicon seed 88
- Monte Carlo simulation 420
- Moore's law 4, 18
- Morozov's discrepancy principle 316
- MOSFET 261
- most significant bit (MSB) 276
- capacitor 275
 - motoric skills 34
 - MPPT design 450
- multiagent system (MAS) 20, 387
- mobile autonomous agents 388
 - multiband/wideband RF energy harvesters 507
- multicriteria sensor networks 603
- multidomain cosimulation approach 59
- multidomain modeling approaches 60
- multidomain simulation and optimization 57
- multijet modeling (MJM) 244
- multilevel design methodology 60
- multimode
- optical fiber 109
 - single-mode fibers 109
- multiphysics models 75
- multiple bolted joint, health monitoring 212
- multiple input/multiple output (MIMO) 359
- multiple optical fibers 109
- multiprocess hybrid manufacturing systems 236
- multiprogram system 389
- multipurpose sensor 618
- multi-RTL architectures, parallel 287
- multisensor 344
- computations 286
 - data fusion system 344
 - preprocessing chains 344
- sensory, inherent integration 603
- multiwall carbon nanotubes (MWCNTs) 454, 602
- MUNED WiCkeD RSM model 72
- n**
- NanoCleave 88
- nanoflexoelectricity 487
- nanoimprint lithography 111
- nanorods, template deposition 465
- nanoscale
- generators 486
 - sensors 112
- NAO humanoid robot 578
- natural interaction 630
- navigation system 101
- nearest-neighborhood decision tree learning 334
- network configuration 364
- network connectivity graph (NCG) 363
- network domains 381
- networking 34, 575
- and communication 17
 - protocol
 - defines 366
 - redundancy 365
 - switch 368
 - topologies 364, 365
 - common 364
 - logical 365
- Netzsch/Lambient Technologies LLC 191
- neural networks 331, 337
- algorithms 331
 - approaches 288
- neuromusculoskeletal system 73
- Newton methods 58, 312, 318
- type regularization schemes 317
- Ni/Au finish, printed circuit board 138
- nickel–metal hydride (NiMH) 459
- noise
- absolute level 304
 - data 304
 - coping with 306
 - simulated 323
- interference parameters 352
- shaping 270

- nonadditive manufacturing processes 229
- noncognitive regulation 34
- nondestructive evaluation and testing (NDE/NDT) methods 170, 532
- nondestructive testing 170
 - material's behavior 301
- nondigital domain 56
- nonfunctional signals 74
- nongenerative energy 450
 - supply 450
- nonhardware services 57
- nonlinear error 266
- nonlinear Landweber iteration 314
- nonphotosensitive polyimide PI2611 141
- nonplanar surface functionalization
 - modular manufacturing platform 240
- nonpolynomial (NP)
 - complexity class 329
 - problem 425
- n sensor values 283
- N-version system 347
- NXP PHY devices 358
- Nyquist criteria 271

- o**
- Ohmic contact 87
- Ohm's law 98
- OLED lighting devices 228
- Olympus Stylus camera 139
- omission faults 343
- one-pair ethernet (OPEN) alliance 357
- online process monitoring 165
- OpenDSS simulator 59
- OpenSim 75
 - environment 73
 - online database 73
 - open-source platform 73
- open systems interconnection (OSI) 367
 - layer model 367
- operating system (OS) 296, 389, 434
- operational amplifier (OPAMP) 260
 - circuits 261
- operational monitoring systems 545

- p**
- packaging materials 140
- panoscopic approach 500
- parallelization rules 293
- parallel system 346
- parameter identification, physical models 302
- partial differential equation (PDE) 57
- passive messaging 387
- passive monitoring 168
- passive wireless power transfer 181
- path finding 363, 371
 - algorithms 364
- path redundancy 365
- path selectors 295
- pattern-level fusion 344
- pattern recognition 344
- Pavlov's dogs 34
- PCSP platform architecture 412
 - PAVM agent processing platforms 407
- peer-to-peer networks 375
- performance attributes 44
- permeability 165
- perovskite-type solar cells 451

- personal area networks (PAN) 379
 heterogeneous network environment 381
- Petri net 428
- phase change material 596
- phone conversation 83
- phosphoric acid 86
- phosphoric acid fuel cell (PAFC) 468
- photodetector 110, 112
- photodiode 110
- photolithography technique 89, 111
- photon flux 112
- photoresistive sensor 95
- photoresist mask 142
- photovoltaic (PV) cell 504
 dye-sensitized solar cell (DSSC) 504
 first generation 504
 hybrid organic-inorganic perovskite cells 504
 organic (or polymer) solar cells (OSCs) 505
 second generation 504
 third generation 504
- photovoltaic effect 502
- physical node structures, mapping of logical on 406
- physical vapor deposition (PVD) 87
- pick-and-place system 242
- piezoactuators 597
- piezo-based device 597
- piezoceramics 596, 597
 actuators possesses displacement behavior 597
 elongation-to-size ratio 596
 fibers 202
 foils, prepackaged 201
 materials 211
 ring, with steel end caps 202
- piezocomposite generating element (PCGE) 201
- piezoelectric (PZT)
 ceramics 596
 applications 596
 effects 58, 168
 energy harvesters 481
 generators 482
 materials 10, 451
- methods 166
- nanocomposites 488, 496
- nanogenerators 486
- nanoparticle-polymer composite foam 488
- nanostructures 486
- patches 556
- polymers 487
- sensors 166, 180, 574
 arrays 168
 tactile for 3D force sensing 574
- transducers 202
 elements 202
- transduction 482
- triboelectric generators 493
- VEHs, fabrication methods 485
- vibration energy harvesters
 operating modes of 483
- piezoelectric vibration energy harvesters (P-VEH) 482
- cantilever-type 485
- ferroelectric piezoceramics 482
- nonferroelectric crystalline materials 482
- piezoelectric wafer active sensor (PWAS) 168, 181, 547
- piezofluidic actuator 597
- piezometal compounds
 fabrication of 205
 forming of 205
- piezomodules 204
- piezopatch transducers 597
 sensory elements 599
- piezoresistive effect 98
- piezoresistive pressure sensor 98
- piezoresistive strain gauges 98, 547
 strain sensors 548
- piezoresistive thin layer sensors, investigation 598
- piezoresistors 98, 101
- pipelined multi-VM architecture 411
- Piranha solution 89
- pitch-catch mode 168
- planning 34
 clarifying the task 42
- plasma-enhanced CVD 94

- plastic optical fibers (POF) 574
- Poisson's ration 319
- polarization 110
- polyacetylene (PA) 501
- polyamide (PA) 162, 488
- polyaniline (PANI) 501
 - material 457
- polycarbonate (PC) 153
- polydimethyl siloxane (PDMS) 146
- polyetheretherketone (PEEK) 162
- polyethylene naphthalate (PEN) 139
- polyethylene terephthalate (PET) 139
- polyimide (PI) 139, 141, 177
 - membrane (HD4110) 141
- PolyJet 243
 - standard materials 244
 - technology 244
- polymer-based sensor foils 110
- polymer fibers 547
 - fiber-Bragg grating-type sensors 176
 - optical fibers 176
- polymer waveguides 180
 - based sensors 574
- polymethyl methacrylate (PMMA) 120
- polyolefin foil, inner-bonded 203
- polyphenylene sulfide (PPS) 162
- polypropylene (PP) 162
- polypyrrole (PPy) 501
 - electrode material 456
 - material 457
- polysilicon 88
 - ingot 88
- polystyrene (PS) 153
- polythiophene (PTH) 501
 - material 457
- porous material 166
- positioning systems 596
- postexposure bake (PEB) 90
- powder bed fusion 227
- power analysis workflow 428, 429
- power cells 461
- power conditioning circuit 479
- power consumption 426, 427, 430, 575
- power conversion efficiency (PCE) 504
- power dissipation 277, 427
- powering intelligent systems, routes of 450
- power management 427
- power minimization techniques 359
- power model of sensor node, using toolbox components 433
- power optimization 432
- power saving
 - benefit for 436
 - on device level at runtime address 429
- predicted load positions 338, 339
- prediction (analysis and classification) algorithm 336
- preforming processes (dry fibers) 171
- prepreg processes 173, 175
- pressure-sensitive silicone adhesive (PSA) 152
- pressure sensors 184
- preventive maintenance 540
 - diagnostic (fault detection) 540
 - prognostic (fault prevision) 540
- principle data processing, with register-transfer architectures 294
- principle energy harvesting
 - architecture 431
- principle learning and classification algorithms 335
- principle sensor node architecture, with energy harvesting 442
- printed circuit board (PCB)
 - based stretchable circuit technology 148
- components assembly 137
- fabrication 138, 140
- manufacturing 143, 147
- structuring to thin film-based processing 148
- printing
 - components 111
 - electronics 629
- probability of detection (PoD) 170, 552
- process-dependent size 233
- processing element (PE) 379
- processing layers, of distributed sensing application 389
 - aggregation 389
 - application 389
 - sensing 389

- Product Avatar 616, 617
 product data management (PDM) 614
 common graphical
 representations 614
 begin-of-life (BOL) 614
 end-of-life (EOL) 614
 middle-of-life (MOL) 614
 product embedded information devices
 (PEIDs) 613
 classification 621
 product life cycle management
 (PLM) 613, 614
 based improvement 619
 closed-loop and item-level 615
 data and information in 615
 engineering 614
 supporting concepts for data and
 information integration in 616
 programmable matter stress, definitions
 of 6
 projection-based methods 58
 project management 39
 Prometheus 450
 proportional-integral-differential
 (PID) 21
 protocol-based routing, in changing
 networks 370
 proton-exchange membrane fuel cell
 (PEMFC) 468
 advantages 469
 component 469
 prototype boat, for sensor integration
 and testing 618
 pseudocapacitive material 458
 pseudocapacitors (PC) 454
 pulse-echo mode 168
 pultrusion processes 171, 174
 punch force *vs.* displacement 208
 PVDF-based polymers 502
 pyroelectric energy generation (PEG) 501
 pyroelectric materials 501
 PZT. *see* lead zirconate titanate (PZT)
- q**
- Q-learning 390
 quad-core Intel Core i7 - 2670QM 75
 quad flatpack (QFP) 143
 quality control data 169
 quality-of-service (QoS) 21, 416
 quantization noise approaches 272
 quartz capillary 119
 quasi-isotropic (QI) 162
- r**
- race conditions 343
 radiation energy harvesters 451
 radiation harvesters
 light energy harvesters (LEH) 502
 radio frequency 506
 radical atoms 632
 radio frequency (RF) 83, 352, 355, 506
 combining configuration 507
 energy harvester 506
 energy harvesting 506
 identification (RFID) 179
 RF-DC conversion efficiency 507
 waves 451
 radio frequency identification
 (RFID) 179
 integration 236
 systems 239
 material-integrated 238
 technology 179
 transponder 238
 radio waves 181
 RailCab 49
 raw sensor 572
 level fusion 344
 reactive ion etching (RIE) 92
 real microbatteries 463
 real-time capability 353
 data processing platforms 287
 real-time monitoring, of resin cure 191
 real-time signal processing systems 291
 reconfigurable (dynamic) activity-
 transition graphs (DATG) 392
 rectangular cup, with double curvature
 deep-drawing 206
 reduced-order model (ROM) 58, 60
 redundancy, in networks 365
 reflection coefficient 181
 refractive index (RI) 109, 111
 region of interest (ROI) 417
 register-based machines 296

- registers, and addressable cell memories (RAM) 295
 - register-transfer level
 - architectures 294
 - regression algorithms 331
 - regularization parameter
 - rules for choice 309
 - reinforcing fibers, used in fiber-reinforced polymers 172
 - relaxation parameter 308
 - reliability 17, 343, 344, 416
 - in distributed systems 378
 - reliability R 346
 - remote procedure call (RPC) 367
 - Renner model 126
 - representational embodiment 631
 - representative volume element (RVE)
 - MFC homogenization approach 207
 - representative volume element (RVF) 206
 - residual stresses 14
 - resin cure
 - measurement 184
 - monitoring 166
 - resin flow, monitoring of 166
 - resin front by means of simulation, analytical modeling 166
 - resin properties 165
 - resin transfer infusion (RTI) 163
 - process 164
 - resin transfer molding (RTM) 163, 174
 - classical process 164
 - processes 163, 164, 174
 - resistance-based systems 165
 - resistive sensors 277
 - resistivity drop 156
 - resolution 344
 - corresponding values 265
 - resonance frequency 84
 - reusable sensors 167
 - reusable tool mount sensor 189
 - rigid multitouch devices 635
 - ROBOSKIN e-skin system
 - capacitive e-skin system 575
 - integration into iCub 578
 - robotic platform 575
 - robotic tactile sensing system 579
 - robust system design, on system level 343, 344, 345
 - distributed neighborhood detection 347
 - dynamic self-organizing systems 348
 - M-of-N systems 346
 - resource failures 379
 - version systems 347
 - routing 370
 - adaptive Δ -Distance with Backtracking 374
 - agent-based 376
 - communication failures 377
 - cut-through and wormhole 372
 - data-centric and event-based 375
 - decisions 376
 - Δ -distance 372
 - geographic 371
 - in large-scale wireless sensor networks 371
 - store and forward 371
 - strategy 375
 - tables 364
 - R-phase transformation 596
 - R2R printing 507
 - RS-232 357
 - RSI wrap tear-down 150
 - RTL architectures
 - with datapath pipelining 294
 - data processing 287, 295
 - runtime reconfiguration 379
- S**
- SaaS. *see* sensors as a service (SaaS); Software-as-a-Service (SaaS)
 - SAE ARP6461 535, 536
 - sample-and-hold (S/H) 262
 - circuit, typical errors 263
 - SARISTU project 560
 - sata acquisition systems 259
 - scanning electron microscope (SEM) image 162, 163
 - scanning probe lithography 89
 - scientific data analysis used in data mining processes 288
 - scientific data mining 287
 - correlation techniques 289

- autocorrelation function 289
- cross-correlation analysis 290
- discrete correlation function 289
- feature selection 289
- feature transformation 290
- screen printing module (SPM) 240
- Seebeck effect 451, 497
- Seiko AGS Kinetic quartz watch 491
- SEJAM MAS simulator 417
- SEJAM simulation 415
- selective laser melting (SLM) 238, 456
 - SLS from polymer 222
- self-aligning mask 141
- self-optimization process 31, 32, 36, 38
 - functionality 46
- self-organizing agent systems 416
- self-organizing capabilities 19
- self-organizing system (SoS) 20
 - MAS methods 555
- self-resonance 182
- semantic mediator 616, 617
- semiconductors 450
 - materials 98
 - piezoresistive materials 98
 - semiconducting stabilizers 501
- semifinished fabrics 175
- SEM imaging. *see* scanning electron microscope (SEM) image
- sensing 380
 - capabilities 602
 - heterogeneous 363
 - instrumentation 119
 - materials properties 5
 - principles 108
- sensorial materials 7, 619, 624
 - embedding a sensor node 431
 - potential, in PLM application 623
- sensorization, modular manufacturing platform 240
- sensors 75, 110, 169, 178, 304, 344, 417, 430, 572
 - applications 211
 - axis 74
 - box 618
 - calibration 74
 - computation/data processing 285, 288, 319, 331, 428, 572
 - communication model 286
 - corruption 378
 - fusion algorithms 293, 345
 - information extracted from 580
 - number of sensors 285
 - spatial computation model 285
 - spatial network model 286
 - temporal computation model 285
 - temporal processing model 285
- for cure monitoring of
 - composites 114
- disorder 378
- distributed computing 378, 379, 572
- energy-aware communication 440
- caching-based
 - communication 441
- clustering 441
- data-centric and event-based
 - communication 441
- errors 304
- fabrication, trends in 110
- failures 343
- fair-loss and finite duplication 377
- fiber 177
- flexible 622
- footprint 169
- fusion 17, 72, 344
 - algorithm 74, 75
 - library 72
- information 344
 - on material behavior 304
- integration 169
 - in AM 230
 - in fiber-reinforced polymers 175, 183
 - intelligent components 602
 - material integration 9
 - processes 170
 - scenarios 233
 - using additive manufacturing techniques 234
- interfaces 378
- measurements 302, 304
 - of surface strain/surface deformation 303
- monitoring 288

- sensors (*continued*)
- networks 15, 345, 347, 363, 364, 387, 417, 419, 425, 551
 - applications 379
 - characterization 381
 - distributed energy
 - management 443
 - energy distribution in 442
 - no creation/causality 377
 - no delivery/live-lock 378
 - nodes 19, 425, 430, 432
 - activity 426
 - density 425
 - processes 16, 259
 - noise 420
 - pitch 572
 - placement 170
 - preprocessing 344, 345
 - self-organizing 319
 - and sensing principles employed in
 - SHM of composite materials 169
 - in sensor clouds 363
 - signal processing system 8, 344
 - size 572
 - Stubborn delivery 377
 - systems 233
 - for functionality reason 10
 - integration 222
 - technologies, in material-integrated sensing 8
 - transfer functions 73
- sensors as a service (SaaS) 375
- sensory 595. *see also* sensors
- CFRP elements 597
 - CFRP structure 599
 - data 533
 - networks 603
 - yarns 155
- Separation by IMplantation of Oxygen (SIMOX) 88
- sequential data processing 287
- serial communication interface (SCI) 356, 357
- serial infrared (SIR) 360
- serial, parallel, and mixed system designs 346
- serial peripheral interface (SPI) 357
- serial wired communication 357
- service announcement messages (SAM) 359
- service loop, functions in 391
- SeSAM simulator 410
- S/H amplifier (SHA) 273
- shape-changing interfaces 632, 633, 636
- shape memory alloy (SMA) 481, 596, 634
- actuation, thermal control 596
 - actuators 596
 - applications 596
- super-elasticity 596
- wires 596
- shear force sensing 573
- sheet lamination 227
- short fiber-reinforced polymers 170
- shrinkage operator 313
- shutters 633
- sigma-delta ADCs 268, 270
- sigma-delta modulator, frequency domain model 272
- sigma-delta waveforms, analog input voltage 271
- signal characteristics 260
- signal communication yarns 155
- signal conversion 275
- signal processing algorithms 287
- signal to noise ratio (SNR)
- vs.* oversampling ratio 273
- signal-to-noise ratio (SNR) 112, 267, 344
- silicon 87
- makers 57
 - material 85
 - MEMS 85
 - silicon dioxide 86, 91
 - silicon IC 85
 - silicon nitride 86, 91
 - springs 87
 - wafer 84, 87, 88
- silicon-on-insulator (SOI) 88
- silver nanoparticle-based inks 245
- simulation 419, 430, 444, 445
- environment 74
 - levels 68
 - methods 165

- order reduction 58
- platform 75
- results in static conditions 75
- Simulink framework 430
- Simulink tool 60
- single-input touch classification, operations needed 584
- single-mode fibers 110
- single-point-of-failure (SPOF) 18
- single-process sensor integration solutions 245
- single-sensor-based computations 286
- single sensor processing
 - architecture 344
- single wall carbon nanotubes (SWCNTs) 454
- singular value decomposition (SVD) 583
- skin integration, into iCub forearm 578
- skin mechanical structure 573
 - materials 573
 - transducers 573
- slip detection 581
- SMAC platform 56, 60, 75
 - ADS and thermal simulation 63
 - Automated EM - Circuit Cosimulation in ADS 64
- (Co)Simulation Levels and the Design-Domains Matrix 67
- EMPro Extension and ADS Integration 64
- HIF Suite Toolsuite 65
- MEMS+ platform 66
- platform overview 61, 62
- simulation and cosimulation in 68
- System C-SystemVue
 - Cosimulation 61
- smart algorithmic energy management (SAEM) 21
- smart bed linen capable, of detecting moisture 156
- smart communication 440
- Smart Cut 88
- smart dust 6
- smart electronic systems, design challenges 56
- smart fabrics 352
- smart fabrics and interactive textile (SFIT) 352, 480
- SmartLayer™ approach 177
- SmartLayer™ patches 560
- SmartLayer™ sensors 550
- Smart-Material Corp. 204
- smart materials 601
- smart phones 83, 639
- smart products 616
- smart sensor network 17
- smart sensor nodes 17, 259
 - architecture 260
 - material-integrated network 6
 - passive sensors to networks 19
- smart sensors 19
- smart system 55, 57
 - codesign 57
 - design 56
- SnAgCu (SAC) 138
- soap bubble interface 637
- Society of Automotive Engineers (SAE) 535
- soft-shrinkage iteration 312
- software agent technologies 58
 - autonomy 390
 - properties 389
 - reactivity proactiveness 390
 - social ability 390
- Software-as-a-Service (SaaS) 229
- software support 39
- software technology 31
- solar energy harvesting 451
- solid oxide fuel cell (SOFC) 468
- solid-state electrolyte 463
- sparse matrix techniques 58
- spatial parallelism 294
- spatial temperature gradient 451
- Special Interest Group (SIG) 357, 359
- spectral modulation 110
- spin-on polyimide allows 148
- sponge architecture 463
- spray-coated sensors 602
- Sprout I/O 633, 634
- stacked resin-soaked plies 173
- starting yield stress 207
- state-transition (SN) Petri net 428
- static current 426

- static learning 332
- static redundancy 347
- statistical pattern recognition 331
- stepped-index fibers 109
- stereolithography 218
- stiffness tensor 302, 308
- STMicroelectronics 72
- store and forward (SF) algorithm 371
- stored energy 452
- strain 110, 451
 - energy harvesters 481
 - gauges 319
 - measurement 419
 - space, performance degradation model 210
- stray capacitances 574
- stream-based data communication 375
- stress 101
 - boundary conditions 303
- stretchability 13, 571, 574
 - circuits
 - two-step molding process 147
 - cycles 147
 - electrical interconnections
 - fabrication process 148
 - flexible networks 180
 - interposers 156
 - LED 151
 - microdisplay 151
 - MEH devices 486
 - modules 154
 - polymer 146
 - substrate fabrication, on rigid carrier 146
 - system 145
- structural health monitoring (SHM) 5, 107, 167, 179, 531, 595
 - advantages and drawbacks 545
 - aerospace fatigue design principles 538
 - aerospace industry 556
 - algorithmic and information level hierarchy 282
 - application areas and exemplary case studies 557
 - areas and application and case studies 555
- categories 534
- CBM-skip 539
- challenge 542
- civil engineering 556
- classes and types of sensors 543
- classification 540
- communication 550
- component-wise breakdown 541
- concepts 168
- condition-based maintenance (CBM) 539
- cyclic and nontypical 531
- damage tolerance 537
- data evaluation approaches 553
 - and principles 552
- development trends from simple 563
- direct operating cost factors in commercial aircraft operation 539
- distributed and parallel 389
- full size representative commercial aircraft door 560
- fundamental axioms 532
- global and local 546
- helicopter fuselage panel with stiffeners 549, 550
- implications of material integration 561
- information expected 534
- Lamb waves 548
- listening sensor system 545
- maintenance scheduling 538
- methodologies 107
- motivations for implementation 536, 537
- organization of 536
- piezoelectric sensors 545
- railway industry 556
- sensor and actuator elements 542
- sensor networks 534
- sensors uses 548
- solutions 168
- supported scheduled maintenance 539
- system levels of capability 533
- wind energy plants 556

- successive approximation register (SAR) 273
 conversion method 277
 SAR-ADC architecture 279
 supercapacitors (SC) 453
 supervised machine learning 331
 supporting remote collaboration 636
 support vector machines (SVM) 332
 surface deformation
 measurements 303
 surface integration
 on nonplanar 239
 surface micromachining process 96
 surface mount devices (SMD) 145
 surface mount technology (SMT) 138
 component assembly 139
 surface strain sensor measurements 320
 switched circuit network 368
 switched networks 368, 369
 vs. message passing 368
 switching frequency 426
 symposium, on computational fabrication 638
 synchronous serial communication
 interface standards I²C (I²S) 357
 synergy 416
 syntactic foam, reinforced with glass fibers 121
 SystemC-AMS 58
 conversions 72
 modules 72
 SystemC module 72, 75, 76
 SystemVue cosimulation 72
 system design flow 59
 system development methodologies 7
 system development tools 7
 system flexibility 571
 system-in-foil packaging
 approaches 14
 system in package (SiP) 4, 56
 system on chip (SoC) 4, 20
 design language 344
 hardware implementations 373
 System-on-Package (SiP) 77
 system operation adaptation 49
 adaptation of systems objectives 49
 analysis of current situation 49
 of systems behavior 50
 system partitioning, of sensor node 70
 system reliability 347
- t**
- tactile information processing 579
 tactile sensing system
 design requirements 573
 technologies, comparison study 576
 tactile sensors 575
 based on piezoelectric materials 574
 tailored fiber placement (TFP) 174, 182
 Tangible Bits paper 631
 tangible user interface (TUI) 631, 639
 TCP/IP 367
 temperature compensation 74
 temperature electronics material,
 exemplary overview 11
 temperature insensitivity 119
 temperature-sensitive devices 603
 temperature sensors 83, 96
 temporal parallelization rule 293
 tensile strain monitoring 573
 tensile strength (MPa)
 von Mises stress distribution 208
 tensorial kernel approaches 582
 Terfenol-D 493
 testing machine
 stretch-drawing of rotationally symmetric cups 206
 tetramethylammonium hydroxide (TMAH) 90
 textile-based circuits 153
 applications 155
 electronic module integration technology 154
 theoretic entropy 334
 thermal compression bonding
 techniques 95
 thermal diffusivity 305
 thermal energy harvesters 450, 451
 TEGs, implementation of 499
 thermal-to-electrical energy conversion techniques 501
 thermoelectric generators 496
 thermoelectric materials/
 efficiency 499

- thermal expansion coefficients 119
 thermal loads 10
 production processes, qualitative comparison of 10
 thermal power dissipation 426
 thermal production processes 12
 thermal simulation 55
 thermal stability 10
 thermal system 450
 thermal-to-electrical energy conversion 499
 thermocouples 186
 thermoelectric generator (TEG) 451, 496
 device 499, 500
 thermocouple (TC) 497
 operation principle 498
 thermoelectric (TE) materials 497
 historical progression 500
 thermoelectrics community 499
 thermophotovoltaics 502
 thermoplastic elastomer (TPE) 152
 film 153
 thermoplastic matrix 173
 thermoplastic polyurethane (TPU) 152
 thermoset polymer 218
 thermoset resin 164
 thin film Cu deposition techniques for electrical interconnectivity 141
 thin film ("2D") microbatteries 462
 thin film stretchable interconnections fabrication process 149
 thin-walled workpieces 597
 three-dimensional microbattery concepts 463
 future prospects 466
 through-silicon vias (TSVs) 56
 Tikhonov functional 309, 312, 313, 314, 315, 317, 318
 Tikhonov minimization problem 311
 Tikhonov regularization 306, 308, 309, 315, 316, 317, 318, 319, 320, 321, 322, 324, 326
 Timed Data Flow (TDF) 72
 toolbox 430
 for energy analysis 430
 energy consumer block 434
 energy converter blocks 433
 energy source block 432
 energy storage block 433
 for energy, simulation 430
 tool prototype 600
 total internal reflection 125
 touch sensors 83
 TP blanks, automated stamping of 175
 TPM-modules 177
 track-and-hold circuit 262
 traditional machine learning 415
 transduction technologies 573, 574
 transformations (FFT) analysis 212, 287
 transistor technologies 426
 transition metal oxide 457
 transmission power 356
 transversal fiber orientation 179
 triboelectric nanogenerators (TENGs) 488, 492, 496
 implementation, material selection 493
 tuple in database 420
 two-dimensional mesh-grid topology 417
 two-dimensional sensor network 340
- u**
- UDP/IP protocol stack 367
 ultralow power circuit techniques 180
 ultrasonic probing approach 547
 ultrasonic transducers 167
 ultrasonic waves 168, 203
 ultrasound reflection sensing 183
 ultrasound signal 167
 ultrasound transducer 184
 ultrathin chip package (UTCP) 140, 141
 carrier 143
 packages 143
 packaging technology 141
 ultraviolet (UV) light 89
 UML's sensor deployment 618
 Universal Marine Gateway (UMG) 618
 closed/ UMG open view on hardware 618
 Universal Serial Bus (USB) 357

- unsupervised learning 331, 415
 user interfaces 632, 638
 UV stability 146
- V**
- vacuum-assisted resin transfer molding (VARTM) 165
 sequence 174
- vacuum-based thin film deposition techniques 500
- vacuum forming process 152
- vacuum infusion processes 173
- validation 56, 75
- vat photopolymerization 227
- VDI guideline 2206 38
- very fast decision tree (VFDT) 333
- vibration-based analyses 287, 548, 550
- vibration detection 573
- vibration energy 493
- vibration (kinetic) energy harvester (VEH) 481
 devices 495
 electromagnetic 489, 491
 electrostatic 490, 491
 piezoelectric 489
 technology 496
- vibration tests 127
- Villari effect 451, 493
- virtual machine (VM) 18, 296
 architectures 295
 monitors 297
- viscoelasticity 87
- viscosity 165, 457, 623
- vision hypothesizes 632
- visual sensor network 389
- VLSI design 480
- V-Model 39
- voided charged polymers 489
- volume integration 240
- von Mises stress distribution 207
- Voxel8 243, 244
- W**
- Wafer bonding 95
- Wafer-scale implementations 492
- waveguide 110
- Wearable ECG patch containing 144
- WEB data taxonomy 385
- Web pages 636
- wedge geometries 121
- wet etching 91
- Wh algorithms 372
- Wheatstone bridge circuit 98
- whispering gallery mode (WGM) 119
 sensor instrumentation 119
- wide area networks (WAN) 380
- WiFi stations 506
- wind energy plants 534
 rotor blades 555
- wire-bonded piezoresistive pressure sensor chip 185
- wired communication 356, 427
 electrical communication
 single-ended (SE) 354
 hardware 356
- wired solutions 603
- wireless access in vehicular environment (WAVE) 358
- wireless body area network (WBAN) 380, 480
- wireless (RF) communication 358, 427, 551
 hardware 358
 application examples 359
 standards 358
 solutions 603
- wireless networks 377
- wireless power transfer 480
- wireless sensing electronics for 181
- wireless sensor module 507
 powered by RF energy harvester 503
- wireless sensor network (WSN) 352, 479
- wireless sensors
 low-power VLSI design 480
 nodes 479
- wireless transmission 440
- WLAN (Wi-Fi) standard IEEE 802.11 358
- World Wide Web 33
- wormhole (Wh) routing 372

X

- x-ray
 - analysis 208
 - lithography 89

Y

- Young's modulus 12, 13

Z

- ZeroN prototype 632
- ZigBee Alliance 359
- zinc–carbon battery 459
- ZnO nanorods, flexible
 - nanogenerator 487
- ZnO nanowires 486