

Index

a

- absorption
 - anisotropic 61
 - bands of polyacrylonitrile 62
 - in biopolymers 118
 - broadband 64
 - coefficient 63, 64, 75–78, 82, 101, 152, 192, 201, 231, 316
 - mid-IR radiation by organic matter 65
 - of sub-THz radiation by organic materials 16
 - of swift electrons 235–237
 - branched tracks 236
 - δ -electrons 236
 - energy deposited in spurs 236
 - fraction of energy loss in solid dry DNA 236
 - in synthetic conjugated polymers 115–117
 - in synthetic nonconjugated polymers 114, 115
 - of X-ray photons 315
- absorption spectra
 - DNA and bovine serum albumin 119
 - polymer films 83
 - synthetic conjugated polymers 117
 - synthetic nonconjugated polymers 115
 - synthetic polar polymers 63
 - synthetic unpolar polymers 64
 - typical unconjugated linear polymers 114
 - X-ray absorption spectra, corresponding electron transitions 232
- acetophenones 125
- acid-catalyzed deprotection 295
- acidolysis 192
 - poly(*t*-butoxycarbonyloxystyrene) 187, 188
 - proton generation by 188
- acriflavin 128
- acrylamide 135, 254
- acrylic acid 28, 36, 37, 135
- acrylonitrile 254
- acrylonitrile/butadiene/styrene (ABS) copolymer 151
- acryloxypropyltrimethoxysilane (APTMS) 95
- 11-acryloyloxyundecyltrimethylammonium bromide (AUTMAB) 246
- activation energy 16, 22, 26, 40, 243
- acylphosphine oxides 125
- adhesion, improvement of 136
- adhesion-promoting polymer layer 37
- alkyl acetates 320
- alkyl acrylate 127
- allyl alcohol 28, 36, 37
- angular frequency 9
- anharmonicity 92
 - constant 57
- anionic photopolymerization 132
- anisotropy 44, 61, 79, 82, 85, 86
 - microwave anisotropy images 45
- anthraquinone 128
- antibonding orbital 111–113
- antioxidants 151
- APTMS. *see* acryloxypropyltrimethoxysilane
- aromatic amino acids 119
- aromatic ketones 126
- 2-aryl-4,6-bis(trichloromethyl)-1,3,5-triazine 298
- 5-arylthianthrenium salts 130
- atomic vibrations 57
- attenuated total reflectance (ATR) method 65, 96
- attenuation coefficients 224, 228–230
- Auger effect 231
- AUTMAB. *see* 11-acryloyloxyundecyltrimethylammonium bromide
- autoxidation 145, 148–151
- Avogadro's number 111, 143
- azo dye 206

b

β - and γ -relaxation 15
 benzil 128
 benzil ketals 125
 benzoin 125
 benzoin ethers 125
 benzophenone 135
 benzophenone derivatives 126
 benzothiadiazolepyrrole copolymer 194
 5-benzyl-1,5-diazabicyclo[4.3.0]nonane 132, 133
 beryllium-doped germanium (Ge:Be) lasers 67
 bicyclo[2.2.1]hept-2-ene group 38
 binding energies 7, 16, 59, 232, 316
 biopolymers 58, 64
 – absorption in 118
 – dimerization 158, 159, 161
 – formation of quinoid structures in lignins 164
 – high-energy radiation with 285
 – modification 158–164
 – photoionization 159
 – photolysis of proteins 161
 – photoreactions of lignins 163
 – radiolysis (*see* radiolysis)
 – rupture of cystine bridges 161
 – UV/Vis light, effects 158
 bisphenol-A polycarbonate 207
 bis(4-tert-butylphenyl)iodonium perfluorobutane sulfonate 298
 bis(4-tert-butylphenyl)iodonium perfluorooctane sulfonate 298
 blepharismins 121
 blobs 236
 block copolymers 133, 134
 Boltzmann's constant 14
 bovine serum albumin (BSA) 64
 – absorption spectra 118, 119
 – biopolymers examined with THz spectroscopy 77
 – electron beam grafting of polyethylene 305
 β -propiolactone 255
 Bragg's law 322, 325
 brilliance 233
 BSA. *see* bovine serum albumin
 bulk biopolymers, radiolysis 268
 – nucleic acids 268–270
 – polysaccharides 270–274
 – proteins 274, 275
 bulk synthetic polymers, radiolysis 257, 258
 butadiene-styrene rubber 10

c

camphor quinone 128
 ϵ -caprolactam 19
 ϵ -caprolactone 19
 carbocations 132
 carbon black 46, 152
 carotenoids 120
 CARs. *see* chemically amplified resists
 CAs. *see* 2-cyanoacrylates
 cationic photoinitiators 130
 cationic photopolymerization 127
 cationic polymerization 127, 130, 133
 – of epoxide 94
 CD spectroscopy. *see* circular dichroism spectroscopy
 cellulose 10, 22, 64, 77, 270, 272
 – photochemistry 162
 – THz absorption spectrum 64
 CF_4 plasma 32
 CGL. *see* charge generation layer
 chain-growth polymerizations 17
 chain terminators 154
 chalcogenide, inorganic glasses 204
 charge generation layer 205–207
 charge transport layer (CTL) 205–207
 chemical amplification 292, 294–299
 chemical etching 33
 chemically amplified resists (CARs) 189, 298
 chiral molecules 164
 chitosan 306
 chlorophyll *a* 121
 chromophores 144, 147, 224
 chromophoric groups 109, 110, 119, 133–135, 139, 151
 – for visible and ultraviolet 110
 circular dichroism (CD) spectroscopy 164
 – spectra of poly(L-lysine) 165
 11-*cis* retinal 120
 CN-PPV 193, 195
 coherent microwave transient spectroscopy 43
 coherent synchrotron radiation 67
 coinitorator 126
 Cole–Cole equation 12
 color mixing 204
 Compton scattering 224, 234, 235
 continuous wave (CW) plasmas 27
 copolymerization of monomers 37
 core electron transitions, in diatomic molecule 233
 corrosion phenomena 45
 crosslinking boosters 294
 crystal band splitting 61

- crystalline polyethylene 61
 crystalline polymers 322–330
 CTL. *see* charge transport layer
 cyanine dye 128
 cyanoacrylates 152, 153
 – intramolecular charge separation in 152
 2-cyanoacrylates (CAs) 132
 cyano polymers 198
 cyclic imide 38
 cycloaddition, of cyclopentadiene 37
 cyclobutane 159
 cyclohexene oxide 255
- d**
- data extraction algorithms 75
 DBANS. *see* 4,4'-(*N,N*-dibutylamino)-(*E*)-nitrostilbene
 DBN. *see* 1,5-diazabicyclo[4.3.0]non-5-ene
 DC (direct current) accelerator 243
 Debye function equation 11
 Debye model 13
 dehydrochlorination 144, 258
 deoxyribonucleic acid (DNA)
 – absorption bands 70
 – absorption spectra 118, 119
 – dimerization of adjacent thymine moieties 159, 160
 – direct and indirect radiation effects 268
 – 2D-IRS characterization 93
 – effects of UV/Vis light on biopolymers 158
 – high-energy-induced lesions generated in 269
 – product formation by direct ionization 270
 – single-strand breakage in 271
 – THz spectroscopy 77
 – twisting and vibrational modes 62
 – typical damage sites in 269
 depolymerization 23, 265, 295
 – poly(phthalic aldehyde) 297
 deprotection 187, 189, 295
 – acid-catalyzed, poly(*t*-butoxycarbonyloxystyrene) 295
 deprotonation 270–272, 299
 diacetylenes 136–138, 255, 256
 diacylgermane 129
 dialkene 136, 137, 140
 dialkyl dithiocarbamates 155
 dialkylphenacyl sulfonium salts 130
 diaryl iodonium salts 130
 diaryl ketone 127
 diatomic oscillator 56
 1,5-diazabicyclo[4.3.0]non-5-ene (DBN) 132, 133
- diazonium salts 130
 diblock copolymer 135
 dichroic difference 61
 dichroic ratio 61
 – cyano group band 88
 dielectric anisotropy 44
 dielectric dispersion 11
 dielectric function 11
 dielectric loss 11
 – heating 7
 dielectric performance, of materials 9
 dielectric properties
 – nonpolar and polar polymers 9, 10
 – of polyamide 6,6 14
 dielectric relaxations 8
 – multiplicity 12
 dielectric response
 – polar amorphous polymer 14
 dielectric spectroscopy 8, 12, 16
 – of polymers 38–40
 Diels–Alder cycloaddition 37
 diglycol diallylcarbonate resin 207
 diketene 255
 1,2-diketones (benzils and camphorquinone) 126
 dimethylacetamide 20
 diolefinic crystals 137
 dipentaerythrityl pentaacrylate (DPEPA) 292, 294
 diphenyl iodonium ions 131
 dipolar reorientation 8
 dipole moment 8, 55, 109
 dipole vectors 8
 dipropargyl succinate 303
 discoloration 144
 dissolution inhibitors 187, 293, 297
 – radiation-induced decomposition/chemical alteration 293
 2,5-distyrylpyrazine 139
 dithioalkyl propionates 155
 dithiophosphates 155
 DLS. *see* dynamic light scattering
 DNA. *see* deoxyribonucleic acid
 DPEPA. *see* dipentaerythrityl pentaacrylate
 DRAM devices. *see* dynamic random access memory devices
 dyes 128
 – applicable as dopants 206
 dynamic absorption spectroscopy 89
 dynamic dichroic absorption difference 89
 dynamic light scattering (DLS) 171–174
 – autocorrelation function 171, 172
 – CONTIN algorithm, use of 173

- distribution of relaxation times 173, 174
- processes investigated by 166
- dynamic random access memory (DRAM) devices 46, 184

e

- EB lithography. *see* electron beam lithography
- effective loss factor 9
- EL. *see* electroluminescence
- electrical conductivity 42, 99
 - benzene solutions 42
 - in stretch-oriented polymers 43
- electric dipole moment 55
- electroluminescence (EL) 115, 196, 197
- electromagnetic spectrum 7
- electromagnetic waves 8
- electron accelerators 242, 243
- electron-beam, applications 286
- electron beam grafting 305
- electron beam (EB) lithography 290, 291
- electron-density distribution 323
- electron distortion polarization 11
- electronic transition 110
 - allowedness 111
 - and optical absorption 113
- electron-positron pair production 235
- triplet production 235
- elementary processes occurring by
 - interaction of high-energy photons with matter 228
- energy 8
 - absorption 8, 9
 - dissipation 9
 - translational 7
- energy quenchers 153
 - action of 154
 - nickel chelates used as 154
- enthalpy 14
- entropy 14
- environmentally stable chemical amplification
 - positive photoresist (ESCAP) 188, 301
- EPDM. *see* ethylene-propylene-diene-terpolymer
- epoxide
 - difunctional epoxide with trifunctional polyol 182
 - initiation, of anionic polymerization 132
 - monomers employed in holography 204
- epoxide side groups 296
- 3,4-epoxy-cyclohexylcarboxylate 19
- 3,4-epoxycyclohexylmethylcarboxylate 19
- epoxy resins 297
- EPR. *see* ethylene propylene rubber

- erbium and germania-doped silica fibers 207
- ESCAP. *see* environmentally stable chemical amplification positive photoresist
- ESIPT. *see* excited state intramolecular proton transfer
- ethyl 4-(dimethylamino)benzoate 127
- ethylene oxide 83
- ethylene-propylene-diene-terpolymer (EPDM) 46, 303
- ethylene propylene rubber (EPR) 303
- EXAFS. *see* extended X-ray absorption fine structure spectroscopy
- excited state intramolecular proton transfer (ESIPT) 152
 - 2-hydroxybenzophenone 152
- exposure characteristic curves, for resists 186
- extended X-ray absorption fine structure spectroscopy (EXAFS) 232, 233, 315, 318
- extreme ultraviolet (EUV) lithography 288, 289
 - copolymer units used for EUV resist formulations 300
 - star-shaped polymer applicable in 301

f

- far-IR analysis of polymers. *see* terahertz spectroscopy
- far-IR radiation 62–64
- ferrocenium hexafluorophosphate 128
- fiber optic sensors 207
- fiber-to-the-home systems 207
- flash photolysis 97, 121, 122
- flavins 120
- fluorescence 231
 - deactivation route 231
- fluoropolymers 303
- folding, of proteins 100
 - rate of subsequent refolding 100
 - THz detection method 100
 - ubiquitin 100, 101
- form factor 331
- four-center-type polymerization 137
- Fourier transform infrared (FTIR) spectra 66
- Fourier transforms, of pulse profiles 75
- Franck–Condon factor 110
- free radicals 17, 134, 242
 - cationic polymerization 123, 132, 243–247
 - generation by photoreactions of impurity chromophores 148
 - from metal salts 148
- Fresnel transmission equation 75
- FTIR microspectroscopy
 - mapping set-ups 90

- secondary structure motifs of poly-L-lysine 93

FTIR spectra. *see* Fourier transform infrared spectra

fundamental (normal) transition 57

g

Ge:Be lasers. *see* beryllium-doped germanium lasers

gel dose 144

glass transition temperature 202

glycidyl acrylate 135

glycidyl methacrylate 305

glycoside 273

graft copolymerization 133, 251–253

graft copolymers 133, 134

grafting 251

- high-energy radiation 304–306

- surface 135

Guinier and pair-distribution plots 333

Guinier approximation for globular particles 331

Guinier equation 332

G-value 242

h

HALSs. *see* hindered amine light stabilizers

harmonic oscillations 56

HASs. *see* hindered amine stabilizers

Havriliak–Negami equation 12

HDPE. *see* high-density polyethylene

heterogeneities, in plastic articles 16

heterogeneous dielectric systems 9

Hevea rubber 10

hexamethyl cyclotrisiloxane 255

hexamethyl disilazane 28

high-density polyethylene (HDPE) 23, 64, 101

high-energy photon radiations, denotations 228

high-energy radiation-induced grafting

- modification of polymers 305

high-energy radiation techniques, in nanotechnology 287

high resolution capability 186

hindered amine light stabilizers (HALSs) 154

hindered amine stabilizers (HASs) 154, 156, 157

holography 201–204

- component segregation 203

- epoxide monomers employed in 204

- photopolymerizable systems 202

- reconstruction of image of object recorded in hologram 202

- recording of hologram of object 202

- volume 201

homopolymers 134

- monomer moieties 191

hot band transition 58

hydrogels 306

- creation of hydrogel wound dressings 306

- poly(*N*-vinyl imidazole) hydrogels 306

- poly(*N*-vinyl pyrrolidone)-based hydrogels 306

hydroperoxide decomposers 157

hydrophilicity 35, 36, 136, 305

hydrophobic polymers 136

hydroxyalkylphenones 125

2-hydroxybenzophenone 152

4-hydroxycinnamate 120

2-(2-hydroxyphenyl)benzotriazoles 153

2-(2-hydroxyphenyl)-1,3,5-triazines 153

2-hydroxypropyl cellulose (HPC-C16) 86

i

I₂-doped polyacetylene 43

immersion grafting 136

indium tin oxide (ITO) 196, 199, 201

industrial plasma modification of textile surfaces 47

infrared reflection absorption spectroscopy (IRRAS) 66, 79, 82–84

- change in reflectance 82

- polarization modulation technique 84

- reflectance absorbance 82

- techniques 82–85

iniferter (initiator-transfer-agent-terminator) 135

injection molding of plastic articles 45

inorganic crystals 204

interfacial polarization 9

interpenetrating polymer networks (IPNs) 95

intrachain hole mobility 41

intramolecular/intermolecular vibrational modes 55

ionic polymerization 18, 19, 127, 247–251

IPNs. *see* interpenetrating polymer networks

IR absorption spectra

- of polyethylene 58

IR dichroism 86

- technique 85

IR ellipsometry (IRE) 66, 79

- optical system used for 80

- pseudo-optical constant 81

- techniques 79–82

- wavelength dependence 81

IR imaging 90, 91
 IR linear dichroism 61
 IR mapping technique 90
 IR microspectroscopy 90, 91
 IR photon energies 55
 IRRAS. *see* infrared reflection absorption spectroscopy
 IR spectroscopy 65
 – attenuated total reflection 65
 – critical angle, defined 66
 – for polymer characterization 65
 – recorded during uniaxial deformation of isotactic polypropylene 87
 – stretched poly(vinylidene fluoride) 89
 – two-dimensional 65, 91–93
 IR synchrotron radiation 90
 isobornyl acrylate 203
 isoquinolinium salt 130
 ITO. *see* indium tin oxide

j

Jablonski diagram 113, 114

k

Kratky plot 332–334

l

ladder-type poly(*p*-phenylene)s (LPPPs) 41–43
 Lambert–Beer law 64, 111
 LANs. *see* local area networks
 laser ablation 155
 – polymers appropriate for 157
 laser desorption mass spectrometry (LDMS) 157
 LCDs. *see* liquid-crystal displays
 LDMS. *see* laser desorption mass spectrometry
 light-emitting diodes 196, 198
 – multilayer polymer 199
 – polymers employed in 198
 – poly(*p*-phenylene vinylene)s used in 197
 – single-layer polymer 199
 light-induced chemical alterations 144
 – mechanism 145
 – photo-Fries rearrangement 146
 – – main chain of polycarbonate 146
 – – *o*-nitrobenzyl ester rearrangement in pendant groups 146
 – rearrangement of constituent groups 146
 light scattering 166–171
 – characterizing chain stiffness of linear polymers 170

– data obtained with dilute polymer solutions 169
 – intramolecular interference 168
 – light scattering intensity (LSI) 167
 – Rayleigh ratio 168
 – static and dynamic 166
 – Zimm plot 169, 170
 light stabilizers 150, 151
 lignins
 – formation of quinoid structures in 164
 – photoreactions of 163
 linear polymers 16
 – characterization 143, 144
 – crosslinking 241
 line edge roughness (LER) 186, 294
 liquid-crystal displays (LCDs) 196
 liquid immersion lithography 184
 lithographic microtechnical fabrication process denoted (LIGA) 299
 lithography 183–187, 287–289
 – chemical amplification 187
 – electron beam (EB) 290, 291
 – exposure characteristic curves 186
 – extreme ultraviolet 288, 289
 – line edge roughness 186
 – liquid immersion 184
 – miniaturization 184
 – near-field X-ray 290, 291
 – 157 nm 190–192
 – 193 nm 189, 190
 – 248 nm 187–189
 – optical projection system employed in 185
 – radiation sensitivity 186
 – resolution capability 186
 local area networks (LANs) 207
 loss factor 9
 LPPPs. *see* ladder-type poly(*p*-phenylene)s

m

MA1. *see* 4-*N*-ethyl-*N*-(2-methacryloxyethyl) amine-4'-nitroazobenzene
 MALDI. *see* matrix-assisted laser desorption/ionization
 maleic anhydride 38
 MAPTMS. *see* methacryloxypropyl trimethoxysilane
 matrix-assisted laser desorption/ionization (MALDI) 157
 Maxwell's equations 13
 Maxwell–Wagner polarization 9
 MDMO-PPV 193
 media-oriented system transport (MOST) devices 207

- MEH-CN-PPV 193
 MEH-PPV. *see* poly(2-methoxy-5-(2'-ethylhexyloxy)-*p*-phenylene-vinylene)
 membrane filtration 25
 methacryloxypropyl trimethoxysilane (MAPTMS) 95
 methane 28
 5,10-methenyltetrahydrofolate (MTHF) 120
 methyl diethanolamine 127
 methylene bending mode 61
 methyl methacrylate (MMA) 79, 293
 4-methyl pentene-1 102
 1-methyl-2-pyrrolidone 25
N-methylpyrrolidone 20
 Michelson interferometer 66
 microspectroscopy mapping technique 90
 microwave
 – absorption 8
 – anisotropy images 45
 – effects 16
 – heating 16, 17, 25
 – irradiation 16
 – linacs 243
 – near field imaging 44
 – nondestructive testing
 – – dielectric polymeric coatings 44
 – probing of electrical conductivity in polymers 40–43
 – radiation 7
 – testing 45
 mid-IR analysis 67
 – identification of synthetic polymers 67
 – nucleic acids 69, 70
 – proteins 67–69
 mid-IR spectra, of nucleic acids 59
 miniaturization 46, 184, 287, 302
 MMA. *see* methyl methacrylate
 molar extinction coefficients
 – biopolymers 64
 molar mass distribution 143
 molecular orbital (MO) model 111–113
 – assumptions 112
 – electronic transitions, induced by absorption of photon 112
 – energy of molecular orbitals 112
 – molecular orbitals, type 112
 – – with respect to electron occupancy 113
 molecular oxygen (O₂) product formation
 – in absence of 258–265
 – in presence of 265
 monomer conversion *vs.* absorbed dose 256
 monomers, photopolymerized by cationic mechanism 129
 4-morpholino- α -dialkylamino acetophenones 125
 MOST devices. *see* media-oriented system transport devices
- n**
N-alkoxy pyridinium salt 130
 nanotechnology 285
 naphthodianthrone 121
 Nd³⁺:YAG systems 122
 near-edge X-ray absorption fine structure spectroscopy 315, 317, 321, 322
 near-field geometry 44
 4-*N*-ethyl-*N*-(2-methacryloxyethyl)amine-4'-nitroazobenzene (MA1) 79
 Newton–Raphson algorithm 75
 NEXAFS spectroscopy. *see* near-edge X-ray absorption fine structure spectroscopy
 nickel chelates, as quenchers in polyalkenes 154
 NIR spectroscopy 58
 – analysis of synthetic organic polymers 70–73
N-isopropyl acrylamide (NIPAAm) 246
o-nitrobenzyl 146
 nitroxyl(aminoxyl) radicals 154
 NMP. *see* 1-methyl-2-pyrrolidone
 4,4'-(*N,N*-dibutylamino)-(*E*)-nitrostilbene (DBANS) 39
 non-destructive testing
 – microwave testing of polymer materials 43–45
 – of plastic articles 76, 77
 non-equilibrium plasmas 32
 non-thermal effects 16, 25, 26
 Norrish type reaction 145, 148
 novolak resins 295
N-vinyl carbazole 203, 254
- o**
o-acyl- α -oximo ketones 125
o-cresol 20
o-hydroxybenzophenones 153
 OLEDs. *see* organic light-emitting diodes
 onium ion 131
 optical fibers 207
 optical waveguides 207–209
 organic light-emitting diodes (OLEDs) 196, 201
 organic photoacid generators 189
 organic polymers
 – mid-IR absorption bands of typical chemical groups 60

- near-IR absorption bands of hydrogenic functional groups 60
 - organic solar cell devices 193
 - semiconducting polymers used in 193
 - organometallic initiators 124
 - overtone transitions 57
 - oxadiazole-containing polymers 198
 - oxanilides 153
 - 2-oxazolines 18
 - oxidation, of hindered amine stabilizers 157
 - oxonium ions 182
 - oxygen anions, mobility 43
 - oxygen plasma treatment 36
 - oxyl radicals 150
 - reactions 151
- p**
- parallel-plate plasma reactor 46
 - PBOCST. *see* poly-(*t*-butoxycarbonyloxystyrene)
 - PEDOT. *see* poly(3,4-ethylenedioxy thiophene)
 - Penning ionization 30
 - perfluorinated polymer poly(perfluorobutenyl vinyl ether) 207
 - perfluorohexylethyl methacrylate (PFMA) 83
 - perylene dye 206
 - phenanthrene quinone 128
 - phenylalanine(Phe) 119, 282
 - phenylene-vinylene polymers 41
 - phenylglyoxylates 125
 - phenyl salicylates 153
 - S-phenyl thiobenzoates 125
 - phosphonium salts 130
 - photoactive chromophores 120, 121
 - photoconductivity, of conjugated polymers 98–100
 - photo-crosslinking, of linear polymers 142
 - photocuring 178, 179, 182, 183
 - di- and trifunctional compounds used for 179
 - letterpress technique 182
 - photocuring of inks 183
 - printing plate fabrication techniques 183
 - photocurrent 194
 - photodecomposition, of azides 142
 - photodegradation 151
 - photodimers 159
 - photoelectric effect 230–234
 - photofragmentation 126
 - photo-Fries rearrangement 146
 - photogeneration 100
 - of charge carriers in MEH-PPV 100
 - photografting 135
 - advantages 135
 - photoinitiation 124
 - free-radical polymerization of alkyl acrylate 127
 - photoinitiators 123
 - type I 123
 - type II 123, 126, 127
 - for visible light 128
 - photolabile groups 133, 134
 - photolithographic structuring 46
 - photolithography. *see* lithography
 - photolysis 131
 - diphenyl iodonium ions 131
 - free radicals generated by 132
 - onium ion 131
 - polystyrene 141
 - photolytic cleavage
 - of diacylgermane 129
 - photonuclear absorption 235
 - giant resonance, characterized by 235
 - photo-oxidation 144
 - photoreactions 144
 - of carbonyl groups 149
 - photorearrangements, in polymers 146
 - photoreceptors 206
 - dual-layer 205, 206
 - xerographic process 205
 - photovoltaics 192, 194–196
 - phytochromes 120
 - phytochromobilin 120
 - picarín 101
 - transmission spectra 102
 - pigments 152
 - Planck's constant 14
 - plasma-assisted chemistry 16, 26–29
 - mechanistic aspects 29–32
 - surface modifications of polymeric substrates 35
 - technical applications 33–35
 - plasma-assisted surface modification, of polymers 37
 - plasma-deposited polymer films 37
 - plasma etching 27, 33, 46
 - industrial, of wafers 48
 - plasma-induced formation 36
 - plasma-induced modifications of polymer surfaces 36
 - plasma-initiated homopolymerization 37
 - plasma polymerization 27–29, 36, 37, 82
 - plasma-polymerized maleic anhydride 37
 - attachment of bicyclo[2.2.1]hept-2-ene groups 38
 - plasma reactor configurations 47, 48

- plasma techniques, for production of
 - microelectronic devices 46
- plasma-treated fiber, in a composite matrix 37
- plasma treatment, of yarn of polymer fibers 36
- plasticizers 145
- PMMA. *see* poly(methyl methacrylate)
- polar amorphous polymer 12
 - dielectric response 12
- polarization 11
 - of incident radiation 61
- polarized IR spectroscopy 62
- polar polymers 63
- poled polymers 78, 79
- poly (vinylidene fluoride) 89
 - infrared spectra 89
- polyacetylene 43
- poly(acryl amide) 306
- polyacrylonitrile 62
- polyalkenes 135, 147, 153
- poly(alkyl acrylates) 320
- polyamic acid 21
- polyamide-6 10, 23
- polyaniline 116
- polyaramide 63
- polycarbonate 63, 205, 207
- polychloromethylstyrene 292
- polychloroprene (1,4-poly(2-chloro-1,3-butadiene)) 10
- poly(dialkyl fluorene) 116
- poly(dichlorophosphazene) 22
- polyenes 144
- poly(ethyl acrylate) 91
- polyethylene 8, 58, 63, 146, 241, 305, 320
 - transmission spectra 102
- poly(3,4-ethylenedioxy thiophene) (PEDOT) 194
- poly(ethylene oxide) 24
- poly(ethylene terephthalate) (PET) 10, 13, 23, 63, 320, 324, 328
- poly(2-ethyl-2-oxazoline) 18
- polyfluorenes 198
- polyglucose 64
- poly(3-hydroxybutyrate) 91
- poly-4-hydroxystyrene 296, 299
- polyimide 33, 267
- poly(isooctyl acrylate) 17
- poly(lactic acid) 91
- poly(L-lysine) 93, 165
- polymer-based electroluminescence (EL) 196
- polymer degradation 22, 23
- polymeric dissolution inhibitors, for novolak resins 295
- polymeric light sources 196, 197, 199, 201
- polymeric photovoltaic cells 194
- polymer-supported reagents (PSRs) 24
- poly(2-methoxy-5-(2'-ethylhexyloxy)-*p*-phenylene-vinylene (MEH-PPV) 99, 100, 193, 197
- poly(methyl methacrylate) (PMMA) 10, 17, 63, 79, 91, 114, 207, 259, 261, 262, 265, 299
- poly(4-methyl pentene-1) 102
- poly(methyl vinyl ketone) 114
- poly[N-(1-adamantyl)vinylsulfonamide-co-(2-methyl)adamantyl methacrylate] 190
- poly(N-vinyl imidazole) 306
- poly(N-vinyl pyrrolidone) 306
- poly[3-(4'-octylphenyl) thiophene] 193
- polyolefins 144
- polyols 132
- poly(perfluorobutenyl vinyl ether) 209
- poly(*p*-phenylene vinylene) 116
- poly(phenyl vinyl ketone) 114
- poly(phthalic aldehyde) (PPA) 297
- poly-*p*-phenylenes 41–43, 116, 197, 198
- poly(*p*-phenylene vinylene) 196
 - derivative 116
 - used in light-emitting diodes 197
- polypropylene 8, 10, 46, 61, 63, 87, 101, 146, 303
- polysaccharides 270–274
- polysiloxane 23
- polysiloxane/polyurethane copolymer 88
- polysilylene 116
- polystyrene 17, 91, 114, 139, 141, 207
- polystyrene-*b*-poly(ethylene-propylene) 173
- poly(styrene-co-acrylonitrile) 317
- polysulfone 267
- poly(*t*-butoxycarbonyloxystyrene) (PBOCST) 187, 188, 295
- poly(*t*-butyl-*p*-vinyl benzoate) 187
- poly(tetrafluoroethylene) (PTFE) 8, 63, 64, 101, 264, 265
- poly(tetrafluoroethylene-co-hexafluoropropene) 10
- polythiophenes 116, 198
- polyurethane 136
- poly(vinyl acetate) 114
- poly(vinyl alcohol) 306
- poly(vinyl butyral) 205
- poly(9-vinylcarbazole) 17
- poly(vinyl chloride) (PVC) 81, 144–148, 180, 229, 257
 - dehydrochlorination 257
- poly(vinylidene fluoride) 89, 320
- POPT. *see* poly[3-(4'-octylphenyl) thiophene]
- Porod's law 333

PPV. *see* poly(*p*-phenylene vinylene)
 proteins 274, 275
 – radiolysis 275–285
 – structure, evaluation 324
 pterins 120
 PTFE. *see* polytetrafluoroethylene
 pulse radiolysis method 258
 pyridine-containing polymers 198

q

quantum yields, of photoproducts 142, 143
 quinoid structures 164
 quinone dye 206

r

γ -radiation 306
 – in technical processes 286
 radiation-chemical yield 242
 – G-value 242
 radiation crosslinking 303, 304
 radiation-cured coatings
 – commercial applications 180
 radiation grafting, importance of 305
 radiation-induced orientation polarization 8
 radiation processing, role in
 nanotechnology 285
 radiation protection 265–267
 radiation sensitivity 186
 radiation sources 242, 243
 radiation stability 265–267
 radical-induced crosslinking, of proteins 284
 radical migration, via hydrogen atom
 transfer 241
 radical polymerization, of acrylate
 monomer 94
 radiolysis
 – bulk biopolymers 268–275
 – bulk synthetic polymers 257, 258
 – proteins, polymers in solution 275–285
 RAIRS. *see* reflection absorption infrared
 spectroscopy
 Raman images, of polystyrene beads 177
 Raman scattering 174–176
 Raman-spectroscopic imaging 91
 Rayleigh light scattering 207
 Rayleigh radiation 176
 Rayleigh ratio 168
 reflection absorption infrared spectroscopy
 (RAIRS) 79
 relaxation 8
 resists 292
 – chemical amplification 294–299
 – classical X-ray and EB lithography 292, 293

– practical applications 299, 300
 – commercially available EB resists 300
 – crosslinking boosters 294
 – EUV resists 300–302
 – formulations 300, 302
 – polymers/copolymers applied
 – as negative-tone resists 294
 – as positive-tone resists 293
 – radiation sensitivity, of negative-tone 292
 resonant vibration frequencies 59
 RF (radio frequency) linacs 243
 RF (radio frequency) linear accelerators 243
 ring-opening polymerization 204
 Rose Bengal 128
 rubber tires 285
 Rutherford scattering 237

s

SAXS. *see* small-angle X-ray scattering
 self-indicating-instant- radiation-alert
 dosimeter (SIRAD) 256
 – diacetylene applicable for dosimetry 256
 semiconducting polymers, for organic solar
 cell devices 193
 sensitizers 46
 – electronically excited, oxidation 131
 Si-and SiO₂-selective plasmas 34
 signal-to-noise ratio 45
 SIRAD. *see* self-indicating-instant- radiation-
 alert dosimeter
 size-exclusion chromatography 25
 small-angle X-ray scattering (SAXS) 327
 – broadening of lines 329
 – profiles of PET samples 328
 – proteins in solution 334
 solar cells 196
 solid-phase organic synthesis (SPOS)
 23–25
 solid-state polymerization 253, 256
 – monomers, experimental evidence 256
 solution scattering, tool to characterize
 biopolymers 330
 spurs 235
 squaraine dye 206
 stentorin 121
 step-growth polymerization 19–21
 Stokes–Einstein equation 172
 stress-induced changes in orientation of
 domains 88
 sub-THz radiation 7, 13
 – induced chemical reactions 16
 – materials absorbing 15
 – plasma generated by 16

- surface grafting 135
- surface wettability, of selected polymers 36
- swift electrons 235–237
- synchrotron FTIR microspectroscopy 91
- synchrotrons 315
 - radiation 316
- t**
- terahertz (THz) spectroscopy 66, 73, 76–78, 98, 100, 101
 - absorption spectra
 - biopolymers 77
 - synthetic polar polymers 63
 - synthetic unpolar polymers 64
 - angular frequency 75
 - biopolymers in liquid water, studies 77, 78
 - complex transmittance 75
 - external reflection methods, for thin films 79
 - generation of THz radiation in poled polymers 78, 79
 - nondestructive testing of plastic articles 76, 77
 - refractive index, calculation 76
 - time-domain spectrometer, illustration 73
 - time-resolved 98, 100, 101
 - waveforms of THz pulses propagation 74
- terahertz-time-domain spectroscopy 73
- terephthalophenones 126
- tetrabromobisphenol A 298
- tetrabutyl ammonium bromide (TBAB) 22
- tetrafluoromethane 31
- tetrahydrofuran (THF) 22
- 2,2',6,6'–tetramethylpiperidine (TMP) 154
- tetramethylsilane 28
- thickness, measurements 44
 - nondestructive 45
- thiobenzoates 125
- thiohydantoins 25
 - microwave-assisted synthesis 25
- thioxanthone derivatives 126
- thymine moieties 159, 160
- THz optics, made from polymers 101, 102
 - polymeric materials 101
 - transmission spectra, of polyethylene/picarin 102
- THz radiation 67
- THz spectroscopy. *see* terahertz spectroscopy
- time-resolved measurements, in mid-IR range 93
 - *in-situ* monitoring of chemical reactions 93–96
- time-resolved microwave absorption measurements 41
- time-resolved THz spectroscopy 98, 121, 122
 - flash photolysis 97, 121, 122
 - folding of proteins 100, 101
 - photoconductivity of conjugated polymers 98–100
- Ti:sapphire laser, used in THz spectroscopy 66
- Ti:sapphire oscillators 122
- titanocene 124
- TMP. *see* 2,2',6,6'–tetramethylpiperidine
- TNF. *see* trinitrofluorenone
- topochemical polymerization 136, 137
 - diacetylene derivatives 136
 - dialkenes, capable of undergoing 137
 - four-center-type polymerization 137
 - crystalline 2,5-distyrylpyrazine 139
 - [2+2] photocyclopolymerization of a dialkene 140
 - photopolymerization of diolefinic crystals 137
 - polymerization of assembled functional diacetylenes 138
- TPTM. *see* trimethylolpropane trimethacrylate
- transient two-dimensional IR spectroscopy 96
 - flash photolysis 97, 98
 - folded and unfolded ubiquitin, structures 97
 - temperature jump (T-jump) studies 96, 97
 - transient 2D-IR difference spectra of ubiquitin 97
- transition metal complexes 128
- transition moments 55, 61, 109–111
 - integrals 109, 110
- trans*-polyacetylene 116
- triallyl cyanurate 303
- triaryl sulfonium salts 130, 299
- triethanolamine 127
- 2,4,6-trimethylbenzoyl diphenylphosphine oxide 126
- 1,1,1-trimethylolpropane triacrylate 303
- trimethylolpropane trimethacrylate (TPTM) 292, 294
- trinitrofluorenone (TNF) 205
- trioxane 254
- triphenyl amine triazo pigment AZO-3 207, 208
- triphenylsulfonium trifluoromethane sulfonate 298
- tryptophan (Trp) 119, 306
- two-dimensional IR spectroscopy 91, 92
 - polymer characterization 91–96
 - secondary structure motifs of poly-L-lysine 93

type I free-radical photoinitiators 125
 tyrosine (Tyr) 119, 282

u

ubiquitin
 – folding 101
 – structures 96, 97
 – transient 2D-IR difference spectra 97
 – unfolding 100
 ultraviolet photoelectron spectroscopy (UPS) 165, 166, 315
 ultraviolet (UV) radiation 228, 240
 unpolar polymers 63
 – THz absorption spectra 64
 UPS. *see* ultraviolet photoelectron spectroscopy
 UV absorbers 152, 153
 UV-curing of coatings 178
 UV-light-initiated polymerization
 – urethane-acrylate system 94

v

valence electrons 109
 vapor-phase grafting 136
 vibrations 55
 – energy levels 58
 – frequency 56
 vibronic molecular energy levels 56, 57
 vinyl monomers 136
 4-vinyl pyridine plasma 37
 vinylstearate 254
 vulcanization
 – carbon black-filled rubber 46
 – rubber tires and lattices, and curing 285
 vulcanized rubber 23

w

water contact angle 36
 water-soluble aromatic ketones 126
 wavelength-energy correlation

– for electrons 288
 – for photons 288
 WAXD. *see* wide angle X-ray diffraction
 wettability 136
 wide angle X-ray diffraction (WAXD) 323, 325, 326
 – applications 324, 325
 – evaluation of structure of protein 324
 – profile of poly(ethylene terephthalate) 324
 – recording of pattern, simultaneous with SAXS 327
 – specimen with axial orientation, illustration 326

x

xanthopsins 120
 xerography 204–207
 X-ray absorption near-edge structure 232, 233
 X-ray absorption spectra, with corresponding electron transitions 232
 X-ray imaging 315, 321, 322
 X-ray interference, role in characterization of rigid polymers 322
 X-ray lithography 289, 290
 – applications 302, 303
 – near-field 291
 X-ray microscopy 315, 321, 322
 X-ray photoelectron spectroscopy (XPS) 315, 318–321
 X-ray scattering 322. *See also* small-angle X-ray scattering
 – crystalline polymers 322–330
 – overview 322
 X-ray spectroscopy 233, 316

z

Zimm plot 169, 170
 zone-plate array lithography 185