

Index

a

abiotic resource depletion potential (ADP) 551
 advanced counter electrodes, inorganic nanocomposites 392
 air gap thickness control 429
 alkylenedioxythiophene polymers 130
 amorphous silicon 616
 analogous devices 96
 anodic aluminium oxide (AAO) film 263
 anthraquinone imides (AQIs) 217–219
 antimony-doped tin oxide (ATO) nanocrystal thin films 374
 AQIs, *see* anthraquinone imides (AQIs)
 aqueous processability and compatibility 158
 aromatic imides 216
 aromatic quinones 212
 atom transfer radical polymerization (ATRP) 318
 azobisisobutyronitrile (AIBN), photoinitiator 167

b

bandgap energy 114
 Baytron® 338
 Beer-Lambert law 367
 benchmark systems 552
 2,1,3-benzoselenadiazole (BSD) 134
 2,1,3-benzothiadiazole (BTD) 134
 benzyl viologen 68
 – polymer based thin-film type ECD 100
 Berlin Green (BG) pigment 45
 bi-phenazine, redox reactions 408
 binary TMOs system 261
 BIPV, *see* building-integrated photovoltaic (BIPV)

bipyridilium electrochromes, redox chemistry 58
 bipyridilium-N substituent, effect of 62
 bipyridilium salts 79
 bipyridilium species 57
 – electrochromism in 59
 bisEDOT-BTD polymer films 134
 bisEDOT-benzotriazole polymer 132
 bisEDOT-quinoxaline polymers 135, 136
 bisEDOT-thiophene 513
 bisProDOT-BSD analogue 134
 blacklight 518
 Bryksin's theory 11
 building energy management systems (BEMs) 578
 building-integrated photovoltaic (BIPV) 420
 Burstein-Moss effect 374
 1-butyl-3-methyl-imidazolium tetrafluoroborate ([BMIM]BF₄) 301

c

carbon footprint 558
 carbon nanotubes (CNTs) 274, 276, 277, 612
 cathodic electrochromic TMO materials 257
 cathodically-colouring polymers 232
 CdSe nanocrystal film 373
 charge transfer absorption, in tungsten oxide 11
 charge-transfer transitions (CT) 185
 charged polymers 159
 Christiansen effect 554
 chromatism 503
 chromogenic glass 573–574
 chromogenic material 241
 chronoabsorptometry experiment 165

- circular dichroism (CD) 217
 - climate-based daylight modelling (CBDM) 583
 - CNV, *see* cyanovinylene (CNV)
 - coating techniques 165
 - cobalt hexacyanoferrate (CoHCF) 272
 - cobalt hexacyanoferrate-PANI nanocomposite 272
 - coinage metals 26
 - colloidal nanocrystals 383
 - ITO and AZO 379
 - colloidal plasmonic NCs 383
 - colloidal synthesis
 - of doped metal oxide nanocrystals 377
 - surfactant-assisted 377
 - colour control, via copolymerisation 147
 - colour rendering factor (CRF) 449, 484–487
 - colour-changing fabric system 506
 - non-electrochromic 517
 - colour-changing technologies 504
 - complementary electrochromic device 251, 252
 - composite electrochromic electrodes 391
 - composite formation 151
 - composite polymer electrolytes (CPEs) 294
 - compound annual growth rate (CAGR) 305
 - comproportionation process 68
 - conducting polymers 113
 - conductivity
 - hysteresis for 512
 - PEDOT–PSS 510, 511
 - conjugated conducting polymers
 - LBL assembly of 338
 - material as EC layers 604
 - conjugated electrochromic polymers 113, 168
 - conjugated polymer 228
 - as electrochromic materials 274
 - electrochromism in 113
 - nanostructure of 262
 - conjugated polymer/organic small molecule nanocomposites 272
 - conjugated polymer/TMOs nanocomposites 269
 - conventional electrochromic materials 385
 - dual-band nanocrystal-in-glass composite electrodes 385
 - copolymer microphase separation 315–316
 - copolymerisation 118
 - of blue/green polymer 137
 - colour control via 147
 - of diamine monomers 227
 - of multiple monomers 147
 - copper hexacyanoferrate 49
 - counter anion, effect of 64
 - covalent bonds, subitem electrochromic nanohybrids with 278
 - CPEs, *see* composite polymer electrolytes (CPEs)
 - CRF, *see* colour rendering factor (CRF)
 - cyanovinylene (CNV) 118
 - cyclopentadithiophene (CPDT) polymer 133
- d**
- D-A polymer of ProDOT-BTD 165
 - dark silver coated glass
 - solar radiation glazing factors for 461
 - spectroscopic data for 454
 - daylight factor (DF) approach 582
 - De Montfort EC Office installation, case study 584–591
 - data collection 587
 - daylight illumination spectrum 588–591
 - EC glazing installation 585–586
 - physical quantities measurement 587–588
 - decyltrimethylammonium bromide (DETAB) 340
 - derivatised electrodes 69
 - 1,3-diaminopropane (DAP) 302
 - dichloroacetic acid (DCA) 222
 - diquinone derivatives 214
 - directional hemispherical reflectance (DHR) 429
 - donor–acceptor (D–A)
 - approach 118, 212, 232
 - conjugated polymers 233
 - interaction 134
 - polymers 131
 - donor–acceptor concept
 - using donor heterocycles 118
 - using donor oligomers 119
 - donor-acceptor-donor polymer films 132
 - donor number (DN) 297
 - doped metal oxide nanocrystals, colloidal synthesis of 377, 378
 - double-gyroid (DG) 313, 316
 - template synthesis 318–320
 - Drude model 366, 379
 - DTS, *see* dynamic thermal simulation (DTS)
 - dual-band nanocrystal-in-glass composite electrodes 385
 - dual-band solar control 387
 - dye-sensitised solar cell (DSSC) 306, 593

dye-sensitised TiO₂ 594, 610, 613, 616
dynamic thermal simulation (DTS) 582

e

ECPs, *see* electrochromic polymers (ECPs)
ECWs, *see* electrochromic windows (ECWs)
elastane 506
electrical double layer (EDL) 253, 256
electro-inactive oil formation 65
electrochemical deposition 154
– of ECPs 152
electrochemical impedance spectroscopy (EIS) 265, 603
Electrochemical Quartz MicroBalance (EQMB) 43
electrochemiluminescence 79
electrochrome
– dopants 151
– on ECPs 148
– viologen 80
electrochromic active materials,
 nanocomposites of 274
electrochromic applications, polymer
 electrolytes in 290
electrochromic behaviour, of viologens 268
electrochromic chalcogenide nanocrystals
 374
electrochromic conjugated polymers 232
electrochromic devices (ECDs) 61, 68–70,
 73
– challenges in creating versatile for
 polymer electrolytes for 307
– characteristic properties 4
– charge transport 251
– commercialization 406
– configuration 91
– exemplar bipyridilium 72
– ion transport in 3
– layered materials 3
– manufacturing 31, 32
– properties 91
– trends in 305
electrochromic electrodes
– construct from colloidal plasmonic NCs
 383
– nanostructure 311–313
electrochromic fabric 514
electrochromic fabric devices (EFDs)
 503–505, 507, 508, 513–515
electrochromic foil
– device design and optical properties
 528
– lifetime and durability 532
electrochromic glass 571, 577, 578

electrochromic glazing 575, 576, 578
– automatic operation of 578
– effectiveness of 579
– zoning of 580–581
electrochromic hosts, electrochromic metal
 oxide dopants in 262
electrochromic layers 559
– conjugated conducting polymer materials
 as 604
– environmental impact of 559
– inorganic materials as 599
electrochromic materials
– classes of 504
– conjugated polymer as 274
– devices 402
– multi-phase 269
– nanocomposites of 269
– NIR 235
– optical modulation of 257
– organic small molecules as 277
– TMOs as 275
– types 402
– world's most widely used 405
electrochromic metal oxide
– dopants in electrochromic hosts 262
– electronic effects 9
– optical effects 9
– overview 6
– thin films 7
electrochromic Mo oxide 8
electrochromic nanohybrids, with covalent
 bonds 278
electrochromic organic small molecules
 272
electrochromic oxide, thin films 7
electrochromic PB film 42
electrochromic performances 258
electrochromic polymers (ECPs) 126, 133,
 149
– electrochemical deposition of 152
– functionalisation of 156
– patterning of 166
– processability of 152
electrochromic process 251
electrochromic product details and
 practicalities 577–578
electrochromic properties 470
– chromaticity coordinates 470
– durability 472
– efficiency 471
– energy consumption 472
– general 470
– memory and switching time 472
– reflectance induced limitations 474

- electrochromic switchable mirror 245
 - electrochromic textile
 - effects of colour based fabric on 513
 - fabric and effect of conductivity on 510
 - electrochromic thermosetting epoxies 228
 - electrochromic windows (ECWs) 419, 545
 - commercial 475
 - configuration 456, 473
 - durability of 472
 - multilayer coatings 546
 - spectroscopic data for 455
 - solar radiation glazing factors for 465, 466, 468
 - solar radiation modulation by 425
 - electrochromic-based eyewear 6
 - electrochromic-based rear-view mirrors 6
 - electrochromism 251, 503
 - in bipyridilium species 59
 - in CdSe quantum dots 372
 - in conjugated polymers 113
 - in films of mixed oxide 21
 - in polypyridyl complexes 187
 - in thin films of metal oxides 5
 - in Prussian blue 41, 47
 - electrodeposited PB film 42
 - electrodeposition 62
 - electrofluorochromic process 79
 - electrolyte functionalisation 538
 - electrolytes, transparent liquid 3
 - electropolymerise films, polypyridyl complexes 187
 - electron mediators 65
 - electron spin resonance (ESR) 215
 - electron-deficient acceptors 232
 - electron-donating monomers 231
 - electron-rich heterocycle 118
 - electron-rich monomers 118
 - electron-rich polyheterocycles 116
 - electron-rich triarylaminines 222, 223
 - electronic transitions 115, 185
 - classification 185
 - electrophoretic deposition (EPD) 259, 351–353
 - vs. LBL deposition technique 351
 - electropolychromism 79
 - electropolymerisation 140, 187
 - of tridentate bisruthenium complexes 188
 - electropolymerise macromonomer 135
 - electropolymerism, in oxidative
 - electropolymerised films 192
 - electroreduction, viologen 80
 - emeraldine salt (ES) 146
 - emissivity 436
 - by heat flow meter apparatus 437
 - by hemispherical reflectance 440
 - by specular IR reflectance measurements 437
 - emissivity determination 430
 - by heat flow meter 428
 - by hemispherical reflectance 428
 - by specular IR reflectance 428
 - enediyne 236
 - epoxy resins 227
 - EQMB, *see* Electrochemical Quartz MicroBalance
 - 3,4-Ethylenedioxy selenophene (EDOS) 234
 - 3,4-ethylenedioxy thiophene (EDOT) 263
 - polymerization of 263
 - eutrophication (EP) 558
 - exemplar bipyridilium ECDs 72
 - external visible solar reflectance 434
- f**
- Faradaic process 363
 - Fick's second law 344
 - fill factor (FC) 608
 - film morphology, effect of 64
 - flexible electrochromic fabric device 516
 - float glass
 - solar radiation glazing factors for 461
 - spectroscopic data for 452
 - Flory–Huggins mean field theory 315
 - fluorinated tin oxide (FTO) 257, 619
 - Fourier transform infrared (FTIR) 372
 - fullerene molecules 27
 - fused aromatics 122
 - fused ring systems 133
 - black 135
 - cyan/green 133
- g**
- gallium hexacyanoferrate 49
 - gasochromic devices 245
 - gasochromic switching 242, 243
 - gasochromic system 575
 - gel electrolyte 507
 - gel polymer electrolytes (GPEs) 292
 - gelatin 304
 - Gentex mirror 74, 76
 - glass layers, in window pane 452
 - GPEs, *see* gel polymer electrolytes (GPEs)
 - Grätzel ECD device 78
 - graphene, Prussian blue on 46
 - green neutral-state polyheterocycle 133
 - Guyot-Sionnest group 373

gyroid-structure vanadium pentoxide
320–322
gyroid-structured nickel oxide 326–328

h

hammer drill effect 79
head-to-head (HH) arrangement 120
head-to-tail (HT) arrangement 121
heat flow meter
– emissivity by 437
– emissivity determination by 428
heat transfer 451
– coefficients of glazing 441
– factor 441
hemispherical directional reflectance (HDR)
429
hemispherical reflectance
– emissivity by 440
– emissivity determination by 428
heptyl viologen (HV) 65, 69
– dication salts of 64
– films 64
– preparation and characterisation 94
– reduction potential of 65
– solid-with-solution ECD 93
– visible spectra of 94
hexacyanoferrate, PB analogues as 49
hexaniobate 346
high-performance polymers 223
highest occupied molecular orbital (HOMO)
114
homopolymerisation 118
homopolymers 315
– selenophene-based 129
– thiophene-based 127
hybrid ECDs 92
hybrid electrochromic nanocomposites
391
hybrid transparent conductors 29

i

IBM ECD device 74
ICI ECD device 72
immobilising viologen electrochromes 69
In situ polymerisation 30, 155, 265
indigo carmine (IC) dye 274
indium hexacyanoferrate 49
indium-tin-oxide (ITO) 257, 528
infrared (IR) radiation 421
inner Helmholtz plane (IHP) 253
inorganic materials, as EC layers 599
inorganic nanocomposites, for advanced
counter electrodes 392

inorganic NIR electrochromic materials
211
inorganic proton electrolyte 559
insulated glass unit (IGU) 529
inter-valence charge transfer (IVCT) 212
internal visible solar reflectance 434
intervalence charge transfer coloration
materials, assembly of 340
ion conductor 3
ion functionalised polymers 161
ion transport 3
– in electrochromic device 3
ionic liquid 300, 353
– based ECD 97
– polymer electrolytes 300
iris effect 529

l

Langmuir-Blodgett (LB) process 253
layer-by-layer (LBL)
– adsorption 337
– deposition 163, 252
– for polyelectrolytes 163
– hexaniobate 346
– in electrochromic materials 337
– metal oxides 342
– nickel hydroxide 349
– of conjugated conducting polymers 338
– of intervalence charge transfer coloration
materials 340
– technique 163
– titanium oxide 348
– tungsten oxide 344
– vanadium oxide 346
– vs. electrophoretic deposition 351
LBL, *see* layer-by-layer (LBL)
leuco-DMP 75
leucoemeraldine base (LB) 161
LFER, *see* linear free-energy relationships
life cycle assessment (LCA) 545
– aircraft case 567
– automotive sunroof case 564, 565
– for EC target applications 564
– goal and scope definition 562
– house even hold case 566
– novel plastic-film based EC devices 560
– to electrochromic smart windows
application, 549
ligand vpy 187
ligand-centred (LC) transitions 185
ligand-to-ligand CT (LLCT) 185
ligand-to-metal CT (LMCT) 185
light emitting diode (LED) 504
– technology 518

- linear free-energy relationships (LFER) 59
- linear poly(ethylene imine) (LPEI) 163
- liquid crystal display (LCD) technology 518
- liquid electrolytes 289
- liquid-crystal displays (LCDs) 73
- lithium trifluoromethanesulphonylimide (LiTFSI) 295
- localised surface plasmon (LSP) 365
- localised surface plasmon resonance (LSPR) 365, 366, 368
 - absorption 370, 379
 - in colloidal silver 369, 370
 - wavelength 369
- LUMO, *see* lowest unoccupied molecular orbital (LUMO)
- low band gap polymers 232
- low emittance glass
 - solar radiation glazing factors for 461
 - spectroscopic data for 452
- lowest unoccupied molecular orbital (LUMO) 114
- LSPR, *see* localised surface plasmon resonance (LSPR)
- lutetium phthalocyanine 235
- lycra 506

- m**
- macroporous WO₃ film 260, 261
- Manos devices 404
- Maxwell's equation 366, 367
- mesoporous 3-dimensional nanostructure 312
- mesoporous DG templates, synthesis of 318–320
- mesoporous electrodes 312
- metal hexacyanometallate-viologen based ECDs 104
 - prospects 105
- metal hexacyanometallates 91
- metal hydrides, for smart window application 246
- metal metallohexacyanates akin to PB 48
- metal oxides
 - as electrochromic films 342
 - layer-by-layer assembly of 342
- metal-based films 26
- metal-based nanowires 29
- metal-based transparent conductors 26
- metal-centred (MC) transitions 185
- metal-organic framework (MOF) materials 197
- metal-to-ligand CT (MLCT) transitions 185
- metal-to-metal CT (MMCT) 191
- methacrylate functionality 167
 - EDOT and ProDOT monomers 167
- methacrylate-substituted ECP-Magenta, photo-patterning 167
- methyl viologen (MV) 57, 80
 - molar absorptivity 59
- micellar viologen species, effect of 62
- micro-electromechanical systems (MEMS) 574
- microwave-assisted phosphorylation 305
- Mie theory 369
- minimally colour changing polymer (MCCP) 143
- monomers 315
- multi-colour electrochromic polymers 145, 148
- multi-coloured electrochromism 144
- multi-coloured states, in ECPs 143
- multi-electrochromism 91
- multi-phase electrochromic materials 253, 269
- multi-walled carbon nanotube (MWCNT) 274, 275
- multilayer electrodes 347
- multiple redox states model 146
- Mulvaney group 369, 370
- MV, *see* methyl viologen

- n**
- Nafion[®] 80, 81
- NanoChromics[™] cell 76
- NanoChromics[™] device 71, 76–78
- nanocomposites
 - of electrochromic materials 269
 - of electrochromic/non-electrochromic active materials 274
 - hybrid electrochromic 391
 - organic small molecule 272
 - TMOs 269
- nanocrystal-based plasmonic electrochromics, design principles for 382
- nanocrystal-in-glass film 386, 389
- nanocrystalline cellulose (NCC) 304
- nanocrystals (NCs)
 - colloidal ITO and AZO 379
 - colloidal plasmonic 383
- nanoparticles
 - electrolyte functionalisation by 538
 - immobilisation 351

- nanostructural electrochromic materials
 251
 – classification 252
 – preparation method 253
 – preparation routes of 254
 nanostructure
 – of conjugated polymers 262
 – electrochromic electrodes 311
 – organic metal complexes 267
 – PANI 264
 – polypyrrole 266
 – polythiophene derivatives 263
 – of TMOs 253
 – viologens 268
 nanowire-based coatings 27
 naphthalene diimides (NDIs) 212,
 216–218
 n-dopable polymers 232
 near infrared 115
 – radiation 421
 near-infrared region (NIR) 211, 212
 – absorption 212, 214, 219, 228, 229
 – chiral signal 219
 – electrochromic devices 221
 – electrochromic materials 215, 235
 – electrochromic polymers 218
 – electrochromism 212, 214, 218, 222
 Nernst equation 414
 Nernst equilibrium 413
 nickel hexacyanoferrate 48
 nickel hydroxide 349
 night-vision system (NVS[®]) mirror
 74–76
 NiO electrodes, electrochromic displays
 based on 328–329
 non-colloidal approaches 391
 non-electrochromic active material,
 nanocomposites of 274
 non-electrochromic colour-changing fabric
 517
 non-Faradaic mechanisms 363
 non-porous WO₃ films 260
 non-symmetric type PEDC 613
 novel plastic-film based EC devices 560
 NTERA ECD device 76
- O**
- occupant-based studies, VTG 583–584
 octahedral coordination 10
 octyltrichlorosilane (OTS) monolayer 319
 operational factors 578
 optical density 471
 optical switching property 242
- organic metal complexes, nanostructure
 267
 organic NIR electrochromic materials
 211
 organic small molecule
 – as electrochromic materials 277
 – nanocomposites 272
 organic soluble/processable PProDOT-ester
 165
 organic-soluble polymers 163
 orthorhombic crystalline vanadium
 pentoxide 320
 outer Helmholtz plane (OHP) 253
 oxidation 150
 oxidative polymerisation 167
 oxide films 25
 oxide-based electrochromics 6
- P**
- palladium hexacyanoferrate 49
 partial-molar shift parameter 262
 PB, *see* Prussian blue
 p-doping 115
 PEDC, *see* photoelectrochromic device
 PEDOP, *see* poly(3,4-ethylenedioxy-pyrrole)
 (PEDOP)
 PEDOS, *see* poly(3,4-ethylenedioxy-
 selenophene) (PEDOS)
 PEDOT, *see* poly(3,4-ethylenedioxy-
 xythiophene)
 PEDOT–PSS, *see* poly(3,4-ethyl-
 enedioxythiophene)/poly(styrene
 sulfonate) (PEDOT–PSS)
 PEG, *see* poly(ethylene glycol) (PEG)
 pendant amine groups 163
 pentacenediquinone 215
 PEO, *see* polyethylene oxide (PEO)
 performance prediction, using building
 simulation tools 582–583
 pernigraniline base 161
 peroxy-tungstate complex 260
 PHECD
 – operating parameters 95
 – properties 95
 Philips ECD device 72
 photo voltaic-ECD device 616
 photochemical ozone creation potential
 (POCP) 558
 photochromic fabric 517, 518
 photochromism 517
 photoelectrochromic cells (PECC) 600
 photoelectrochromic device (PEDC) 593,
 614, 615
 – absorption spectra of 598

- photoelectrochromic device (PEDC) (*contd.*)
 - combine type 610
 - configuration 615
 - non-symmetric type 613
 - optical performance of 610
 - parallel type 616, 617
 - with PEDOT based EC layer 606
 - photographs of 598, 602
 - schematic diagram 599
 - separate type 594, 609
 - solid state 612
 - structure of 594
 - transient transmittance response 609
 - transmittance 613
 - transmittance change 603
 - transmittance switching 607, 608
 - transmittance transients of 604
 - types 594, 595
 - wavelength of short-circuit 599
- photoelectrochromic windows 619
- photolithographic technique 166
- photovoltachromic cell (PVCC) 599–601
- photovoltaic (PV) cell 616
- pi-orbital overlap 120
- plasmonic colloidal nanocrystals 365
 - dual-band nanocrystal-in-glass composite electrodes 385
 - metal oxide 382
 - NIR-selective mesoporous electrodes 384
- plasmonic electrochromics
 - electrodes 379
 - film 381
 - materials 377
 - nanocrystals 363, 382
- plasmonic electrochromism 363
- plasmonic nanocrystals 365
- plasmonic semiconductor nanocrystals 379
- plastic film 574
- poly (methyl-2-methylpropenoate), *see* poly(methyl methacrylate) (PMMA)
- poly vinyl butyral (PVB) 32
- poly(2-acrylamido-2-methyl-1-propane-sulfonic acid) (PAMPS) 146
- poly(3,4-(2,2-dimethyl-propylenedioxy)thiophene) (PProDOT-Me₂) 607
- poly(3,4-(2-methylene)propylenedioxythiophene) (PMProDOT) 263, 264
- poly(3,4-alkylenedioxyppyrrrole) (PXGOP) 117
- poly(3,4-ethylenedioxy thiophene)/WO₃ nanocomposite 270, 271
- poly(3,4-ethylenedioxyppyrrrole) (PEDOP) 117, 275
- poly(3,4-ethylenedioxy-selenophene) (PEDOS) 116
- poly(3,4-ethylenedioxythiophene) (PEDOT) 116, 128, 157, 160, 229, 263, 338
 - light intensity transmitt 605
 - nanotubes 264
 - nanostructures 263
 - NiO composites 272
 - PEDOT-C14 157
 - polymer structure 606
 - PSS/WO₃ hybrid thin films 270
 - synthesis and structure 160
 - thin film, spectroelectrochemistry 229
 - ZnO composites 272
- poly(3,4-ethylenedioxythiophene)/poly(styrene sulfonate) (PEDOT–PSS) 159, 160, 506, 507
 - conductivity trends of 510
- poly(3,4-propylenedioxyppyrrrole) (ProDOP) 118, 140
- poly(3,4-propylenedioxythiophene) (PProDOTMe₂) 296
- poly(3-methyl thiophene) (P3MT) 144
- poly(AMPS) 69
- poly(aniline) (PANI) 340
- poly(bisEDOT pyridine) 150
- poly(bisEDOT pyridopyrazine-biphenyl) 150
- poly(butyl viologen) (PBV) thin films
 - electrochemical properties 98
 - ECD 97
 - optical properties 98
 - preparation 97
- poly(butyl viologen) (PBV)–PB ECD 99
- poly(ethylene glycol) (PEG), polymer electrolytes 295
- poly(ethylene oxide) (PEO) 391
- poly(methyl methacrylate) (PMMA), polymer electrolytes 296
- poly(propylene carbonate) (PPC)-based polymer electrolytes 302
- poly(styrene sulfonate) (PSS) 127
- poly(styrene) (PS) 318, 319
- poly(thieno[3,4-b]thiophene) (PT34bT) 160
- poly(trans-1,2-bis(thienyl)vinylene) 131
- poly(triarylamine)s 221, 223, 225, 226, 228
- poly(vinyl butyral) (PVB) gel electrolyte 384
- poly(vinylidene fluoride) (PVDF), polymer electrolytes 297

- poly(vinylidene fluoride-co-hexafluoro-propene) (PVDF–HFP) 608, 609
 - nanofibrous membrane 299
- poly(vinylidene fluoride-trifluoroethylene) (PVDF-TrFE) 297, 298
- poly(vinylimidazole) (PVI) 280
- poly[3,6-bis(2-(3,4-ethylenedioxy)thienyl)-N-methylcarbazole] (PBEDOT-N-MeCz) 296
- polyallylamine hydrochloride (PAH) 163
- polyampholytes 293
- polyaniline (PANI) 146, 222, 392, 604
 - EC layers 605, 606
 - EC properties of 604
 - electrochemical reaction of 605
 - films 266
 - nanostructure 264
 - redox states 604
 - synthesis route and performance 280, 281
- polyaniline/WO₃ nanocomposite 271
- polydimethylsiloxane (PDMS) 263
- polyelectrolytes 293
- polymer electrolytes, cost and neutrality 291
- polyethylene oxide (PEO) 347
 - based polymer electrolytes 295
- polyethylene terephthalate (PET) 528
- polyethyleneimine–lithium bis(trifluoromethylsulfonyl) (PEI) 539
- polyhedral oligomeric silsesquioxane core-poly(4-styrenesulfonic acid) (POSS-PSS) 265
- polyheterocycles 116
 - electron-rich 116
- polymer bandgap 118
- polymer electrolytes
 - bond rotation 291
 - cation coordination ability 291
 - electrochromic applications in 290
 - facile process 290
 - flexible, imprintable, bendable and shape-conformable 303
 - functional separator 290
 - high ionic conductivity 290
 - high transparency in wavelength 291
 - ionic liquids-based 300
 - low volatility 291
 - PEO/PEG-based 295
 - PMMA based 296
 - potentially green biodegradable polymer 303
 - PPC-based 302
 - PVDF based 297
 - robustness 290
 - transference number 290
 - trends in 303
 - wide potential window 291
- polymer electrolytes types 291
 - CPEs 294
 - GPEs 292
 - polyelectrolytes 293
 - SPEs 292
- polymer self-assembly and gyroid nanomorphology 315
- polymer-dispersed liquid crystal (PDLC)
 - films 554
 - technology 553
- polymeric electrolyte (PE) 603
- polymeric ionic liquid (PIL) 301
- polymeric NIR electrochromic materials 212
- polymerisable terthiophene (PTT) 148
- polymerisation, of TPA-based diacids 227
- polypyridyl complexes, electrochromism in 187
- polyoxometalate (POM) clusters 386
- polypyrrole (PPy), nanostructure 266
- polypyrrole-PB composite film 100
- polypyrrole-PB thin film
 - performance 101
 - preparation 101
- polystyrene (PS) 265
- polythiophene derivatives, nanostructure 263
- porous AAO film 263
- PProDOT-Et₂, polymer structure 608
- ProDOT, *see* 3,4-propylenedioxythiophene
- propylene carbonate (PC) 289, 608
- 3,4-propylenedioxyppyrole (ProDOP) 126
- 3,4-propylenedioxythiophene (ProDOT) 124, 157
 - copolymerisation 125
- protic ionic liquid (PIL) 353
- Prussian blue (PB) 91, 340
 - analogues as hexacyanoferrates 49
 - and HV solid-with-solution ECD 93
 - direct cell reaction and 45
 - electrochromism 41, 47
 - on graphene 46
 - layer-by-layer deposition of 46
 - metal metallohexacyanates akin to 48
 - nanocomposites film structure 278
 - preparation 45, 46
 - with viologen hybrid ECDs 92
 - with viologen solid-solid ECDs 93

- Prussian blue thin film 42, 102
 - ECD 97
 - in ionic liquid based ECD 97
 - preparation and characterisation 94
- Prussian blue film, visible spectra 94, 95
- pulse potentials 79
- push-pull of electrons 118
- PVDF, *see* poly(vinylidene fluoride) (PVDF)
- PXDOP, *see* poly(3,4-alkylenedioxyppyrole) (PXDOP)
- pyrene diimide (PDI) 216–218
- pyridopyrazine heterocycle 150
- pyrroles 117
 - conjugated polymers 229
- q**
- quasistatic limit 366
- quinone derivatives 213
- r**
- radical cation 58, 59
 - dimer 68
 - effect of dimerised 67
 - oxidation to 115
- rear-view mirrors, electrochromic-based 6
- redox behaviours 94
- redox chemistry, bipyridilium electrochromes 58
- redox reaction 251, 256, 257
 - of bi-phenazine 408
- redox transformation 92
- redox-system of azulene-substituted enediynes 236
- reduced graphene oxide (rGO) nanosheets 275
- reduction, in single material 150
- regioregularity 120, 121
- retroreflected radiation beam 423
- room temperature ionic liquid (RTIL) 300, 301
- RP, *see* ruthenium purple
- RTIL, *see* room temperature ionic liquid (RTIL)
- ruthenium complexes, polymeric films of 188
- ruthenium purple (RP) 48
- s**
- SageGlass 576–578
- Sb-doped tin oxide nanocrystal films 375
- secondary heat transfer factor 441
- selenophene derivatives 235
- selenophene-based homopolymers 129
- self-assembled monolayers (SAMs) 196
- self-erasing effect 404
- self-erasing electrochromism 404
- semiconductor nanocrystals 367
- semiquinones, physical properties 213
- silicon thin-film solar cell (Si-TFSC) 617, 619
- silver nanoparticle 347
- simulation tools, performance prediction using building 582–583
- single TMOs system 257
- single-walled carbon nanotube (SWCNT) 279, 612
- Site Saturation Model (SSM) 344
- Sken-imines 149
- smart window application, metal hydrides for 246
- SMPE, *see* solar material protection factor (SMPF)
- solar absorbance 436
- solar factor (SF) 430
 - calculation 488, 490
 - for double glazing 446
 - for single glazing 445
 - for triple glazing 447
- solar heat gain coefficient (SHGC) 440, 575, 578
- solar material protection factor (SMPF) 432
- solar radiation 421, 479
 - modulation by ECWs 425
 - through window panes and glass structures 421
- solar radiation glazing factor 420
 - application of 476
 - ECWs 466, 468
 - for float glass 462
 - measurement and calculation method 430
 - modulations 468
- solar reflectance 435
 - external visible 434
 - internal visible 434
- solar regulation 419
- solar skin protection factor (SSPF) 433, 482
- solar transmittance 431
- solid polymer electrolytes (SPEs) 292
- solid-solid type ECDs 93
- solid state photoelectrochromic device 612
- solid-state switchable mirror 246
- solid state viologens 103
- solid-with-solution ECD 93
- solution-phase dimer 67
- solution-phase EC materials 401
- solution-phase EC systems 402

- solution-phase electrochromic device 411
 solution-phase pH indicators 403
 spandex electrode 509, 512
 spectroelectrochemical method 343
 spectrophotometry 428
 specular IR reflectance
 – emissivity determination by 428
 – measurements 437
 specular transmission 572
 SPEs, *see* solid polymer electrolytes (SPEs)
 starburst polymer 142
 steric interactions 120
 substituent paraquat 58
 substitution effect 214
 succinonitrile 97
 sulfonated polyimide (SPI) 160
 supercapacitors 325
 supercritical carbon dioxide (SCCO₂) 299
 surface confined polymerisation 149
 surface plasmon resonance (SPR) 340, 365
 surface-confined EC materials 401
 surfactant-assisted colloidal synthesis 377
 suspended particle device 574
 switchable mirror materials 242
 switchable mirror thin film 241, 242
 switching durability 243
 symmetric diblock copolymers 315
- t**
- tail-to-tail (TT) arrangement 121
 template assisted synthesis 257
 tetrabutylammonium perchlorate (TBAP) 371
 tetrahydrofuran (THF) 265
 tetrahydropyryl (THP) 166
 tetramethylphenylenediamine (TMPD) 61
 thermal conductance 442
 thermochromic fabric 517
 thermochromic glazing 575
 thermochromism 517
 thermoelectrochromic system 516
 thienoviologen electrochrome 80
 thienylenevinylene copolymers 122
 thin film deposition parameters 18
 thiophene-based conjugated polymers 229
 thiophene-based homopolymers 127
 thiophene dimers structure 121
 3-dimensional nanostructuring ions 312
 3-dimensional nanostructuring strategies 313
 3D-ordered macroporous (3DOM) 265
 – PANI film 265
 titanium oxide 348
- TMOs, *see* transition metal oxides (TMOs)
 transition metal oxides (TMOs)
 – binary type system 261
 – as electrochromic materials 275
 – nanocomposites 269
 – nanostructure of 253
 – single type system 257
 transition-metal complexes
 – drop-cast thin films of 200
 – electropolymerised films of 192
 – redox properties of 185
 – self-adsorbed multilayer films of 196
 – self-assembled multilayer films of 196
 – spin-coated thin films of 200
 transmissive polymers, colour to 123
 – blue and purple 127
 – orange and red 125
 – yellow 124
 transmittance modulation 425, 426
 transparent conductive oxides (TCOs) 376, 550, 619
 transparent electrical conductors 31
 – metal-based films 26
 – nanowire-based coatings 27
 – oxide films 25
 transparent liquid electrolytes 3
 transparent sate, colour in 244
 tridentate bisruthenium complexes, electropolymerisation 188
 trioctylphosphine oxide (TOPO) ligands 373
 triphenylamines (TPA)
 – diacids 227
 – diamines 227
 – polyamide polymers 141
 – radical cations of 225
 tungsten oxide 8, 344
 – charge transfer absorption in 11
- u**
- ultraviolet radiation 420, 421
 ultraviolet solar transmittance 430, 477
- v**
- vanadium hexacyanoferrate 48
 vanadium oxide 346
 – electrodes, electrochromic display 322–324
 vanadium pentoxide
 – gyroid-structure 320–322
 – orthorhombic crystalline 320
 variable optical attenuator (VOA) 211
 variable transmission glazing (VTG) 573–577

- viologen
 - anchored TiO₂ based ECD 99
 - counter anion in 64
 - dication 65
 - electrochemistry 58
 - electrochemiluminescence 79
 - electrochromic behaviours of 268
 - electroreduction 80
 - in ionic liquid based ECD 97
 - incorporate within paper 80
 - monomers 69
 - nanostructure 268
 - viologen doped poly(3,4-ethylenedioxy-thiophene) polymer based ECD 102
 - viologen electrochromes 79, 80
 - immobilising 69
 - type 1 61
 - type 2 61
 - type 3 68
 - visible (VIS) radiation 421
 - visible solar transmittance 431, 478
- W**
- W–Ni-oxide 21
 - W–Ti oxide, electrochromism of 8
 - water soluble
 - ECPs 162
 - organic processing to 163
 - PThs 162
 - water switchability, organic processing to 163
 - water-soluble polymers 163
 - window pane
 - configurations 427
 - glass layers in 452
 - solar radiation glazing factors for 461
 - solar radiation through 421
 - WO₃ nanorods 258, 259
 - film 259
- Z**
- zinc hexacyanoferrate (ZnHCF) 274

