

Index

a

acylation 44, 45
 affinity chromatography 78
 affinity materials 78
 aliphatic/aromatic, separation 42
 alkali flame ionization detector (AFID) 30
 alkylation 44, 46
 alumina 65, 107, 170
 amperometric detection 98, 99
 antigen–antibody interaction 79
 APPI, *see* atmospheric pressure
 photoionization (APPI)
 atmospheric pressure chemical ionization
 (APCI) 85, 86, 88, 89
 atmospheric pressure photoionization
 (APPI) 85, 86, 89
 atomic emission detector (AED) 36
 autoinjectors 20, 47, 50, 51

b

band broadening 5, 6, 14, 22, 51, 53, 59,
 61, 63, 106, 114, 129, 130, 137, 145
 – in column 8
 – diffusion coefficient 9
 – diffusion velocity of macromolecules 58
 – eddy diffusion 6
 – effective plate number 11
 – Gaussian distribution 5
 – Golay equation 8
 – large molecules 133
 – longitudinal diffusion 6, 7
 – outside column 9
 – particle size and layer thickness 106
 – physical processes 5
 – plate height 10, 11
 – resistance to mass transfer 7, 8
 – size of flow cell 82
 benzoylbenzoic acid 113
 bioluminescence 113

c

calcium sulfate 106
 calibration methods 192. *See also* quantitation
 – external standard 192, 193
 – internal standard 193–195
 – normalizing peak areas 192
 – standard addition 194, 195
 capillary columns 2, 11, 37, 54, 60, 62, 121,
 122, 124, 146
 – open 11, 37
 – packed 37
 – split/splitless injector for 21
 capillary electrophoresis (CE) 127, 135,
 136, 185
 – capillaries 136, 137
 – CE zone electrophoresis 140, 141
 – detection 139, 140
 – high-voltage supply 136
 – instrumentation 136
 – sample introduction 137–139
 capillary forces 2, 108–111
 carboxymethyl cellulose 106
 carrier gases 3, 17, 19, 20, 21, 27, 28, 31, 32, 39
 – van Deemter plot 19
 CE applications 134
 – protein separations 134, 135
 – separation of DNA/RNA 135
 cellulose 78, 107
 chemical ionization (CI) 33
 chemiluminescent detector 35
 chemiluminescent nitrogen detector 103
 chip device
 – chromatography on 150
 – columns and stationary phases 151
 – COMOSS 152, 153
 – detection 153, 154
 – sample introduction in 150
 chirality detection 103
 chiral separations in GC 38

- chiral separations in HPLC 77, 78
- chromatofocusing 74, 75
- chromatogram 3, 4
 - milk proteins 75
 - partially resolved peaks 12
 - polymeric amines 4
 - for quantification 114
 - yeast proteins 56
- chromatographic peak
 - asymmetry measurement 12
 - widths between tangents at baseline 10
- chromatographic techniques, overview 2
- chromophores 82
- coeluting 13
- column efficiency, measurement 9
 - asymmetry 11
 - coupling columns 10
 - plate height 10, 11
- columns 54–64, 122
 - capillary 41, 42, 54, 62, 122, 146
 - chiral 103
 - flash chromatography 63, 64
 - GC 180
 - microchip 60, 61
 - monolithic 59, 60
 - nanoflow 54
 - narrow-bore 88
 - open channel 152
 - open tubular 1, 6, 7, 8, 11, 25, 37, 61, 121, 122, 146
 - packed 6, 7, 14, 18, 25, 36, 37, 40, 54–59, 122–124, 146, 152
 - temperature control 61–63
- d**
- densitometers 113
- detectors 26–28, 35, 49, 55, 59, 80, 81, 124, 125
 - atomic emission 36
 - chemiluminescent 35
 - chemiluminescent nitrogen 103
 - chiral 103
 - conductivity 80, 102
 - corona discharge 80, 102
 - coulometric 98–100, 99, 100
 - diode array 83, 84
 - electrochemical 80, 98
 - electrolytic conductivity 35
 - electron capture 18, 29, 31, 32, 45, 46
 - evaporative light scattering 100
 - filter photometric 83
 - flame ionization 28–30, 118, 121, 122, 124, 190
 - flame photometric 35
 - fluorescence 80, 95, 140
 - Fourier transform infrared 36
 - GC 27, 35, 121, 125
 - light scattering 100, 101
 - nitrogen–phosphorus detector (NPD) 30
 - photoionization 35
 - radioactivity 102
 - spectrophotometric 83
 - thermal conductivity 28, 29
 - UV detectors 81, 156
- diode array detector (DAD) 83, 84
- e**
- eddy diffusion 6
- electrochemical detection 98
 - amperometric detection 98, 99
 - coulometric detector 99, 100
- electrochromatography (EC) 2, 78, 127, 145
- electrokinetic injection 149
- electron capture detector (ECD) 18, 29, 31, 32, 45, 46
- electron ionization (EI) 33
- electroosmosis 129
- electrophoresis 127
 - migration velocity, factors influencing 128
 - secondary effects 128, 129
- electrophoretic separation, *see* electrophoresis
- electrophoretic techniques 127
- elution strength
 - higher 52, 53
 - lower 52, 53
 - organic solvent 69
 - relative elution strength 51
- evaporation injector, *see* packed column injector
- f**
- FID, *see* flame ionization detector (FID)
- field-flow fractionation (FFF) 155–157
 - applications 158, 159
 - detector 156
 - flow FFF 156, 157
 - instrumentation 155
 - retention time 155, 156
 - sedimentation FFF 158
 - thermal FFF (ThFFF) 157, 158
- flame ionization detector (FID) 18, 28, 30, 31, 118, 121, 122, 124, 125, 190
- fluorescence detection 80, 95, 140
 - chemiluminescence detection 97
 - filter fluorimeters 97
 - spectrofluorimeters 97
 - fluorescence intensity 97

- optical fibers, fluorescence detection with 96
- fluorinated derivatives 45
- fluorinated hydrocarbons 118
- Fourier transform infrared (FTIR) detector 36

g

- gas adsorption chromatography (GSC) 17, 26
- gas chromatography (GC) 1, 3, 17, 18, 26, 33, 115
 - atomic emission detector 35
 - chemiluminescent detector 35
 - columns 24
 - dimensions 24
 - open tubular 25, 26
 - packed 25
 - derivatization 44–46
 - electrolytic conductivity detector 35
 - electron capture detector 31, 32
 - flame ionization detector 28–30
 - flame photometric detector 35
 - Fourier transform infrared (FTIR) detector 36
 - injection systems 19–24
 - mobile phase/carrier gas 17–19
 - nitrogen–phosphorus detector (NPD) 30, 31
 - photoionization detector (PID) 35
 - qualitative/quantitative analyses 43, 44
 - stationary phases
 - adsorption chromatography 36
 - partition chromatography 37–42
 - temperature control 41, 42
 - thermal conductivity detector 28
 - two-dimensional separations 42, 43
- gas chromatography–mass spectrometry (GC–MS) interfacing 33, 34
- split interface 34
- gas–liquid chromatography (GLC) 17, 25, 26, 36–39
 - stationary phases, characterization 39, 40
- gas–solid chromatography (GSC) 3, 17, 26, 36, 44
- Gaussian distribution 5, 6, 9
- Gaussian peaks 9, 12
- GC capillary column (WCOT) 26
- GC detector, characteristics 29
- GC–MS jet separator 34
- GC×GC system 43
- gel electrophoresis (GE) 2, 14, 127, 130
 - gels 130, 131
 - instrumentation 131–133
- GLC – partition chromatography 37
- Golay equation 8

- gradient elution 3, 4, 10, 13, 56, 65, 67, 73, 74, 100, 102, 111, 120, 121, 122
 - in HPLC 4, 48
 - in CEC 146
 - in SFC 122
- Grob test 41

h

- headspace techniques
 - GC injection system 24
 - static, and dynamic 23
- height equivalent to theoretical plate (HETP) 11
- high-performance liquid chromatography (HPLC) 2
 - automation 50
 - columns
 - microchip columns 60
 - monolithic columns 59, 60
 - open tubular columns 61
 - packed columns 54–59
 - detectors 81, 100
 - dilution 51–53
 - carryover 52
 - solid-phase extractors (SPEs) 52, 53
 - solvent elution strength 51, 52
 - timed injection 52
 - stationary phases 64–80
- high-performance TLC (HPTLC) 105, 106
- high-pressure mixing 48, 49
- hydrodynamic chromatography 156
- hydrophilic bonded phases 107
- hydrophilic interaction liquid chromatography (HILIC) 67, 68
- hydrophobic interaction chromatography (HIC) 73
- hydrophobic interactions 70, 74, 107, 135, 165, 166, 172

i

- immunodetection 113
- inductively coupled plasma ionization (ICP) 85
- injection systems 17–19, 149, 180
 - capillary columns 21–24
 - headspace techniques 23, 24
 - large-volume injectors 23
 - on-column injection 22, 23
 - packed column injector 20
 - split injection 21, 22
 - splitless injection 22
- injection techniques 22, 139
 - constant volume injection 50

- variable volume injection 51
- volumes and precision 51
- injection volume, related to solvent elution strength 51, 52
- ion chromatography, for inorganic ions 75
- ion exchange chromatography (IEC) 1, 67, 73
- ion exchange materials 73, 74
 - gradient elution 74
 - properties of ion exchangers 73
 - retention on ion exchangers 74
- ion mobility spectrometry 103
- ion pair chromatography, on reversed-phase columns 72, 73
- isocratic elution 3
- isoelectric focusing 74, 130, 134, 135, 142, 143
- isothermal separation 19, 41

j

- jet separator 34

l

- laser-induced fluorescence (LIF) 140, 153
- laughing gas (N₂O) 118
- light-emitting diodes (LEDs) 154
- light scattering detectors 80, 100
- liquid chromatography (LC, HPLC) 1–3, 14, 47–107
- liquid–liquid extraction (LLE) 164–167
 - organic solvent selection 165
 - partitioning coefficient 164
 - Snyder’s solvent triangle 166
- liquid–solid chromatography 3
- LLE, *see* liquid–liquid extraction (LLE)
- longitudinal diffusion 6, 7
- low-pressure mixing 48, 49

m

- magnesium oxide 107
- magnesium silicate 107
- MALDI (matrix-assisted laser desorption ionization) interface 114
- mass-sensitive detector 33
- mass spectrometer 32–34
 - GC interfacing 33, 34
 - negative ionization in GC-MS 33
 - positive ionization in GC-MS 33
- mass spectrometric detection 3, 85, 114, 122
 - fragmentation in mass spectrometry 94
 - FTMS analyzers 93–95
 - LC–MS interfaces 85, 86
 - atmospheric pressure chemical ionization 88, 89
 - atmospheric pressure photoionization 89, 90

- electropray ionization 86–88
- inductively coupled plasma ionization 90, 91
- ion trap analyzers 92
- quadrupole mass analyzers 91, 92
- time-of-flight analyzers 92, 93
- McReynolds system 39, 40
- membrane-based sample preparation techniques 183
 - liquid-phase microextraction 185
 - microdialysis 183–185
- micellar electrokinetic capillary chromatography (MEKC) 2, 143–145
- microamorphous hydrated silica 37
- microchips
 - columns 60
 - microdialysis 183–185
 - applications 185
 - cutoff 184
 - migration rates 108
 - minimum detectables (MDs) amount 28–30, 34
- mobile phases 2–8, 17, 49, 53, 60, 67, 72, 77, 86, 107, 108, 111, 118, 146, 150, 197
 - pH 197, 198
- molar absorptivity 82
- molecular imprinted polymers (MIP) 168
- molecular sieves 36
- monolithic columns 59, 60
 - silica-based 60
- monoliths in CE 146

n

- N-chamber 108
- nitrocellulose membrane 132
- nitrogen–phosphorus detector (NPD) 29–31
- normal-phase materials, for adsorption chromatography 64
 - alumina 65, 66
 - carbon materials 68
 - HILIC materials 67, 68
 - separation principles 64, 65
 - silica 65
 - with bonded polar functional groups 66, 67
 - titania 65, 66
 - zirconia 65, 66

o

- on-column injection techniques 19
- open tubular columns (OTCs) 1, 6–8, 11, 24–26, 61, 121, 122, 146
 - types of 26
- optical rotation 80
- overpressured layer chromatography (OPLC) 111

p

- packed columns in GC 25
 - particle size 25
- packed columns in HPLC
 - backpressure 58
 - column dimensions 54
 - in HPLC 55
 - column efficiency 56
 - flat van Deemter curves 56, 57
 - column lifetime 57
 - column material 54
- concentration-sensitive detectors in HPLC 55
 - core-shell particles 58, 59
 - peak shapes 57, 58
 - porous particles, conventional HPLC 58
 - solvent saving 55
 - ultra-high pressure liquid chromatography (UPLC/UPHLC) 59
- particle size 6, 11, 54, 56–59, 65, 106, 122, 156
- PEEK tubing 47
- photoionization detector (PID) 35
- polarity 22, 38–40, 67, 85, 86, 111, 116, 122, 165, 172
- polyamide 107
- polyimide 25, 26, 136, 140, 146, 151
- polymers
 - cyclic olefin copolymer (COC) 151
 - linear hydrophilic 142
 - molecular imprinted 168, 175, 188
 - organic polymer-based materials 72
 - polymeric silica-based materials 69
 - used in microdialysis 184
- polysiloxanes 38
- polystyrene–divinylbenzene (PS-DVB) materials 1, 72
- polyvinyl alcohol 106
- potential-driven chromatography 127, 145
 - columns and stationary phases 146
 - instrumentation 145
 - mobile phases 145, 146
 - in separation science 146, 147
- programmed temperature vaporizing (PTV) injector 23
- protein precipitation 182
 - organic modifier 183
 - salts 183
 - trichloroacetic acid (TCA) 183

q

- quadrupole mass analyzers 91, 92
- quantitation 44, 189–191
 - based on peak height/peak area measurements 190

- calibration methods 192–195
- method validation 196
- validation parameters 196
 - accuracy 197
 - linearity 197
 - range 197
 - repeatabilities 197
 - robustness 197, 198
 - selectivity 197
 - stability 198
- validation procedure 198, 199

r

- radioactivity detectors 102
- radio frequency (RF) 91, 92
- refractive index detection 100–102
- refractive index (RI) detectors 80, 100
- resolution 11
 - eluting bands 12
 - mass transfer
 - in stagnant mobile phase 7
 - in stationary phase 7
 - variables 12
- restricted access materials (RAM) 168
- restrictors 124
- retardation factor (Rf) 111, 112
- retention factor 3, 5, 10, 12, 53, 69, 71, 112, 144
- retention gap 22, 23, 25, 121, 122
- retention time 2, 6, 9, 10, 11, 13, 34, 37, 44–46, 155, 156, 158, 193, 196
- reversed-phase materials 68
 - hybrid materials and hydrosilated materials 72
 - organic polymer-based materials 72
 - retention 69, 70
 - separation principles 68, 69
 - silica-based reversed-phase materials 71
 - solvation parameter model 70, 71
- rhodamine B 113

s

- sample preparation method 162
 - enrichment factor, defined 162, 164
 - property 162
 - recovery
 - calculation 163
 - equations, to describe 162
- sample size 107, 161, 163, 164, 188
- S-chamber 108, 109
- silicones 20, 38–40, 42
- silylation 44, 45

- size exclusion chromatography (SEC) 1, 76, 77, 158
 - size exclusion materials 76
 - materials 76, 77
 - mobile phases 77
 - separation principles 76
 - Snyder's solvent triangle 166
 - solid-phase extraction (SPE) 168–170
 - ion exchange 172–174
 - ion exchangers and chemical structure 174
 - mixed-mode 175
 - molecular imprinted polymers 175, 176
 - normal-phase extraction 170–172
 - restricted access materials 176
 - reversed-phase 172
 - SPE hardware 176–178
 - typical reversed-phase SPE steps 169
 - solid-phase extractors in HPLC 52, 53
 - analytical column, large-volume injection 53
 - solid-phase microextraction (SPME) 178
 - adsorption/extraction 178, 179
 - desorption/injection 179
 - SPME–GC 180
 - SPME–HPLC 180
 - fiber materials and extraction
 - parameters 180
 - solubility 68, 77, 116, 118, 165, 181
 - solvent 20, 22, 23, 36, 45, 48, 51, 65, 67, 90, 108, 129, 189
 - delivery 47–49
 - gradients 68
 - nonpolar 165
 - organic 68, 69, 73, 167, 175, 182, 186
 - polar 169, 172
 - reservoirs 48, 49
 - Snyder's solvent triangle 166
 - strength 13, 65
 - SPE, *see* solid-phase extraction (SPE)
 - spectrophotometric detectors 83
 - split injection 22
 - SPME, *see* solid-phase microextraction (SPME)
 - squalane 39
 - starch 106
 - Stokes' radius 128
 - supercritical ammonia 118
 - supercritical fluid 115
 - supercritical fluid chromatography (SFC) 115
 - columns 122–124
 - detectors 124, 125
 - gradients in 120, 121
 - injection 121
 - instrument configurations 116, 117
 - mobile phases 118
 - delivery 119, 120
 - restrictor 124
 - supercritical fluid extraction (SFE) 116
 - supercritical fluids
 - densities 116
 - diffusion coefficients 116
 - solubility 116
 - viscosities 116
 - support-coated open tubular (SCOT) columns 26, 37, 44
- t**
- TCD, *see* thermal conductivity detector (TCD)
 - temperature gradients in HPLC 62
 - temperature-programmed separations 41
 - temperature programming in GC 41
 - thermal conductivity detector (TCD) 18, 28, 29
 - thermal field-flow fractionation (ThFFF) 157, 158
 - thin layer chromatography (TLC) 1, 105
 - chemically bonded phases 107
 - detection 112–114
 - elution and development 108–111
 - mobile phases 107, 108
 - overpressured layer chromatography 111
 - R_f value 111, 112
 - sample application 105, 106
 - stationary phases 106, 107
 - two-dimensional development 110
 - TMS derivatives 45
 - trimethylsilylimidazole (TMSIM) 45
 - two-dimensional (2D) chromatography 13
 - two-dimensional separations 14, 42–43, 134
- u**
- ultra-high pressure liquid chromatography (UHPLC/UPHLC) 48, 59
 - reduced analysis time/increased peak heights 59
 - vs. conventional HPLC 59
 - ultrathin TLC (UTLC) 107
 - UV detectors 81
 - choosing right wavelength 82
 - chromophores 82
 - detection limits 82
 - filter photometric detection 83
 - flow cells 82
- v**
- validation parameters 196
 - accuracy 197
 - linearity 197

- range 197
- repeatabilities 197
- robustness 197, 198
- selectivity 197
- stability 198

van Deemter curve 14
van Deemter equation 8
van Deemter plot 19
video systems 114

viscosity 48, 58, 61, 62, 66, 115, 116, 128, 138,
143, 157

w

wall-coated open tubular (WCOT) columns 26,
37, 39, 40

z

zone electrophoresis 133

