

Index

a

- acetyl choline receptor (AChR) 357
- active pharmaceutical ingredients (API)
 - desagglomeration 629
- adatoms 246
- adjuvants 75
- ADRES baseband processor 220
- adsorption column chromatography 66
- agitator bead mills
 - development 629
 - wet grinding processes 631, *see also* wet comminution
- aluminium nitride (AlN) thin film
 - advantages 253
 - body centred cubic (bcc) materials 253
 - deposition methods 253
 - face centred cubic (fcc) metals 253
 - layer transfer method 256
 - materials nanocontrol 255
 - seed layer 252
 - series vs. parallel resonance frequencies 255
 - Ti/Mo-based resonator 256
 - vs. ZnO piezoelectric film 245
- amphiphiles 299
- Asia Nano Forum (ANF) network 47
- Asia Pacific (AP) region, nanotechnology in 37
 - infrastructure 45
 - nanosafety 51
 - public Investments 40
 - R&D and commercialization 48
- Atom Probe technology
 - 3DAP atom map 479, 480
 - CoFe/Cu/CoFe trilayer 479, 480
 - FIM 478
 - GMR thin films 478
 - sample preparation 479
 - time-of-flight mass spectrometry 479
- atom probe tomography (APT) 150
- atomic force microscopy (AFM) 122, 510
- Auger electron spectroscopy (AES) 509
- Australia, nanotechnology in
 - infrastructure 47
 - public investment 42
 - R&D and commercialization 50
- automotive applications
 - assembly processes 465
 - nanoelectronics
 - application potential 464
 - cross-bar structures with carbon nanotubes 463
 - down-scaling 460
 - magneto-resistive memories 463
 - reliability 467
 - RTDs 463
 - SET 463
 - spintronics 463
 - wide-bandgap devices 464
 - nanomaterials 460
 - nanotechnology 461, 462
 - DC link capacitors 465
 - electro-chrome coatings, rear-view mirrors 468
 - filled nanoglues 469
 - functions 460
 - Li ion batteries 465
 - magnetic sensors 468
 - magneto-rheological fluids, damping systems 468
 - nanostructured catalysts 469
 - supercapacitors 465
 - thermal management 469
 - transparent electrodes 468
- automotive electronics
 - CNT bumps and lawn 466

- automotive electronics (*contd.*)
 - nano-scaled components 466
 - silver sintering 466
 - solder pastes with nanoparticles 466
- Avogadro's constant 406
- b**
- bio-nano composites 236
- bioceramics 196
- biodegradable nanoparticles 76
- biofunctional surfaces
 - detection and interaction analysis 342, 343
 - gene chip 342
 - interfacial layer fabrication and assembly 341
 - lipid bilayer membrane 343
 - monitoring bacteria binding
 - calibration curve 355, 356
 - fluorescence intensity 355
 - LRSP modes 352
 - penetration depth 352, 354
 - strain detection 354
 - polymer brushes
 - binding curves 352
 - fluorophore-labeled rabbit anti-mouse antibody 351
 - IgG protein concentration 350
 - optical transducer surface 349, 351
 - sensitive bio-sensors 352, 353
 - sensor surface 349
 - thickness 349
 - time-dependent fluorescence signal 351, 352
 - supramolecular interfacial architectures 341, 342
 - supramolecularly controlled oligonucleotide architectures
 - angular reflectivity and fluorescence scans 346
 - attenuated total reflection method 345
 - calibration curve 347
 - DNA hybridization experiments 347
 - Langmuir adsorption isotherm 349
 - limit-of-detection (LOD) 347
 - molecular interactions 345, 346
 - PCR detection 344
 - SPFS/SPR investigation 348
 - t-BLM 355
- biomimetic materials 297, 301
- biomimetic triangle 365
- biomimetics 97
 - 3D diamond Petri dish
 - chemical surface termination 371
 - embryoid body 371, 372
 - hydrogenation 370
 - biocompatibility
 - *in vitro* cell performance 374
 - biological response evaluation 364
 - biomimetic triangle 365
 - definition 364
 - diamond-coated Petri dishes 376
 - fibroblast behaviour 373
 - long-, medium-, and short-term determinants 365
 - multilayer formation 373
 - nanoscopic interfacial water layers 365
 - P19 cells 373, 374
 - social cell behaviour 374
 - surface mechanical properties 375
 - diamond layer design and fabrication
 - chemical and biological inertness 367
 - CVD process 367
 - extended *in vitro* tests 367
 - micromechanical components 368
 - nucleation process 367
- biomineralization 301
- boron nitride (BN) nanoparticles 515
- bottom-up manufacturable technology
 - 3D test chips 214
 - chips optical data paths 215
 - mass-manufacturing 210
 - new materials and transistors 216
 - PDKs and test chips 212
 - SRAM memory cell 213
 - with and without EUVL 211
- Brønsted acido-basicity 515
- Bragg peak 389
- Brunauer, Emmett and Teller (BET) method 493
- bulk acoustic wave (BAW) technology
 - AlN thin film, Sc 257
 - bridge/membrane resonator 243
 - electroacoustic devices and materials 263
 - FeRAM 263
 - laser interferometry 263
 - lead free piezoelectric materials 262
 - microrobotics 264
 - optical probing 263
 - piezoelectric AlN thin film
 - advantages 253
 - body centred cubic (bcc) materials 253
 - deposition methods 253
 - face centred cubic (fcc) metals 253
 - layer transfer method 256
 - materials nanococontrol 255
 - seed layer 252
 - series vs. parallel resonance frequencies 255

- Ti/Mo-based resonator 256
- piezoMEMS 264
- pMUT 263
- PZT 261
- radio frequency filters 243
- solidly mounted resonator (SMR) 243
- vs. surface acoustic wave filters 243
- ZnO piezoelectric film
 - vs. AlN thin film 245
- acoustic coupling coefficient 245
- CMP 246
- deposition methods 245
- orientation 245
- vs. PZT thin film 245
- quality factors 246
- seed layer 245
- sputtering environment 245
- bulk metallic glasses (BMGs)
 - crystallization curve 163
 - mold materials
 - 3D microparts 176, 179
 - fabrication techniques 166
 - micromolding 166
 - mold filling kinetics 167, 169
 - surface finishing 181
 - surface patterning 174
 - properties 159, 160
 - selection criteria 164
 - size-dependent properties 162
 - structure 160
 - supercooled liquid state 164

C

- c-Si heterodiodes 233
- calamitic liquid crystalline molecules 70
- calcination and activation 420
- calcination process 436
- cancer therapy, polymeric micelles for 72
- carbon nanofibre 415
- carbon nanoparticle synthesis 61
- carbon nanotubes (CNTs)
 - multi-walled CNTs 226, *see also* multi-walled carbon nanotubes (MWCNTs)
 - and fungal cells with sensing capability 236
- cellular polyester films 273
- cellular polymers 271, *see also* polymer foams
- ceramic gas separation membranes 433
- ceramic membranes
 - dense thin film 8YSZ membranes
 - back-scattering SEM images 451, 452
 - CeGd-oxide (CGO) Sr-diffusion barrier layer 451
 - LaSrCoFe-oxide cathode layer 451

- nano-dispersions 449
- spin-coating single layers 451
- mesoporous membranes
 - γ -Al₂O₃ membranes 440
 - ZrO₂ membranes 441
- microporous membranes
 - hybrid membranes 446
 - SiO₂ membranes 444, 445
- chemical gas sensors 521
- chemical mechanical polishing (CMP) 246
- chemical safety reports (CSR) 651
- chemical vapor deposition (CVD) 363, 436
- China, nanotechnology in
 - infrastructure 46
 - public investment 41
 - R&D and commercialization 49
- chromophore-labeled amplicon 349
- CMOS chips 215
- CO₂ purification 446
- coating liquids 436
- coulombic repulsion 490, 491
- CombiCat approach
 - cluster polymerisation 421
 - homo-nuclear structure 422
 - HTHE technology 422
 - polymerisation kinetics 422
 - polyoxometallate functional unit 420, 421
 - preparation strategy 422, 423
- combustion chemical vapour deposition (C-CVD) 397
- confocal microscopy 119
- CoolBioTM processor 217
- Core Research of Evolutional Science and Technology (CREST) Program 55

d

- DaNa project 29
- DC link capacitors 465
- dendritic cells (DCs) 76
- dense thin film 8YSZ membranes
 - back-scattering SEM images 451, 452
 - CeGd-oxide (CGO) Sr-diffusion barrier layer 451
 - LaSrCoFe-oxide cathode layer 451
 - nano-dispersions 449
- density gradient ultracentrifugation (DGU) method 66
- 1,3-diamidophospholipids 300
- 3-dimensional atom probe (3DAP) 479
- 1D nanoscale materials
 - atom probe 478
 - cross sectional examination 477
 - TEM images 477, 478
 - thin film characterisation 477

- 2D nanoscale materials 480, *see also* Raman spectroscopy
 - 3D nanoscale materials
 - DLS 487
 - equivalent measurements 485
 - equivalent sphere theory 484
 - monodisperse 485
 - particle sizing techniques 486
 - separation methods 488
 - TEM image 486
 - diamond nanowire (DNW) films 399
 - diamonds
 - biomimetics 364, *see also* biomimetics
 - CVD 363
 - HPHT 363
 - nanocrystalline films 364
 - dielectric barrier discharges (DBDs) 276
 - differential centrifugal sedimentation (DCS) 488
 - direct piezoelectric effect 278
 - DNA amplicon 344, *see also*
 - supramolecularly controlled oligonucleotide architectures
 - doped SiO₂ membranes 445
 - downsizing approach 438
 - Drude–Zener theory 519
 - dynamic light scattering (DLS) 487
- e**
- electrical memory element 234
 - electro-chrome coatings 468
 - electrochemical applications, carbon material
 - in 61
 - electron energy loss spectroscopy (EELS) 511
 - electron spectroscopy for chemical analysis (ESCA) 509, *see also* X-ray photoelectron spectroscopy (XPS)
 - energy technology
 - corrosion mitigation coating
 - barrier coatings 389
 - hybrid coatings 390
 - nanocontainer synthesis 389
 - protective properties 391
 - SHP surface 392, *see also* superhydrophobic (SHP) surface
 - energy efficient devices (EEDs) 383
 - fuel production 384
 - hetronanostructures 385
 - hydrogen production 385
 - nano-structured coatings
 - oxidation-resistant hard coatings 397
 - TiAlN 395
 - nanofluids
 - miniature devices 386
 - optical sensors 388
 - solar energy 384
 - super-low friction ultra-nanocrystalline diamond films 398
 - thermo electric materials 385
 - wind energy 384
 - engineered nanomaterials (ENM) 649
 - enhanced permeability retention (EPR) effect 72
 - equal-channel angle processing (ECAP) 141
 - esp@cenet 25
 - etching procedure 98
 - European Chemical Industry Council (CEFIC) 659
 - European Chemicals Agency (ECHA) 651
 - European Committee for Standardization (CEN/TC 352) 652
 - European Industrial Strategic Roadmap 12
 - European strategy, for micro and nanoelectronics 3
 - *beyond CMOS* track 5
 - *more Moore* track 5
 - *more than Moore* track 5
 - business and production models 6
 - coordinated R&D&I investment 9
 - drawbacks in innovation process 10
 - e-Skills initiative 15
 - equipment and material suppliers 8
 - industrial and technology clusters 9
 - international dimension 15
 - investments 9
 - market leadership 8
 - mobilising resources 11
 - R&D&I intensity 5
 - research and technology organisations 11
 - roles of 4
 - security 5
 - sensing and actuating functions 4
 - SMEs role 11
 - wide supply chains 7
 - European strategy, formicro and nanoelectronics 13
 - extreme ultraviolet lithography (EUVL)
 - broadband mirrors 621
 - collection mirrors 614, 615
 - cost assessment 211
 - degree of absorption 614
 - illumination mirrors 614, 615
 - infrared radiation, reflectances 621
 - interfaces quality 614
 - multilayer characterization 618
 - multilayer fabrication 616

- projection mirrors 614, 615
- reflection coating and substrate 616
- roughness 614

f

- fab-lite model 7
- Federal Environment Office (UBA) 31
- Federal Institute for Materials Research and Testing (BAM) 31
- Federal Institute for Occupational Safety and Health (BauA) 31
- Federal Institute for Risk Assessment (BfR) 31
- Federal Institute of Physics and Metrology (PTB) 31
- Federal Ministry of Education and Research (BMBF) 21
 - DaNa project 29
 - funding situation 2011 24
 - Nano-Initiative - Action Plan 2010 22
 - nanoTruck initiative 27
- ferroelectrets
 - applications 285
 - control panels and keyboards 281, 283
 - focusing air-borne ultrasound 281
 - loudspeakers 281
 - microphones 281, 282
 - ultrasound sensors 280
 - DBDs 276
 - material parameters 272
 - piezoelectricity 271, 278
 - polarization versus electric-field (P(E)) hysteresis 277
 - polymer foams 272
 - trapping and de-trapping 272
 - void-containing polymer systems 274
- ferroelectric nanoceramics 197
- ferroelectric random access memory (FeRAM) 263
- ferroelectricity 271
- field evaporation 479
- field-ion microscope (FIM) 478
- finite-element-method (FEM) 595
- flame assisted spray pyrolysis 397
- fluoroethylenepropylene (FEP) film 274, 279
- focussed-ion beam milling (FIB) techniques 151
- foundry model 7
- Fourier transform infrared (FTIR) spectroscopy
 - absorption band 513
 - advantage 514
 - Al_2O_3 vs. AlN surfaces 515
 - boron nitride (BN) 515

- chemical composition and reactivity 514
- interatomic vibrations 512
- organic molecules adsorption 513
- semiconductor nanoparticles
 - chemical gas sensors 521
 - Drude–Zener theory 519
 - functionalization application 520
- Si_3N_4 vs. SiC surfaces 514
- surface functionalization 518
- surface-to-volume ratio 513, 514
- TiO_2 516
- Fraunhofer Nanotechnology Alliance 30
- Fresnel phase plate (FPP) 281
- Fresnel zone plate (FZP) 281
- FTR reflectometer sensor 123

g

- gas-diffusion expansion (GDE) process 272
- General Product Safety Directive (EC 2001b) 659
- Germany, nanotechnology in
 - annual research expenditure 30
 - competence centres 21
 - cooperation of governmental bodies 31
 - educational offerings 29
 - Federal Government's goals 23
 - funding situation 2011 24
 - high export orientation 30
 - HighTech-Strategy 21
 - innovative small and medium-sized enterprises 30
 - international cooperation 32
 - nanomaterial database 28
 - OECD 34
 - outreach and citizen dialogue 27
 - patent applications 24
 - public investment 40
 - research framework programme of European Union 33
 - research marketing 33
 - risks and impacts of 28
- graphene 62
- gross domestic product (GDP) 85
- ground granulated blast furnace slag (GGBS)
 - bimodal particle size distribution 556
 - CO_2 savings 554, 557, 558
 - manufacturing 555
 - MIP 556

h

- H_2 purification 444, 445
- Hückel approximation 490
- Hagen–Poiseuille law 167
- Hall–Petch strengthening 111

- Helmholtz Association 30
- Henry's function 490
- heterodiode solar cells 232
- heterogeneous catalysis
 - Avogadro's constant 406
 - Combicat approach
 - – calcination and activation 420
 - – cluster polymerisation 421
 - – homo-nuclear structure 422
 - – HTE technology 422
 - – MMO 420
 - – polymerisation kinetics 422
 - – polyoxometallate functional unit 420, 421
 - – preparation strategy 422, 423
 - electronic structure 411
 - geometric structure
 - – CO oxidation 413
 - – gold nanoparticle 414
 - – local electronic structure 412
 - – local geometric structure 413
 - – nano-effects 413
 - – nano-object surface 414
 - – Pt nanoparticle 411, 412
 - – silver particle 414
 - – stable metallic nanoobjects 411
 - – structure sensitivity 411
 - HTHE and combinatorial methods 406
 - large nanoobjects 415, 416
 - molecular catalysis 405
 - multi-dimensional science 406, 407
 - nanocatalysis 406, 408
 - nanostructured carbons
 - – electro-catalytic systems 415
 - – graphene effect 415
 - – HOPG macrocrystalline and natural nano-crystalline 418
 - – in-plane defects 417
 - – in-situ observation 418, 419
 - – Mn-oxides 415
 - – nano-composite solution 417
 - –romatic sp² carbon atoms 417
 - – sp² hybridisation 417
 - semiconductor approach 419
 - size effects 405, 409, 410
 - surface morphology 405
 - heterojunction solar cells 231
 - hexamethyldisiloxane (HMDSO) 520
 - high kinetic processing (HKP)
 - GGBS 554, *see also* ground granulated blast furnace slag (GGBS)
 - Simoloyer system 554, *see also* Simoloyer system
 - high resolution electron energy loss spectroscopy (HREELS) 511
 - high-pressure-high temperature (HPHT) diamonds 363
 - hollow mesoporous zirconia nanospheres (*hm*-ZrO₂) 389
 - Hong Kong, nanotechnology in
 - public investment 42
 - R&D and commercialization 50
 - Horizon 2020 26
 - hybrid and electric cars 465
 - hybrid hetrostructures 385
 - hybrid SiO₂ membranes 446
 - hydrothermal synthesis 436

i

 - ideality factor 233
 - imec's INSITE programme
 - 300 mm wafers 208
 - 3D TSV technology 210
 - DRAM chips 210
 - pathfinding flows and PDKs 209
 - implantable sensors 315
 - India, nanotechnology in
 - infrastructure 46, 47
 - public investment 42
 - R&D and commercialization 50
 - Indonesia, nanotechnology in
 - public investment 44
 - R&D and commercialization 51
 - information technology 92
 - inhaled medications 327
 - ink-jet printing 446
 - inorganic membranes 431
 - integrated gasification combined cycle (IGCC) 444
 - International Energy Agency (IEA) 383
 - International Standardization Organisation
 - Technical Committee (ISO TC 229) 652
 - inverse piezoelectric effect 278
 - ionic liquid (IL)
 - electron microscopic studies, of biopsy specimen 58
 - features of 57
 - metal nanoparticle production 57
 - Iran, nanotechnology in
 - infrastructure 47
 - R&D and commercialization 49

j

 - Japan Science and Technology Agency (JST)
 - CREST Program 55
 - nanomanufacturing research area 55

- Japan, nanotechnology in
 - infrastructure 45
 - public investment 40
 - R&D and commercialization 48
- Johann-Heinrich-von-Thünen-Institute (vTI) 31
- Joint Technology Initiative (JTI) 13
- Julius-Kühn-Institute (JKI) 31
- k**
- Knudsen diffusion process 431
- l**
- Langmuir adsorption isotherm 349
- Langmuir–Blodgett procedure 65
- lead zirconate titanate (PZT) 245, 261
- Li ion batteries 465
- Li-air battery, discharge capacity of 61, 62
- liquid crystal device applications, research project for 70
- lithography 97
- long-range surface plasmon (LRSP) modes 352
- lotus effect 98
- low-energy electron diffraction (LEED) 511
- low-energy ion scattering (LEIS) 511
- m**
- macroporous material 433
- magnetic field orientation 387
- magnetic flux leakage (MFL) 388
- magnetic nanofluids 387
- magnetic sensors 468
- magnetoresistive RAMs (MRAMs) 463
- magneto-rheological fluids 468
- Malaysia, nanotechnology in
 - public investment 43
 - R&D and commercialization 51
- manganese oxides 415
- mass-produced micro-sized HSI 221
- Max Rubner Institute (MRI) 31
- Max-Planck-Institutes 30
- MEMS technology 219
- mercury intrusion porosimetry (MIP) 556
- mesoporous membranes 433
 - γ - Al_2O_3 membranes 440
 - ZrO_2 membranes 441
- metal matrix composites (MMCs) 145
- metal sputtering 57
- metal-insulator-semiconductor (MIS) diode 233
- Michelson interferometer 121
- microelectromechanical Systems (MEMS) 135
- microfluidic channels 219
- microfluidic chip 219
- micronization 629
- microporous membranes 433
 - hybrid membranes 446
 - SiO_2 membranes 444
- microporous pervaporation 442
- microrobotics 264
- Mn–oxo cluster 415
- mono structured s-SWCNTs, multicolumn system and optical absorption of 67
- monophased nanoceramics
 - bioceramics 197
 - ferroelectric nanoceramics 197
 - mechanical properties 195
 - optical properties 196
 - processes 194, 195
 - textured nanoceramics 197
- Moore's law 6, 460, 613
- more Moore* technology 12
- more than Moore* technology 12
- multi-functional glass facades 20
- multi-phase-multi-element oxides (MMO) 420
- multi-sensor metrology
 - 2D and 3D measurement 116
 - advantages 115
 - basic metrology approaches 117
 - film thickness metrology 132, 133
 - geometrical data 126, 128
 - LED and OLED 115
 - nano metrology 116
 - nanotopography 116, 128–130
 - optical 133, *see also* optical metrology
 - roughness measurement 124
 - set-up 118
 - TSV 124, 131
- multi-walled carbon nanotubes (MWCNTs)
 - aluminium micro-gap structure 229
 - bio-nano composites 236
 - crystalline silicon/polymer heterojunctions
 - PSS, PEDOT 230
 - PMMA 233
 - polymerized oxadiazole 234
 - current-voltage characteristics 229, 230
 - deposition, thermally oxidized silicon wafer 226
 - di-electrophoresis 228
 - focused ion beam (FIB) image 227, 228
 - micro-gap region 228
 - nanocyl 226
 - scanning electron microscopy (SEM) image 227
 - SDS surfactant 226, 227

- multi-walled carbon nanotubes (MWCNTs) (*contd.*)
 - SiO₂ layer 228
- multiferroic nanoceramics composites 197, 198
- multilayer films 65
- multilayer Laue lenses (MLL) 622
- multiple patterning 211
- n**
- n-type Czochralski crystalline silicon substrates 235
- nano-biomaterials 302
- nano-Industrialization 599, *see also* small and medium-sized enterprises (SME)
- nano-structured coatings
 - oxidation-resistant hard coatings 397
 - TiAlN 395
- nano-structured materials
 - 1-D nanoscale
 - atom probe 478
 - cross sectional examination 477
 - TEM images 477, 478
 - thin film characterisation 477
 - 2-D nanoscale 481, *see also* Raman spectroscopy
 - 3-D nanoscale 483, *see also* 3-D nanoscale materials
 - characterisation parameters 477
 - chemical properties 476
 - physical properties 476
 - physicochemical properties 476
 - surface area determination
 - adsorption 492
 - BET method 493
 - closed pores 492
 - open pores 492
 - porosity 491
 - zeta potential 490
- nanoanatomy
 - data acquisition 296
 - image registration 296
 - intensity-based registration 297
 - landmark-based registration 297
 - microfluidics-based approach 296
 - X-ray scattering 294
- NanoBuisnessAlliance 85
- nanoCare dialogues 28
- nanocarrier technologies 72, 74
- nanocatalysis 408
- nanoceramics
 - monophased 202, *see also* monophased ceramics
 - multiferroic nanoceramics composites 202
 - oxide nanoparticles 202, *see also* oxide nanoparticles
 - porous 202, *see also* porous ceramics
- nanocounters 389
- nanocrystalline steels
 - amorphous steels 144
 - bainitic steels 143, 144
 - grain size 142
 - microstructural refinement 143
 - phase-reversion approach 144
 - SMAT and SMGT 144
- nanodentistry 301
- NanoDialogue 28
- nanoelectronic applications, top-down design
 - heterogeneous technology 217
 - life sciences 218
 - microsize 217
 - micro-sized hyperspectral camera 221
 - performance and power usage 217
 - wireless radios 219
- nanoscopy 334
- nanofluid-based optical sensors 388
- nanohardness 396, 397
- nanolubricants 384
- nanomaterials
 - application and exploitation 682
 - characterization methods 652
 - commercialization 683
 - consumer products 647
 - definition 524, 649
 - ENM nano-shape effects 649
 - industrialization 670
 - inhalation and/or contamination risk 660
 - International Organizations 668
 - ISO documents 659
 - labelling 667
 - legal obligations 647
 - nanomanufacture 679
 - process control 679
 - production methods 659
 - R&D development 659
 - safe handling and control 652
 - SDS 661
 - Standardization Committees 659
 - standardization procedures 681
- nanomedicine
 - administration routes 325
 - bio-inspired implants 303
 - development pipeline 311, 312
 - hard and soft tissue nanostructure and mechanical properties 291
 - Humboldt's principle of coexistence 293, 294
 - in vitro diagnostics 312, 314

- in vivo diagnostics 314
- life science disciplines 292
- macro- and microscopic material properties 293
- mechanosensitive nanocarriers 291
- nano- and micrometer-scale mechanical characterization 291
- nanoanatomy
 - data acquisition 296
 - image registration 296
 - intensity-based registration 297
 - landmark-based registration 297
 - microfluidics-based approach 296
 - nanostructure orientation 295, 296
 - X-ray scattering 294, 295
- nanocarrier-based drug delivery systems
 - vs. microcarriers 316
 - biocompatible and/or biodegradable materials 317
 - drug characteristics 316
 - drug properties 317
 - multifunctional nanocarriers 317
 - targeted and controlled-release polymer NP technologies 323
 - therapeutic benefits and risks 320, 321
 - types 317
- nanodentistry 301
- nanoendoscopy 334
- nanofabrication processes 324
- nanoorthopedics 297
- nanorepair 297
- nanostructured scaffolds 334
- nanovesicles
 - amphiphiles 299
 - imaging-based drug development 300
 - liposomes 299
 - microdosing 300
- nanoparticle-based drug delivery systems 300
 - stenosed artery models 300
- neurosurgery 335
- personalized medicine 333
- research activities 302, 303
- RM 328, *see also* regenerative medicine (RM)
- spherical nanocarriers 323
- theranostics 324, 327
- nanometer-size components 295, 299
- nanometrology 93
- nanoorthopedics 297
- nanoparticle surface chemistry
 - atomic rearrangements 500
 - challenges
 - environment and time 508
 - physical parameters 508
 - surface thickness 507
 - contaminants 501
 - dissociation of water molecules 501
 - FTIR spectroscopy 512, *see also* Fourier transform infrared (FTIR) spectroscopy
 - industrial applications 504, 505
 - articles 503, 504
 - biomedical applications 505
 - electrical properties 505
 - energy applications 506
 - environmental applications 506
 - surface functionalization 504
 - toxicity 507
 - nanoparticle characterization 501
 - surface analysis techniques
 - AES 509
 - AFM 510
 - EELS 511
 - HREELS 511
 - ions, electrons and photons energy analysis 508
 - LEED 511
 - LEIS 511
 - RHEED 511
 - SERS 512
 - STM 511
 - TERS 512
 - ToF-SIMS 510
 - UPS 509
 - XPS 509
 - surface atoms versus particle size 500
- nanoparticle synthesis
 - carbon nanoparticle 61
 - ionic liquid utilization 57
 - solution plasma process 60
- nanoparticles
 - characterization 501
 - definition 524
 - market forecast 525
- nanophotonics 92
- nanoporous and dense ceramic membranes
 - application fields and properties 432
 - gas separation membranes 433
 - synthesis and coating methods
 - coating liquids 436
 - porous support materials 435
 - thin films and membranes formation 436
 - thin film SOFC 434
- nanoprobes 313
- nanorepair 297
- nanorobots 335

- Nanosafe Australia 51
 - nanoscopic interfacial water layers 365
 - nanosheet film fabrication 64
 - nanosheet structural metallic materials
 - engineering 136
 - – analytical techniques 150, 154
 - – design principle 149
 - – future aspects 154
 - – issues 147
 - – macro- to nano-joining techniques 147
 - – mechanical properties 147, 148
 - – operating conditions 148
 - metal matrix nanocomposites 145
 - particle size 137
 - primary production 140, 141
 - processing routes 139
 - secondary processing 141
 - technological importance 138
 - nanosheet carbon
 - electro-catalytic systems 415
 - graphene effect 415
 - HOPG macrocrystalline and natural nano-crystalline 418
 - in-plane defects 417
 - in-situ observation 418, 419
 - Mn-oxides 415
 - nano-composite solution 417
 - romatic sp² carbon atoms 417
 - sp² hybridisation 417
 - nanosheet cement/concrete
 - compressive strength 553
 - FuturBeton C.1 public bridge 553
 - FuturZement vs. HPPC 563
 - HKP 553, *see also* high kinetic processing (HKP)
 - Portland cement 553
 - production costs 553
 - production in Germany 560
 - ready-to market 560
 - slag cements 554
 - Zentallium 561
 - Zoz company 562
 - nanosheet scaffolds 334
 - nanotechnology
 - advantage 684
 - application and exploitation 682
 - definition 37, 80, 649
 - development directions 93
 - 2D inorganic nanosheets 62
 - education and development 90
 - European Commission (EC) 648
 - exponential growth 88
 - features of 19
 - governments and funding agencies 86
 - in Asia Pacific region 40, *see also* Asia Pacific region, nanotechnology in
 - industrial prototyping 84–86
 - ionic liquids, for nanoparticle production 57
 - liquid crystalline organic semiconductors 69
 - material size and shape 81
 - medical applications 92
 - nano-architectonics 84
 - nano-structured material properties 81
 - Nano1 => Nano2 transition 83
 - nanomaterials 647, *see also* nanomaterials
 - nanoparticulate vaccine adjuvants and delivery systems 75
 - photonics 92
 - polymeric micelles 72
 - precision 80
 - R & D regions 56
 - regulations and standards 88
 - research centers 82
 - safety guidelines 650
 - society growth 89
 - solar energy 92
 - SWCNT 66
 - nanotechnology-based consumer products 525
 - nanotube 526
 - nanotopography 128, 130
 - nanotube-initiative 27
 - nanovesicles
 - amphiphiles 299
 - imaging-based drug development 300
 - liposomes 299
 - microdosing 300
 - nanoparticle-based drug delivery systems 300
 - stenosed artery models 300
 - nanowire TunnelFET 216
 - National Nanotechnology Initiatives and Programs 38, 39
 - neutron and synchrotron X-ray techniques 151, 153
 - New Zealand, nanotechnology in
 - public investment 42
 - R&D and commercialization 50
 - non-invasive imaging methods 332
 - non-polar polymers 277, 279
 - NP-based contrast agents 315
- O**
- OECD 34, *see also* Organization for Economic Cooperation and Development (OECD)

- OFET fabrication 71
- OHSi molecules 519
- on-chip microscope 219
- optical metrology
 - advantages 133
 - AFM scan 123
 - chromatic point sensor 119
 - concept 118
 - confocal microscopy 121
 - film thickness measurement 122
 - FTR reflectometer sensor 122, 123
 - interference patterns 121
 - Michelson interferometer 121
- organic light-emitting devices (OLEDs) 537
- Organization for Economic Cooperation and Development (OECD) 34
- organometallic synthesis 408
- oxidation-resistant hard coatings 397
- oxide dispersion strengthened (ODS) ferritic alloys 145
- oxide nanoparticles
 - 2D or 1D morphologies 192
 - metallic salt co-precipitation 190
 - size distribution and agglomeration 189
 - sol-gel methods 191
- p**
- particulate vaccine adjuvants 77
- Paschen breakdown 276
- pathfinding flows 209
- pathfinding PDKs 209, 212
- Pechini's method 190
- peptide nucleic acid (PNA) 344
- personalized nanomedicine 333
- 2-phenyl-7-decylbenzothienobenzothiophene (Ph-BTBT-10) thin films 71
- photocatalytic water splitting 506
- photoelectron spectroscopy 509
- photon-correlation spectroscopy (PCS) 487
- physisorption 492
- pico-technology 92
- piezo-electric based micro-machined ultrasound transducer (pMUT) 263
- piezoelectricity 271, 278
- polarization-versus-electric-field (P(E)) hysteresis 277
- poly(γ -glutamic acid)-L-phenylalanine ethylester nanoparticles 76
- poly(3,4-ethylenedioxythiophene)
 - poly(styrenesulfonate) (PEDOT:PSS) 230
- polycrystalline perovskite PZT thin film 261
- polymer foams 272
- polymer pressing 107
- polymerase chain reaction (PCR)
 - detection protocol 344
 - detection sequence 344, 345
 - double stranded DNA sequences 344
 - sense strand binding 344
- polymeric membranes 431
- polymeric micelles (PM)
 - PEG-b-poly(amino acid) copolymers 72, 73
 - status of 74
- polymerized oxadiazole (POD) films 234
- polymethyl-methacrylate (PMMA) film 233
- polytetrafluoroethylene (PTFE) film 274, 275, 279
- pore size distributions 440
- porous ceramics
 - fuel cells 200
 - ordered and hierarchical porosity 202
 - random porosity 199
 - water treatment 201
- Portland cement 553
- printed SWCNT thermoelectric device 68
- process design kit (PDK) 212
- protein- and peptide-based drugs (P/P) 326
- prototype solar panels 384
- ptychographic coherent diffractive imaging (P-CDI) 296
- pyroelectricity 271
- q**
- quality factors 246
- r**
- radial breathing modes (RBM) 482
- Raman spectroscopy
 - CNTs
 - crystalline quality 482
 - D and G band 482
 - phase purity 482
 - RBM modes 482
 - room temperature Raman spectra 484
 - tangential modes 482
 - energy loss/gain 481
 - nanoprobeing 481
 - Rayleigh scattering 481
- rapid thermal processing (RTP) 446
- Rayleigh scattering 481
- reflection high-energy electron diffraction (RHEED) 511
- regenerative medicine (RM)
 - cell therapy 331, 332
 - nano-assisted RM 329
 - nanomaterials application 328
 - tissue engineering 329, 330

- regenerative medicine (RM) (*contd.*)
 - tissue regeneration 328
- regulatory framework for the management of chemicals (REACH) 650
- resonant tunneling diodes (RTDs) 463
- 5**
- safety data sheets (SDSs) 661
- SCALDIO 220
- scandium alloyed aluminium nitride (Sc:AlN) 257
- scanning force microscopy (SFM) 510
- scanning tunneling microscopy (STM) 511
 - Al₁₃/Au(1 1 1) interface 541, 544
 - common vacuum level (CVL) approximation 538, 539
 - CuPc/Au(1 1 1) system 545
 - highest occupied molecular orbital (HOMO) level 538
 - lowest unoccupied molecular orbital (LUMO) 538
 - *z*–*V* spectroscopy 538, 540
- Science Citation Index (SCI) 49
- self-cleaning nanosheet coating 64
- semiconducting-SWCNTs
 - multicolumn system and optical absorption of 67
 - p- and n-type TFT fabrication 67, 68
 - thermoelectric device 67
- semiconductor nanoparticles
 - chemical gas sensors 521
 - Drude–Zener theory 519
 - functionalization application 520
- short range surface plasmon (SRSP) modes 353
- silane–zirconia hybrid film 390
- silicon carbide (SiC) 514
- silicon nanowires 385
- silicon nitride (Si₃N₄) 514
- silicon/CNT Schottky-diode 233
- silver sintering 466
- Simoloyer system
 - bimodal particle size distribution 554
 - cost calculation 557, 558
 - substantial pore refinement 554
- Singapore, nanotechnology in
 - infrastructure 47
 - public investment 43
 - R&D and commercialization 50
- single crystalline metals
 - Au nanopillars 585
 - body-centered-cubic (bcc) metals 586
 - Cu micro-pillars, uniaxial tension 588
 - dislocation starvation state 585
 - electroplated Cu nano-pillars 588
 - empirical power-law 585
 - face-centered-cubic (FCC) metals 585
 - focused-ion-beam (FIB) 584
 - in-situ mechanical testing systems 587
 - Nb micro-pillars, uniaxial tension 588
 - Peierls barrier 586
 - power-law dependence 585
 - single arm dislocation source 586
 - uniaxial compression tests 584, 585
- single electron tunneling (SET) 463
- single-walled carbon nanotubes (SWNTs) 66, 316
 - network 225
 - types of 66
- size effects
 - 3-dimensional hierarchical meta-materials 593
 - extrinsic length scale 584
 - in nanocrystalline metals 588
 - in nanometer-sized metallic glasses 590
 - intrinsic length scale 584
 - single crystalline metals 584, *see also* single crystalline metals
- small and medium-sized enterprises (SME)
 - automobile industry 601
 - classification 600
 - competencies 605
 - customer-supplier networks cooperation 602
 - demand for network management 609
 - economic field 600
 - European Union 600
 - GXC Coatings GmbH (GXC) 599
 - nano- and materialinnovationen Niedersachsen (NMN) 599, 608
 - operational innovation networks 608
 - operational options 599
 - packaging 604
 - paralysis by analysis 601
 - primary trait 600
 - R&D activities 601
- smartphones 20
- smectic liquid crystals 70
- smectic mesophase 70
- Smoluchowski approximation 490
- sodium-dodecyl-sulfate (SDS) 226, 227
- software-defined radio (SDR) 220
- solid oxide fuel cell (SOFC) 434
- solidly mounted resonator (SMR) 243, 247
- solution plasma process (SPP)
 - merits of 60
 - morphology and model of 60

- South Korea, nanotechnology in
 - infrastructure 45
 - public investment 41
 - R&D and commercialization 49
 - spray drying 64
 - sputtering method
 - Au/Pd alloy nanoparticle preparation 58
 - features of 57
 - gold nanoparticle preparation 57, 58
 - Pt nanoparticle adsorbed-carbon material preparation 57, 58
 - SRAM memory cell 213
 - stimuli-responsive (SR) polymers 315
 - stoichiometry 396
 - Stokes' law 489
 - super-low friction ultra-nanocrystalline diamond films 398
 - supercapacitors 465
 - superhydrophobic (SHP) surface
 - 9Cr-1Mo steel 394
 - anodization 393
 - applications 392
 - energy and roughness 392
 - lotus effect 392
 - SHP 9Cr-1Mo steel 392, 393
 - titanium 392, 393
 - with enhanced corrosion resistance 394
 - superhydrophobic polymer surface
 - applications 97
 - aspen leaves 102
 - fabrication methods 98
 - lotus effect 99
 - polymer pressing 109
 - process scalability 111
 - template design 107
 - wetting properties 99, 101
 - supramolecularly controlled oligonucleotide architectures
 - angular reflectivity and fluorescence scans 346
 - attenuated total reflection method 345
 - DNA hybridization experiments 347
 - Langmuir adsorption isotherm 349
 - limit-of-detection (LOD) 347
 - molecular interactions 345, 346
 - PCR detection 344
 - SPFS/SPR investigation 348
 - surface chemical analysis 507, *see also* nanoparticle surface chemistry
 - surface mechanical attrition treatment (SMAT) 144
 - surface mechanical grinding treatment (SMGT) 144
 - surface plasmon resonance (SPR) 345–348
 - surface plasmon-enhanced fluorescence spectroscopy (SPFS) 345, 346, 348
 - surface-enhanced Raman spectroscopy (SERS) 512
 - SWCNTs 66, *see also* single-wall carbon nanotubes (SWCNTs)
- t**
- Taiwan, nanotechnology in
 - infrastructure 45
 - public investment 41
 - R&D and commercialization 49
 - Technical Committee 352 'Nanotechnologies' of European Committee for Standardization (CEN/TC 352) 669
 - tethered bimolecular lipid membrane (t-BLM) 355
 - Texas Instruments 613
 - textured nanoceramics 197
 - Thailand, nanotechnology in
 - infrastructure 46
 - public investment 43
 - R&D and commercialization 51
 - theranostics 324, 327
 - thiol-based coupling chemistry 356
 - through-silicon-vias (TSVs) 123, 130
 - Ti_{0.5}Sn_{0.5}O₂ ceramics 193
 - TiAl intermetallics 149
 - time-of-flight secondary ion mass spectroscopy (ToF-SIMS) 510
 - tin oxide (SnO₂) nanoparticles 520, 522
 - tip-enhanced Raman spectroscopy (TERS) 512
 - titanium aluminum nitride (TiAlN) 395
 - titanium dioxide (TiO₂)
 - nanoparticles 516, 518, 519
 - nanotube powders 389
 - membranes 441
 - titanium oxide nanosheet synthesis 63
 - transfer length method (TLM) 231, 232
 - translational nanomedicine 291, *see also* nanomedicine
 - transparent electrodes 468
 - TwinPeaks 212
 - two-photon lithography (TPL) 594
- u**
- ultradense PCBs 220
 - ultrananocrystalline diamond (UNCD) films 398
 - ultraviolet photoelectron spectroscopy (UPS) 509
 - upsizing approach 438
 - USA, nanotechnology in

- USA, nanotechnology in (*contd.*)
- public investment 40

v

- Versailles Project on Advanced Materials and Standards (VAMAS) 670
- Vietnam, nanotechnology in
- infrastructure 46
- public investment 43
- R&D and commercialization 51
- void-containing polymer systems 274

w

- wet comminution
- advantages 631
- barium titanate (BaTiO_3) desagglomeration 642
- basic set-up 631
- desagglomeration, titanium dioxide (TiO_2) 640
- energy input (E_m) 633
- energy transfer and energy utilization 635
- media diameter 635
- mild dispersion 638
- operating parameters 632
- real comminution, titanium dioxide (TiO_2) 637
- stirrer tip speed 636
- stress mechanisms 633
- transformations and amorphization 634
- zinc oxide desaggregation process 643
- wireless radios 219

- Worldwide Patent Statistical database of EPO 25
- wurtzite crystal 245, 252

x

- X-ray optics
- advantages 622
- MLL concept 622
- multilayer characterization 618
- multilayer fabrication 616
- nanometer structures investigation 622
- types 623
- X-ray photoelectron spectroscopy (XPS) 509
- X-ray scattering 294, 295

y

- zeta potential 490
- zinc oxide (ZnO) piezoelectric film
- vs. AlN thin film 245
- acoustic coupling coefficient 245
- CMP 246
- deposition methods 245
- orientation 245
- vs. PZT thin film 245
- quality factors 246
- seed layer 245
- vs. aluminium nitride (AlN) 245
- zippering 387
- ZrO_2 membranes 441
- ZETA RS 4 agitator bead mill 637