

Index

a

- acetophenone 279
- N*-acetyl-D-mannosamine 387
- active site analysis
 - computer-aided active site analysis 76
 - DoGSite 77
 - DoGSiteScorer 78
 - energetic estimation, *see* Energetic estimation
 - enzyme optimization 76
 - FlexX docking algorithm 80
 - in silico approach 75
 - LeadIT software suite 80
- ADH-A immobilization
 - lysine molecule 278
 - physisorption 274
 - polyethylene imine layer 273
- adsorbents 255
- alcohol dehydrogenase-A (ADH-‘A’) 287
- alkaline protease 101
- aluminum oxide 290
- amination process 420
- amine, chiral
 - chemosynthetic and biocatalytic method 199
 - enantioselective asymmetric synthesis 200
 - enzymatic synthesis 375, 377
 - structure of 200
 - transaminase
 - – (*R*)- and (*S*)- selective transaminase 202
 - – ATAs, *see* Amine transaminase (ATA) 201
 - – biocatalytic route 201
 - – reaction mechanism and structural properties 203
 - amine dehydrogenase 419
 - amine transaminase (ATA)
 - PLP 203
 - principle 203
 - (*R*)- and (*S*)-selective
 - – annotation algorithm 205
 - – asymmetric reductive amination reaction 211
 - – asymmetric synthesis 208
 - – crystal structure 205
 - – in-depth analysis 205
 - – in silico method 205
 - – kinetic resolution 207
 - – L- and S-pocket 205
 - – massive protein engineering 205
 - – protein engineering 206
 - – screening kit 212
 - – structural determinant 205
 - sitagliptin 202
 - structurally diverse primary amine 203
 - (*R*)-2-amino-3-(7-methyl-1H-indazol-5-yl)propanoic acid 379, 381
 - (*S*)-amino-3-[3-6-(2-methylphenyl)pyridyl]-propionic acid 371, 372
 - amino transferase (AT) reaction 420
 - ammonia lyase 421
 - anticancer drug
 - breast and ovarian cancer 390
 - epothilone B 391, 392
 - fermentation process 391
 - *Aspergillus fumigatus* (PDB 4CHI) 206
 - *Aspergillus terreus* (PDB 4CE5) 206
 - atazanavir 385, 386
 - atorvastatin 384, 385, 389, 390
 - avantium 411

b

- bacterial lipase 4
- benzyl isoquinoline alkaloids (BIAs) 139
- biobased building block (newBBBB) 407
- biocatalysis conversion, BBBB 415
- biocatalytic transformation 283
- biofilm 336
- bioseparation process 290
- biotechnological process 278
- B. lentus* alkaline protease (BLAP) 105, 106
- boceprevir 367, 369, 386, 387
- (*S*)-*N*-*boc*-
 - 3-hydroxyadamantylglycine 374, 375
- bottleneck analysis 209
- bubble column reactor
 - limiting factors 347
 - mid-infrared Fourier transform infrared (FT-IR) spectroscopy 357
 - solvent-free synthesis 346
- business dynamics, drop-in vs. new biobased building block 415

c

- calcitonin gene-related peptide (CGRP)
 - receptors antagonist 379–381
- Candida antarctica* (CAL-B) 5
- capillary array electrophoresis (CAE) 53
- catechol *O*-methyltransferase (COMT) 125
- cellulolytic enzyme 44
- chemokine receptor modulator 381, 382
- chemometric model 361
- chiral alcohol 219
- o*-chloromandelic acid
 - hydroxynitrile lyase 226
 - ketoreductase 228
 - nitrilase 227
 - Plavix[®] 226
 - structure of 226
- cloned epothilone hydroxylase (EBH) gene 392
- computational tool
 - functional prediction and analysis of enzyme 73
 - protein engineering 72
- continuous stirred tank reactor (CSTR) 165
- corticotropin-releasing factor-1 (CRF-1) 392, 393
- cosmetic ester
 - biocatalytic production 343
 - bubble column reactor, *see*: bubble column reactor 346
 - conventional stirred tank reactor 348

- fatty acid conversion and water concentration 358
- high viscous α -methyl glycoside laurate 355
- high viscous polyglycerol-3 laurate 349
- industrial production 343
- low viscous myristyl myristate 351
- mono-, di-, and triglyceride composition 362
- (*S*)-3-cyano-5-methylhexanoic acid ethyl ester 369–371
- cyclase 422, 423
- (*S*)-1-cyclopropyl-2-methoxyethanamine 392, 393

d

- Darwin's principle of "survival of the fittest (plastic) 408
- desorption ionization on porous silicon (DIOS) 153
- 2,4-dideoxyhexose, chiral 389
- diethylaminoethyl-cellulose (DEAE-C) paper disc 152
- diketoreductase (DKRED) 222
- 3,5-dimethoxytoluene (DMT) 125
- 6,6-dimethyl-3-azabicyclo[3.1.0]hexane by monoamine oxidase 367, 369
- dipeptidyl peptidase 4 (DPP-4) 374
- DoGSite algorithm 77
- DoGSiteScorer and HYDE
 - biological and artificial protein complex 93
 - competitive substrate inhibition 91
 - docking-based functional protein classification 87
 - DoGSiteScorer method 87
 - DoGSiteScorer SVM-based classification approach 86
 - HYDE scoring function 86
 - low-molecular weight compound 90
 - mutation site 88, 89
 - SVM-based classification method 85
 - web-service 94, 95

e

- edible oil 265
- electrospray ionization (ESI) 153
- energetic estimation
 - HYDE scoring function 82, 83
 - HYdrogen bonding and DEhydration energy 83
- protein-protein interaction 84
- engineering protease
 - alkaline protease 101

- BLAP 105, 106
- chaotropic agent 111
- definition 101
- food industry 101
- in laundry detergent 104
- oxygen-based bleaching agent 108–111
- serine proteases and subtilisin 102, 103
- subtilisin E 112, 115, 116

EnzyMax[®] process 266
epoxide hydrolases 60

ethyl (*R*)-4-cyano-3-hydroxybutyric acid 384

ethyl 4-chloro-3-hydroxybutanoate

- halohydrin dehalogenase 232
- ketoreductase 231
- structure of 231

ethyl 2-hydroxy-4-phenylbutyrate (HPBE)

- lipase 229
- reductase 229

f

fermentation technique 323

fixed bed bioreactor

- advantages 329
- cell immobilization 330
- fixed bed cultivation 330
- macroporous carrier 329
- microbiological and mechanical stability 332

fixed bed recirculation reactor 166

flavonoid

- biotechnological process
 - – host system 187
 - – natural occurring flavonoid 187
 - – non-naturally occurring flavonoid 189
- classical extraction approaches/chemical syntheses 191
- definition 179
- metabolic pathway
 - – biosynthesis of 182
 - – degradation 183
- nutritional and health benefits 181
- in plants 179

fluidized bed reactor 166

fluorescence activated cell sorting (FACS) 53

(*R*)-3-(4-fluorophenyl)-2-hydroxy propionic acid 373, 374

formate dehydrogenase (FDH) 374

g

galactose oxidase (GOase) 59

genetic fusion 40, 41, 44

glucagon-like peptide-1 (GLP-1) 371, 372

β-glucosidases 21

glyceraldehyde phosphate (GAP) 318

glycosyltransferase 66, 68

h

halogen-substituted 1-phenylethanol

- 1-(4'-chlorophenyl)ethanol 243
- 2-chloro-1-phenylethanol 242
- 1-(4'-fluorophenyl)ethanol 240
- 1-[3',5'-bis-(trifluoromethyl)phenyl]ethanol 241

- 2,2,2-trifluoro-1-phenylethanol 240

high-performance liquid chromatography (HPLC) 53, 152

high resolution 31P-NMR spectroscopy 153

human rhinovirus (HRV) 373

hydratase 422

hydratation 418

hydrolase 420, 421

hydroxymethylfurfural (HMF) oxidation 417

hydroxynitrile lyase (HNLs) 64

3-hydroxy-3-phenylpropanenitrile (HPPN)

- ketoreductase 236
- lipase 235
- nitrilase 236
- structure of 235

3-hydroxypropionaldehyde (3-HPA) 321

i

immobilization

- alcohol dehydrogenase and *Candida antarctica* lipase B 270

- phospholipase A1 and A2 265

industrial organic chemistry 405

influenza virus sialidase (neuraminidase) 387

inorganic adsorbent

- aluminum oxide/oxide hydrate and amorphous aluminosilica 257
- dynamic adsorption system 261
- kerolite clay 254
- lipase and esterase purification 262
- precipitated silica 258
- static adsorption experiment 260
- synthetic zeolite 254

in vitro/in vivo compartmentalization

(IVC) 53

k

kerolite clay 254

ketoreductase (KRED) 54

l

lactic acid bacteria (LAB)

- in dairy industry 319
- fermentation technique 323

- lactic acid bacteria (LAB) (*contd.*)
 - growth and productivity 322
 - 3-hydroxypropionaldehyde (3-HPA) 321
 - kinetic parameter 335
 - lactic acid production 320
 - taxonomy and metabolism 317
- Lactobacillus brevis* (LbADH) 222
- Lactobacillus delbrueckii* ssp. *bulgaricus* 331
- Lactococcus lactis* ssp. *lactis* 331
- layer-by-layer-technology (LbL) 287
 - ADH and CalB 272
 - advantage 271
 - anionic charged polymer 270
 - functionalization 272
 - polyelectrolyte 271
- leukotriene (LTC4, LTD4 and LTE4)
 - antagonist 377, 378
- lipase
 - alpha/beta – hydrolase 4
 - bioorthogonal chemistry 9, 10
 - definition 3
 - ncAAs 5
 - noncanonical amino acids 6
 - novozym 435, 349
 - phenylalanine and methionine 7
 - proline 7
 - properties 3
 - thermostable lipase 4
 - 3D structure 5
 - unnatural lipase 8, 9
- lipopolysaccharide (LPS) 36
- liquid chromatography (LC) 152
- low density polyethylene (LDPE) 408
- LS9 411

- m**
- matrix-assisted laser desorption/ionization (MALDI) 153
- membrane chromatography
 - adsorber
 - enzyme purification 299
 - module 302
 - used membrane platform 298
 - void volume optimized capsule 300
 - cellulase Cel5A 301, 307
 - chemicals 302
 - lipase aGTL 301, 310
 - PGA 301, 302
- membrane reactor 166
- menthol 237
- metathesis 418
- (1*S*,2*R*)-2-(methoxycarbonyl)cyclohex-4-ene-1-carboxylic acid 381–383
- methyl *t*-butyl ether (MTBE) 369
- methyltransferases (MTs) 123
- molecular docking method 74
- montelukast 377, 378
- multiple cloning site (MCS) 43
- multivariate curve resolution (MCR) 359

- n**
- nanostructure-initiator mass spectrometry (NIMS) 153
- natural kerolite clay 279, 282
- next-generation sequencing (NGS) technology 13, 33
- nitrilases 56
- non-biobased economy 407
- noncanonical amino acid (ncAA) 5
- novozym 435, 349
- nucleophilic substitution process 124

- o**
- O*-methyltransferase (OMT)
 - in biocatalytic synthesis
 - BIAAs 139
 - classical synthesis 138
 - heterologous host 132
 - in vitro reduction step 138
 - limitation 132
 - methylated natural product 133
 - microbial whole-cell system 138
 - ortho-methoxyphenol motifs 138
 - phenylpropanoid pathway 132, 137
 - reticuline 138
 - shikimate pathway 138
 - two-module system 138
 - whole-cell biotransformation 132
 - classification and mechanistic aspects
 - biological interaction 125
 - COMTs 125
 - nucleophilic substitution process 124
 - occurrence 125
 - OMT-catalyzed single methyl group transfer 124
 - SABATH enzyme 126
 - SAM/AdoMet 124
 - type I 126
 - type II 126
 - cofactor dependence and regeneration 126
 - CYP450 enzyme 140
 - disadvantages 139
 - enzymatic reaction 123
 - isovanilloid motif 140
 - methyl australate 141
 - natural products 129

- vanilloid (4-hydroxy-3-methoxyphenyl) motif 140
- oxidoreductase 281
- transformation 416
- ozonolysis 418
- P**
- penicillin G amidase (PGA) 301, 302
- pharmaceutical intermediates, biocatalysis
 - chemical synthesis 367
 - microbial cell enzymes 367
- phenylalanine dehydrogenase 374
- phenylethanol 279
- phospholipase A
 - silicate carriers 269, 270
 - structure 266
 - *Thermomyces lanuginosus* 268
- phospholipase B
 - pig pancreas 268
 - structure 266
- phosphorylation, biocatalytic
 - analytical method development
 - separation methodology 152
 - spectroscopic method 153
 - analytical and synthetic tool 147
 - bioprocess optimization
 - continuous reactor configuration 167
 - CSTR 165, 166
 - fixed bed recirculation reactor 166
 - fluidized bed reactor 166
 - homogeneous and heterogeneous biocatalyst 167
 - immobilized acid phosphatase 167
 - immobilized phosphotransferase 167
 - input parameter 166
 - membrane reactor 166
 - PFR 165, 166
 - reactor performance 167
 - slurry reactor 166
 - STR 165
 - BRENDA database 148
 - emerging phosphorylation reaction 158
 - enzyme diversity 148
 - metabolic enzyme
 - functions/pharmaceuticals 147
 - non-selective phosphorylation 147
 - phosphate donor 156
 - phosphoryl group transfer reaction 148
 - process improvement 148
 - reaction kinetics 164
 - reaction system optimization
 - acid and alkaline phosphatase 161
 - ATP regeneration reaction system 163
 - chemical and physical factors 161, 163
 - efficient and scalable process 161
 - immobilization methodology 162
 - kinetic properties and thermodynamic characteristics 161
 - mathematical optimization tool 163
 - optimum pH condition 162
 - oxygen sensitive phosphotransferase 162
 - properties 160
 - pyrophosphate concentration level 162
 - schematic representation 163
 - temperature 161
 - site-selective phosphorylation 148
 - stability 154
 - synthetic aspects
 - C-phosphorylation 151
 - N-phosphorylation 151
 - O-phosphorylation 149
 - S-phosphorylation 152
- plastics, applications
 - bisphenol A 414
 - in new value chain 414, 415
 - in organic monomer 414
- Plavix[®] 226
- plug flow reactor (PFR) 165
- polyhydroxyalkanoate (PHA) synthase 18
- polymeric materials, biobased building block
 - biocatalytic conversion, amino acid waste 423
 - biodegradable/biocompostable material 410
 - bioeconomy 406, 407
 - biomedical material 410
 - biopolymer 410
 - chirality-based functionality 413
 - ecological impact 408, 409
 - energy-intensive purification strategy 413
 - furandicarboxylic acid 412
 - 3-hydroxypropionic acid 412
 - industrial process 406
 - isosorbide to isoidide 424
 - lactic acid 412
 - logistics and production 409
 - market adoption 410
 - natural ecosystem 405
 - organic chemistry 405
 - plastics 408, 410
 - polymer pyramid 415, 416
 - regioselective dehydrogenation, dihydroxylase 419
 - regioselective P450 catalyzed six-electron methyl oxidation 423

- polymeric materials, biobased building block
 - (*contd.*)
 - renewable resources 410
 - succinic acid 412
 - vs. fossil building blocks 412
- pregabalin 369–371
- prostagliptin ketone 376
- protein engineering technology 72, 376
- pyrogenic endotoxin 36

- q**
- quantitative PCR (qPCR) 14
- 3-quinuclidinol
 - ketoreductase 233
 - protease 232
 - structure 233

- r**
- redox biocatalysis 417
- regioselective poly-ol oxidation 419
- Relenza™ (zanamivir) 387, 388
- rhinovirus protease inhibitor 373, 374
- Rhizopus* 321
- ribavirin 383, 384
- robust biocatalyst
 - *Bacillus* sp. 37
 - cellulolytic enzymes 44
 - cultivation-based screening 31
 - end-to-end gene fusion 43
 - enzyme optimization 39
 - expression system 38
 - extremophilic microorganism 32
 - genetic fusion 40, 41, 44
 - industrial enzyme 31
 - metagenomic strategy 33
 - nature's invention 40
 - production of extremozymes 36
 - secretion system 37
 - starch-degrading enzymes 37
 - substrate channeling 43
 - thermoactive cellulase 33
 - thermoanaerobacterium sp. 45
 - *Thermomonospora fusca* 45
- rosuvastatin 389, 390

- s**
- S-adenosyl-l-methionine (SAM or AdoMet) 124
- Sartobind®STIC PA membrane 306
- saxagliptin 374, 375
- screening
 - alcohol oxidase 59
 - epoxide hydrolase 60
 - glycoside hydrolase 66
 - glycosyltransferase 66, 68
 - HNLS 64
 - KREDS 54
 - lipases and esterase 60
 - nitrilase 56
 - oxygenase 58
 - threonine aldolase 64, 65
 - transaminase 63
- screening technology
 - culture-independent approach 16
 - DUF849 protein 26
 - *E. coli* 14
 - general scheme 14
 - metagenomic gene 25
 - metagenomic library 26
 - sequence- vs. function-based metagenomic approach
 - activity-based screening 16
 - alcohol/aldehyde dehydrogenase [NADP(+)] 17
 - alpha-amylase 23
 - amidase 24
 - chitinase 23
 - fumarase gene 16
 - functional metagenomics 16
 - beta-glucosidase 21
 - glycoside hydrolase 21
 - glycosyltransferase 19
 - laccase 18
 - lactonase 21
 - lipases and esterase 19, 20
 - metagenome 15
 - monooxygenase 18
 - nitrilases 24
 - oxidoreductase 17
 - PHA synthase 18
 - phenotypic complementation 16
 - screening 16
 - serine protease 24
 - TBT 20
 - transferases 18
 - xylanase 22
- SIGEX 27
- transcriptome 25
- 2D-PAGE gel 25
- UniProtKB/TrEMBL protein database 26
- sequence saturation mutagenesis (SeSaM) 107, 112
- serine protease 102, 103
- Sipernat®22 carrier 267
- sitagliptin 375, 377
- slurry reactor 166
- statin side chain

- aldolase 223
- DKRED 222
- HMG-CoA reductase inhibitor 220
- hydroxyketoester 222
- LbADH 222
- lipase 224
- nitrilase 223
- two-step enzymatic process 221

stirred tank reactor (STR) 165

substrate-induced gene expression screening (SIGEX) 27

subtilisin E 112, 115, 116

support-vector machine (SVM) model 79

synthetic plastics 405

synthetic zeolite 254

t

telaprevir 386, 387

thermoactive glycoside hydrolase 33

thin-layer chromatography (TLC) 152

transaminase 63, 420

transferase 421, 422

T. thermohydrosulfuricus (TTL) 6

two-dimensional polyacrylamide gel electrophoresis (2D-PAGE) 25

u

ultrasphere ODS LC column 153

v

Vinçotte 410

void volume 299

z

zeolite 281, 282, 290

