

Index

a

- affinity chromatography (AC), 265
- Agilent ChemStation, 273
- Agilent OpenLAB CDS, 274
- alkaline RP method, 125
- American Society for Testing and Materials (ASTM), 282
- atmospheric pressure laser ionization (APLI), 3, 7–9
- atmospheric pressure photo ionization (APPI), 3, 7, 9
- atmospheric-pressure solids-analysis (ASAP), 1, 2
- audit room inspection, 335, 338–339
- protein loading capacity, 248
- SEC curve, 263
- SEC parameters
 - flow rates, 264
 - loading and injection volume, 264
 - particle size, 263
 - pore size distribution, 263
 - pore volume, 264
 - temperature, 264
- separation, 245
- size-exclusion chromatography, 261
- stationary phases, 258
 - base material, 246
 - functional groups, 252
 - gradient parameters, 253
 - loading density, 250
 - particle form, 247
 - particle size, 247
 - pore size and surface, 249
 - purity, 251
 - retention, 252
 - RP chromatography, 252

b

- biochromatography
 - AC, 265
 - biomolecule, 243
 - bonding chemistry, 257
 - chromatographic techniques, 245
 - HIC, 264, 265
 - HILIC, 265
 - HPLC systems, 243
 - IEC parameters
 - buffer concentration, 259
 - flow rate, 260
 - ionic strength, 259
 - organic modifier, 259
 - pH value, 259
 - pore size, 260
 - SEC, 261
 - temperature, 259
 - ion pair reagent, 255
 - ion-exchange chromatography, 258
 - organic modifier, 254
 - paracelsin separation, 251
 - pH value, 256

c

- charged aerosol detector (CAD), 31, 34, 131
- chemical noise, 41
- Chromeleon™, 122
- Code of Federal Regulations (CFR), 323
- Contract Manufacturing Organization (CMO), 323
- Contract Research Organization (CRO), 323
- control selectivity
 - chaotropic additives, 85
 - complex situation, 79
 - complexing additives, 85
 - DoE strategies, 79
 - EDTA, 85
 - mobile phase additives, 83, 84

control selectivity (*contd.*)

- mobile phase pH and column temperature, 81
- peak resolution, 80
- pH and temperature changes, 83
- thermodynamics, 82

e

electrochemical detectors (ECD), 34, 131
 electronic lab notebook (ELN), 320
 Engelhardt test, 213
 ethylenediaminetetraacetic acid (EDTA), 85
 evaporative light scattering detector (ELSD), 131

f

file-based CDS, 268, 269
 fluorescence detectors (FLD), 131
 Food and Drug Administration (FDA)
 inspection
 – audit room, 335
 – back office, 336
 – behavior, 336
 – closeout meeting, 340
 – company presentation, 334
 – Compliance Program Guidance Manuals, 323
 – form observations, 340
 – front office, 339
 – inspection model preparation
 – documents and records, 332
 – equipment, facilities, and systems, 326
 – laboratory controls, 328, 329
 – materials, reagents, solutions and reference standards, 325
 – personnel, 329, 330
 – quality management, 330–332
 – laboratory-walkthrough, 338
 – opening meeting, 333
 – posting processing, 341
 – serious observation, 339
 – technical equipment, 336
 – typical course, 333–335
 Fourier transform ion cyclotron resonance (FTICR), 14

g

Gauss separation method, 294
 good laboratory practice (GLP), 309, 314
 good manufacturing practice (GMP), 309, 314
 gradient separations
 – aphorisms, 173
 – curvilinear model

- commercial optimization programs, 195
- $\ln(k)$, 189, 190
- optimization parameters, 195
- optimization programs, 195
- prediction of k_g and k_e , 197, 199
- temperature dependence, 195
- definition and formulas, 153, 154
- detection limit, 156, 157
- features, 152
- gradient duration, 167, 168, 174
- gradient elution, 164
- gradient volume, 155
- instruments, 164
- isocratic separations, 156
- linear model
 – constant slope, 189
- dwell time, 185
- gradient fraction, 187
- gradient time, 182
- isocratic fraction, 187
- mobile volume, 178
- retention time, 178
- separation factor, 184
- myths, 162, 163
- packing material, 164
- peak capacity, 158
- plate number, 165
- rapid separations, 162
- regular components, 164
- retention term, 160, 161
- samples, 165
- selectivity term, 159
- substances, 164
- theoretical plates, 159

h

high-performance liquid chromatography (HPLC), 151
 hydrophilic interaction chromatography (HILIC), 264
 hydrophobic interaction chromatography (HIC), 264

i

intrinsic gradient slope, 183
 ion chromatography, 56
 ion evaporation mechanism (IEM), 5
 ion mobility spectrometry (IMS), 11
 ion-exchange chromatography (IEC), 257

k

kinetic optimization
 – B -term, 72
 – column dimension, 74, 75

- C-term, 73
- eddy dispersion, 71
- internal diameter, 70
- plate height, 69, 70
- stationary phase particle diameter, 73

I

LC/MS coupling

- ASAP, 1
- ionization methods
 - APCI, 6
 - APLI, 7
 - APPI, 7
 - ESI, 4, 5, 9
 - ion suppression, 8
- LC/MS hyphenation, *see* LC/MS hyphenation
- mass analyzer
 - IMS, 11
 - nontarget analysis, 12

LC/MS hyphenation

- API techniques, 3
- applications, 13
- bleeding, 47
- delayed injection, 21
- droplet size, 5
- dry gas temperature, 43
- ECV
 - connection tubing, 26
 - Hagen – Poiseuille's law, 25
 - PEEK tube, 28
 - UV detector, 26
- flow rate, 35
- FTICR instruments, 16
- gas phase adducts, 44
- in source collision-induced dissociation, 46
- instrumental reasons, 49
- ion suppression, 9
- ion traps, 16
- LIT, 13
- LIT-Orbitrap, 13
- ion trap-Orbitrap, 13
- LC/MS chromatogram, 29
- metal ions, 48
- mobile phase, 37
- modern mass spectrometers, 30
 - detection principles, 34
 - ECD, 34
 - LC-NMR hyphenation, 32
 - universal and uniform detection, 31
- MRM, 14
- nozzle-skimmer dissociation, 46
- orbitrap devices, 16

- plasticizers, 47
- polyethers, 48
- polysiloxanes, 48
- principle of ion formation, 35
- QIT, 13
- Qq-TOF, 13
- QTOF, 13
- quality
 - baseline stability, 42
 - chemical noise, 41
 - electrospray voltage, 42
 - gradient grade purity, 41
 - ion suppression, 43
 - screening for unknowns, 15
- SIM, 13
- SRM, 14
- TOF devices, 15
- transitions, 56
- triple quadrupole instrument, 55
- UHPLC and mass spectrometry
 - flow-through-needle principle, 20
 - GDV, 18
 - longitudinal/axial mixing, 19
 - radial mixing, 19
 - sample injection, 20
 - split-loop principle, 20
 - system tubing, 20
- life cycle model, 315
- limit of detection (LOD), 62, 131
- limit of quantification (LOQ), 63, 131
- linear ion trap (LIT), 13
- Linear Solvent Strength model, 179
- linear-trap quadrupole (LTQ) Orbitrap mass spectrometer, 10
- lot method, 286, 294, 297

m

- metal ions, 48
- meta-data model, 310, 311
- Millennium²⁰¹⁰ software, 268
- mixed-mode columns, 231
- modern chromatographic data systems (CDS)
 - Agilent ChemStation, 273
 - Agilent OpenLAB CDS, 274
 - Chromeleon, 274–277
 - column administration, 280
 - concurrent user model, 278
 - connection of balances, 281
 - database-supported systems, 269, 270
 - documentation and compliance, 272, 273
 - Empower, 274–277
 - EZchrom software, 274
 - file-based CDS, 268, 269
 - forerunners, 267

modern chromatographic data systems (CDS)
(*contd.*)

- instrument control, 271, 272
 - instrument integration, 282
 - instrument usage, 280
 - Millennium²⁰¹⁰ software, 268
 - MS integration, 278
 - named user model, 278
 - network environment, 270
 - open interfaces, 282
 - peak integration, 279
 - RFID technique, 283
 - suppliers offer extensions, 279
 - ThermoSCIENTIFIC, 273
- modern HPLC columns
- classical reversed-phase chromatography, 237
 - column assortments, 235, 236
 - Engelhardt test, 213
 - ion-pair chromatography, 238
 - liquid chromatography, 203
 - mechanical stability, 203
 - Neue test, 214
 - POPLC scheme, 232
 - reversed phases
 - acetone/nitrile/phosphate buffer, 217
 - analyte pairs, 222
 - C18/C8 column, 226
 - characterization and classification, 212
 - column database, 239
 - column screening, 234
 - comparison criterion, 216
 - comparison of columns, 220
 - HILIC, 232
 - hydrophobic selectivity, 210
 - hydrophobicity, 209
 - ion-exchange columns, 232
 - longer alkyl chains, 211
 - metal content, 212
 - mixed-mode columns, 231
 - mobile and stationary phases, 224
 - Nucleosil CN, 227
 - polar endcapping, 229
 - polar selectivity, 211
 - porous carbon, 233
 - preliminary remark, 216
 - selectivity plots, 221
 - separation factors, 222
 - shape selectivity, 211
 - silanophilic activity, 210
 - test, 224
 - Zorbax ODS, 239
 - RP-phases, 223

- silica gel, 204
- stability and restrictions, 208
- stationary phases, 205
- multiple reaction monitoring (MRM), 14

n

- network environment, 270
- Neue test, 214

o

- Office of Regulatory Affairs (ORA), 323
- optimization strategies
 - cost of analysis, 63
 - eluting conditions, 136
 - gradient methods, 136
 - gradient separation, 110, 115
 - LC fundamentals
 - kinetic approach, *see* kinetic optimization
 - peak resolution, 64
 - limits of detection and quantification, 62–63, 131
 - absolute detection limit, 132
 - concentration detection limit, 134
 - mobile phase composition vs. temperature, 98
 - particle size and/or column length, 116
 - peak resolution, 62
 - role of temperature
 - retention and selectivity control, 86
 - separation acceleration, 90
 - RP chromatography, 137, 144
 - selectivity optimization
 - control selectivity, *see* control selectivity
 - practical method optimization, 77–78
 - speed of analysis, 61
 - stationary phases, *see* stationary phases
 - van Deemter curves, 95, 100, 105
 - Venn diagram, 126
- overlapping peaks
 - chromatograms, 295, 298
 - chromatogram simulation, 289, 290, 293
 - deconvolution, 290–292, 294, 297, 298
 - deviation, 293
 - Gauss separation method, 294
 - lot method, 286, 294
 - separation methods
 - application, 288–289
 - evaluation, 292–294
 - soldering methods, 298
 - tangential separation, 288
 - valley-to-valley separation, 288
 - vertical separation method, 286
 - vertical skim and deconvolution, 291

p

polyaromatic hydrocarbon (PAH) analysis,
3, 8, 9

porous carbon, 233–234

preapproval inspection (PAI), 324

q

quadrupole ion trap (QIT), 13, 51

r

resonance-enhanced multiphoton ionization
(REMPI), 7–8

s

salt gradient-based SCX separation, 122

selected reaction monitoring (SRM), 14

single-ion monitoring (SIM), 10, 13

size-exclusion chromatography (SEC), 261

smart documentation strategies

– communication point of view, 307

– comprehensive overview, 303

– DMS, 320

– GLP vs. GMP regulation, 314

– hybrid system, 301

– implementation strategies, 319

– information point of view, 309

– knowledge storage point of view, 310

– levels of documents, 304

– life cycle model, 315

– LIMS, 319

– meta-data model, 311

– paper vs. electronic documents, 317

– PDF/A-1 files, 320

– practical tips, 305

– regulatory requirements, 314

– required definitions, 316

– SIPOC model, 305–307

stationary phases

– high-resolution 1D-LC

– – boosting peak capacity, 127

– – peak capacity, 120–121

– monoliths and solid core vs. fully porous
phase materials, 113

– particle diameter and column length

– – advantages, 112

– – chromatogram, 111

– – column pressure, 107

– – disadvantages, 112

– – gradient method, 112

– – modern UHPLC-type columns, 108

– – optimal linear velocity, 105

– – van Deemter curves, 104, 105, 107

– 2D-LC approach, *see* 2D-LC approach

strong cation exchange (SCX), 90, 122, 123,
126

supplier-input-process-output-customer
(SIPOC) model, 305–307

t

tetrabutylammonium hydrogen sulfate
(TBAHSO₄), 231

tetrahydrofuran (THF), 85

ThermoSCIENTIFIC (Dionex), 271

time-of-flight (TOF) mass spectrometer, 10

trifluoroacetic acid (TFA), 84

2D-LC approach

– alkaline RP method, 125

– chromatogram, 125

– Chromeleon™, 122

– online and offline variant, 121

– reduce number of fractions, 124

– retention maps, 125

– SCX separation, 122

– Venn diagram, 126

u

ultra-high-performance liquid

chromatography (UHPLC), 10, 164

UNIFI Waters system, 274, 278, 279, 282

v

vertical separation method, 286, 290

w

Wilke – Chang equation, 93

z

zwitterionic stationary phase hydrophilic
interaction chromatography (ZIC-HILIC),
233

