

Index

Page numbers in *italics* refer to illustrations

a

acetone

- nitrobenzaldehyde reaction 361
- transformation to imines 352–355

acetonitrile hydrolysis 229, 230

acetophenone hydrogenation 68–69

acetylene hydroamination 192

acid–base bifunctional group spacing
352–356

acyl-transfer reactions 299

alcohol dehydrogenase 330–331, 345

alcohols

- amination 190–191
- dehydrogenation 89–93
- formation 334
- kinetic resolution 334–337
- oxidation 101, 102

aldehydes

- addition to nitroolefins 298
- alkenylation 127–131, 132
- alkylation 39–40, 114–121, 126
- allylation 41–43, 115–125
 - – Michael/ α -allylation cascade 119, 120
 - – palladium(0)-Brønsted acid cooperative catalysis 175–177
 - – via Tsuji–Trost palladium π -allyl complexes 115–121
- arylation 131, 132
- benzylation 123–125
- carbocyclization 127–130
- cyanation 43–47
 - – cyanoformylation 45–46
 - – cyanophosphorylation 45–46
 - – silylcyanation 43
- cycloadditions 51–52
- enolization 22–23
- glycolate aldol reactions 48
- hydrogenation 68

- propargylation 125–127, 128

- trifluoromethylation 131–133

aldol reactions

- ammonium betaine catalysis 211–212
 - ammonium bifluoride catalysis 214
 - enamine-Lewis acid catalysis 133–136
 - – bifunctional amine-boronic acid catalysts 133, 134
 - – bifunctional amine-metal Lewis acid catalysts 133–134
 - – cooperative arylamine-metal Lewis acid catalysis 135–136
 - – enamine addition to activated ynals 134–135
 - Lewis acid–Brønsted base catalysis 7–8, 17–19
 - – ethyl diazoacetate 18
 - – isocynoacetate 21
 - – thioamides 22, 24
 - Lewis acid–Lewis base catalysis 47–48
 - – Mukaiyama aldol reaction 47
 - one-pot process 345
 - solid surface catalysis 361–362
- alkene hydrosilylation 96
- alkenylation, aldehydes 127–131
- alkylation 114–133
- aldehydes 39–40, 114–121
 - ketones 39–40, 114–133
 - phenylindanone 201, 202
 - *see also* allylation; enamine-Lewis acid catalysis
- alkynes
- activation 249–251
 - hydrogenation 288, 289
 - hydrophenoxylation 240, 242
- allenes, gold-catalyzed hydroalkoxylation 217–219
- allenyne cycloisomerization 238–239

- allylation 41–43
 - aldehydes 41–43, 115–125
 - – Michael/ α -allylation cascade 119, 120
 - – via Tsuji–Trost palladium π -allyl complexes 115–121
 - chiral PTC/palladium catalysis 199, 200
 - ketones 41–43
 - – β -diketones 246–247
 - – via Tsuji–Trost palladium π -allyl complexes 116, 121–122
 - palladium-catalyzed 219
 - – palladium(0)–Brønsted acid 175–179
 - allylsilanes 41
 - activation 42
 - α -aminosuccinimide production 238
 - α -cyanoacetate addition to vinylketones 235–236
 - alumina surfaces 366–369
 - *see also* solid surface catalysis
 - aluminium-based catalysts
 - Al–Li–bis(1,1'-binaphthoxide) (ALB) 8
 - Al(Cl)–salen complexes 11
 - Al(III) salphen complexes 402
 - amides
 - N–H insertion reactions 184
 - Ru–amide complexes 69
 - amination reactions 102–103, 104
 - acetylene hydroamination 192
 - alcohols 190–191
 - amines
 - amine–chiral phosphoric acid combination 216, 217
 - amine–thiourea catalysts 151–152, 207, 208, 209, 382
 - amine–Ru complexes 70–71
 - kinetic resolution 221, 337–338
 - amino acid ligand platform 17–20
 - 2-aminooxazoline synthesis 251–252
 - ammonia borane dehydrogenation 76
 - ammonia synthesis 76–77
 - ammonium salt-based catalysts 205
 - alternative H-bonding donors 207–210
 - ammonium betaine catalysts 211–212
 - ammonium fluorides 213–214
 - – bifluorides 214
 - ammonium phenoxides 214–215
 - bifunctional ammonium salt/Lewis acid catalyst 210
 - Amprenavir 214
 - annulation of homoenolates 56, 57
 - arene imidation 252–253
 - artificial enzymes
 - design 305
 - esterase mimic 308, 309
 - artificial metalloprotein 340–341
 - artificial oligopeptide catalysis 295
 - nanosystems 312–320
 - – dendrimer-based catalysts 312–315
 - – nanoparticle-based catalysts 315–320
 - short peptides 295–307
 - – structures sequences 299–307
 - – unstructured sequences 295–299
 - supramolecular systems 307–312
 - – molecular aggregates 309–312
 - – unimolecular receptors/catalysts 307–309
 - arundic acid synthesis 119
 - aryl chlorides, Negishi cross-coupling 242, 243
 - aryl amines 113, 135, 137
 - arylamine–metal Lewis acid catalysis 135–136
 - arylation, aldehydes 131, 132
 - aryldiazoacetate reaction 182
 - asymmetric counteranion-directed catalysis (ACDC) 117, 216, 218
 - asymmetric Michael addition reactions 138–139
 - ATANP artificial amino acid 303, 308
 - Au catalysts *see* gold catalysts
 - aza-Claisen rearrangement 235, 247–249
 - aza-nitroaldol (aza-Henry) reaction 16–17, 20, 208–209, 212
 - azabenzonorbornadiene derivative
 - ring-opening reaction 234
 - aziridination, olefins 103, 104
 - aziridinium ring-opening reaction 219
- b**
- Beller's catalyst 78
 - benzofuran derivative synthesis 339–340
 - benzo[h]quinoline chlorination 231, 232
 - benzonitrile hydrogenation 74
 - benzyl alcohol
 - dehydrogenation 91
 - oxidation 89
 - benzylation, aldehydes 123–125
 - β -diketones, allylic alkylation 246–247
 - β -lactam synthesis 52–53, 54
 - β -lactone synthesis 53–54
 - β -sultam synthesis 56
 - β -sultone formation 55
 - betaines 211–212
 - biaryl substrate resolution 296–297
 - biaryl-substituted secondary alcohol synthesis 343–344
 - bifunctional catalysis 112
 - bimetallic catalysts 227–228

- heterobimetallic catalysts 3–8, 20, 228, 246–258
- – copper plus another metal 257–258
- – nickel plus another metal 255–257
- – palladium plus another metal 246–255
- – silver plus another metal 257–258
- homobimetallic catalysts 228–246
- – two gold centers 238–240
- – two iridium centers 243
- – two nickel centers 242, 243
- – two palladium centers 228–238
- – two rhodium centers 243–246
- – two zinc centers 392–404
- 1,1'-binaphthol ligand platform 3–10
- BINAP–Ru(II) complex 68
- BINOL-based cooperative catalysts 8–10, 219
- biomass depolymerization 365–370
- biphenyldiols 5
- bis-sulfonamides 384–385
- 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl (BINAP) complex 41
- bis(imino)pyridine ligands 96
- borane-derived frustrated Lewis pairs *see* frustrated Lewis pairs (FLP)
- boronic acids 131
- bifunctional amine-boronic acid catalysts 133, 134
- “borrowing hydrogen” methodology 190–191
- borylation 83
- Brønsted acids 171, 172
- *see also* transition metal-chiral Brønsted acid cooperative catalysis
- Brønsted bases *see* Lewis acid–Brønsted base cooperative catalysis
- butenolide isomerization 163
- (Z)-2-butenyltrimethoxysilane 41
- C**
- C–H amination 102–103, 104
- calixarene amines 360
- ϵ -caprolactone (CL) polymerization 379, 390
- carbene catalysts 56–58, 377
- carbocyclization, aldehydes 127–130
- carbohydrate oxidation 332, 333
- carbon dioxide (CO₂)
- activation 93, 94
- electrochemical reduction 229, 231
- hydrogenation 75
- polymerization 60–61
- – epoxide/CO₂ copolymerization 390–413
- carbon–carbon bond formations 343, 345
- enantioselective 2
- carboxylate ester cleavage 315
- (S)-carvone hydrogenation 282, 284
- cascade annulation reaction 129–130
- CBS reduction 38–39
- cellulose depolymerization 365
- chalcone epoxidations 302
- chiral amine catalysts 113, 114
- chiral ion-pairing catalysts 197–198
- chiral anion-based catalysis 216–221
- – achiral organocatalyst/chiral anion combination 216–217
- – chiral anion/achiral metal catalysis combination 217–219
- – H-bonding catalysts 220–221
- chiral cation-based catalysis 198–216
- – bifunctional 200–212
- – chiral cation-based catalyst/transition-metal catalyst combination 199–200
- – with catalytically relevant achiral counteranion 212–216
- chiral ligands 113, 114
- bifunctional ligands 113, 115
- chlorohydrin synthesis 233–234
- chromium(III)–salen complex 409
- chromium(III)–salphen complexes 402–403
- chromium(N₃)–salen complex 11
- cinchona alkaloids 51–53, 145–148
- as chiral organocatalysts 145–148, 149
- *see also* modified cinchona alkaloid catalysts
- cinnamaldehyde dimerization 57–58
- class II aldolase activation 2–3
- CO₂ *see* carbon dioxide (CO₂)
- cobalt catalysts
- Co(III)–nitrene radical complexes 103, 104
- Co(II)–porphyrin complex 103
- cobalt–salen complexes 11–14
- dimeric 14
- epoxide/CO₂ copolymerization 402, 410–413
- kinetic resolution of epoxides 363–365
- – density effect 363–364
- – silica-tethered complexes 364–365
- monomeric 12–14
- multimetallic 14
- computational design 305
- Conia-ene reaction 20, 258
- cooperating ligands 67

- cooperating ligands (*contd.*)
 - chemically active ligands assisting metal-based catalysts 67–95
 - – with a pendant acid site 94–95
 - – with a pendant basic site 67–88, 95
 - – with a remote pendant basic site and reorganization 89–94
 - redox active ligands assisting metal-based catalysts 96–103
 - – as electron reservoirs 96–100
 - – direct substrate activation 101–103
 - cooperative catalyst concept 1, 35, 172, 373
 - copper catalysts
 - copper complex–Brønsted acid cooperative catalysis 188–189
 - Cu(II)–thiophenol complex 101
 - heterobimetallic catalysts 257–258
 - cyanation 43–47
 - cycanoacylation 46–47
 - cyanoformylation 45–46
 - cyanophosphorylation 45–46
 - cyanosilylation 44, 45
 - cyclization reactions 51–60
 - [2+2] cycloadditions 51–56, 96–97
 - [3+2] cycloadditions 56–58
 - [4+2] cycloadditions 58–60
 - cyclodextrin–peptide hybrids (CD peptides) 308
 - cyclohexene oxide (CHO) polymerization 61
 - CHO/CO₂ copolymerization 393–399, 406, 408–409
 - cyclopentane synthesis 129–130

 - d**
 - D-galactose oxidation 101
 - dehydrogenation
 - alcohols 89–93
 - ammonia borane 76
 - methanol 77–80
 - δ-lactone production 59–60
 - dendrimer-based catalysts 312–315
 - diazadiene ligands 79–80
 - diazoacetophenone reaction 182
 - dibenzyl malonate addition to cyclic enones 15
 - dicationic iridium(III) complex 89
 - Diels–Alder reactions 58–59, 136–138, 156–157
 - asymmetric aza-Diels–Alder reaction (ADAR) 136–137, 138
 - inverse-electron demand oxa-Diels–Alder (IED-HDA) reactions 136, 137
 - oxa-Diels–Alder reaction through dienamine–metal Lewis acid catalysis 138, 139
 - dienes, cycloaddition 96
 - dienolate intermediate 60
 - dihydropyran derivatives 136
 - 3,4-dihydropyranone derivative synthesis 214–215
 - dimethylaminoisoborneol (DAIB) 40
 - dimethylaminopyridine (DMAP) catalyst 374, 384
 - 2,4-dinitrophenyl acetate (DNPA) hydrolysis 310
 - direct alcohol fuel cells (DAFCs) 72
 - direct aldol reaction *see* aldol reactions
 - direct methanol fuel cell (DMFC) 77
 - DNA cleavage 302, 303

 - e**
 - electrophile activation 35–36, 37
 - enamine catalysis 111, 112
 - enamine hydrogenation 276–277, 278
 - enamine–Lewis acid catalysis 112
 - alkylation of carbonyl compounds 112–133
 - – alkenylation of aldehydes 127–131, 132
 - – allylation of aldehydes 115–125, 126
 - – allylation of ketones 116, 121–122
 - – arylation of aldehydes 131, 132
 - – enamine–iridium catalysis 122, 123
 - – propargylation of aldehydes 125–127, 128
 - – trifluoromethylation of aldehydes 131–133
 - asymmetric direct aldol reactions 133–136
 - – bifunctional amine–boronic acid catalysts 133, 134
 - – bifunctional amine–metal Lewis acid catalysts 133–134
 - – cooperative arylamine–metal Lewis acid catalysis 135–136
 - – enamine addition to activated ynals 134–135
 - asymmetric hetero-Diels–Alder reactions 136–138
 - asymmetric Michael addition reactions 138–139
 - challenges 112–113
 - classification of catalytic systems 112
- enantioselective carbon–carbon bonding 2
- enones
 - asymmetric hetero-Diels–Alder reactions 136–137

- cyanide addition 255
 - epoxidation 205
 - hydrogenation 282
 - hydrosilylation/hydrogenation 278, 279
 - organozinc reagent additions 257–258
 - enzyme catalysis 326
 - enzyme-compatible metals 326, 327
 - metal-catalyzed *in situ* preparation of enzyme cofactor 328–332
 - protoenzyme design 305
 - *see also* artificial enzymes; one-pot processes; *specific enzymes*
 - ephedrinium-based catalysts 204
 - (–)-*epi*-cytoazone synthesis 181
 - epoxidation
 - chalcones 302
 - enones 205
 - farnesol 296, 297
 - olefins 296
 - one-pot process 339–340
 - quinones 204
 - vitamin K3 203
 - epoxides
 - carbon disulfide reaction 50–51
 - CO₂ copolymerization 390–392
 - – salen-type complex-based catalysis 402–413
 - – zinc-based cooperative catalysis 390–402
 - CO₂ reaction 50, 51
 - kinetic resolution 11–12, 14, 210–211
 - – solid surfaces versus soluble molecular platforms 362–365
 - polymerization 60–61
 - – asymmetric 14
 - ring-opening reactions 11, 50–51, 402
 - – *meso*-epoxides 15
 - esterase mimic 308, 309
 - Et₂Zn/(*S*, *S*)-O-linked-BINOL cooperative catalyst 10
 - ethanol oxidation 72, 73
 - ethylene polymerization 96
- f**
- farnesol epoxidation 296, 297
 - FeFe hydrogenases 83, 84, 85
 - ferrocendyl bisimidazoline pallada/platinacycle (FBIPP) catalyst 248–249
 - ferrocene bisimidazoline bispalladacycle (FBIP) catalyst 235, 237–238, 248–249
 - formaldehyde 77–78, 80
 - hydrogenation 90

- formamides
 - kinetic resolution 301
 - transformation 255–257
- formic acid 77–78, 80
- free-OH-containing catalysts 201–207
- Friedel–Crafts reaction 155–156, 287
- frustrated Lewis pairs (FLP) 263–264
 - enamine hydrogenation 276–277, 278
 - enone hydrogenation 282
 - H₂ activation 263–264
 - – choice of Lewis acid 268–270
 - – choice of Lewis base 267–268
 - – intramolecular FLPs 270–273
 - – mechanisms 264–267
 - heterocycle hydrogenation 279–281
 - imine hydrogenation 273–276
 - malonate hydrogenation 283–285
 - olefin hydrogenation 286–290
 - – nitroolefins 284–286
 - polycyclic hydrocarbon hydrogenation 288
 - silylenol ether hydrogenation 278
 - vinyl monomer polymerization 385–390

g

- Ga-Li-linked-BINOL 10
- galactose oxidase (GOase) 101, 102
- γ-lactam synthesis 57, 58, 255–257
- glucose dehydrogenase 332, 333
- D-glucose oxidation 332
- gold catalysts
 - allene hydroalkoxylation 217–219
 - cooperation of two gold centers 238–240
 - gold nanoparticle systems 316–319
 - gold/palladium heterobimetallic catalyst 249–251
 - gold/palladium/Brønsted acid ternary system 179
 - gold(I)-amine catalysts 123, 125, 128

h

- H-bonding catalysts 207–210, 220–221
- Heck reaction 233, 344–345
- helical peptide catalysts 302–303
- Henry reaction 17, 20
 - in a solid catalyst 359
- nitromethane 155
- pyruvate 155
- heterobimetallic catalysts 3–8, 20, 228, 246–258
 - copper plus another metal 257–258
 - Nd/Na heterobimetallic catalyst 20, 21
 - nickel plus another metal 255–257

- heterobimetallic catalysts (*contd.*)
 - palladium plus another metal 246–255
 - silver plus another metal 257–258
 - heterocycle hydrogenation 279–281
 - 1-hexene hydroformylation 244, 245
 - histidine 304
 - HIV-1 fusion process 305, 307
 - homobimetallic catalysts 228–246
 - two gold centers 238–240
 - two iridium centers 243
 - two nickel centers 242, 243
 - two palladium centers 228–238
 - two rhodium centers 243–246
 - homoenolate annulation 56, 57
 - homogeneous–heterogeneous gap 351
 - hydroboration 271–273
 - hydroformylation reaction 244, 245
 - hydrogen
 - activation by frustrated Lewis pairs 263–264
 - – choice of Lewis acid 268–270
 - – choice of Lewis base 267–268
 - – mechanisms 264–267
 - cleavage 81–82, 83, 85, 93
 - formation 84–88, 89
 - oxidation 83–88
 - hydrogen bonding-mediated cooperative organocatalysis 145
 - highly enantioselective base organocatalysis 145–151
 - modified cinchona alkaloid catalysts 151–166
 - – development as broadly effective bifunctional catalysts 153–159
 - – emergence as bifunctional catalysts 151–152
 - – multifunctional cooperative catalysis 159–164
 - hydrogen peroxide byproduct 331–332
 - hydrogenases 80
 - NiFe-hydrogenase 80, 81–82
 - hydrogenation 68–77
 - alkynes 288, 289
 - carbon dioxide 75
 - enamines 276–277, 278
 - enones 282
 - frustrated Lewis pair mediated 273–290
 - heterocycles 279–281
 - imines 189–190, 191–192, 273–276
 - ketones 68, 70, 74
 - malonates 283–285
 - olefins 95, 245–246, 286–290
 - – nitroolefins 284–286
 - one-pot process 342–343
 - polycyclic hydrocarbons 288
 - quinolone derivatives 278, 279
 - silylenol ethers 278
 - transfer hydrogenation (TH) 69, 71, 72–73, 74, 101
 - ynones 182, 184
 - hydrolysis
 - acetonitrile 229, 230
 - 2,4-dinitrophenyl acetate (DNPA) 310
 - one-pot process 346
 - urea 2
 - hydrosilylation
 - alkenes 96
 - olefins 97
 - hydroxycyclopentadienyl ligand 89
 - hydroxyketone kinetic resolution 298
 - hydroxylactams, Pictet–Spengler type reactions 221
- i*
- imidazole/carboxylate cooperativity 315–316
 - imidazolidinone synthesis 251–252
 - imines
 - alkynylation 187–189
 - cyanation 43–47
 - cycloaddition reactions 52–53, 59
 - formation from acetone 352–355
 - hydrogenation 189–190, 191–192
 - – frustrated Lewis pair mediated 273–276
 - isomerization 164
 - thiol additions 208
 - trifluoromethylation 215
 - in situ* cofactor recycling 328–330
 - NAD(P)⁺ 328–330, 331–332
 - NAD(P)H 328–331
 - InCl₃/NEt₃/BnOH catalytic system 377–379
 - indoles, Friedel–Crafts reaction 155–156
 - intermediate spin state 97
 - inverse-electron demand hetero-Diels–Alder (IED-HDA) reactions 136, 137
 - ion pairing 197
 - *see also* chiral ion-pairing catalysts
 - iridium catalysts
 - cooperation of two iridium centers 243
 - iridium complex–Brønsted acid cooperative catalysis 189–191
 - iron complex–Brønsted acid cooperative catalysis 191–193
 - isatins, oxa-Diels–Alder reaction 138, 139
 - isocynoacetate, aldol reaction 21, 22

- isomerases 342–343
 isomerization
 – imines 164
 – olefins 161–164
 – one-pot process 342–343
- k**
 ketenes, cycloaddition reactions 51–53, 59
 ketimine hydrogenation 274, 275, 276
 ketones
 – alkylation 39–40, 114
 – allylation 41–43
 – – via Tsuji–Trost palladium π -allyl complexes 116, 121–122
 – asymmetric hetero-Diels–Alder reactions 136–137, 138
 – cyanation 43–47
 – – cyanosilylation 44
 – hydrogenation 68, 70, 74
 – reduction 38–39, 330–331, 344–345
 ketoxime transformation into amide 338
 kinetic resolution
 – alcohols 332–337
 – amines 221, 337–338
 – epoxides 11–12, 14, 210–211
 – – solid surfaces versus soluble molecular platforms 362–365
 – formamides and thioformamides 301
 – hydroxyketones 298
 – one-pot processes 332–338
 – – aqueous media 332–334
 – – organic media 334–338
 – propylene oxide 12
 – *trans*-(\pm)-*N*-(2-hydroxycyclohexyl)-acetamide 300
 – *trans*-cycloalkane-1,2-diols 299
 Kornblum–DeLaMare reaction 157
- l**
 L8-lysine transformation into L-pipecolic acid 341
 La-NMe-linked-BINOL 10
 La-O-linked-BINOL 10
 laccase-catalyzed oxidation 339, 340
 lactam synthesis
 – β -lactams 52–53, 54
 – γ -lactam 57, 58
 lactide 375
 – polymerization 61, 374–385
 lactones
 – β -lactone production 53–54
 – δ -lactone production 59–60
 – ring-opening polymerization 61, 100, 390
 lactonization 355
- Lauryl-VVAGHH-C(O)NH₂ peptide amphiphile 320
 Lewis acids 35–36
 – activation 35–36, 37
 – arylamine-metal Lewis acid catalysis 135–136
 – bifunctional catalysts 210–211
 – – amine-metal Lewis acid catalysts 133–134
 – dienamine-metal Lewis acid catalysis 138, 139
 Lewis acid–Brønsted base cooperative catalysis 1, 2
 – hard Lewis acid–Brønsted base cooperative catalysis 3–20
 – – amino acid ligand platform 17–20
 – – heterobimetallic catalysts 3–8
 – – linked-BINOL-based 8–10
 – – salen and Schiff base ligand platform 11–17
 – in metalloenzymes 1–3
 – soft Lewis acid–Brønsted base cooperative catalysis 21–24
 Lewis acid–Lewis base catalysis 35
 – alkylation 39–40
 – allylation 41–43
 – condensation reactions 47–48
 – cyanation 43–47
 – cyclization reactions 51–60
 – epoxide ring-opening reactions 50–51
 – ketone reduction 38–39
 – Lewis acid and Lewis base activation 35–38
 – – modes of activation 35–37
 – – self-quenching 37–38, 39
 – Morita–Bayliss–Hillman reactions 48–50
 – polymerizations 60–61
 – *see also* frustrated Lewis pairs (FLP)
 Lewis bases 35, 36
 – activation 36–37
 – *see also* Lewis acid–Lewis base catalysis
 ligands *see* cooperating ligands; *specific ligands*
 lipase 334–338
- m**
 [M]-L-NH catalysis 83–88
 [M]-L-OH catalysis 88, 89
 [M]-NH catalysis 68–80
 [M]-SR catalysis 80–83
 MALDI (matrix-assisted laser desorption/ionization) spectrum 376, 377, 379
 malonates

- malonates (*contd.*)
 - addition to chalcone 204, 206
 - hydrogenation 283–285
 - nitroalkene reaction 165
 - malononitrile 360
 - Mannich reactions 48, 211
 - D-mannitol synthesis 342–343
 - mesoporous carbon materials 369
 - mesylate decarboxylative cross-coupling 253
 - metal catalysis 325–326
 - chemically active ligands assisting
 - metal-based catalysts 67–95
 - with a pendant acid site 94–95
 - with a pendant basic site 67–88, 95
 - with a remote pendant basic site and reorganization 89–94
 - chiral anion/achiral metal catalysis combination 217–219
 - chiral cation-based
 - catalyst/transition-metal catalyst combination 199–200
 - enzyme-compatible metals 326, 327
 - *in situ* preparation of enzyme cofactor 328–332
 - *see also* bimetallic catalysts; one-pot processes; transition metal-chiral Brønsted acid cooperative catalysis; *specific catalysts*
 - metalloenzyme reactions, Lewis acid–Brønsted base catalysis 1–3
 - metal–salen complexes 11–16
 - metal–Schiff base complexes 15–17
 - metathesis reaction 339–340, 346
 - methanol dehydrogenation 77–80
 - methyl methacrylate (MMA) 385–390
 - γ -methyl- α -methylene- γ -butyrolactone (γ -MMBL) 385, 389
 - α -methylene- γ -butyrolactone (γ -MBL) 385, 388–389
 - Mg(II)/Pd(II) heterobimetallic complex 253–254
 - Michael additions 58, 235–238
 - α -cyanoacetates to vinylketones 235–236
 - asymmetric 138–139
 - double addition 253–254
 - malonate addition to chalcone 204, 206
 - Michael/aldol reaction cascade 165, 166
 - Michael/ α -allylation cascade 119, 120
 - Michael/carbocyclization cascade 130
 - modified cinchona alkaloid catalysts 149–166
 - chiral PTC/palladium catalyst 199–200
 - development as broadly effective
 - bifunctional catalysts 153–159
 - emergence as bifunctional catalysts 151–152, 153
 - free-OH-containing catalysts 201–203
 - 6'-OH cinchona alkaloids 152, 157, 162, 202–203
 - multifunctional cooperative catalysis 159–164
 - 9-thiourea cinchona alkaloid 157–159, 161
 - molecular aggregates 309–312
 - molecular hydrogel system 310, 311
 - Morita–Baylis–Hillman reactions 48–50, 148, 149
 - morpholine-phosphoric acid combination 216
 - Morris catalyst 69
 - Mukaiyama aldol reaction 47
- n**
- N*-heterocyclic carbenes 56–58, 61
 - N*-thioacyl imines 59
 - NAD(P)⁺ 328
 - metal catalyzed *in situ* recycling 328–330, 331–332
 - NAD(P)H 328
 - metal catalyzed *in situ* recycling 328–331
 - nanofiber technology 310
 - nanosystems 312–320
 - dendrimer-based catalysts 312–315
 - nanoparticle-based catalysts 315–320
 - naphthalene formation 240
 - Nd/Na heterobimetallic catalyst 20, 21
 - Negishi-type cross-coupling reactions 99, 242, 243
 - nickel boratranes 95
 - nickel catalysts
 - cooperation of two nickel centers 242, 243
 - heterobimetallic catalysts 255–257
 - NiFe-hydrogenases 80, 81–82, 84
 - NiP₄ 85, 87
 - nitro-Mannich reaction 20, 208
 - nitroaldol reaction 3–5, 20, 213
 - ammonium bifluoride catalysis 214
 - anti-selective 14, 17, 20, 21
 - in a solid catalyst 359
 - nitroalkene-malonate reaction 165
 - nitrobenzaldehyde
 - acetone reaction 361
 - malononitrile reaction 360
 - nitrogenase 80–81
 - nitromethane 213

- Henry reaction 155
- nitroolefins
 - aldehyde addition 298
 - hydrogenation 284–286
 - *see also* olefins
- “non-innocent” ligands 79–80, 94
- nucleophile activation 36, 37
- o**
- olefins 94
 - asymmetric isomerization 161–164
 - aziridination 103, 104
 - epoxidation 296
 - hydrogenation 95, 245–246, 286–290
 - hydrosilylation 97
 - metathesis 339–340
 - ring-opening polymerization 61
 - *see also* nitroolefins
- one-pot processes 326–327
 - consecutive processes 339–347
 - – consecutive mode 343–347
 - – tandem-mode 339–343
 - metal-catalyzed *in situ* preparation of an enzyme cofactor 328–332
 - metal-catalyzed racemization combined with stereoselective biotransformation 332–338
 - – aqueous media 332–334
 - – organic media 334–338
- organocatalysis 111
- organometallic fuel cells (OMFCs) 72
- oxaloacetate decarboxylation 301
- 5-oxazolyl carbonate rearrangement 211
- oxetanes, asymmetric intramolecular ring-opening reactions 14
- p**
- palladium catalysts
 - cooperation of two palladium centers 228–238
 - – enantioselective reactions 223–228
 - – reactions with achiral or racemic products 229–233
 - heterobimetallic catalysts 246–255
 - – enantioselective reactions 246–249
 - – nonenantioselective reactions 249–255
 - one-pot processes 334, 343–345
 - Pd-chiral anion combinations 217–219
 - Pd-chiral phase transfer catalyst (PTC) combination 199–200
 - Pd-phosphane complex 344
 - Pd(0)-Brønsted acid cooperative catalysis 175–179
 - Pd(0)/Au(I) catalyst 249–251
 - Pd(II)-Brønsted acid cooperative catalysis 172–175
 - Tsuji–Trost allylation 115
 - – aldehyde α -allylation 115–121, 118
 - – ketone allylation 116, 121–122
 - phase-transfer catalysts (PTCs) 197–198
 - phenylindanone alkylation 201, 202
 - 2-phenylpyridine acetoxylation 229–231, 232
 - phosphate cleavage 296, 319
 - phosphino borane synthesis 271
 - phosphonium salt catalysis 206–207, 209
 - phosphoric acid catalysis 172–173
 - iridium complex-phosphoric acid 189–191
 - iron complex-phosphoric acid 191–193
 - palladium(0)-phosphoric acid 175–179
 - palladium(II)-phosphoric acid 172–175
 - Pd-Cu-chiral phosphoric acid catalysis 217
 - rhodium complex-phosphoric acid 179–187
 - secondary amine-phosphoric acid combination 216, 217
 - silver complex-phosphoric acid 187–188
 - pincer ligands 73–79, 91–93
 - polycaprolactone (PCL) 379, 390
 - poly(ethyleneimine) polymers (PEI) 356
 - polylactide (PLA)
 - heterotactic 375, 377–378
 - isotactic 375, 377
 - production 374–385
 - polymerization reactions 60–61, 373
 - epoxide/CO₂ copolymerization 390–392
 - – salen-type complex-based catalysis 402–413
 - – zinc-based cooperative catalysis 390–402
 - epoxides 60–61
 - – asymmetric 14
 - ethylene 96
 - lactide polymerization 61, 374–385
 - ring-opening polymerization (ROP) 374, 382
 - vinyl monomers with frustrated Lewis pairs 385–390
 - zwitterionic polymerization 376–377, 385
 - poly(propylene carbonate) (PPC) 390–392, 404–405
 - PPNCl (bis-(triphenylphosphorylidene)-ammonium chloride) 405
 - propargylation, aldehydes 125–127, 128
 - propargylic acid synthesis 134–135

- ProPhenol ligand platform 17, 18
 propylene oxide (PO)
 – copolymerization with CO₂ 390–392, 402–413
 – hydrolytic kinetic resolution 12
 protoenzyme design 305
 pyrazol-5-one allylation 178–179
 pyruvate, Henry reaction 155
- q**
 quinidine 145, 146
 quinine 145, 146
 quinoline compounds
 – hydrogenation 279, 280, 281
 – reduction 190
 quinolone derivatives, hydrogenation 278–280
 quinone epoxidation 204
 quinoxaline reduction 193
 quinoxalinone production 59
- r**
rac-cuspareine synthesis 279–280, 281
rac-lactide polymerization 61, 374, 382
 redox switch 100
 relay catalysis 172
 rhodium catalysts
 – cooperation of two rhodium centers 243–246
 – *in situ* NAD(P)⁺ recycling 331–332
 – *in situ* NADPH recycling 330–331
 – Rh(I)–aminyl radical complex 101, 102
 – rhodium complex–Brønsted acid cooperative catalysis 179–187
 – rhodium-amino complexes 71–72
 (*R*)-(–)-rhododendrol synthesis 345
 rhomboid serine protease 310–312
 ring-opening reactions
 – azabenzonorbornadiene derivatives 234
 – aziridinium 219
 – epoxides 11, 50–51, 402
 – – *meso*-epoxides 15
 – lactones 61, 100, 390
 – olefins 61
 – oxetanes 14
 – ring-opening polymerization (ROP) 374, 382
 ruthenium catalysts
 – metathesis reaction 346
 – Ru-amide complexes 69
 – Ru-diazafluorenone complex 93–94
 – Ru-pincer complexes 91–93
- s**
 selenium-based molecular hydrogel system 310, 311
 self-quenching 37–38, 39
 short peptide catalysis 295–307
 – structures sequences 299–307
 – unstructured sequences 295–299
 Shvo catalyst 89, 90
 silica surfaces 357–358, 366–369
 – carbamate thermolysis 357, 358
 – salicylaldehyde binding 357, 359
 – *see also* solid surface catalysis
 silver catalysts
 – heterobimetallic catalysts 257–258
 – – palladium/silver catalyst 252–253
 – silver complex–Brønsted acid cooperative catalysis 187–188
 – silver phosphate 219
 silyl nitronates, nitroaldol reaction 214
 silylcyanation 43–45
 silylenol ether hydrogenation 278
 size-exclusion chromatography (SEC) 379
 solid surface catalysis 351–352
 – alumina surfaces 366–369
 – depolymerization of biomass polymers 365–370
 – kinetic resolution of racemic epoxides 362–365
 – mesoporous carbon materials 369
 – silica surfaces 357–358, 366–369
 – – carbamate thermolysis 357, 358
 – – salicylaldehyde binding 357, 359
 – two-dimensional surface possibilities 356–362
 soluble molecule catalysis 351–352
 – acid–base bifunctional group spacing 352–356
 spirooxindole tetrahydropyranones 138
 Steglich rearrangement 211, 212
 stereodivergent dual catalysis 123, 124
 Stille coupling reactions 320
 Strecker reaction 45
 styrene hydrocarboxylation 217
 sulfene cycloadditions 54–55
 Suzuki cross-coupling reactions 233, 320, 343–344
 synergistic catalysis 112
 synthetic catalytic pores (SCPs) 309
- t**
 Tamiflu synthesis 255
 taxol side chain synthesis 181
 teicoplanin A2-2 304–305, 306

- tetraallyltin 41–42
 tetraamine tris(2-aminoethyl)amine (Tren) 308
 tetrahydrofuran (THF) 20
 tetrahydropyran derivatives 136
 tetrahydroquinoline production 190
 thioamides
 – direct catalytic asymmetric aldol reaction 22, 24
 – enolization 22–23
 thioformamides, kinetic resolution 301
 thiourea catalysts 220–221
 – thiourea-amine catalysis 151–152, 207, 208, 209, 382
 9-thiourea cinchona alkaloid 157–159, 161
 Ti–Ga–salen complex 15
 Ti–salen complex 100
 traceless dual activation catalysts (TDACs) 239–240
 – test reactions for 240, 241
trans-(±)-*N*-(2-hydroxycyclohexyl)acetamide, kinetic resolution 300
 trans-cycloalkane-1,2-diols, kinetic resolution 299
 transfer hydrogenation (TH) 69, 71, 72–73, 74, 101
 transition metal-chiral Brønsted acid
 cooperative catalysis 171–172
 – copper complex-Brønsted acid 188–189
 – iridium complex-Brønsted acid 189–191
 – iron complex-Brønsted acid 191–193
 – palladium(0)-Brønsted acid 175–179
 – palladium(II)-Brønsted acid 172–175
 – rhodium complex-Brønsted acid 179–187
 – silver complex-Brønsted acid 187–188
 transition metal-chiral cation-based catalyst combination 199–200
 Tren (tetraamine tris(2-aminoethyl)amine) 308
 1,5,7-triazabicyclo-[4.4.0]-dec-5-ene (TBD) complex 410–411
 trifluoroacetimidate rearrangement 235, 247–249
 trifluoromethyl imine isomerization 164
 trifluoromethylation 213
 – aldehydes 131–133
 – imines 215
 trimethylborane reaction with Lewis bases 264–265
O-trimethylsilylquinidine (TMSQD) 52, 59–60
O-trimethylsilylquinine (TMSQ) 52, 59
 tryptophan radicals 101
 TSNVHPTRLRHL peptide 320
 Tsuji–Trost palladium π -allyl complexes 115
 – aldehyde α -allylation 115–117, 118
 – – asymmetric 117–121
 – ketone allylation 116, 121–122
 – – asymmetric 121–122
 two-center catalysis 2
 – *see also* bimetallic catalysts
 tyrosyl radical 101
- u**
- urea hydrolysis 2
 urease activation 2
- v**
- valence tautomerism 98
 vinyl monomer polymerization with frustrated Lewis pairs 385–390
 vitamin K3 epoxidation 203
- w**
- Wacker oxidation 345
 water, electrocatalytic reduction 97, 98
- y**
- ynals, enamine addition 134–135
 ynone hydrogenation 282, 284
- z**
- zanamivir, enantioselective synthesis 20
 zinc dicarboxylates 392
 zinc-based catalysis
 – epoxide/CO₂ copolymerization 390–402
 – Et₂Zn/(*S,S*)-O-linked-BINOL cooperative catalyst 10
 – Zn-dependent class II aldolase activation 2–3
 zinc-enolate generation 10, 18
 zirconium oxide catalyst 360
 zwitterionic polymerization 376–377, 385

