

Index

a

aberic acid 3
 acetyl-CoA carboxylase (ACC) 483
 acyl carrier protein (ACP) 67–70, 74–76, 79, 88, 96
 adenosylcobalamin (AdoB₁₂) 129, 133
 adonixanthin 251, 279
Agrobacterium tumefaciens 252, 326, 332, 335
 – A-9 strain 342
 – ATCC 4452, 339
 – fermentation of 343
 – KCCM 10413, 339, 340
 alcohol dehydrogenase (ADH) 373, 374
 aldose sugar dehydrogenase (Asd) 375
 alpha-linolenic acid (ALA) 288
 5-aminolevulinate 144–146
 anaemia 18, 109, 129
 analysis of carotenoids
 – chromatography methods 233–234
 – extraction 232–233
 – handling precautions 231–232
 ankaflavin 497, 498, 508–510, 515
 anthocyanidins 471, 474, 476, 484
 anthocyanidin synthase (ANS) 484
 anthocyanins 471, 473, 474, 481, 484–488
 antibiotic 8, 97, 250, 315
 – CJ-15801 96
 – OA-6129A 92
Antirrhinum majus 481
 antivitamin 7
 Apo-8'-carotenal 233
Arabidopsis 198, 448, 450, 455
Arabidopsis thaliana 313, 368
 arachidonic acid (ARA) 291, 300–302
Archaeoglobus fulgidus 237, 243
 Ariboflavinosis 18
 L-ascorbic acid (Asc)

– application 182
 – assay methods 165–166
 – biosynthesis in plants and mammals 164
 – chemical properties 165
 – chemical structure of 161, 162
 – direct microbial production *see* direct L-ascorbic acid formation
 – discovery of 161
 – economics 183
 – in food sources 162–163
 – hexuronic acid 4
 – industrial fermentation *see* industrial fermentation of Asc
 – physical properties 165
 – physiological functions 7, 8
 – physiological role of 164–165
 – side effects in humans 165
 L-ascorbic acid (L-Asc) 1
Ashbya gossypii 21, 22, 24, 26–29, 31, 33
Aspergillus niger 21, 203, 298, 450, 509
 astaxanthin 266, 268–273, 275, 278–280
Azotobacter chroococcum 71

b

Bacillus cereus 169, 171, 176, 180
Bacillus megaterium 169, 171, 173–177, 180
Bacillus subtilis 21, 22, 24, 25, 29–33, 129, 450, 454, 455
Bacillus thuringiensis 169, 171, 176
 bacterial β -amino-peptidases 424
 batch fermentation process 177, 179, 184
 β -carotene
 – assay methods and units 270
 – biosynthesis and metabolic regulation 273–275
 – chemical properties 268–270
 – chemical synthesis 279
 – downstream processing 276–279

- β-carotene (*contd.*)
 - extraction 279
 - formulation 276–279
 - historical background 265–266
 - in natural/food sources 266–267
 - physical properties 268–270
 - physiological role as vitamin/coenzyme 267–268
 - process economics 279–280
 - producing organisms 270–273
 - purification 276–279
 - strain development 276
 - structure of 4
- β-cyclodextrin 427
- bifidobacteria 117–120
- Bifidobacterium* 92, 117, 118, 120, 121
- biosynthesis of CoQ10
 - decaprenyl diphosphate synthesis 329–332
 - enzymes in 331
 - in prokaryotes and eukaryotes 330
 - quinonoid ring modification 333–334
 - quinonoid ring synthesis 332–333
- biotechnological production, flavonoids
 - approaches 484–485
 - combinatorial biosynthesis 484
 - reconstruction pathways in microorganisms 487–489
 - reconstruction pathways in plant 485–487
- biotechnological production, GABA
 - enzymatic conversion 459–460
 - fermentation by recombinant *C. glutamicum* 460–461
 - fermentative production by LAB 458
 - microbial fermentation 457–458
- biotechnological production, L-carnitine
 - de novo biosynthesis 399
 - by Enterobacteria 401
 - by Lonza (Switzerland) 400–401
 - from non-chiral substrates 400–401
 - racemic mixtures, resolution of 399–400
- biotechnological synthesis of carotenoids
 - culture conditions 252–253
 - genome-wide modification of *E.coli* 244–249
 - heterologous expression of genes 240–243
 - increased isoprenoid precursor supply 243–244
 - industrial production by recombinant bacteria 252
 - recombinant enzyme activities by *E.coli* 249–251
- biotransformation
 - link between central and secondary metabolism during 408–409
 - from non-chiral substrates 400–401
 - in *Proteus* sp. 405
 - substrates, D-carnitine and crotonobetaine 406–407
 - trimethylammonium compounds in *E. coli* 403
- Blue-light sensor using FAD (BLUF) proteins 20
- Brassica napus* 313
- c**
 - Caenorhabditis elegans* 511
 - caiT* gene 403, 406, 408–410
 - calcium hopantenate 74
 - Camelina sativa* 314
 - Campylobacter jejuni* 21
 - Candida antarctica* 431, 432
 - Candida famata* 21, 27, 33
 - Candida flareri* 21, 22, 25
 - Candida ghoshii* 21
 - Candida (Pichia) guilliermondii* 21, 25
 - Candida parapsilosis* 21, 431, 433
 - canthaxanthin 230, 240, 251, 252, 266, 272, 273, 279
 - capillary electrophoresis (CE) 80, 395, 398, 514, 515
 - carbobenzyloxy-β-alanine 422
 - carbohydrate metabolism 54, 67, 75
 - carbon flux analysis 91
 - cardiovascular diseases (CVD) 18, 109, 291, 351, 470
 - L-carnitine treatment for 391
 - GABA treatment for 461
 - niacin treatment for 42, 57
 - L-carnitine
 - assay methods 395–399
 - automated methods 399
 - biotechnological methods 399–401
 - biotransformation with D-carnitine and crotonobetaine 406–407
 - chemical properties 394
 - chemical synthesis 411–412
 - chromatographic methods 395–397
 - enzymatic methods 398
 - expression of metabolising activities 406
 - for fatty acid catabolism 393
 - functions of 394
 - historical background 391–392
 - (R)-3-hydroxy-4-trimethylaminobutyrate 391
 - intermediary metabolism of lipids 393

- isolation from natural sources 411
- metabolic engineering for producing strains 408–411
- metabolism in Enterobacteria 403–406
- mitochondria, physiological role in 393–394
- MS-based methods 395–398
- in natural/food sources 392–393
- osmoprotection 401
- peroxisomes, physiological role in 394
- physical properties 394
- roles in microorganisms 401–403
- strain development 409–411
- transport phenomena for production *see* transport phenomena in L-carnitine production
- units 395–399
- L-carnitine dehydratase (CDH) 403, 405–407, 410
- carnitine palmitoyl transferases (CPTs) catalyse 393
- carnitine racemase activity (CRac) 403, 406, 407
- carnitine respiration 402–403
- carnosine
 - analogues of 430
 - antioxidant properties 421
 - chemical functionalisation 427–430
 - chemical synthesis 422–424
 - cosmetic applications 436
 - derivatives at carboxylic moiety 429
 - N-derivatives of 428
 - enzymatic functionalisation 430–434
 - enzymatic synthesis 423–425
 - food supplementation application 436
 - historical background 421
 - molecular structure of 421, 422
 - in natural/food sources 422
 - nutraceutical application 435–436
 - pharmaceutical applications 436–438
 - physico-chemical properties 425–426
 - physiological properties 426–427
 - vectorisation 434–435
- L-carnosine-coated iron-oxide nanoparticles (CCIO NPs) 434
- carotenes 230, 266–268
- carotenoids 229–254, 265–276, 278, 279
 - analysis of 231–234
 - biosynthesis in bacteria 236–239
 - biotechnological synthesis *see* biotechnological synthesis of carotenoids
 - chemical properties 230
 - chromatography methods 233–234
 - extraction 232–233
 - handling precautions 231–232
 - natural occurrence in bacteria 234–235
 - nomenclature 231, 232
 - producing microorganisms 229
 - producing microorganism 229
 - types 230
- Carthamus tinctorius* 314
- C₃₀ carotenoids 237
- C-CobaSorb test 134
- C₃₀ columns 233–234
- chalcone 471, 483, 486
- chalcone isomerase (CHI) 483, 486, 487, 489
- chalcone reductase (CHR) 483, 486
- chalcone synthase (CHS) 483, 486, 487, 489
- chemical functionalisation, carnosine 427–430
- chemical inducible chromosomal evolution (CICHe) 250
- chemiluminescence-based method 139
- Chlamydomonas acidophila* 273
- Chlamydomonas reinhardtii* 276
- Chlorella* 201, 265, 272
- Chlorella protothecoides* 273
- Chlorella zofingiensis* 271, 272
- Chlorococcum sp.* 271
- chromatography 139
- cinnamate-4-hydroxylase (C4H) 483, 489
- citrin 469–470
- citrinin synthesis 521–522
- Citrobacter freundii* 50
- Clostridium acetobutylicum* 21
- 2-C-methyl-D-erythritol 4-phosphate (MEP) pathway 329
- cobalamin *see* vitamin B₁₂
- Coelastrella striolata* 273
- coenzyme A (CoA) 67–68
- coenzyme Q₁₀ (CoQ₁₀)
 - biosynthetic pathways 329–334
 - chemical properties 326–327
 - chemical structure 322
 - chemical synthesis 345–346
 - cosmetics application 352–353
 - definition 321–322
 - in diseases 351–352
 - downstream processing 343–345
 - economics 354–355
 - fermentation process 339–340
 - in food and others 353–354
 - functions 326
 - historical aspects 321
 - metabolic regulation 334–335
 - in microorganisms 326
 - in nature 322
 - occurrence in food sources 322–325

coenzyme Q₁₀ (CoQ₁₀) (*contd.*)
 – physical properties 327
 – producing microorganism 327–328
 – purification 350–351
 – solvent extraction 346–349
 – strain development 335–338
 – upstream processing 340–343
 coenzyme ubiquinone (vitamin Q10) 6
 column chromatography (CC) 514–515
 combinatorial biosynthesis 484
 compatible solutes 401
 competitive binding assays 138–139
Coprinopsis cinerea 375
Corynebacterium 21
Corynebacterium autotrophicum 235
Corynebacterium glutamicum 90, 91, 230,
 239, 446, 448, 450, 454, 456, 458, 460–461
 – ATCC13032 90, 91
 4-coumaroyl-CoA-ligase activity (4CL) 483
 crotonobetaine reductase (CR) 403, 406
Cryptocodinium cohnii 293, 298, 300–302,
 307, 309, 311, 312
 cryptochromes (CRYs) 20
 Curtius method 423
 cyanocobalamin (CNB₁₂) *see* vitamin B₁₂
 3-cyanopyridine 47–49, 51, 52
 cyclohexylic rings 231

d

daily folate equivalents (DFE) 105
Debaryomyces subglobosus 21
 dehydrogenase-electron transferase 20
 dehydrogenase-monooxygenase 20
 dehydrogenase-oxidase 20
de novo pathways 489
 deoxy-xylulose-phosphate (DXP) pathway
 236
 diabetes 56, 58, 61, 437, 470
 dicoumarin 7
 dihydroflavonol reductase (DFR) 483, 488
 dihydroflavonols 471, 483, 489
 dihydrofolate reductase (DHFR) 103, 104,
 106, 110, 112, 115
 7,8-dihydropterin pyrophosphate (DHPP)
 106, 116, 118, 121
 dihydropteroate synthase 106, 116, 118
 2,5-diketo-D-gluconic acid pathway 166
 2,3-dimethoxy-5-methyl-6-polyisoprene
 parabenzoquinone 326
 dimethylallyl diphosphate (DMAPP) 329,
 332
 dimethylallylpyrophosphate (DMAPP) 236,
 238, 243, 244, 250
 5,6-dimethylbenzimidazole (DMBI) 134

direct L-ascorbic acid formation
 – L-ascorbic acid forming enzymes 198–200
 – enzymes producing and by-product
 spectrum 196–197
 – in heterotrophic microalgae 200–201
 – via 2-keto aldoses 206–219
 – 1,4-lactone oxidoreductases 198–200
 – via 1,4-lactone oxidoreductases 198–200
 – via 1,4-lactones 197–206
 – from orange processing waste in
 recombinant *A. niger* 203–204
 – in recombinant yeast 201–202
 – L-sorbose dehydrogenases 208–212
 – stereochemistry of 195–196
 dissolved oxygen concentration (DOC) 148
 DL-1,4-dithiothreitol (DTT) 166
 docosaheptaenoic acid (DHA) 290–291,
 300–302
 dopamine beta-hydroxylase 164
 downstream process 92
 – Asc 181–182
 – β-carotene 276–279
 – coenzyme Q₁₀ 343–345
 – niacin 52–53
 – pyrroloquinoline quinone 380
 – riboflavin 32
 – vitamin B₁₂ 149–150
 D-sorbitol dehydrogenase (Sldh) 218
 D-sorbitol pathway 166
Dunaliella 265, 278
Dunaliella bardawil 271
Dunaliella salina 239, 271, 278, 280

e

eicosapentaenoic acid (EPA) 290, 305–307
 Enterobacteria in L-carnitine metabolism
 – *E. coli* 403–405
 – *Proteus* sp. 405–406
 – trimethylammonium metabolism 406
 e-N-trimethyl-L-lysine hydroxylase 164
 enzymatic functionalisation
 – enzymatic N-acylation of carnosine
 430–431
 – enzymatic oleylation impact on biological
 properties 434
 – lipase-catalysed N-acylation of carnosine in
 organic solvent 431–432
 – N-oleoyl carnosine synthesis 432–434
 epidermal growth factor (EGF) 369, 371
 epidermal growth factor receptor (EGFR)
 369–372
 epigallocatechin gallate (EGCG) 473, 474
Eremothecium ashbyii 21, 22, 26, 27
Erwinia herbicola 240

- Erwinia uredovora* 240
- Escherichia coli* 49, 71, 97, 230, 374, 375, 377, 378, 405, 406, 445–447, 450–460, 509
- biotechnological production of flavonoids 487–488
 - biotransformation of trimethylammonium 403
 - L-carnitine metabolism 403–405
 - crotonobetaine biotransformation 400
 - Enterobacteria 402
 - LMG194 408, 410
 - O44K74 strain 407, 408
 - permeabilisation 407
 - pT7–5KE32 strain 408
- essential fatty acids (EFAs) 6
- accumulation of oils and fats in microorganisms 294–297
 - component of diet 289
 - future prospects 312–315
 - microbial oils production *see* microbial oils production
 - safety issues 310–312
 - structures of 288, 289
- f**
- FAD-linked sorbitol dehydrogenase (FAD-Sldh) 207
- farnesyl-pyrophosphate (FPP) 237, 238
- fat-soluble vitamins 7, 8, 41, 79
- fatty acid synthase (FAS) 67, 69, 290
- fed-batch fermentation process 178, 179
- fermentation process
- coenzyme Q₁₀ 339–340
 - niacin 49–50
 - riboflavin 31–32
- fibrinolysis 58
- flame ionization detector (FID) detection 234
- flavan-3-ols 471, 473–474, 476, 484
- flavanone 3- β -hydroxylase (FHT) 483
- flavanone naringenin 489
- flavanones 471, 473, 475, 483, 486, 489
- flavin adenine dinucleotide (FAD) 17–21, 24, 25, 33
- flavin adenine dinucleotide-dependent D-sorbitol dehydrogenase (FAD-SLDH) 170
- flavin mononucleotide (FMN) 17–21, 24, 25, 33, 54
- flavinogenic microorganisms 21, 27
- flavins
- biological functions 21
 - bioluminescence 20
 - definition 17
 - flavoenzymes 20
 - light-sensing processes 20
 - for ravian embryonic development 21
 - redox reactions 19–20
- flavoenzymes 20
- flavones 469, 471, 473–475, 477, 481, 483, 486, 487, 489
- flavonoid-3'-hydroxylase (F3'H) 484
- flavonoid-3-O-glucosyltransferase (UFGT) 484
- flavonoids
- antioxidant activity 476–480
 - biological activities 470
 - biosynthesis in plants 481–484
 - biotechnological production 484–489
 - classes 471–473
 - effects in human organism 469
 - health benefits of 470, 476
 - metabolism 480–481
 - plant secondary metabolites 469
 - proanthocyanidins 469
 - roles 469
 - structure and numbering 471
- flavonols 469, 471, 473–477, 481, 483, 486
- flavonol synthase (FLS) 483, 486, 488
- flavoproteins 19, 20, 198–200
- Flow Injection Analysis (FIA) 399
- folate
- bioavailability 109–110
 - biosynthesis 105–106
 - chemical methods 113–114
 - chemical properties 103–105
 - chemical synthesis 110–111
 - chemoenzymatic process 112–113
 - deficiency 106, 109
 - *de novo* bacterial biosynthesis, pathway of 107
 - dietary supplements 110
 - occurrence in food sources 105
 - physiological role 106–109
 - production by bifidobacteria 117–120
 - production by lactic acid bacteria 115–117
 - structure of 104
- folate receptors 109
- folic acid (FA) *see* folate
- g**
- gabP* gene 447, 454
- L-galactono-1,4-lactone dehydrogenases (GALDH) 198, 199, 204
- gamma-aminobutyric acid (GABA)
- applications 462
 - biosynthesis 450–451
 - biotechnological production 457–461

gamma-aminobutyric acid (GABA) (*contd.*)

- catabolism 455–456
- export of 452–454
- GAD, essential enzyme for biosynthesis 451–452
- metabolism 447–450
- molecular formula of 446
- non-protein amino acid 445
- occurrence in natural sources 446–447
- physiological functions 461–462
- physiological properties 445
- -producing strains 445
- production of 445–446
- properties 446
- regulation mechanism 456–457
- structure 446
- uptake system 454–455

gamma-aminobutyric acid transaminase (GABA-T) 447, 448, 450, 454–456

gamma-linolenic acid (GLA) production 297–300

gas chromatography (GC) 80, 165, 174, 395

g-butyrobetaine hydroxylase 164

geranylgeranyl-pyrophosphate (GGPP) 237, 238

geranyl-pyrophosphate (GPP) 238

g-hydroxybutyrate (GHB) 455

Gluconacetobacter 374

Gluconacetobacter liquefaciens 375

D-gluconic pathway 166

Gluconobacter 216–219, 374

Gluconobacter oxydans 168–170, 193, 207, 211, 216–217, 374

Gluconobacter oxydans IFO3293 208, 211, 219

glucose dehydrogenase (GDH) 112, 367, 375

glucose-methanol-choline (GMC) oxidoreductase 200

N-glucosylmonascorubramine 512

N-glucosylrubropunctamine 512

L-glutamate decarboxylase (GAD) 445–448, 450–453, 456–460

glutathione peroxidase (GSH-Px) 436

D-glyceraldehyde 3-phosphate (GA3P) 329, 336

glycerol dehydrogenase (GLDH) 374

glycolysis 30, 54, 142, 236, 243, 244

Glycyrrhiza echinata 487

glyoxylate reductase (GLYR) 455, 488

gold nanoparticles (NPs) 429

Guanosine triphosphate (GTP) 22–27, 106, 107, 145

L-gulonono-1,4-lactone oxidases (GULO) 198, 199

h

Haematococcus 12, 266

Haematococcus pluvialis 229, 268, 271–273, 275, 278–280

haptocorrin (HC) 131, 136

Helicobacter pylori 21

Heliobacillus mobilis 237

high-density lipoprotein (HDL) 510

high performance liquid chromatography (HPLC) 139–140, 166, 233, 395, 515–517

high-speed counter-current chromatography (HSCCC) 514, 515

Hikan child diseases 2

holotranscobalamin (holoTC) 134

homocarotenoids 230, 239, 252

hydroxycobalamin (OHCB₁₂) 129

6-hydroxydopamine (6-OHDA) 371

3-hydroxylase (F3H) 483

6-hydroxymethyl-7,8-dihydropterin pyrophosphate (DHPP) 106

4-hydroxyphenylpyruvate dioxygenase 164

hypercholesterolemia 56–58

i

ilvBNCD gene 91

industrial fermentation of Asc 166–167

- Reichstein process 167–168
- two-step fermentation process *see* two-step fermentation process

in situ product recovery (ISPR) process 148

intrinsic factor (IF) 129, 131, 136

isoflavone dehydratase (IFD) 483

isoflavones 471, 475, 476, 483, 486, 489

isoflavone synthase (IFS) 483

isoflavonoids 484, 486

isopentenyl diphosphate (IPP) 329

isopentenyl-pyrophosphate (IPP) 236, 238

k

2-keto aldoses 206–208

- *Gluconobacter* 217–219
- L-sorbose dehydrogenase, accumulating L-sorbose 215–217
- from L-sorbose 212–215
- L-sorbose dehydrogenases 208–212

2-keto-D-gluconic acid pathway 166

Ketogulonicigenium 200, 215–216

Ketogulonicigenium vulgare 199, 207–209, 215–216, 218

- interaction mechanism between companion strain and 173–175
- 2-KLG production strain 171–172
- stimulating growth and 2-KLG production of 171

- Klebsiella pneumoniae* 378
 2-KLG (2-keto-L-gulonic acid) 166–177,
 179–182, 184, 193
 Krebs cycle 54, 483
- I**
- lactic acid bacteria (LAB) 115–117,
 445–447, 450–452, 457, 458, 462
Lactobacillus 12, 50, 116, 117, 236, 450
Lactobacillus arabinosus 129
Lactobacillus brevis 445, 448, 450–451, 454
Lactobacillus brevis CGMCC 1306, 452, 460
Lactobacillus brevis IFO 12005, 451
Lactobacillus brevis Lb85 451, 460
Lactobacillus brevis NCL912 451, 458
Lactobacillus brevis TCCC13007 458
Lactobacillus bulgaricus B₁ 81
Lactobacillus bulgaricus subs. *lactis* ATTC
 7830, 138
Lactobacillus casei (ATCC 7469), 80
Lactobacillus helveticus (ATCC 12046) 81
Lactobacillus leichmannii 138
Lactobacillus plantarum 46
Lactobacillus plantarum ATCC8014 80
Lactobacillus reuteri 136, 141
Lactococcus lactis 116, 117, 120, 121
 lactoflavin 17 *see also* riboflavin
 1,4-lactone oxidoreductases 198–200
 leucoanthocyanidin dioxygenase (LDOX)
 484
 leucoanthocyanidin reductase (LAR) 484
 Light-oxygen-voltage (LOV) domains 20
 linoleic acid 287–290, 297, 314
 lipid 58, 394
 – accumulation 295
 – metabolism 55
 – nomenclature 287–288
 – peroxidation 275, 326, 351, 425, 436
 liposome peroxidation system 427, 431
 liposomes 435
 liquid chromatography/electrospray-ionisation
 tandem mass spectrometry
 (LC/ESI-MS/MS) method 368
 liquid-state fermentation (LSF) products
 512, 513
 long-chain fatty acids 393
 low-density lipoproteins (LDLs) 478, 510
 lumazine synthase 23
 lutein 266–268, 272, 273, 275, 279
 lysine 76
- m**
- malonyl-CoA synthetase (MatB) 488
 mass spectrometry (MS) methods 398
 metabolic engineering 240, 244, 334
 – Asc 175–177
 – of bacteria 252–253
 – β -carotene 276
 – of CoQ10 335, 337–338
 – folate production 117
 – PAB, vectors for 146
 – PQQ 378–380
 – riboflavin 26–31
 methionine synthase (MS) 132, 133, 151
 methylcobalamin (MeB₁₂) 129, 132, 136
 methylerythritol-phosphate (MEP) pathway
 236
 2-Methyl-5-ethyl-pyridine (MEP) 47
 L-methylmalonyl-CoA mutase (MCM) 132,
 133
 5-methyltetrahydrofolate (5-MeTHF) 103,
 104, 106, 109, 110
 mevalonate (MVA) pathway 329
 micellar electrokinetic chromatography
 (MEKC) 515
Microbacterium arborescens 235
 microbial oils production
 – alternative sources of DHA 302–305
 – DHA and ARA 300–302
 – eicosapentaenoic acid 305–307
 – GLA 297–300
 – photosynthetic microalgae for PUFAs
 production 307–310
Micrococcus luteus 239
 micronutrients 3, 41, 71, 105
 microorganisms in L-carnitine
 – carbon and nitrogen source 401–402
 – electron acceptor 402–403
 – protectant agent 401
mokH gene 522
 monacolin K (MK) synthesis 522
 monapilol A-D 498
 monascin 497, 498, 508–511, 515
 monascorubramine 498, 508, 512
 monascorubrin 498, 508
Monascus anka 508, 515
Monascus pigments (MPs)
 – anti-cancer activities 497, 498, 508
 – anti-diabetes activities 511
 – anti-inflammation activities 510
 – antimicrobial activities 497, 508–509
 – anti-obesity activities 509–510
 – applications 524–525
 – assay methods 513–519
 – categories 497–498
 – chemical properties 511–513
 – cholesterol levels regulation 510–511
 – components identification 515, 518–519

Monascus pigments (MPs) (*contd.*)

- economics 525
- extraction and detection 513–514
- as food colourants 497
- isolated compounds 499–507
- isolation and purification of components 514–515
- physiological functions 498, 508–511
- producer *see Monascus* spp.
- safety 513
- solubility 511
- stability 511–513
- units 513–519
- uses 497

Monascus pilosus 520, 522–524*Monascus pilosus* BCRC38072 522*Monascus purpureus* 508, 520, 521, 523*Monascus purpureus* CCRC3150 512*Monascus purpureus*-fermented product extract (MFPE) 525*Monascus purpureus* MTCC410-fermented rice 513*Monascus purpureus* NRRL 1596, 524*Monascus purpureus* TISTR 3002, 512*Monascus ruber* 520, 522, 523*Monascus ruber* M7 524*Monascus ruber* NRRL 1597, 524*Monascus* spp.

- applications 520
- citrinin synthesis and regulations 521–522
- DNA transformation 521
- genomes 524
- MK synthesis and regulations 522
- MPs synthesis and regulations 522–523
- producing methods 520–521
- secondary metabolism regulations 523–524

monosodium glutamate (MSG) 446

MpigE-deleted mutant 523*MpigE* gene 522, 524*MpPKS5* (*pks* gene) 522*Mucor circinelloides* 311*Muriellopsis* sp. 273*Mycobacterium* 21*Mycobacterium smegmatis* 129*Mycobacterium tuberculosis* 199**n**

NAD (nicotinamide adenine dinucleotide) 41

NADP (nicotinamide adenine dinucleotide phosphate) 41

NADP-dependent D-sorbitol dehydrogenase (NADP-SLDH) 170

Nannochloropsis 266, 312*Neochloris wimmeri* 271

neurodegenerative diseases 352, 430, 437

neurodegenerative disorders 58, 470

Neurospora crassa 399

niacin

- applications 61
- biocatalytic method 50–52
- biosynthesis 49–52
- chemical methods 46–47
- chemical properties 44, 45
- coenzyme in metabolic reactions 53–56
- deficiency disease (pellagra) 45–46
- derivatives 60–61
- downstream processing 52–53
- fermentative method 49–50
- future prospects 61
- history 42–43
- microbiological methods 46
- in natural/food sources 43–44
- physical properties 44, 45
- production of *see* 3-picoline (3-methyl pyridine)
- reactive extraction 53
- side effects 59
- synthesis *see* synthesis of niacin
- therapeutic molecule 56–58
- toxicity of 59–60

nicotinamide

- applications in cosmetics 61
- biocatalytic method 50–52
- chemical properties 44, 45
- fermentative method 49–50
- physical properties 44, 45
- production of *see* 3-picoline (3-methyl pyridine)
- side effects 59

nitric oxide (•NO) metabolism 480

nixtamalisation process 2

Nocardia rhodochrous LL100–21 51

nuclear magnetic resonance (NMR) 515

Nylon-4 445, 462

o*Ochrobactrum anthropi* 424

oleic acid 287–289, 432, 433

oxidative stress 165, 266, 274, 275, 332, 344, 351, 352, 371, 372, 427, 451, 477, 479, 480, 511

2-oxoacid-dependent dioxygenases 164

2-oxoglutarate dehydrogenase complex (ODHC) 461

p

- panBC* gene 91
- Pantoea ananatis* 234
- pantothenic acid 67–98
- acyl-CoA synthetases 69–70
 - adequate intake in humans 72
 - application 92–98
 - assay methods 79–81
 - chemical properties 77–79
 - CoA, chemical structure of 67–68
 - CoA esters 70
 - definition 67
 - economic 92–98
 - intracellular free fatty acids 69
 - in natural food sources and requirements 71–74
 - physical properties 77–79
 - physiological role as vitamin/coenzyme 74–77
- pantotheryl alcohol 92
- para-aminobenzoic acid (pABA) 106, 107, 116–118, 121
- pellagra 3, 56
- niacin deficiency 2
 - niacin treatment for 56–57
 - vitamin B₃ deficiency 45–46
- peptidylglycine alpha-amidating monooxygenase 164
- Petunia hybrida* 481
- phenylalanine-ammonia-lyase (PAL) 483, 487, 489
- phenylchromane 471
- phenylpropanoid pathway 469, 481, 483, 485, 486
- photobioreactors 200, 265, 308
- photosynthesis 55, 234, 266, 268, 481
- phytoene 237, 250
- 3-picoline (3-methyl pyridine)
- ammoxidation of 48
 - gas-phase oxidation 48, 49
- pigR* gene 522
- pknG* gene 460–461
- pksCT* gene 521, 522
- Plasmodium berghei* 94
- Plasmodium falciparum* 94, 97, 329
- polyketide synthase (PKS) pathway 291
- polyunsaturated fatty acids (PUFAs) 6, 12, 274, 287, 291, 293–294, 300–303, 305, 307–310, 312–315 *see also* essential fatty acids (EFAs)
- PQQ *see* pyrroloquinoline quinone (PQQ)
- proanthocyanidins 469, 471, 473–475, 477, 481, 484, 486
- probiotic bacteria 115, 119
- propionibacteria (PAB) 140–141
- engineering of B₁₂ production 145–146
 - fermentation process 146–148
 - vitamin B12 producing microorganisms 142–143
- Propionibacterium freudenreichii* 130, 141–143, 145–147, 150, 151
- Propionibacterium freudenreichii* ssp. *shermanii* 142, 145
- propionic acid 87, 142, 146–148
- protein metabolism 55, 58
- protein tyrosine phosphatase 1B (PTP1B) 370, 371
- Proteus mirabilis* strains 400
- Proteus* sp. 403, 405–407
- Proteus vulgaris* 402
- Prototheca* 201
- provitamins 6
- Pseudomonades
- engineering of B₁₂ production 146
 - fermentation process 148–149
 - vitamin B12 producing microorganisms 143–144
- Pseudomonas* 130, 143
- Pseudomonas denitrificans* 130, 141, 143–148, 151
- Pseudomonas maltophilia* 87, 89
- Pseudomonas pertucinogena* 144
- Pseudomonas putida* 230
- Pseudomonas striata* 169, 171
- Pseudomonas stutzeri* 143
- Pyrobaculum aerophilum* 375
- pyrroloquinoline quinone (PQQ) 6, 168
- application 380–381
 - assay methods 377
 - biosynthesis and metabolic regulation 378
 - chemical properties 376–377
 - chemical synthesis 380
 - as cofactor 373–376
 - cyclic voltammetric analysis of 377
 - deficiency 370
 - dietary supplementation 370
 - economics 380–381
 - effects of 367, 372–373
 - history 367
 - in natural/food sources 367–368
 - oral supplementation of 369
 - physical properties 376–377
 - producing microorganisms 377–378
 - strain improvement 378–380
 - structure 367, 368
 - up-and down-stream processing 380
 - as vitamin/bioactive substance 368–373

- pyrroloquinoline quinone-dependent
 - D-sorbitol dehydrogenase (PQQ-SLDH) (contd.)
- pyrroloquinoline quinone-dependent
 - D-sorbitol dehydrogenase (PQQ-SLDH) 170
- pyrroloquinoline quinone (PQQ)-linked glycerol/sorbitol dehydrogenase (PQQ)-Gldh/PQQ-Sldh 207
- pyruvate dehydrogenase 54, 248, 296
- q**
- quercetin glycosides 474
- quino haemoproteins 373
- quinoproteins 367, 373–376
- r**
- raceway cultivation system 271
- Ralstonia eutropha* 148
- rare earth elements (REEs) 180
- reactive oxygen species (ROS) 267, 269, 272, 274
- Recommended Daily Allowance (RDA) 18, 131
- Recommended Dietary Allowance (RDA) 9, 11, 71
- red fermented rice (RFR) 509, 520, 522, 525
- Reichstein process
 - bioconversion of D-Sorbitol to L-sorbose by *gluconobacter* 167–168
 - establishment of 167
 - L-sorbose production 168
 - oxidation of L-sorbose to 2-KLG and rearrangement to Asc 168
- repeatable battery for the assessment of neuropsychological status (RBANS) 372
- RFN element, riboflavin biosynthesis 25–26
- Rhizobium leguminosarum* 450, 454–456
- Rhodobacter capsulatus* 145, 234
- Rhodomicrobium vannielii* 234
- rhodopsin synthesis 55–56
- Rhodospirillum rubrum* 230, 252, 343
- Rhodotorula rubra* 487
- riboflavin
 - application 33
 - assay methods 18–19
 - biological role of flavins and flavoproteins 19–21
 - biosynthesis and regulation 22–26
 - chemical properties 18
 - chemical synthesis 33
 - deficiencies 18
 - definition 17
 - 5,6-dimethylbenzimidazol moiety 20
 - downstream process 32
 - economics 33
 - fermentation process 31–32
 - historical background 17
 - history 17
 - natural source/food sources of 17
 - physical properties 18
 - producing microorganisms 21–22
 - RDA variations 18
 - strain improvement 26–31
 - structure of 19
 - units 18–19
- ricketts 2, 3
- rubropunctamine 498, 508, 512
- rubropunctatin 497, 498, 508
- s**
- Saccharomyces cerevisiae* 23, 24, 27, 28, 67, 244, 295, 329, 334, 338
 - biotechnological production of flavonoids 489
 - direct L-ascorbic acid formation 201–202
 - metabolism of GABA 450
 - producing CoQ 328
 - transport of GABA 455
- S-adenosylmethionine (SAM) 106, 132, 379
- Salmonella enterica* subsp. *enterica* 145
- Saprolegnia diclina* 314
- Sarcoscypha occidentalis* 21
- Saussurea involucreata* 487
- Scenedesmus* 271, 272
- Scenedesmus almeriensis* 272
- Scenedesmus komarekii* 273
- Scenedesmus obliquus* 271, 272
- Schilling test 134
- Schizochytrium* sp. 293, 298, 303, 306, 307, 312, 316
- scurvy 3, 161, 469
 - causes 1
 - lemons and limes for 1
 - prevention 1–2
 - role of flavonoids on 470
 - vitamin C deficiency 1
- secondary fermentation 142
- Sequential Injection Analysis (SIA) system 399
- Shewanella oneidensis* 21
- single-cell oils 310, 312
- Sndhak 208–215
- solid-state fermentation (SSF)
 - MP production 520, 524
 - products 512, 513
- soluble glucose dehydrogenase (sGDH) 209, 210, 375

- sorbitol dehydrogenase (SLDH) 168, 170
 L-sorbose dehydrogenase (Sdh) 218
 L-sorbose pathway 166
 sorbose/sorbose dehydrogenase (SSDH) 173
 L-sorbose dehydrogenase (Sndhai) 208, 211–215
 sorbose dehydrogenase (SNDH) 375
 spectrophotometric methods 166
Sphingomonas sp. ZUTEO3 339
Sphingosinella xenopeptidilytica 424
 stability of MPs
 – effect of light on 512
 – effects of temperature, pH and solvent 511–512
 – on metal ion 513
Staphylococci 96, 97
Staphylococcus aureus 237
Streptococcus salivarius ssp. *thermophilus* 445
Streptomyces coelicolor 487
Streptomyces mobaraensis 431
Streptomyces sp. 129
Streptomyces strains 237
Streptomyces thermocyaneoviolaceus NBRC14271 (S9AP-St) 424
Streptomyces venezuelae 489
 succinic semialdehyde dehydrogenase (SSADH) 447, 448, 450, 454, 455
 superoxide dismutase (SOD) 421, 436
 synthesis of niacin
 – biological process 49–52
 – biosynthesis 49
 – chemical process 47–49
- t**
Tenebrio molitor 391
 tetrahydrofolate (THF) 87, 103, 116, 132, 136
 – derivatives 105, 108
 – structure of 104
 thin-layer chromatography (TLC) 80, 234, 514–515
Torulopsis candida 21
 4-tosylureido carnosine 429
 toxicity of niacin
 – glucose intolerance 60
 – hepatotoxicity 59
 – vasodilation/niacin flush 59–60
 transcobalamin (TC) 131
 transhydrogenase 20
 transport phenomena in L-carnitine production
 – *caiT* gene, overexpression of 408
 – membrane permeabilisation 407
 – osmotic stress induction of 408
 trehalose 427, 429
 triacylglycerol
 – oil 307, 308, 313, 314
 – structures of 288
 – synthesis of 69, 275
 1,4,6-trihydroxynaphthalene 512
 trimethylammonium compound 401
 – biotransformation of 402, 409
 – metabolism 403, 404, 406
 Trimethyl ester of pyrroloquinoline quinone (PQQTME) 380
 Triton X-100 407
 two-helper-strain co-culture system (TSCS) 171, 180
 two-step fermentation process 162, 183, 184
 – conversion of D-sorbitol to L-sorbose 169–170
 – conversion of L-sorbose to 2-KLG 170–175
 – fermentation process 177–181
 – vs. Reichstein's process 168–169
 – strain improvement 175–177
 – upstream and downstream processing 181–182
 tyrosine ammonia lyase (TAL) 483, 489
- u**
 ubiquinone-10 321
 UC Davis-type 2 diabetes mellitus (UCD-T2DM) 370
 unsaturated fatty acids 287
 upstream process
 – Asc 181–182
 – coenzyme Q₁₀ 340–343
 – PQQ 380
 UV spectrophotometric method 166
- v**
 vanin 89
 visual purple (rhodopsin) 55
 vitamin antagonists 7
 vitamin B₂ *see* riboflavin
 vitamin B₃ *see* niacin
 vitamin B₅ *see* pantothenic acid
 vitamin B₉ 103–123
 vitamin B₁₂ 129–151
 – absorption 131–132
 – application 150–151
 – assay methods 137–140
 – biochemical pathway 129–130
 – biosynthesis 144–145
 – causes and prevalence of deficiencies 133–134

- vitamin B₁₂ (*contd.*)
 - chemical properties 136–137
 - derivatives 129
 - diagnosis of deficiencies 134
 - downstream processing 149–150
 - economics 150–151
 - engineering production 145–146
 - fermentation process 146–149
 - history 129–130
 - metabolic functions 132–133
 - metabolic regulation 144–145
 - microorganism, source of 129
 - occurrence in food and natural sources 130–131
 - physical properties 134–136
 - producing microorganisms 140–144
 - structure of 135
 - transport 131–132
 - water-soluble compounds 129
- vitamin B complex 3
- vitamin B_T *see* L-carnitine
- vitamin C *see* L-ascorbic acid (Asc)
- vitamin F *see* essential fatty acids (EFAs)
- vitamin P 469, 470
- vitamins
 - classification 41
 - deficiency 1–2
 - definition 1
 - discovery years and origin source 4

- nomenclature 4–5
- physiological functions 6–8
- production and application 8–13
- survey of 9–11
- technical functions 8
- terminology 3
- types of 41

W

- water-soluble vitamins 5, 7, 41
 - coenzyme 7
 - folate (B₉ vitamin) 103–123
 - pantothenic acid 67–98
 - vitamin B₁₂ 129–151

X

- Xanthophyllomyces dendrorhous* 271
- xanthophylls 230, 237, 240, 254, 266–269
- x-ray crystallographic analysis 367

Y

- Yarrowia lipolytica* 295

Z

- Zea mays* 481, 485, 486
- zeaxanthin 230, 231, 233–235, 239, 250–252, 266–269
- Zymomonas mobilis* 230, 252