

Index

a

Acetobacter microfibrils 268
 acid hydrolysis 262
 – starch 290
 aerosol assisted CVD technique 1
 Agave atrovirens fiber 263
 algae cellulose (AC) particles 268
 alginates
 – nanomaterials 308
 – origin 308
 – structure and properties 307
 – nanocomposites 309
 alternating magnetic field (AMF) 284
 aminopropyl heptacyclopentyl-polyhedral
 oligomeric silsesquioxane (AP-POSS)
 161
 amorphous silica materials 241
 amphiphilic porphyrins 35
 amylopectins (AP) 287
 amylose (AM) 287
 arc discharge method, CNT 81, 82
 artificial synthesis of zeolites 190
 atomic force microscopy (AFM) 110, 304

b

bacterial cellulose (BC) particles 268
 bacterial nanocellulose (BNC) 402
 Baeyer condensation reactions 346
 ball milling method, CNT 85
 Bechgaard salts 28
 benzoic acid-functionalized graphene (BFG)
 337
 β 1 $\rightarrow$ 4 glucosidic bond 258
 bio based nanocomposites 9
 biocides systems and bioremediation 14
 bioinformatics 23
 biolabelling 23
 biosensing 23

boundary element method (BEM) 371, 372
 bridged polysilsesquioxanes (BSSs) 173

c

carbon black (CB) 142
 carbon nanofibers
 – irradiation times 47, 48
 – – multiscale models, *see* multiscale models
 – – polymer-filler interactions 380
 – mechanical properties 367
 – molecular modeling
 – – dynamics 369
 – – mechanics 369
 carbon nanotubes (CNTs) 383
 – aluminum matrix 100
 – biological and chemical sensors 2, 75
 – ceramic matrix composites 3, 98
 – chemical modifications 86, 87, 98
 – classification 2
 – continuum models
 – – computational continuum modeling, *see*
 computational continuum modeling
 – – micromechanics models, *see*
 micromechanics models
 – CVD 82
 – hardness and tensile strength enhancement
 100
 – hydrophobicity and chemical inertness 76
 – industrial and technological applications 3
 – interfacial interaction 96
 – mechanical dispersion techniques 76
 – mechanical, thermal and physical properties
 75
 – modification treatments 85
 – morphology 90
 – MWCNTs 3
 – nano-electromechanical systems (NEMS)
 75

- carbon nanotubes (CNTs) (*contd.*)
 - nanoscale dispersion 93
 - physical modification 87, 88
 - polymer matrix composites 2, 3
 - powder metallurgical routes 93
 - processing methods 75
 - production technologies 101
 - properties 75, 79, 80
 - scanning probe microscopy 75
 - structure 76–79
 - synthesis 81–83
- caryophyllene oxide 347
- casein (CAS)
 - micelles/nanocapsules 301
 - nanocomposites 304
 - nanogels 302
 - nanomaterials 301
 - nanoparticle characterization 303
 - origin 300
 - polyelectrolyte complex nanoparticles 302
 - structure and properties 299
- cation– π interactions 31, 32
- CdS nanowires 46
- cellulose 255
 - applications 404, 405
 - β -1–4-linked D-glucopyranose 257
 - biological function 258
 - industrial application 259
 - morphology and structural aspects
 - cellulose I β 393, 394
 - construction material 392
 - crystal modifications 393, 394
 - D-glucopyranose unit 392
 - intra- and intermolecular hydrogen bonds 393
 - spatial arrangement/stereochemistry 392
 - wood 392
 - nanocomposites
 - advantages 403
 - casting-evaporation 403
 - disadvantages 403
 - electrospinning 404
 - extrusion 404
 - impregnation 404
 - polymeric matrix 401, 403
 - nanoparticles
 - BNC 402
 - CNC 399–401
 - mechanical processes 395
 - NFC, *see* nanofibrillated cellulose (NFC)
 - vegetal resources 395
 - origin 259
 - structure and properties 257
- cellulose nanocomposites
 - characterization and applications 276
 - nanocomposites preparations 271
 - NFC 275
 - NW 272
- cellulose nanocrystals (CNCs) 9, 260, 264, 399–401
- cellulose nanofibrils (CNFs) 260, 409
- cellulose nanomaterials 260
- cellulose nanoparticles (CNs)
 - acid hydrolysis 13
 - algae cellulose particles 268
 - bacterial cellulose (BC) particles 268
 - bacterial nanocellulose (BNC) 13
 - cellulose nanocrystals (CNC) 13, 264
 - mechanical treatment 13
 - microfibrillated cellulose (MFC) 264
- cellulose nanoparticless
 - preparation, characterization and applications 261
 - source and processing conditions 13
 - synthesis and isolation
 - acid hydrolysis 262
 - cryocrushing 263
 - mechanical treatment/processing 263
 - tunicate cellulose nanocrystals 268
- cellulose nanowhiskers (CNWs) 9, 264
- centrifugation-assisted grinding 203
- cetyltrimethylammonium bromide (CTAB) 47
- chemical vapor deposition (CVD) technique 41, 119
- chiral supramolecular system 35, 37
- chiral tripodterpyridine ligand 37
- chitin ($C_8H_{13}O_5N$)_n 9
- chitin/chitosan
 - application 278
 - bio-applications 280
 - biological properties 278
 - freeze-drying process 280
 - microfibrillar arrangements 282
 - mucoadhesive formulation 281
 - nanocomposites 282
 - origin 279
 - physico-chemical properties 278
 - preparative methods 280
 - structure and properties 277
- CNs-based nanocomposites
 - electronic devices 14
 - food packaging materials 14
 - light-responsive composites 14
 - optical 14

- pharmaceutical and medical applications 14
- printing and paper industry 14
- CNTs based nanocomposites
 - application 90
 - bending strength and fracture toughness 91
 - ceramic matrix 91
 - classification 90
 - deformation processes 91
 - dispersion treatments 91
 - grain size distribution 96
 - hardness value and tensile properties, pure aluminum 95
 - in situ polymerization 91
 - mechanical and physical properties 90
 - melt mixing method 91
 - nanotube-filled polymer composite 90
 - production technology 90
 - reinforcement properties 90
 - solution mixing methods 91
- colloidal calcium phosphate (CCP) 300
- composites
 - definition 332
- computational continuum modeling
 - BEM 371, 372
 - FEM
 - – circular, square and hexagonal RVE 370, 371
 - – visco-elastic behavior 371
- conventional powder metallurgy 91
- copper nanoparticles 25
- critical temperature, superconductor 26
- cryocrushing 263
- Cu microstructures 50
- curcumin 296
- CuS architecture 51, 52
- cyclotron resonance regime 121
- CYDIOL molecules 33

d

- degree of polymerization (DP) 287
- Dictyostelium discoideum* 260
- dispersion processes, CNTs
 - aqueous colloid 98
 - molecular level mixing 98
 - polymer-derived ceramics 98
- DNA nanotechnology 24
- double-walled carbon nanotubes (DWNs) 2
- droplet based synthesis method
 - droplet microfluidics 202
 - microemulsion based synthesis 201
- dry gel conversion, zeolites 200
- dye sensitized solar cells (DSSC) 209, 210

e

- edge-face π -interaction (CH- π) 32
- electrochemical deposition 91
- electrodeposition processes 2
- electron backscattered diffraction (EBSD) 96
- elementary fibrils/microfibrils 260
- enthalpic hydrophobic effect 34
- entropic hydrophobic effect 34
- Environmental Protection Agency (EPA) 414
- enzymatically modified form (EMG) 271
- Enzyme-hydrolyzed lignin (EHL) 411
- epigallocatechin gallate (EGCG) 304
- epitaxial graphene (EG) 116
- Equivalent-continuum method (ECM) 380
- Eshelby-Mori-Tanaka theory 13
- evaporation induced self-assembly (EISA) 231
- evolutionary nano 21
- exfoliated graphene (EG) 123

f

- face-to-face π - π interaction 32
- ferroelectric materials 25
- finite element method (FEM)
 - circular, square and hexagonal RVE 370, 371
 - visco-elastic behavior 371
- force and bonding, nanomaterials
 - hydrogen bond, *see* hydrogen bonding assemblies
 - hydrophilic and hydrophobic interactions, *see* hydrophilic and hydrophobic interactions assemblies
 - metal–ligand interactions, *see* metal–ligand interactions
- Fourier transform infrared spectroscopy (FTIR) 407
- freeze–thaw technique 14
- friction stir processing 91
- fullerenes 28
- functionalized graphene sheets (FGSs) 127
- fusion processing techniques 91

g

- Ge nanowires 46, 47
- gelatin/collagen 312
- Gluconacetobacter xylinus* 272
- graphene and graphene sheets
 - chemical modification 118
 - chemical synthesis 118
 - chemical vapor deposition (CVD) method 116
 - electrical property 109
 - electron mobility 109

graphene and graphene sheets (*contd.*)
 – electronic properties 110
 – epitaxial graphene, silicon carbide (SiC) surfaces 116
 – exfoliation 113
 – graphene polymer nanocomposite 133
 – hyper-conductive carbon nanotubes 107
 – mechanical properties 110
 – micro and macro composites 143
 – nanocomposites 121
 – optical properties 111
 – oxidation and reduction 115
 – physical modification 120
 – Raman spectroscopy 112
 – rubber-rubber blends 138
 – rubbers and nanoparticles 123
 – structure 107
 – synthesis 112
 – thermoplastic based blends 135
 – thermoplastic nanocomposites 127
 graphene nanocomposites 145
 graphene nanoplatelets (GNPs) 4
 graphene oxide (GO) 115
 green algae 260

h

Halocynthia papillosa 259
 Halocynthia roretzi 259
 Halpin-Tsai model (H-T) 374
 hard templating method 231
 hemicellulose
 – applications 406
 – CNFs 409
 – coacervation method 408
 – freeze–thaw technique 409
 – isolation and purification strategies 406, 407
 – laminated films 409
 – potential products 406
 – SAS 408, 409
 – solubilisation 408
 – xylan 408, 409
 hemicelluloses-based biomaterials 14
 high-silica zeolites 190
 hydrogen bonding assemblies
 – definition 29
 – photocurrent stability 30, 31
 – supra structure 30, 32
 – supramolecules 30
 hydrolyzed soy protein isolate (HSPI)
 nanoparticle 298
 hydrophilic and hydrophobic interactions
 assemblies
 – amphiphilic molecules 33

– chiral supramolecular structures 35
 – enthalpic hydrophobic effect 34
 – entropic hydrophobic effect 34
 hydrothermal crystallization method 190
 hydroxypropyl methyl cellulose (HPMC) 272

k

Krenchel model 372

l

laser ablation, CNT 82
 laser-assisted chemical vapor decomposition (LCVD) 41, 47
 Life-cycle assessment (LCA) 415
 Lignin 255
 – alcohol pulping 413
 – applications 413, 414
 – atom transfer radical polymerization 413
 – EHL 411
 – functional groups 410
 – hydroxymethylation 411
 – LPC 412
 – organoclays 413
 – organosolv and kraft pulping processes 410
 – poor compatibility 410
 – rubber latex 412
 – structure 410
 – thermoplasticity, absence of 410
 – vapor-induced phase separation 411
 lignin-cationic polyelectrolyte complexes (LPC) 412
 LLC template-assisted synthesis 2
 low silica zeolites 190
 lyotropic liquid crystals (LCC) 42
 – amphiphiles 227
 – triblock copolymers 228
 – CPP and self-assembly structures 228

m

manganese oxide nanowall arrays 50
 mechanical dispersion methods, CNT 83
 mesoporous materials
 – adsorption 249
 – carbon 238
 – catalysis 249
 – cetyltrimethylammonium cation 224
 – co-condensation method 244
 – drug delivery 248
 – grafting method 243
 – hard templating method 231
 – M41S materials 233
 – MCM-41 234
 – MCM-48 234

- metal/metal oxides 237, 248
- nanocasting 251
- organic moieties and molecules 251
- organic/inorganic hybrid material 240
- physical and chemical properties 251
- SBA – X materials 235
- SBA-15 235
- SBA-16 237
- sensors 250
- silica/polymer nanocomposites 244
- soft-templating method 231
- swelling organic molecules 225
- zeolites material 224
- mesoporous silica 232
- metal-organic frameworks (MOFs) 10, 12
 - carbon nano tubes
 - CH_4 341, 342
 - CO_2 341, 342
 - Cu^{2+} 342
 - H_2 344
 - H_2 343
 - Li^+ ions 341, 342
 - MOF-5 344
 - MOF-5s 345
 - MOFMC 344
 - MWCNT 345
 - definition 332
 - functionalized graphite
 - ammonia removal 340
 - HKUST-1 340, 341
 - HKUST-1 339
 - in situ process 339
 - MGrn 340
 - porosity 340
 - user-friendly 338
 - graphite oxide (GO)
 - BET surface area 338
 - BFG 337
 - COOH groups 337
 - MOF-5 337, 338
 - oxidation 336
 - porosity 336
 - inorganic matrix composites
 - Cr-MIL-101 nanocrystals 335
 - GO/HKUST-1 composites 335
 - GO/MOF-5 composites 335
 - $\text{SiO}_2/\text{Al}_2\text{O}_3$ beads 335
 - meso porous silica and alumina
 - (R)-MOF-silica composite 1, 354
 - catalytic activity 358
 - CuBTC (HKUST-1) 351, 353
 - Friedel–Crafts alkylation 354
 - homochirality 353
 - micropores 351
- SEM 354
- X-Ray diffraction 354
- metal nanoparticles 358–360
- organic matrix composites
 - HKUST-1 crystals 332
 - HKUST-1/PAM beads 334
 - MOF crystals dispersion 333
 - Pulp fibers 334
 - ZIF-8 crystals 333
 - ZIF-8/PVP fiber mat 333
- polymers 345
- MIL-101 and MIL101/PTA composites 348
- MIL-101 and phosphotungstic acid (MIL101/PTA) 347
- silk
 - BDC-MOF-coated silk yarns 362
 - Congo red 360
 - CuBTC nanoparticles 363, 364
 - enrichment progress 363
 - Layer-by-layer (LBL) deposition 360
 - LBL growth 362
 - sonochemical reactions 361
- metal–ligand interactions 36
- Metandrocarpa uedai* 259
- micellar calcium phosphate (MCP) 301
- Micrasterias 268
- microfibrillated cellulose (MFC) 264, 395
- micromechanics models
 - Cox and developed Cox models 373, 374
 - H-T model 374
 - H-T2D 375, 376
 - Halpin-Tsai model for 2D 375, 376
 - Krenchel model 372, 373
 - M-T model 378
 - modified H-T models
 - assumptions 376
 - functionalized and unfunctionalized SWCNT 376
 - non-perfect interface 377
 - parameters 378
 - shape factor 377
 - rule of mixtures 379
 - SA/V_c 378, 379
- microwave-assisted synthesis 199
- MnO_2 nanotubes 43, 44
- MnO_2 nanowire 43, 44
- modeling methods, polymer/carbon nanotube (CNT) nanocomposites 12, 13
- MoO_3 nanoplatelets 51, 53
- Moore's law 23
- Mori–Tanaka model (M-T) 378
- morphological forms, nanomaterials 24

- multi-walled carbon nanotubes (MWNTs) 2, 124
- multiscale models
 - cylinder method 382
 - ECM 380
 - effective modulus 382
 - FEM 381, 382
 - multiscale simulation 380, 381
 - polymer-filler interactions 380
 - wavelength ratio 382
- n**
- Nafion 349
- nano, *see* nanotechnology
- nano science and technology
 - CVD technique 1
 - nanoscale 1
 - plasmon resonance 1
 - synthetic chemistry 1
- nano-dimensions 22
- nanocomposites
 - applications 154
 - and mesoporous materials 7
 - cellulose 13
 - coatings and materials 152
 - graphene 3, 4
 - hemicelluloses 14
 - mesoporous silica/polymers 8
 - organic/inorganic composite materials 151
 - POSS, *see* polyhedral oligomeric silsesquioxane (POSS)
- nanofibers cellulose 266
- nanofibrillated cellulose (NFC) 266
 - acetylation 398
 - alkaline-acid pretreatment 398
 - carboxymethylation process 398
 - cellulosic materials 396
 - cryocrushing process 397
 - disadvantages 399
 - enzyme pre-treatment 397
 - grinding process 396, 397
 - high intensity ultrasonication 397
 - high-pressure homogenization 396
 - MFC 395
 - microfluidizer 396
 - silane 399
 - steam explosion process 397
 - TEMPO-mediated oxidation 398
- nanomaterials
 - quantum confinement 2
 - surface area related nanoscale effects 2
- nanomechanics 25
- nanometric scale 23
- nanoparticles
 - applications 25
 - physical properties 25
 - suspension 25
 - visual properties 25
- nanoscience and technology
 - applications
 - batteries 61
 - battle suit 68
 - carbon nanotubes (CNTs) 64
 - catalysts 62, 63
 - ceramics 66
 - coatings and surfaces 60, 61
 - display screens 62
 - easy-to-clean products 63
 - elimination of pollutants 67
 - food packaging 63
 - fuel additives 61
 - fuel cells 62
 - lubricants 64
 - magnetic materials 66
 - medical implants 66
 - nanosensors 64, 65
 - paints 60
 - personal care products 59, 60
 - renewable energy 61
 - sports 63
 - textiles 67
 - water purification 67
 - challenges
 - battery's life 57
 - energy sources 57
 - environment 55
 - health 58
 - and human body 55
 - industrial revolution 55
 - point-of-care diagnostic kits 58
 - public health and safety 54
 - surgical procedures 58
 - technological 54
 - definition 21
 - DNA 24
 - in materials science 21
 - in microelectronics 21
 - nanoparticles, *see* nanoparticles
 - toxic impacts 24
 - water crisis 55
 - filtration devices 55
 - industrial effluent 56
 - monitoring devices 55
 - research 57
 - rural communities 56
 - treatment technologies 56
- nanosensors 64, 65
- nanosystems 21

nanotechnology
 – definition 21, 22
 – history 23
 – in chemistry 21
 – Moore's law 23
 – nanometric scale 23
 – nanoscience and technology, *see*
 nanoscience and technology
 – nanostructures 21
 – transistors 23
 natural rubber 142
 natural rubber (NR) 127
 natural zeolites
 – agriculture 189
 – environmental protection 189
 – geological reactions 189
 – hydrothermal process 189
 – in basaltic and volcanic rocks 189
 non-ionic pluronic surfactants 230
 nuclear magnetic resonance spectroscopy
 (NMR) 407
 NW nanocomposites 272

O

offset π - π interaction 32
 olydiacetylene nanowires 33
 one-dimensional nano materials
 – anisotropic morphology 42
 – applications 42
 – electrode position method
 – – template-assisted electrode position
 43
 – – template-free electrode position 44
 – hydrothermal technique 45
 – LLC template-assisted methods 42, 43
 – quantum confinement 42
 – sol-gel technique 46
 – solvothermal synthesis 45
 – surface area 42
 1D nanotubes 39
 1D nanowires 39
 organic/inorganic hybrid materials 8
 organic superconductor 27, 28

P

π - π stacking assemblies
 – π - π interactions 31
 – – edge-face π -interaction (CH- π) 32
 – – face-to-face π - π interaction 32
 – – offset π - π interaction 32
 – cation- π interactions 31
 π - π stacking, *see* π - π stacking assemblies
 paclitaxel (Ptx) 304
Paralipophrys trigloides 279

periodic mesoporous organosilicas (PMOs)
 174
 phase inversion temperature (PIT)
 emulsification method 308
 phenol formaldehyde resin synthesis 14
 PI and PI/GO nanocomposites 129
 plasma enhanced CVD (PECVD) 117
 poly acrylic acid (PAA) 302
 polyhedral oligomeric silsesquioxane (POSS)
 4, 5, 154
 poly vinyl alcohol (PVA) 272
 poly(methyl methacrylate) (PMMA) 117
 poly(urethane-imide)POSS hybrid
 nanocomposites (PUI-POSS)
 – fluorinated prepolyimide (FPI) 167
 – physical and thermal properties 167
 polyaniline (PANI) 247
 polyaniline nanobelts 44
 polycrystalline films 117
 polyethylene-oxide blocks (PEO) 235
 polyhedral oligomeric silsesquioxane (POSS)
 5
 – advantages 174
 – aerospace industry 175
 – bridged polysilsesquioxanes (BSSs) 173
 – chemical structures 157
 – derivatives 156
 – EL properties 178
 – electric applications 177
 – gas separation studies 175
 – hybrid properties 156
 – nanocomposites 170
 – – definition 151
 – polyamide-POSS hybride nanocomposites
 – – AP-POSS 161
 – – crystalline structure and crystalline
 transition 160
 – – hexafluoroisopropylidene moiety 160
 – – morphological studies 161
 – – PAA synthesis 161
 – – RAFT agent 160
 – – synthesis 161
 – polymer nanocomposites 157
 – polymeric materials 155
 – polyphenyl silsesquioxane 178
 – POSS monomer (POSS-MA) 178
 – PUI-POSS
 – – fluorinated prepolyimide (FPI) 167
 – – FPUI-POSS and MSPUI membranes 167
 – – physical and thermal properties 167
 – – prepolyurethane (PU) 167
 – structure 155
 – trisilanolphenyl and octanaphthyl POSS
 155

- polypropylene oxide blocks (PPO) 235
- porous materials
 - classification 225
 - closed pores 224
 - types 224
- powder metallurgy production processes 95
- primary building unit (PBU) 192
- q**
- quantum materials, 25, 26 *see also*
 - superconductor
- quantum size effect 25, 154
- r**
- representative volume element (RVE) 370, 371
- revolutionary nano 21
- ring-opening polymerization (ROP) 271
- risk assessment 414, 415
- s**
- sea squirts (Ascidacea) 259
- secondary building unit (SBU) 192
- seed-induced crystallization, zeolites 202, 203
- severe plastic deformation 91
- Si nanowires 45
- silica-based mesoporous materials 8
- silver nanoparticles (AgNPs) 272
- single-walled carbon nanotubes (SWNTs) 2
- small-angle/wide-angle X-ray scattering (SWAXS) 140
- sodalite cage building units 192
- soft-templating method 231
- sol–gel technique 46
- solvothermal synthesis 45
- soy protein isolate (SPI)
 - nanocomposites 297
 - nanomaterials 295
 - origin 295
 - structure and properties 295
- spark plasma sintering (SPS) 91, 92
- spintronic 26
- starch
 - acid hydrolysis 290
 - emulsion/homogenization 289
 - nanoprecipitation 289
 - origin 287
 - starch nanocrystals (StNCs) 290
 - starch nanoparticles (StNPs) 288
 - structure and properties 287
 - ultrasonication 290
- starch-based nanoparticles 9
- starch nanoparticles (StNPs) 288
- structure-directing agents (SDAs) 231
- styrene-butadiene rubber (SBR) 142
- superconductivity 26
- superconductor
 - classification
 - BCS theory 27
 - critical temperature 27
 - materials 27, 28
 - type I superconductor 26
 - type II superconductor 26
 - definition 26
 - fullerenes 28
- supercritical antisolvent precipitation (SAS) 408, 409
- surface area per volume (SA/Vc) 379
- surfactants
 - amphiphilicity 226
 - inter-micellar state 226
 - LCC, *see* lyotropic liquid crystals (LCC)
 - neutral surfactant templates 230
 - types 229
- t**
- Thalassiosira fluviatilis* 279
- thermal decomposition 8
- thermal spray forming 91
- three dimensional-graphene-based frameworks (3DGFs) 143
- TiO₂ nanowires 45
- transmission electron microscopy (TEM) 140
- transition temperature, superconductor 26
- triblock copolymers 232
- triclinic I α allomorph 258
- tunicate cellulose nanocrystals (t-CNCs) 268
- two-dimensional nano materials
 - boron nitride nanosheets 51, 53
 - CTAB 47
 - Cu microstructures 50
 - CuS architecture 51, 52
 - hexagonal Pd nanosheets 49
 - hydrothermal methods 50
 - LCVD 51
 - manganese oxide nanowall arrays 50
 - MoO₃ nanoplatelets 51, 53
 - single crystalline platinum (Pt) nanosheets 49
 - sol–gel process 51
 - solvothermal processes 51
 - three electrode electrochemical cell system 49
 - two electrode electrochemical cell system 49
 - types 47, 48

- zinc oxide nanoplatelets, CVD 51
- ZnO nanoparticles 52, 53
- 2D nanofilm 40
- 2,2,6,6-tetramethyl-1-(pyperidinyloxy) radical (TEMPO)-mediated oxidation 262
- type I superconductor 26
- type II superconductor 26

- u**
- ultrasonically-assisted latex mixing and in situ reduction (ULMR) process 127
- ultrasonication methods, CNT 83–85, 290

- v**
- Valonia 268
- V-sharp amphiphilic zinc porphyrin 35
- van der Waals bonding 108
- viscosities 171

- w**
- whey protein 313

- x**
- X-ray diffraction (XRD) 125, 126
- xylan (XH) films 409

- z**
- zeolites 6
 - advantages 188
 - applications
 - batteries 210
 - catalysts 188
 - drug encapsulation 188
 - DSSC 209, 210
 - fuel cell 208, 209
 - hydrogen (H₂) storage 213, 214
 - ion exchange beds 188
 - micro-electronics 188
 - oil refining process 211, 212
 - optically active materials 188
 - photocatalysts 212
 - photoelectrochemical applications 188
 - polymerization science 188
 - separation technology 188
 - in sorbents 188
 - thin-film sensors 188
 - water purification 188
 - artificial 187
 - chabazite 187
 - chemical composition 187
 - chemical properties
 - adsorption 207
 - basicity 206
 - ion-exchange 207
 - classification 188
 - based on the crystal structure 194
 - based on pore size 192, 193
 - based on ring structure 193
 - based on Si/Al ratio 193, 194
 - mesoporous zeolites 191
 - microporous zeolites 191
 - on structural building units 192
 - clinoptilite 187
 - clinoptilolite and plagioclase 187
 - CO₂ capture 214
 - crystalline microporous alumino silicates 187
 - electrical properties 205
 - energy production devices 215
 - ex-situ composite formation 203
 - gas removal 215
 - history 197
 - hydrophobic properties 205
 - hydrothermal method 197, 198
 - in-situ composite formation 204
 - ion exchange and fuel cells 215
 - ionothermal synthesis 199
 - ion separation 215
 - large scale synthesis 187
 - magnetic properties 206
 - mica 187
 - microgravity environment 201
 - microporous frameworks 187
 - microwave-assisted synthesis 199
 - molecular diffusions 188
 - molecular sieves 194
 - mordenite 187
 - natural 187
 - opt technology 215
 - photophysical properties 205
 - physical properties 187
 - pore properties 206
 - quartz and smectite 187
 - solvothermal technique 198
 - structural building unit classification 188
 - tectosilicate 187
 - thermal properties 204
- zero-dimensional nano materials
 - aerosol assisted CVD technique 41
 - CVD technique 41
 - laser pyrolysis 42
 - LCVD 41
 - template method 40
 - types 40, 41
- ZSM-5 zeolites 203

