

Index

a

- AA. *see* azelaic acid (AA)
- acetaldehyde
- olefin oxidation
 - ethylene oxidation 140, 145–148
 - kinetics and mechanism 140–145
 - Wacker process
 - process improvements 151–155
 - single-stage process 148–149
 - two-stage process 149–150
- acetophenone (ACP) 18
- acetylene-based Reppe process 159, 160
- acrolein oxidation 178–180
- activated carbons (ACs) 267–275, 283
- dehydrogenation reactions 279
 - dehydrogenative coupling reactions 280
 - H₂O₂ time 271–272
 - and hydrogen peroxide 269
 - nitrogen content 272–274
 - oxidative cleavage reactions 275–277
 - oxygenation reactions 275
 - oxygen flow 271
 - oxygen pressure 271
 - pore size distribution 271, 272
- active pharmaceutical ingredient (API) 304, 306
- adamantane oxidation 257–258
- adamantanols 257
- adipic acid 258
- aerobic DDQ-catalyzed reactions 229–230
- aerobic oxidative esterification reaction
- Au–NiO_x nanoparticle catalyst 216–217
 - block flow diagram 214
 - Pd–Pb catalyst
 - discovery 210
 - industrial catalyst 213–214
 - intermetallic compounds 210–212
 - Pb role 213
 - Pd/SiO₂–Al₂O₃ catalyst 215–216
 - reaction mechanism 212
- alcohol oxidation
- copper catalysts (*see* copper-catalyzed aerobic alcohol oxidation)
 - NO_x cocatalysts (*see* NO_x-catalyzed aerobic alcohol oxidation)
- alcohol-to-ketone ratio 9
- aldehyde oxidation, Taylor flow conditions 410
- alkene acetoxylation 117–118
- alkoxyl radicals 4
- allyl alcohol 118
- allylic amines 152
- amberlyst-15/NO_x-catalyzed aerobic oxidation 241–243, 247–248
- amfepramone 81, 82
- amino acid-promoted aerobic C–H olefination 130
- aminomethylphosphonic acid (AMPA) 269–271
- anthraquinone oxidation (AO) process 221–223
- autoxidation step 223–225
 - hydrogenation process 225–226
 - vs. quinone-catalyzed oxidation reactions 229
- anti-Markovnikov Wacker oxidation 416
- aldehyde formation 151–152
 - continuous-flow microreactors 416
 - NO_x cocatalysts 131
- API. *see* active pharmaceutical ingredient (API)
- arene olefination 126–128
- artemisinic acid 389, 390
- artemisinin 389–391
- Ashland Oil, Inc. 124
- Aspergillus niger* mold oxidation process 351, 362–364

- AstraZeneca process 77, 78
 - (all-*rac*)- α -tocopherol 106
 - Au–NiO_x nanoparticle catalyst 216–217
 - autooxidation reaction 19
 - chain-propagation 5
 - cyclohexane 7
 - induction-initiation 4–5
 - initiators 4
 - radical pathway 3
 - termination reactions 5–6
 - AZD8926 synthesis 77, 78
 - azelaic acid (AA)
 - applications 331, 343
 - biotechnological syntheses 339–341
 - oleic acid, synthesis from
 - double bond cleavage 336–337
 - ozonolysis 332–336
 - three-stage conversion 339
 - two-stage conversion 337–339
 - oleic acid, synthesis from
 - properties 331
 - scale-up process 341–342
- b**
- Baeyer–Villiger monooxygenase
 - (BVMO)-mediated enzymatic process
 - esomeprazole production 295–298
 - mechanism 292–293
 - balanced catalytic surfactants 387–388
 - benzene production. *see* cumene route
 - synthesis
 - benzoquinone 153, 221
 - benzoylsalicylic acid 71
 - benzyl acetates 125
 - benzyl alcohol oxidation 241–242
 - benzylic acetoxylation 125–126, 131
 - 2-benzylpyridines oxidations 403–404
 - bicyclic [3.1.0]proline 299, 300
 - bimolecular initiation reaction 7, 8
 - binuclear ethylene–palladium complex 139
 - bio-based feedstock 313, 320, 325–326
 - bio-1,4-butanediol production 169
 - biocatalysis and fermentation
 - AA 339–341
 - bisulfite oxidation 302–303
 - BVMOs
 - esomeprazole production 295–298
 - mechanism 292–293
 - CHMO 304, 305
 - CYPs 304, 305
 - MAO 298–302
 - SMOs 304, 305
 - biorefinery concept 349, 350
 - bis(dimethyldialkylammonium)molybdates 387, 388
 - boceprevir 299, 303
 - BP PTA process. *see* purified terephthalic acid (PTA)
 - 1,4-butanediol 161
 - application 159
 - 1,3-butadiene-based synthesis
 - oxidative acetoxylation 162–164
 - oxyhalogenation 162
 - butane-based process 161
 - 3,4-epoxy-1-butene route 169
 - Mitsubishi Chemical's production method 160
 - first generation process 165–166
 - second generation process 167–168
 - process improvement 168–169
 - propylene-based process 161
 - Reppe process 159, 160
 - Rh–Te–C catalyst 168
 - t*-butyl hydroperoxide 154
 - BVMO-mediated enzymatic process. *see* Baeyer–Villiger monooxygenase enzymatic process
- c**
- Cabot Norit Activated Carbon 270
 - CAO enzymes. *see* copper amine oxidase (CAO) enzymes
 - carbocatalysis 274, 283
 - carbohydrate oxidation
 - disaccharides 358–361
 - enzymatic catalysis 363–364
 - metal catalysts 364–366
 - monosaccharides 354–357
 - organic acids, global market of 366
 - polysaccharides 361–362
 - carbon nanotubes (CNTs) 28, 29
 - dehydrogenation reactions 279
 - oxygenation reactions 278
 - catalytic aerobic oxidation reactions
 - vs. AO process 229
 - CAO enzymes 231–234
 - NO_x cocatalysts 229–230
 - Pd-catalyzed acetoxylation 230–231
 - cellobiose, gold catalyzed oxidation of 359, 360
 - chain initiation reactions 6–7
 - chain-propagation reactions 5, 7–10
 - Chan–Lam coupling reactions 77
 - chemical oxidation 364–366
 - chemoenzymatic oxidation 360–361
 - CHHP. *see* cyclohexyl hydroperoxide (CHHP)
 - chloranil 221

- 2-chloroethanol 147–148
- CHMO. *see* cyclohexanone monooxygenase
- (CHMO)-mediated enzymatic process
- (–)-*cis*-rose oxide 391
- β -citronellol 391, 392
- Claisen-type rearrangement 100
- Co–Br catalyzed oxidation
 - *p*-xylene (pX) oxidation
 - – branching sequence 46–47
 - – hydrogen abstraction reactions 47, 48
 - – reactive intermediates 43, 44
 - – thermal homolytic cleavage 44–45
- Co(III)-catalyzed acetic acid combustion 56, 57
- cofactor recycling systems 305
- colloidal metals, deposition/immobilization of 365
- Co/Mn/Br-catalyzed oxidation
 - furanics oxidation process 315–316
 - – gas composition control 322
 - – heterogeneous catalysts 316–318
 - – homogeneous catalysts 318–320
 - – oxygen mass transfer limitations 324
 - – reaction pathways 320, 321
 - – safety operation 324–325
 - – temperature control 323–324
 - levulinic acid 325, 326
 - lignin 325–326
- continuous-flow microreactors
 - anti-Markovnikov Wacker oxidation 416
 - Glaser–Hay acetylene coupling 411–412
 - indoles, C3-olefination of 412–413
 - metal-free aerobic oxidations
 - – *ortho* functionalized phenols 410, 411
 - – Taylor flow conditions 409, 410
 - – three phase flow conditions 408, 409
 - palladium-catalyzed aerobic oxidation 415
 - photosensitized singlet oxygen oxidation
 - – artemisinin synthesis 405–406
 - – ascaridole synthesis 404–405
 - – thiol oxidation 406–407
 - transition metal-catalyzed aerobic oxidations
 - – 2-benzylpyridines 403–404
 - – gold-catalyzed oxidation 400–401
 - – homogeneous copper-catalyzed oxidation 402–403
- copper amine oxidase (CAO) enzymes 231–234
- copper-catalyzed aerobic alcohol oxidation
 - catalyst types 86
 - Cu/TEMPO catalyst system 87, 89
 - – BASF adaptation 91, 92
 - – DSM 92
 - – simplified mechanism 90
 - – transition state energies 90
 - nitroxyl radicals 87, 88
 - scale-up 91–93
 - scope 86
 - Zeneca application 93
- copper-catalyzed aerobic oxidation
 - α -amination reactions 80, 81
 - DMC formation
 - – chloride-free catalysts 73, 74
 - – process technology 75, 76
 - – reaction mechanism 72–73
 - pharmaceutical applications
 - – AZD8926 synthesis 77, 78
 - – DCPA 77, 78
 - – imidazo[1,2-*a*]pyridine 80, 81
 - – 1,2,4-triazoles 79
 - phenol synthesis
 - – chemistry and catalysis 70–72
 - – process technology 74–75
- copper(I)/DBED-catalyzed aerobic alcohol oxidation 86
- copper(II) salts 69
- coprecipitation 365
- corrosion-resistant reactors 73, 75
- coupling chemistry 410
- cross-coupling chemistry 410
- Cu/ABNO catalyst systems 90
- Cu/DBAD-catalyzed aerobic alcohol oxidation
 - reaction conditions 89
 - Zeneca application 93
- cumene hydroperoxide (CHP) 15, 16
 - carbon nanotubes (CNT) 28
 - thermal decomposition 17–19, 27
- cumene oxidation process 15, 262
 - axial dispersion model 24
 - bubble column reactor 22–23
 - compartment reactor model 25–26
 - design improvements 29–30
 - film reactor model 24–25
 - ideally mixed reactor model 23–24
 - modification 27–29
 - oxidation block diagram 22
 - oxidation scheme 19–21
 - oxidation side reactions 21
 - process overview 16, 21–22
 - process safety 26–27
- cumene process 15, 16
- cumene route phenol synthesis 15, 16
- cupric chloride 145–147
- Cu/TEMPO-catalyzed alcohol oxidation 87, 89
 - BASF adaptation 91, 92
 - DSM 92

Cu/TEMPO-catalyzed alcohol oxidation
(*contd.*)

- simplified mechanism 90
- transition state energies 90
- cyclohexane autooxidation 3, 7, 8, 11–12
- cyclohexane oxidation 11–12, 258
 - noncatalyzed oxidation process 37–38
 - patent publications 38
 - process improvements 38–39
 - selectivity 34–35
 - simplified reaction scheme 34
 - traditional catalyzed process 35–37
- cyclohexanone 175–177, 189
 - general information 33
 - production routes 33
 - synthesis (*see* cyclohexane oxidation)
- cyclohexanone monooxygenase
(CHMO)-mediated enzymatic process
 - esomeprazole production 296–298
 - evolution challenges and strategies 296
 - process challenges and strategies 297
 - reaction scheme 296
- cyclohexene oxidation 176–178
- cyclohexylbenzene oxidation 261
- cyclohexyl hydroperoxide (CHHP) 34, 35, 37
- CYP102A1 305
- cytochrome P450s (CYPs) 304, 305

d

- dark singlet oxygenation (DSO)
 - advantages 384
 - artemisinin synthesis 389
 - homogeneous aqueous and alcoholic media 384–385
 - multiphase microemulsions 387–388
 - rose oxide synthesis 391–392
 - schematic representation 386
 - single-phase microemulsions 385–387
- DCPA. *see* dicyclopropylamine (DCPA)
- deposition–precipitation (DP) procedure 365
- 1,4-diacetoxy-2-butene 162–165, 168
- dibutyl carbonate 119
- dibutyl oxalate 119
- 2,3-dichloro-5,6-dicyanobenzoquinone (DDQ) 221, 229–230
- dicyclopropylamine (DCPA) 77, 78
- dihydroartemisinic acid (DHAA) 405, 406
- 1,5-dihydroxynaphthalene, photooxygenation of 383
- 3,3-dimethoxy methyl propionate 178, 180–181, 184, 185, 187
- dimethylbenzylalcohol (DMBA) 17, 19–21
- dimethylcarbonate (DMC) 72–73, 75

- chloride-free catalysts 73, 74
- process technology 75, 76
- reaction mechanism 72–73
- 2,6-dimethylphenol (DMP)
 - oxidative coupling of 97–99
 - TMHQ production 108
- dimethyl phthalate, Pd-catalyzed oxidative coupling of 121
- 1,4-dioxaspiro[4,5]decane 176, 177
- diphenoquinone (DPQ) 98, 100, 108
- diphenyl carbonate (DPC)
 - polycarbonate production 189–190
 - synthesis (*see* direct DPC process)
- direct DPC process
 - bromide role 199–201
 - catalyst optimization 201–202
 - downstream processing and catalyst recovery 203
- GE 190–192
- heterogeneous palladium catalysts 203–204
- patent activity 204
- phenol oxidative carbonylation
 - – catalysts 193–195
 - – inorganic cocatalysts 196–198
 - – mechanism 192–193
 - – multicomponent catalytic packages 199
 - – organic cocatalysts 196
 - water removal 202
- disaccharides oxidation 358–361
- DMC. *see* dimethylcarbonate (DMC)
- DPC. *see* diphenyl carbonate (DPC)

e

- Eastman Chemical 1,4-butanediol manufacturing process 169
- EMEROX® azelaic acids 333
- Enichem/Versalis process 72, 73, 76
- enzymatic oxidation 363–364
- 3,4-epoxy-1-butene 169
- esomeprazole 295–298
- esterification
 - methacrolein 209
- palladium catalyzed aerobic oxidation 123–124
- ethylene oxidation
 - acetaldehyde synthesis 140, 145–148
 - palladium-catalyzed oxidation 173
- ExxonMobil 261, 262

f

- fermentation 363–364
- 2,5-furandicarboxylic acid (FDCA)
 - Avantium's YXY process 314

- furanics oxidation process 315–316
- gas composition control 322
- heterogeneous catalysts 316–318
- homogeneous catalysts 318–320
- oxygen mass transfer limitations 324
- reaction pathways 320, 321
- safety operation 324–325
- temperature control 323–324

g

- galactose oxidase 89
- galactose-6-oxidase enzyme 362
- gas–liquid continuous-flow reactor 404
- Glaser–Hay acetylene coupling 411–412
- glucose oxidation
 - chemical intermediates 349
 - derived products 349, 350, 354
 - enzymatic process vs. chemical process 362–366
 - gold catalytic reaction 355, 356
 - kinetic investigation 353
 - molecular mechanism 352
 - mono- and bimetallic catalysts 357
 - stoichiometry 352
- glyphosate production
 - DEA–IDA route 267, 268
 - glycine route 267, 268
 - HCN–IDA route 267, 268
 - macro kinetic model 270
 - reaction scheme 267, 268
- gold catalytic oxidation 364–366
- graphene oxide (GeO) catalyst 275, 278–280
- graphite oxide (GiO) catalyst 275, 279, 280
- graphitic carbon nitride (g-CN) catalyst 274, 275
 - dehydrogenation reactions 281–282
 - dehydrogenative coupling reactions 282
 - oxidative cleavage reactions 281
 - oxygenation reactions 280–281
- ground-state molecular oxygen ($^3\text{O}_2$) 373, 374
- guaiacol process 91

h

- heterogeneous bromineless oxidation catalysis 62
- heterogenized $\text{PdSO}_4\text{--VOSO}_4\text{--H}_2\text{SO}_4$ -on-coal catalyst 153
- heteropolyacids 152
- high-throughput (HTP) identification strategy 301

- Hock-process. *see* cumene oxidation process
- homogeneous bromineless catalysis 61–62
- homogeneous copper-catalyzed aerobic oxidation 402–403
- horseradish peroxidase–Amplex Red spectrophotometric assay 301
- HPPO process. *see* hydrogen peroxide propylene oxide (HPPO) process
- Hu's $\text{NaNO}_2/\text{Br}_2/\text{TEMPO}$ -catalyzed aerobic alcohol oxidation 245, 246
- Hydranone[®] technology 39
- hydrocarbon autoxidation
 - chain initiation reactions 6–7
 - chain-propagation reactions 5, 7–10
 - epoxide selectivity 12–13
 - mechanistic difficulties 13
 - ring-opened by-products 11–12
- hydrogen abstraction reactions 5, 10
- hydrogen peroxide based propylene oxide (HPPO) process 222–223
- hydrogen peroxide synthesis
 - AO process (*see* anthraquinone oxidation (AO) process)
 - process technology 227–229
 - simplified process flow diagram 227
- hydrolysis/hydrogenation 165, 314, 359, 365
 - acrolein synthesis 178–180
 - 1,4-butanediol synthesis 162, 166
 - phenol synthesis 75, 123, 124
- hydroperoxides
 - alkylaromatics, selective oxidation of 260–262
 - co-propagation 8–10
- hydroquinones 221
- 5-(hydroxymethyl)furfural (HMF) 314–318, 320, 324, 325

i

- ICC. *see* inorganic cocatalysts (ICC)
- imidazo[1,2-*a*]pyridine 80, 81
- impregnation method 365
- industrialized singlet oxygenation
 - artemisinin 389–391
 - ascaridole 388
 - rose oxide synthesis 391–392
- industrial oxidative acetoxylation catalyst 163–164
- inorganic cocatalysts (ICC) 196–198
- Ishii's catalyst 263

j

- Jablonski diagram 375
- juglone 383

k

- Kagan catalytic oxidation method 294–295
- KA oil 33, 36, 37
- Kharasch's ethylene–Pd complex 143

l

- lead-based DPC catalysts 197, 201
- levulinic acid (LA) 314, 325, 326
- ligand-modulated aerobic oxidation catalysis 128–130
- lignin oxidation 325–326
- limiting oxygen concentrations (LOCs) 27, 93, 322
- linear aliphatic diols 159
- liquid phase Cu-catalyzed aerobic oxidation reactions 70
- liquid phase Pd-catalyzed process 119
- luminous singlet oxygenation 383–384

m

- MAO-catalyzed oxidation. *see* monoamine oxidase (MAO)-catalyzed oxidation
- MC-catalyzed oxidation
 - bromine species 50–52
 - by-products 56–58
 - Co(III) species cycle 52
 - H₂O concentration effects 52–54
 - hydrocarbon oxidation 54–55
 - manganese precipitation 54
 - Mn(III) species cycle 52
 - oxidation process 58
 - purification process 58–61
- mesoporous graphitic carbon nitride (mpg-CN). *see* graphitic carbon nitride
- metal catalytic oxidation 364–366
- metal-free aerobic oxidations, continuous-flow microreactors
 - *ortho* functionalized phenols 410, 411
 - Taylor flow conditions 409, 410
 - three phase flow conditions 408, 409
- methacrolein 209
- methane oxidation 132
- methanol, Cu-catalyzed oxidative carbonylation of 72–74
- 5-(methoxymethyl)furfural (MMF) 314–318, 320, 322–324
- methyl acrylate oxidation
 - adhesive industry application 180
 - inside reaction temperatures 181
 - large-scale oxidation 184
 - reaction simulation studies 184–186
 - small-scale reaction optimization 181–184
- methylene blue 376
- methylene diphenyl diisocyanate 120, 121

- methyl methacrylate (MMA) 209
- α -methylstyrene (AMS) 22
- methyl-substituted phenol oxidations 106–109
- Minisci's
 - Mn(NO₃)₂/Co(NO₃)₂/TEMPO-catalyzed aerobic alcohol oxidation 244–246
- Mitsubishi Chemical's 1,4-butanediol manufacturing process 160
 - block flow diagram 166
 - first generation process
 - – hydrogenation step 165–166
 - – hydrolysis step 166
 - – oxidative acetoxylation step 165
 - – process flow diagram 167
 - second generation process 167–168
- Mizoroki–Heck reactions 126, 128
- MJOD millireactor system. *see* multijet oscillating disk (MJOD) millireactor system
- molybdate-catalyzed H₂O₂ disproportionation 379–380, 384, 385, 392
- monoamine oxidase (MAO)-catalyzed oxidation 298–302
- monosaccharides oxidation
 - chemical intermediates 349
 - derived products 349, 350, 354
 - enzymatic process vs. chemical process 362–366
 - gold catalytic reaction 355, 356
 - kinetic investigation 353
 - molecular mechanism 352
 - mono- and bimetallic catalysts 357
 - stoichiometry 352
- Monsanto's Roundup process 267, 269, 270
- multicomponent catalytic packages 199
- multijet oscillating disk (MJOD) millireactor system 260

n

- Nagasawa's 1,2,4-triazole synthesis 79
- nanoshell carbon (NSC) catalyst 274, 279
- NaOCl 85
- N*-hydroxyphthalimide (NHPI)-catalyzed oxidations
 - adamantane 257–258
 - adsorption/desorption cycles 262, 263
 - alkylaromatics 260–262
 - catalytic cycle 254, 255
 - cyclohexane 258
 - enthalpic effect 256
 - entropic effect 257
 - lipophilic catalyst 262–263
 - olefin epoxidation 259–260
 - PINO self-decomposition 254

- polar effect 256–257
- nitrite-modulated Wacker process 131
- nitrogen oxide (NO_x) cocatalysts 130–132
- nitroxyl/ NO_x -catalyzed aerobic alcohol oxidation 248
 - ABNO and keto-ABNO 247
 - catalytic cycles 244, 245
 - 5-F-AZADO 247
 - Hu's oxidation scheme 245, 246
 - Minisci's oxidation scheme 244–246
 - *N*-oxoammonium salt 243–244
 - structures 242, 243
- nonbarbotage method 29
- noncatalyzed DSM Oxanone[®] cyclohexane oxidation process 37–38
- Norit SXRO activated carbon catalysts 271–273
- Noryl[®] resins 98, 104
- NO_x -catalyzed aerobic alcohol oxidation
 - amberlyst resin 241–243, 247–248
 - applications 249
 - Lewis acid-coordinated LCoNO_2 complex 241
 - nitroxyl radicals 248
 - – ABNO and keto-ABNO 247
 - – catalytic cycles 244, 245
 - – 5-F-AZADO 247
 - – Hu's oxidation scheme 245, 246
 - – Minisci's oxidation scheme 244–246
 - – *N*-oxoammonium salt 243–244
 - – structures 242, 243
 - scale-up 247–249
 - TEMPO catalysts 244, 245, 248
- N*-phenyl carbamates 120
- N*-(phosphonomethyl)iminodiacetic acid (PMIDA) 267–271

O

- OA. *see* oleic acid (OA)
- OCC. *see* organic cocatalysts (OCC)
- olefin autooxidation 12–13
- olefinic oxidation 140, 141
- oleic acid (OA) 332, 336
 - double bond cleavage 336–337
 - ozonolysis 332–336
 - three-stage conversion 339
 - two-stage conversion 337–339
- omeprazole 293, 294
- organic cocatalysts (OCC) 196
- oxidative acetoxylation, process flow diagram of 167
- oxidative carbonylation
 - DPC (*see* direct DPC process)

- palladium catalyzed aerobic oxidation 118–121
- oxidative esterification 209
- oxidative Heck reaction 126–128
- oxoammonium-catalyzed alcohol oxidation 90
- ozonolysis 332–336, 343

P

- palladium-catalyzed aerobic oxidation
 - alkene acetoxylation 117–118
 - arene olefination 126–128
 - benzylic acetoxylation 125–126, 131
 - continuous-flow microreactors 415
 - esterification 123–124
 - industrial applications 115, 116
 - ligand-modulated catalysis 128–130
 - methane oxidation 132
 - NO_x cocatalysts 130–132
 - oxidative carbonylation 118–121
 - oxidative coupling 121–122
 - pyridine-based ligands 129
- palladium-catalyzed oxidation
 - acrolein 178–180
 - cyclohexene 174–176
 - methyl acrylate oxidation
 - – adhesive industry application 180
 - – inside reaction temperatures 181
 - – large-scale oxidation 184
 - – reaction simulation studies 184–186
 - – small-scale reaction optimization 181–184
 - olefins 176–178
- palladium(II)-ethylene oxidation 175
- parabolic trough-facility for organic photochemistry (PROPHIS) reactor 383
- Pd black formation 174–176
- Pd-catalyzed allylic acetoxylation reaction 231
- Pd/Cu/Fe-catalyzed oxidation
 - cyclohexene 175–176
 - methylacrylate 180
 - olefins 176–178
- Pd–Pb catalyst
 - discovery 210
 - industrial catalyst 213–214
 - intermetallic compounds 210–212
 - Pb role 213
- Pd_3Pb_1 catalyst 211
- Pd–Pb–Ti–NaOH–NaBr–TG catalytic package 202, 203
- $\text{Pd/SiO}_2\text{–Al}_2\text{O}_3$ catalyst 215–216
- PEF. *see* polyethylene furandicarboxylate (PEF)
- peroxyl radicals 6, 8

- phase-transfer catalysis (PTC) 300
 - phenol 124
 - Cu-catalyzed aerobic oxidation synthesis
 - chemistry and catalysis 70–72
 - process technology 74–75
 - methyl-substituted phenol oxidations 106–109
 - oxidative carbonylation, direct DPC process
 - catalysts 193–195
 - inorganic cocatalysts 196–198
 - mechanism 192–193
 - multicomponent catalytic packages 199
 - organic cocatalysts 196
 - polyphenylene oxides
 - chemistry and catalysis 99–102
 - process improvements 104–105
 - process technology 102–104
 - synthesis route 97–98
 - phenylacetaldehydes 416
 - photochemical singlet oxygenation. *see* singlet oxygenation
 - phthalimide *N*-oxyl (PINO) 253, 254
 - α -pinene, photooxidation of 384
 - pinocarvone 384
 - Plavix 81, 82
 - polybutylene terephthalate (PBT) 159
 - polycarbonate plastic 189–190
 - poly-2,6-dimethyl-1,4-phenylene etherTM (PPO resin)
 - CuCl/pyridine catalytic system 101
 - Cu/DTBEDA catalytic system 101–102
 - greener solvents 105
 - physical properties 99
 - process technology 102–104
 - production 97–98
 - quinone-ketal rearrangement 100–101
 - reaction pathways 99–100
 - resonance structures 98
 - TMEDA/Cu catalytic system 101
 - polyethylene furandicarboxylate (PEF) 314, 315
 - polymer-immobilized ligands 73
 - polyoxometalates (POMs) 342, 343
 - polypyrrole 155
 - polysaccharides oxidation 361–362
 - POMs. *see* polyoxometalates (POMs)
 - pravastatin 304, 305
 - 1,3-propanediol 178–180, 187
 - propene production. *see* cumene route synthesis
 - PTA. *see* purified terephthalic acid (PTA)
 - p*-toluic acid 48
 - purified terephthalic acid (PTA) 41
 - bromineless catalysis 61–62
 - Co–Br catalysis
 - branching sequence 46–47
 - hydrogen abstraction reactions 47, 48
 - reactive intermediates 43, 44
 - thermal homolytic cleavage 44–45
 - MC catalysis
 - bromine species 50–52
 - by-products 56–58
 - Co(III) species cycle 52
 - H₂O concentration effects 52–54
 - hydrocarbon oxidation 54–55
 - manganese precipitation 54
 - Mn(III) species cycle 52
 - oxidation process 58
 - purification process 58–61
 - synergistic effect 48–50
 - p*-xylene (pX) oxidation
 - Co–Br catalysis
 - branching sequence 46–47
 - hydrogen abstraction reactions 47, 48
 - reactive intermediates 43, 44
 - thermal homolytic cleavage 44–45
 - intermediates 43
 - MC catalysis (*see* MC-catalyzed oxidation)
- q**
- quinone-catalyzed aerobic oxidation reactions 229
 - quinone-ketal rearrangement 100–101
 - quinones
 - catalytic aerobic oxidation reactions
 - vs. AO process 229
 - CAO enzymes 231–234
 - NO_x cocatalysts 229–230
 - Pd-catalyzed acetoxylation 230–231
 - hydrogen peroxide synthesis
 - AO process (*see* anthraquinone oxidation (AO) process)
 - process technology 227–229
 - simplified process flow diagram 227
- r**
- renewable feedstock oxidation. *see* carbohydrate oxidation
 - Reppé process 159
 - Riedl–Pfleiderer process 222
 - ring-opened by-products 11–12
 - rose oxide synthesis 391–392
- s**
- self-accelerating-decomposition temperature (SADT) 23, 27, 30
 - single-stage Wacker process 148–149

- singlet oxygen
 - application 371
 - chemical sources of, H_2O_2
 - disproportionation 376–379
 - DSO
 - – advantages 384
 - – artemisinin synthesis 389
 - – homogeneous aqueous and alcoholic media 384–385
 - – multiphase microemulsions 387–388
 - – rose oxide synthesis 391–392
 - – schematic representation 386
 - – single phase microemulsions 385–387
 - vs. ground-state molecular oxygen 373–375
 - $\text{H}_2\text{O}_2/\text{MoO}_4^{2-}$ catalytic system 379–380
 - industrialized oxygenation
 - – artemisinin 389–391
 - – ascaridole 388
 - – rose oxide synthesis 391–392
 - – luminous oxygenation 383–384
 - – molecular targets 380–382
 - – photosensitized generation 375–376
 - – ROS 371, 372
- SMOs. *see* styrene monooxygenases (SMOs)
- sodium gluconate 363
- solvent-cage efficiency 9
- styrene monooxygenases (SMOs) 304, 305
- succinic acid (SA) 314, 325, 326
- sucralose 351
- sucrose oxidation 358–359
- sugar oxidation 360–361
- supercritical carbon dioxide (scCO_2) 105
- t**
- TEMPO/ NO_x -catalyzed aerobic alcohol oxidation 244, 245, 248
- Tenax® 105
- termination reactions 5–6
- tertiary alkylperoxyl radicals 5–6
- 3,4,3',4'-tetramethyl biphenyltetracarboxylate 121
- tetraphenylporphyrin 376
- three-stage oleic acid conversion 339
- through-wall singlet oxygen oxidation 405
- TMHQ. *see* 2,3,5-trimethylhydroquinone (TMHQ)
- toluene acetoxylation 126
- traditional catalyzed cyclohexane oxidation process 35–37
- trans*–*cis* isomerization reaction 142
- trans*-2,3-dideuterio- β -propiolactone 144
- transition metal-catalyzed aerobic oxidations, in microreactors
 - 2-benzylpyridines 403–404
 - gold-catalyzed oxidation 400–401
 - homogeneous copper-catalyzed oxidation 402–403
- 1,2,4-triazoles 79
- tricarboxylated sucrose 359
- 2,3,5-trimethylhydroquinone (TMHQ) 106, 108, 109
- two-stage oleic acid conversion 337–339
- two-stage Wacker process 149–150
- type I photooxidation 375
- type II photooxidation 375
- u**
- Ube liquid phase process 119
- unimolecular RO–OH dissociation process 8
- unsaturated hydrocarbon autoxidation 12–13
- Upilex production 121
- v**
- vanillin 91
- vegetable oil-based feedstocks. *see* oleic acid (OA)
- vinyl acetate synthesis 117
- visible-light photocatalytic aerobic oxidation 407
- vitamin A 92
- vitamin E 69, 106–109
- w**
- Wacker–Hoechst process 16
- Wacker oxidation 175, 176, 182
- Wacker process 131
 - *anti*-Markovnikov reaction 152
 - process improvements 151–155
 - single-stage process 148–149
 - two-stage process 149–150
- Wigner's rule 374, 375
- Winsor III system 388
- x**
- XCube^{TM} flow reactor 402
- z**
- Zeise's salt 139, 143
- Zeneca Pharmaceuticals 93
- zolimidine 80, 81

