

Contents

| | |
|-------------------------------|-------------|
| About the Editors | <i>XVII</i> |
| Series Editors Preface | <i>XIX</i> |
| Preface | <i>XXI</i> |
| List of Contributors | <i>XXV</i> |

| | | |
|----------|--|-----------|
| 1 | High-Speed Microfluidic Manipulation of Cells | <i>1</i> |
| | <i>Aram J. Chung and Soojung Claire Hur</i> | |
| 1.1 | Introduction | <i>1</i> |
| 1.2 | Direct Cell Manipulation | <i>3</i> |
| 1.2.1 | Electrical Cell Manipulation | <i>3</i> |
| 1.2.2 | Magnetic Cell Manipulation | <i>4</i> |
| 1.2.3 | Optical Cell Manipulation | <i>4</i> |
| 1.2.4 | Mechanical Cell Manipulation | <i>5</i> |
| 1.2.4.1 | Constriction-Based Cell Manipulation | <i>5</i> |
| 1.2.4.2 | Shear-Induced Cell Manipulation | <i>7</i> |
| 1.3 | Indirect Cell Manipulation | <i>9</i> |
| 1.3.1 | Cell Separation | <i>9</i> |
| 1.3.1.1 | Hydrodynamic (Passive) Cell Separation | <i>13</i> |
| 1.3.1.2 | Nonhydrodynamic (Active) Particle Separation | <i>18</i> |
| 1.3.2 | Cell Alignment (Focusing) | <i>25</i> |
| 1.3.2.1 | Cell Alignment (Focusing) for Flow Cytometry | <i>28</i> |
| 1.3.2.2 | Cell Solution Exchange | <i>29</i> |
| 1.4 | Summary | <i>31</i> |
| | Acknowledgments | <i>31</i> |
| | References | <i>31</i> |
| 2 | Micro and Nano Manipulation and Assembly by Optically Induced Electrokinetics | <i>41</i> |
| | <i>Fei Fei Wang, Sam Lai, Lianqing Liu, Gwo-Bin Lee, and Wen Jung Li</i> | |
| 2.1 | Introduction | <i>41</i> |
| 2.2 | Optically Induced Electrokinetic (OEK) Forces | <i>45</i> |
| 2.2.1 | Classical Electrokinetic Forces | <i>45</i> |
| 2.2.1.1 | Dielectrophoresis (DEP) | <i>45</i> |

| | | |
|----------|---|-----------|
| 2.2.1.2 | AC Electroosmosis (ACEO) | 46 |
| 2.2.1.3 | Electrothermal Effects (ET) | 47 |
| 2.2.1.4 | Buoyancy Effects | 47 |
| 2.2.1.5 | Brownian Motion | 47 |
| 2.2.2 | Optically Induced Electrokinetic Forces | 48 |
| 2.2.2.1 | OEK Chip: Operational Principle and Design | 48 |
| 2.2.2.2 | Spectrum-Dependent ODEP Force | 53 |
| 2.2.2.3 | Waveform-Dependent ODEP Force | 54 |
| 2.3 | OEK-Based Manipulation and Assembly | 55 |
| 2.3.1 | Manipulation and Assembly of Nonbiological Materials | 55 |
| 2.3.2 | Biological Entities: Cells and Molecules | 60 |
| 2.3.3 | Manipulation of Fluidic Thin Films | 63 |
| 2.4 | Summary | 65 |
| | References | 67 |
| 3 | Manipulation of DNA by Complex Confinement Using Nanofluidic Slits | 75 |
| | <i>Elizabeth A. Strychalski and Samuel M. Stavis</i> | |
| 3.1 | Introduction | 75 |
| 3.2 | Slitlike Confinement of DNA | 78 |
| 3.3 | Differential Slitlike Confinement of DNA | 82 |
| 3.4 | Experimental Studies | 83 |
| 3.5 | Design of Complex Slitlike Devices | 86 |
| 3.6 | Fabrication of Complex Slitlike Devices | 88 |
| 3.7 | Experimental Conditions | 90 |
| 3.8 | Conclusion | 92 |
| | Disclaimer | 93 |
| | References | 93 |
| 4 | Microfluidic Approaches for Manipulation and Assembly of One-Dimensional Nanomaterials | 97 |
| | <i>Shaolin Zhou, Qiuquan Guo, and Jun Yang</i> | |
| 4.1 | Introduction | 97 |
| 4.2 | Microfluidic Assembly | 99 |
| 4.2.1 | Hydrodynamic Focusing | 100 |
| 4.2.1.1 | Concept and Mechanism | 100 |
| 4.2.1.2 | 2D and 3D Hierarchy | 101 |
| 4.2.1.3 | Symmetrical and Asymmetrical Behavior | 103 |
| 4.2.2 | HF-Based NW Assembly | 104 |
| 4.2.2.1 | The Principle | 104 |
| 4.2.2.2 | Device Design and Fabrication | 105 |
| 4.2.2.3 | NW Assembly by Symmetrical Hydrodynamic Focusing | 107 |
| 4.2.2.4 | NW Assembly by Asymmetrical Hydrodynamic Focusing | 108 |
| 4.3 | Summary | 112 |
| | References | 113 |

| | | |
|----------|---|------------|
| 5 | Optically Assisted and Dielectrophoretical Manipulation of Cells and Molecules on Microfluidic Platforms | 119 |
| | <i>Yen-Heng Lin and Gwo-Bin Lee</i> | |
| 5.1 | Introduction | 119 |
| 5.2 | Operating Principle and Fundamental Physics of the ODEP Platform | 122 |
| 5.2.1 | ODEP Force | 122 |
| 5.2.2 | Optically Induced ACEO Flow | 123 |
| 5.2.3 | Electrothermal (ET) Force | 125 |
| 5.2.4 | Experimental Setup of an ODEP Platform | 126 |
| 5.2.4.1 | Light Source | 126 |
| 5.2.4.2 | Materials of the Photoconductive Layer | 127 |
| 5.3 | Applications of the ODEP Platform | 129 |
| 5.3.1 | Cell Manipulation | 129 |
| 5.3.2 | Cell Separation | 130 |
| 5.3.3 | Cell Rotation | 130 |
| 5.3.4 | Cell Electroporation | 131 |
| 5.3.5 | Cell Lysis | 131 |
| 5.3.6 | Manipulation of Micro- or Nanoscale Objects | 132 |
| 5.3.7 | Manipulation of Molecules | 134 |
| 5.3.8 | Droplet Manipulation | 135 |
| 5.4 | Conclusion | 136 |
| | References | 137 |
| | | |
| 6 | On-Chip Microrobot Driven by Permanent Magnets for Biomedical Applications | 141 |
| | <i>Masaya Hagiwara, Tomohiro Kawahara, and Fumihito Arai</i> | |
| 6.1 | On-Chip Microrobot | 141 |
| 6.2 | Characteristics of Microrobot Actuated by Permanent Magnet | 142 |
| 6.3 | Friction Reduction for On-Chip Robot | 144 |
| 6.3.1 | Friction Reduction by Drive Unit | 144 |
| 6.3.2 | Friction Reduction by Ultrasonic Vibrations | 146 |
| 6.3.3 | Experimental Evaluations of MMT | 146 |
| 6.3.3.1 | Positioning Accuracy Evaluation | 146 |
| 6.3.3.2 | Output Force Evaluation | 149 |
| 6.4 | Fluid Friction Reduction for On-Chip Robot | 150 |
| 6.4.1 | Fluid Friction Reduction by Riblet Surface | 150 |
| 6.4.2 | Principle of Fluid Friction Reduction Using Riblet Surface | 150 |
| 6.4.3 | Optimal Design of Riblet to Minimize the Fluid Friction | 152 |
| 6.4.4 | Fluid Force Analysis on MMT with Riblet Surface | 153 |
| 6.4.5 | Fabrication Process of MMT with Riblet Surface Using Si–Ni Composite Structure | 156 |
| 6.4.6 | Evaluation of Si–Ni Composite MMT with Optimal Riblet | 158 |
| 6.5 | Applications of On-Chip Robot to Cell Manipulations | 160 |
| 6.5.1 | Oocyte Enucleation | 160 |

| | | |
|----------|--|------------|
| 6.5.2 | Multichannel Sorting | 162 |
| 6.5.3 | Evaluation of Effect of Mechanical Stimulation on Microorganisms | 162 |
| 6.6 | Summary | 165 |
| | References | 166 |
| 7 | Silicon Nanotweezers for Molecules and Cells Manipulation and Characterization | 169 |
| | <i>Dominique Collard, Nicolas Lafitte, Hervé Guillou, Momoko Kumemura, Laurent Jalabert, and Hiroyuki Fujita</i> | |
| 7.1 | Introduction | 169 |
| 7.2 | SNT Operation and Design | 170 |
| 7.2.1 | Design | 170 |
| 7.2.1.1 | Electrostatic Actuation | 171 |
| 7.2.1.2 | Mechanical Structure | 171 |
| 7.2.1.3 | Capacitive Sensor | 173 |
| 7.2.2 | Operation | 174 |
| 7.2.2.1 | Instrumentation | 174 |
| 7.2.2.2 | Characterization | 175 |
| 7.2.2.3 | Modeling | 176 |
| 7.3 | SNT Process | 177 |
| 7.3.1 | MEMS Fabrication versus the Design Constrains and User Applications | 177 |
| 7.3.2 | Sharp Tip Single Actuator SNT Process Flow | 178 |
| 7.3.2.1 | Nitride Deposition | 178 |
| 7.3.2.2 | Defining Crystallographic Alignment Structures | 178 |
| 7.3.2.3 | Photolithography (Level 1) – Nitride Patterning for LOCOS | 179 |
| 7.3.2.4 | Photolithography (Level 2) – Sensors and Actuators | 179 |
| 7.3.2.5 | DRIE Front Side | 180 |
| 7.3.2.6 | Sharp Tip Fabrication and Gap Control | 181 |
| 7.3.2.7 | Photolithography (Level 3) and Rearside DRIE | 182 |
| 7.3.2.8 | Releasing in Vapor HF | 182 |
| 7.3.3 | Concluding Remarks on the Silicon Nanotweezers Microfabrication | 183 |
| 7.4 | DNA Trapping and Enzymatic Reaction Monitoring | 183 |
| 7.5 | Cell Trapping and Characterization | 186 |
| 7.5.1 | Introducing Remarks | 186 |
| 7.5.2 | Specific Issues | 187 |
| 7.5.3 | Design of SNT | 187 |
| 7.5.4 | Instrumentation | 189 |
| 7.5.5 | Experimental Platform | 190 |
| 7.5.6 | Cells in Suspension | 190 |
| 7.5.7 | Spread Cells | 192 |
| 7.5.8 | Cell Differentiation | 193 |

| | | |
|----------|---|------------|
| 7.5.9 | Concluding Remarks for Cell Characterization with SNT | 194 |
| 7.6 | General Concluding Remarks and Perspectives | 194 |
| | Acknowledgments | 196 |
| | References | 196 |
| 8 | Miniaturized Untethered Tools for Surgery | 201 |
| | <i>Evin Gultepe, Qianru Jin, Andrew Choi, Alex Abramson, and David H. Gracias</i> | |
| 8.1 | Introduction | 201 |
| 8.2 | Macroscale Untethered Surgical Tools | 203 |
| 8.2.1 | Localization and Locomotion without Tethers | 204 |
| 8.2.1.1 | Localization | 204 |
| 8.2.1.2 | Locomotion | 206 |
| 8.2.2 | Powering and Activating a Small Machine | 207 |
| 8.2.2.1 | Stored Chemical Energy | 207 |
| 8.2.2.2 | Stored Mechanical Energy | 208 |
| 8.2.2.3 | External Magnetic Field | 208 |
| 8.2.2.4 | Other Sources of Energy | 209 |
| 8.3 | Microscale Untethered Surgical Tools | 210 |
| 8.3.1 | Applications | 210 |
| 8.3.1.1 | Angioplasty | 210 |
| 8.3.1.2 | Surgical Wound Closure | 212 |
| 8.3.1.3 | Biopsy | 213 |
| 8.3.1.4 | Micromanipulation | 214 |
| 8.3.2 | Locomotion | 214 |
| 8.3.2.1 | Magnetic Force | 215 |
| 8.3.2.2 | Electromechanical | 217 |
| 8.3.2.3 | Optical Tweezers | 218 |
| 8.3.2.4 | Biologic Tissue Powered | 219 |
| 8.4 | Nanoscale Untethered Surgical Tools | 219 |
| 8.4.1 | Fuel-Driven Motion | 222 |
| 8.4.2 | Magnetic Field-Driven Motion | 223 |
| 8.4.3 | Acoustic Wave-Driven Motion | 225 |
| 8.4.4 | Light-Driven Motion | 226 |
| 8.4.5 | Nano-Bio Hybrid Systems | 227 |
| 8.4.6 | Artificial Molecular Machines | 227 |
| 8.5 | Conclusion | 228 |
| | Acknowledgments | 229 |
| | References | 229 |
| 9 | Single-Chip Scanning Probe Microscopes | 235 |
| | <i>Neil Sarkar and Raafat R. Mansour</i> | |
| 9.1 | Scanning Probe Microscopy | 237 |
| 9.2 | The Role of MEMS in SPM | 239 |
| 9.3 | CMOS–MEMS Manufacturing Processes Applied to sc-SPMs | 240 |

| | | |
|-----------|---|------------|
| 9.4 | Modeling and Design of sc-SPMs | 242 |
| 9.4.1 | Electrothermal Model of Self-Heated Resistor | 245 |
| 9.4.2 | Electrothermal Model of Vertical Actuator | 247 |
| 9.4.3 | Electro-Thermo-Mechanical Model | 248 |
| 9.5 | Imaging Results | 250 |
| 9.6 | Conclusion | 254 |
| | References | 254 |
| 10 | Untethered Magnetic Micromanipulation | 259 |
| | <i>Eric Diller and Metin Sitti</i> | |
| 10.1 | Physics of Micromanipulation | 260 |
| 10.2 | Sliding Friction and Surface Adhesion | 260 |
| 10.2.1 | Adhesion | 260 |
| 10.2.1.1 | van der Waals Forces | 262 |
| 10.2.2 | Sliding Friction | 263 |
| 10.3 | Fluid Dynamics Effects | 264 |
| 10.3.1 | Viscous Drag on a Sphere | 265 |
| 10.4 | Magnetic Microrobot Actuation | 266 |
| 10.5 | Locomotion Techniques | 266 |
| 10.5.1 | Motion in Two Dimensions | 267 |
| 10.5.2 | Motion in Three Dimensions | 267 |
| 10.5.3 | Magnetic Actuation Systems | 268 |
| 10.5.4 | Special Coil Arrangements | 269 |
| 10.6 | Manipulation Techniques | 271 |
| 10.6.1 | Contact Micromanipulation | 271 |
| 10.6.1.1 | Direct Pushing | 271 |
| 10.6.1.2 | Grasping Manipulation | 274 |
| 10.6.2 | Noncontact Manipulation | 275 |
| 10.6.2.1 | Translation | 276 |
| 10.6.2.2 | Rotation | 277 |
| 10.6.2.3 | Parallel Manipulation | 279 |
| 10.6.3 | Mobile Microrobotics Competition | 279 |
| 10.7 | Conclusions and Prospects | 280 |
| | References | 281 |
| 11 | Microrobotic Tools for Plant Biology | 283 |
| | <i>Dimitrios Felekis, Hannes Vogler, Ueli Grossniklaus, and Bradley J. Nelson</i> | |
| 11.1 | Why Do We Need a Mechanical Understanding of the Plant Growth Mechanism? | 283 |
| 11.2 | Microrobotic Platforms for Plant Mechanics | 285 |
| 11.2.1 | The Cellular Force Microscope | 286 |
| 11.2.1.1 | Force Sensing Technology | 286 |
| 11.2.1.2 | Positioning System | 288 |
| 11.2.1.3 | Imaging System and Interface | 289 |

| | | |
|-----------|--|------------|
| 11.2.2 | Real-Time CFM | 290 |
| 11.2.2.1 | Positioning System | 290 |
| 11.2.2.2 | Data Acquisition | 291 |
| 11.2.2.3 | Automated Cell Selection and Positioning | 292 |
| 11.3 | Biomechanical and Morphological Characterization of Living Cells | 294 |
| 11.3.1 | Cell Wall Apparent Stiffness | 295 |
| 11.3.2 | 3D Stiffness and Topography Maps | 299 |
| 11.3.3 | Real-Time Intracellular Imaging During Mechanical Stimulation | 301 |
| 11.4 | Conclusions | 302 |
| | References | 303 |
| 12 | Magnetotactic Bacteria for the Manipulation and Transport of Micro- and Nanometer-Sized Objects | 307 |
| | <i>Sylvain Martel</i> | |
| 12.1 | Introduction | 307 |
| 12.2 | Magnetotactic Bacteria | 308 |
| 12.3 | Component Sizes and Related Manipulation Approaches | 310 |
| 12.3.1 | Transport and Manipulation of MS Components | 311 |
| 12.3.2 | Transport and Manipulation of AE Components | 314 |
| 12.3.3 | Transport and Manipulation of ML Components | 314 |
| 12.4 | Conclusions and Discussion | 317 |
| | References | 318 |
| 13 | Stiffness and Kinematic Analysis of a Novel Compliant Parallel Micromanipulator for Biomedical Manipulation | 319 |
| | <i>Xiao Xiao and Yangmin Li</i> | |
| 13.1 | Introduction | 319 |
| 13.2 | Design of the Micromanipulator | 320 |
| 13.3 | Stiffness Modeling of the Micromanipulator | 322 |
| 13.3.1 | Stiffness Matrix of the Flexure Element | 323 |
| 13.3.2 | Stiffness Modeling of the Compliant P Module | 324 |
| 13.3.3 | Stiffness Modeling of the Compliant 4S Module | 325 |
| 13.3.4 | Stiffness Modeling of the Compliant P(4S) Chain | 327 |
| 13.3.5 | Stiffness Modeling of the Complete Mechanism | 327 |
| 13.3.6 | Model Validation Based on FEA | 329 |
| 13.4 | Kinematics Modeling of the Micromanipulator | 333 |
| 13.5 | Conclusion | 336 |
| | References | 337 |
| 14 | Robotic Micromanipulation of Cells and Small Organisms | 339 |
| | <i>Xianke Dong, Wes Johnson, Yu Sun, and Xinyu Liu</i> | |
| 14.1 | Introduction | 339 |
| 14.2 | Robotic Microinjection of Cells and Small Organisms | 340 |

| | | |
|-----------|---|------------|
| 14.2.1 | Robotic Cell Injection | 340 |
| 14.2.1.1 | Cell Immobilization Methods | 343 |
| 14.2.1.2 | Image Processing and Computer Vision Techniques | 344 |
| 14.2.1.3 | Control System Design | 345 |
| 14.2.1.4 | Force Sensing and Control | 347 |
| 14.2.1.5 | Experimental Validation of Injection Success and Survival Rates | 349 |
| 14.2.1.6 | Parallel Cell Injection | 350 |
| 14.2.2 | Robotic Injection of <i>Caenorhabditis elegans</i> | 350 |
| 14.3 | Robotic Transfer of Biosamples | 351 |
| 14.3.1 | Pipette-Based Cell Transfer | 351 |
| 14.3.2 | Microgripper/Microhand-Based Cell Transfer | 352 |
| 14.3.3 | Microrobot-Based Cell Transfer | 354 |
| 14.3.4 | Laser Trapping-Based Cell Transfer | 355 |
| 14.4 | Robot-Assisted Mechanical Characterization of Cells | 357 |
| 14.4.1 | MEMS-Based Cell Characterization | 357 |
| 14.4.2 | Laser Trapping-Based Cell Characterization | 358 |
| 14.4.3 | Atomic Force Microscopy (AFM)-Based Cell Characterization | 359 |
| 14.4.4 | Micropipette Aspiration | 359 |
| 14.5 | Conclusion | 360 |
| | References | 361 |
| 15 | Industrial Tools for Micromanipulation | 369 |
| | <i>Michaël Gauthier, Cédric Clévy, David Hériban, and Pasi Kallio</i> | |
| 15.1 | Introduction | 369 |
| 15.2 | Microrobotics for Scientific Instrumentation | 371 |
| 15.2.1 | MEMS Mechanical Testing | 371 |
| 15.2.2 | Mechanical Testing of Fibrous Micro- and NanoScale Materials | 372 |
| 15.2.3 | Mobile Microrobots for Testing | 375 |
| 15.3 | Microrobotics for Microassembly | 376 |
| 15.3.1 | Microassembly of Micromechanisms | 377 |
| 15.3.1.1 | Microgrippers | 379 |
| 15.3.1.2 | High-Resolution Vision System | 380 |
| 15.3.1.3 | Integrated Assembly Platform | 381 |
| 15.3.2 | Microassembly in MEMS and MOEMS Industries | 382 |
| 15.3.2.1 | Thin Die Packaging | 383 |
| 15.3.2.2 | Flexible MOEMS Extreme Assembly | 384 |
| 15.4 | Future Challenges | 387 |
| 15.4.1 | Current Opportunities | 387 |
| 15.4.2 | Future Opportunity | 388 |
| 15.4.3 | Barriers to Market | 388 |

- 15.4.4 Key Market Data 389
- References 389

- 16 Robot-Aided Micromanipulation of Biological Cells with Integrated Optical Tweezers and Microfluidic Chip 393**
Xiaolin Wang, Shuxun Chen, and Dong Sun
- 16.1 Introduction 393
- 16.2 Cell Micromanipulation System with Optical Tweezers and Microfluidic Chip 395
- 16.3 Enhanced Cell Sorting Strategy 396
- 16.3.1 Operation Principle 396
- 16.3.2 Microfluidic Chip Design 397
- 16.3.3 Cell Transportation by Optical Tweezers 398
- 16.3.4 Experimental Results and Discussion 400
- 16.3.4.1 Isolation of Yeast Cells 400
- 16.3.4.2 Isolation of hESCs 402
- 16.3.4.3 Discussion 403
- 16.4 Novel Cell Manipulation Tool 404
- 16.4.1 Operation Principle 404
- 16.4.2 Microwell Array-Based Microfluidic Chip Design 405
- 16.4.3 Chip Preparation and Fluid Operation 406
- 16.4.4 Experimental Results and Discussion 407
- 16.4.4.1 Cell Levitation from Microwell 407
- 16.4.4.2 Cell Assembly by Multiple Optical Traps 408
- 16.4.4.3 Automated Cell Transportation and Deposition 408
- 16.4.4.4 Isolation and Deposition on hESCs and Yeast Cells 410
- 16.4.4.5 Quantification of the Experimental Results 411
- 16.4.4.6 Discussion 413
- 16.5 Conclusion 414
- References 415

- 17 Investigating the Molecular Specific Interactions on Cell Surface Using Atomic Force Microscopy 417**
Mi Li, Lianqing Liu, Ning Xi, and Yuechao Wang
- 17.1 Background 417
- 17.2 Single-Molecule Force Spectroscopy 420
- 17.3 Force Spectroscopy of Molecular Interactions on Tumor Cells from Patients 423
- 17.4 Mapping the Distribution of Membrane Proteins on Tumor Cells 430
- 17.5 Summary 435
- Acknowledgments 436
- References 436

| | |
|-----------|--|
| 18 | Flexible Robotic AFM-Based System for Manipulation and Characterization of Micro- and Nano-Objects 441 <i>Hui Xie and Stéphane Régnier</i> |
| 18.1 | AFM-Based Flexible Robotic System for Micro- or Nanomanipulation 444 |
| 18.1.1 | The AFM-Based Flexible Robotic System 444 |
| 18.1.1.1 | The Flexible Robotic Setup 444 |
| 18.1.1.2 | Force Sensing during Pick-and-Place 444 |
| 18.1.2 | Experimental Results 446 |
| 18.1.2.1 | 3D Micromanipulation Robotic System 446 |
| 18.1.2.2 | 3D Nanomanipulation Robotic System 449 |
| 18.1.3 | Conclusion 453 |
| 18.2 | In situ Peeling of 1D Nanostructures Using a Dual-Probe Nanotweezer 453 |
| 18.2.1 | Methods 453 |
| 18.2.2 | Results and Discussion 457 |
| 18.2.3 | Conclusion 457 |
| 18.3 | In situ Quantification of Living Cell Adhesion Forces: Single-Cell Force Spectroscopy with a Nanotweezer 459 |
| 18.3.1 | Materials and Methods 459 |
| 18.3.1.1 | Nanotweezer Setup 459 |
| 18.3.1.2 | Cell Cultivation and Sample Preparation 461 |
| 18.3.1.3 | Nanotweezer Preparation 461 |
| 18.3.2 | Protocol of the Adhesion Force Measurement 462 |
| 18.3.3 | Clamping Detection during Cell Grasping 464 |
| 18.3.3.1 | Cell Release 466 |
| 18.3.4 | Experimental Results 466 |
| 18.3.4.1 | Cell–Substrate Adhesion Force Measurement 466 |
| 18.3.4.2 | Cell–Cell Adhesion Force Measurement 469 |
| 18.3.5 | Discussion 470 |
| 18.3.6 | Conclusion 471 |
| 18.4 | Conclusion and Future Directions 471 References 472 |
| 19 | Nanorobotic Manipulation of Helical Nanostructures 477 <i>Lixin Dong, Li Zhang, Miao Yu, and Bradley J. Nelson</i> |
| 19.1 | Introduction 477 |
| 19.2 | Nanorobotic Manipulation Tools and Processes 479 |
| 19.2.1 | Nanomanipulators and Tools 479 |
| 19.2.2 | Nanorobotic Manipulation Processes 480 |
| 19.3 | Characterization of Helical Nanobelts 482 |
| 19.3.1 | Axial Pulling of Rolled-Up Helical Nanostructures 483 |
| 19.3.2 | Lateral Bending and Local Buckling of a Rolled-Up SiGe/Si Microtube 483 |
| 19.3.3 | Axial Buckling of Rolled-Up SiGe/Si Microtubes 485 |

| | | |
|-----------|--|------------|
| 19.3.4 | Tangential Unrolling of a Rolled-Up Si/Cr Ring | 488 |
| 19.3.5 | Radial Stretching of a Si/Cr Nanoring | 489 |
| 19.4 | Applications | 492 |
| 19.4.1 | Typical Configurations of NEMS | 492 |
| 19.4.2 | Motion Converters | 492 |
| 19.4.2.1 | Design of Motion Converters | 494 |
| 19.4.2.2 | Displacement Conversion | 495 |
| 19.4.2.3 | Load Conversion | 497 |
| 19.4.2.4 | Application in 3D Microscopy | 498 |
| 19.5 | Summary | 500 |
| | References | 501 |
| 20 | Automated Micro- and Nanohandling Inside the Scanning Electron Microscope | 505 |
| | <i>Malte Bartenwerfer, Sören Zimmermann, Tobias Tiemering, Manuel Mikczinski, and Sergej Fatikow</i> | |
| 20.1 | Introduction and Motivation | 505 |
| 20.1.1 | SEM-Based Manipulation | 506 |
| 20.2 | State of the Art | 508 |
| 20.2.1 | The Scanning Electron Microscope as Fundamental Tool | 508 |
| 20.2.2 | Conditions for Automation on the Micro- and Nanoscales | 509 |
| 20.3 | Automation Environment | 511 |
| 20.3.1 | Robotic Setup | 511 |
| 20.3.1.1 | Dedicated Setups | 511 |
| 20.3.1.2 | Modular Setups | 512 |
| 20.3.2 | Control Environment | 514 |
| 20.3.2.1 | OFFIS Automation Framework | 514 |
| 20.4 | Case Studies | 517 |
| 20.4.1 | Manipulation and Automation Overview | 517 |
| 20.4.1.1 | High-Speed Object Tracking Inside the SEM | 519 |
| 20.4.2 | Assembly of Building Blocks: NanoBits | 521 |
| 20.4.2.1 | Assembly Environment and Tools | 521 |
| 20.4.3 | Handling of Colloidal Nanoparticles | 524 |
| 20.4.4 | Measuring the Transverse Fiber Compression | 526 |
| 20.5 | Outlook | 530 |
| 20.5.1 | Future Developments | 530 |
| 20.5.2 | Software and Automation | 530 |
| | Acknowledgments | 531 |
| | References | 531 |
| 21 | Manipulation of Biological Cells under ESEM and Microfluidic Systems | 537 |
| | <i>Toshio Fukuda, Masahiro Nakajima, Masaru Takeuchi, and Mohd Ridzuan Ahmad</i> | |
| 21.1 | Introduction | 537 |

| | | |
|----------|--|-----|
| 21.2 | ESEM-Nanomanipulation System | 538 |
| 21.3 | ESEM Observation of Single Cells | 540 |
| 21.4 | Manipulation of Biological Cells under ESEM | 541 |
| 21.4.1 | Cell Viability Detection Using Dual Nanoprobe | 541 |
| 21.4.2 | Preparation of Dead Cell Colonies of W303 Cells | 543 |
| 21.4.3 | Fabrication of the Dual Nanoprobe | 544 |
| 21.4.4 | Electrical Measurement Setup | 545 |
| 21.4.5 | Experimental Results and Discussions | 546 |
| 21.4.5.1 | Single-Cell Viability Assessment by Electrical Measurement under HV Mode | 547 |
| 21.4.5.2 | Single-Cell Viability Assessment by Electrical Measurement under ESEM Mode | 548 |
| 21.5 | Manipulation of Biological Cells under Microfluidics | 549 |
| 21.5.1 | Nanoliters Discharge/Suction by Thermoresponsive Polymer Actuated Probe | 549 |
| 21.5.2 | Fabrication of TPA Probe | 550 |
| 21.5.3 | Solution Discharge by TPA Probe | 552 |
| 21.5.4 | Suction and Discharge of Micro-Object by TPA Probe Inside Semiclosed Microchip | 553 |
| 21.5.4.1 | Semiclosed Microchip | 553 |
| 21.5.4.2 | Suction and Discharge of Microbead by TPA Probe Inside Semiclosed Microchip | 554 |
| 21.5.4.3 | Cell Suction by TPA Probe Inside Semiclosed Microchip | 556 |
| 21.6 | Conclusion | 556 |
| | References | 557 |

Index 559