

Index

a

- activated carbons (ACs) 38, 49, 54, 55, 58–59
- aerogels 33, 158
- aerosol-based techniques 176–177
- 3-aminopropyl triethoxysilane (APTES) 15, 98, 161
- antibiotic azithromycin 16
- antiquated techniques 275
- artificial cilia 209
- asialoglycoprotein receptors 156
- atomic absorption spectroscopy (AAS) 269
- atomic force microscope (AFM) 29, 33
- Au nanodogbone 128
- Au nanorods superlattice arrays 129

b

- 1,4-benzenedithiol 126
- BET isotherm model 52
- biofunctionalization 149–150
- bioimaging 3, 73, 118, 147
- biological applications 118, 131–133, 153–155
- biological samples
 - in diagnostic platforms
 - biofunctionalization 149–150
 - lab-on-a-chip device 148
 - optimization of 148–149
 - signaling mechanisms 148
 - strong signal intensities 148
 - LOC platform
 - centrifugal LOC systems 152
 - droplet-based LOC systems 152
 - paper-based LOC systems 152
 - surface acoustic wave-based LOC systems 152–153
- bionanotechnology 147
- 4,4-bipyridine 126
- bisphenol A 58, 60, 79, 95

- blood-testis barrier 227
- Boltzmann transport equation 33

c

- capillary chromatography 2
- capillary electrophoresis (CE) technique 8, 268, 281
- carbon dots (CDs) 14, 161
- carbon nanomaterials (CNMs)
 - adsorption on 76–77
 - carbon nanotubes (CNTs) 72
 - extraction and separation applications 77–80
 - fullerenes (FULs) 75–76
 - graphene 73–74
- carbon nanotubes (CNTs) 2–4, 29, 30, 34, 59, 72, 209
 - chromatographic stationary phases 81
- carcino embryonic antigen (CEA) 207, 208
- catalytic arc discharge (CAD) 3
- cellulose nanocrystals 101, 102, 180
- centrifugation approach 267
- ceramics 27, 32, 33, 71
- chemical enhancement 118–121
- chemical risk assessment 230, 231
- chemical vapour deposition (CVD) 3, 99, 199
- chemiluminescence technique 13
- chitosan-based nanocomposite membranes 101, 102
- chromatographic techniques 2, 222, 227, 275
- confocal correlation spectroscopy (CCS) 205
- conventional sample preparation
 - approaches 173
- co-precipitation technique 175
- covalent bonding interactions 159

d

de Broglie wavelength 36
 decision support tool risk assessment 230
 delivery of doxorubicin (DOX) 156, 157
 diamagnetism 38
 differential interference contrast (DIC)
 modes 203
 7,12-dimethylbenz[*a*]anthracene 223
 direct deposition technique 125
 DNA-DNA oligonucleotides hybridization
 model 208
 dopamine 158, 161, 162, 184, 208
 doxorubicin (DOX) 10, 57, 156
 doxorubicin hydrochloride 57, 156
 droplet-based LOC systems 152, 198
 droplet-based microfluidics 128
 Dubinin–Radushkevich adsorption
 isotherms models 60
 Dubinin–Radushkevich adsorption model
 51
 ductility 30–32
 dye compounds 55, 59, 60, 62, 79, 95, 96,
 102, 178

e

electrochemical detection systems
 199–202
 electrochemical sensor 16, 105, 158, 159,
 162
 electrochemiluminescence (ECL) 205
 electromagnetic enhancement 118–121
 embedded graphene quantum dots (GQDs)
 14, 158
 endocrine system 242
 engineered nanomaterials (ENM) 219, 261
 enoxacin 103–105
 environmental samples 13, 47, 58, 77, 78,
 100, 105, 126, 127, 177–183, 266
 epi-fluorescence 203
 European Agency for Safety and Health at
 Work (EU-OSHA) 254
 European Chemicals Agency (ECHA) 230,
 253
 European Code of Conduct 253

f

fabrication process 151, 197
 fieldflow fractionation technique 268
 flow injection synthesis technique 176
 fluorescence-based detection 14, 159, 160,
 205
 fluorescence-based techniques 269
 forensic analysis 129

Fourier's law 33
 fracture surfaces 31
 Freundlich isotherm model 50, 51, 56, 57,
 62
 fullerene-based membranes 93, 100–101
 fullerenes (FULs) 4, 75
 chromatographic stationary phases
 83–84
 functional mesoporous silica nanoparticles
 (MSNs) 10
 functional monomers 14–16, 58, 102, 105,
 160, 161, 180

g

gas chromatography (GC) 2, 8, 80, 151, 196
 genotoxicity 221, 223–225
 geometrical shadowing effect 125
 global transcriptomics 222
 GO-based fluorescence nanosensor 159
 GO-hydroxyapatite nanocomposite 158
 gold and silver nanoparticles 6
 gold nanoparticle-based mass-labelling
 sandwich assay 205
 gold nanoparticles (AuNPs) 6, 8, 16, 47,
 55, 71, 101, 128, 150, 204, 207, 241
 gold nanowires (NWs) 202, 203
 grain boundaries (GBs) 28
 graphene 2–3, 12, 13, 59, 60, 62, 72–74,
 161, 200
 aerogels 158
 nanoplatelets 158
 graphene-based membranes 94–97
 graphene quantum dots (GQDs) 13, 158,
 161
 graphitization 29
 green chemistry 275, 278–280

h

hybrid fabrication 123, 124
 hydrothermal synthesis technique 176
 hydroxypropyl- β -cyclodextrin 156

i

immunoassay 12, 131–133
 immunofluorescent detection 207
 inductively coupled plasma atomic emission
 spectroscopy (ICP-AES) 269
 inductively coupled plasma mass
 spectrometry (ICP-MS) technique
 268
 inorganic nanoparticles 2, 6–7
 in-situ colloidal precipitation technique
 80, 96
 intraparticle diffusion model 52–55

I

- label-free techniques 131
 - lab-on-a-chip (LOC)
 - centrifugal LOC systems 198
 - digital LOC systems 199
 - droplet-based LOC systems 198
 - electrochemiluminescence (ECL) 205
 - fabrication of microfluidic systems 197
 - indium oxide and silica nanoparticles (SNP) 202
 - manipulation and precise control the fluids 197
 - mass detection 205
 - microfluidic graphene oxide based amperometric detector 200
 - microfluidic techniques 196
 - micro total analysis system 196
 - miniaturization 197
 - nanoelectrodes and nanostructured electrodes 200
 - nanomaterial-based transducers
 - electrochemical detection systems 199–202
 - optical detection systems 202–205
 - paper-based LOC systems 198
 - surface acoustic wave-based LOC systems 199
 - lab-on-a-valve (LOV) 283
 - lactoferrin (Lf) 157
 - Langmuir adsorption model 50, 55
 - laser ablation (LA) 3, 123
 - layer-by-layer self-assembly 202
 - linear poly ethylenimine (LPEI) 208
 - liquid chromatography 2, 5, 80, 125, 178
 - liquid-crystal displays (LCD) 36, 37
 - liquid gate field effect transistor (LG-FET) 200
 - liquid-liquid extraction 173, 177, 277
 - localized surface plasmon resonance (LSPR) 119, 150, 202
- m**
- magnetically-actuated artificial cilia 209
 - magnetic nanocomposite 58, 59, 156, 157, 181, 185
 - magnetic nanoparticles (MNPs) 7, 56, 208, 209
 - MSPE
 - for biological samples 185–186
 - for environmental samples 178–183
 - for food and beverage samples 183–184
 - sample preparation
 - aerosol-based techniques 176–177
 - applications 173
 - co-precipitation technique 175
 - flow injection synthesis technique 176
 - grafting technique/coating 174
 - high surface area-to-volume ratio 173
 - hydrothermal synthesis technique 176
 - microemulsion-based synthesis 176
 - MSPE (*see* magnetic solid phase extraction (MSPE))
 - sol-gel synthesis 175
 - solid-phase extraction (SPE) 177
 - superparamagnetic feature 173
 - thermal decomposition technique 174–175
 - magnetoresistance 207
 - mass detection 205
 - mass spectrometry (MS)-based techniques 126
 - mechanical stretching 94
 - methamphetamine 14, 15, 161
 - methyl violet 2B removal 102
 - microbead-based sandwich ELISA approach 154
 - microelectromechanical systems (MEMS) 1, 150, 196, 281
 - microelectronic technology 150, 196
 - microemulsion-based synthesis 176
 - microfabricated serpentine geometry 282
 - microfluidic chambers 204
 - microfluidic devices 197, 204, 205, 208, 209
 - microfluidic graphene oxide based amperometric detector 200
 - microfluidic techniques 151, 196
 - micro gas chromatography (μ -GC) systems 282
 - micrometer size fillers 30
 - micronuclei (MN) 223–225
 - micropatterned carbon-nanotubes 208
 - microscale 4, 47, 199, 242, 262
 - micro total analysis system (μ TAS) 151, 196, 281
 - molecular-dynamics (MD) simulation 33
 - molecular imprinting-based electrochemical sensor 162
 - molecular imprinting-based fluorescence nanosensor 14, 15, 161
 - molecular imprinting-based spectroscopic sensor systems 13
 - molecular imprinting technique 160

- molecularly imprinted polymers (MIPs)
 - 13, 58, 78, 93, 102–105, 158
- monodisperse Au nanospheres 130
- monodispersed silica nanotubes 8
- multi-layers and super lattice nanostructures
 - 34
- multi-walled carbon nanotubes (MWCNTs)
 - 3

- n**
- naked metallic nanoparticles 7, 174
- nanocantilever-based sensor 206
- nanocrystalline materials 36
- nanocrystals 29, 36–38, 180
- nanoeotoxicology 219, 252
- nanoelectronics 27, 35
- nanofluids 34, 35
- nano interdigitated electrodes array (nIDA)
 - 201
- nanomaterials (NM)
 - adsorption isotherm
 - BET isotherm model 52
 - Dubinin–Radushkevich adsorption model 51
 - Freundlich isotherm model 50
 - Harkins–Jura and Halsey isotherms 51
 - Langmuir adsorption model 50
 - Redlich–Peterson isotherm 51–52
 - Temkin adsorption isotherm 50
 - adsorption process on carbon nanomaterials
 - activated carbon 58–59
 - carbon nanotubes (CNTs) 59–60
 - graphene oxide (GO) 60–63
 - adsorption process on nanoparticles
 - gold nanoparticles 55–56
 - magnetic nanoparticles (MNPs) 56
 - silver nanoparticles 54–55
 - zinc oxide (ZnO) nanoparticles 56
 - adsorption properties 38–39
 - biomedical applications 155–157
 - in biomedical applications 8–12
 - carbon nanomaterials 94
 - carbon nanotubes 3–4
 - carbon nanotubes-based membranes
 - 97–100
 - carcinogenicity and genotoxicity of
 - 223–225
 - chemical features of 93
 - dermal toxicity 220–221
 - detection techniques for characterization
 - 268–270
 - electrical properties of 35–36
 - ENM 261
 - environmental pollutants 264
 - environmental samples
 - sampling and sample preparation 266
 - separation of NMs 267–268
 - fullerene-based membranes 100–101
 - fullerenes (FULs) 4–6
 - global market for 243–245
 - gold and silver nanoparticles 6
 - graphene 2–3
 - graphene-based membranes 94–97
 - inhalational toxicity of 221–222
 - inorganic nanoparticles 6–7
 - intraparticle diffusion model 53
 - life cycle assessment 230
 - magnetic nanoparticles 7
 - magnetic properties of 37–38
 - mechanical properties
 - applications 32–33
 - ductility 30–32
 - hardness and strength 28–30
 - microscale materials 47
 - molecularly imprinted polymers (MIPs)
 - 102–105
 - nanoparticles-based membranes
 - 101–102
 - naturally-occurring NMs 261
 - neurotoxicity of 226
 - optical properties of 36–37
 - physical and chemical stability 93
 - physicochemical and intrinsic properties
 - 261
 - for process improvement 208–209
 - pseudo-first-order model 52
 - pseudo-second-order kinetic model 53
 - risk-based classification systems
 - 231–232
 - safety issues of 251–252
 - sensor applications of 157–162
 - in sensor platforms 12–16
 - in separation processes 8
 - silica nanoparticles 7
 - thermal properties of 33–35
 - thermodynamic studies 53
 - titanium dioxide (TiO₂) 7
 - toxicity and safety concerns 242–243
 - toxicity mechanism of 227–229
 - traditional membranes 93–94
 - traditional risk assessment 229–230
- nanomechanical biosensors 205
- nanoparticle-based sensor 12
- nanoparticle-labelling 206

- nanoparticles (NP) 29
 in environmental samples 266–267
 in microfluidics 206–208
- nanopollutants 264–266
- nanopore arrays 208
- NANoREG 252, 253
- nanosensor systems 256
- nanosphere lithography technique 124
- nanotoxicology research 243
- nanowires 29, 33–35, 118, 124, 130, 202
- National Nanotechnology Initiative 245
- natural binding processes 160
- naturally-occurring NMs 261
- nickel-metal hydride batteries 36
- N*-methyl pyrrolidone (NMP) 96
- noble metal nanoparticles 128, 147
- noncovalent imprinting 160
- non-enzymatic carbon nanotube sensor 200
- nuclear pore complexes (NPC) 224
- o**
- olaquinox 161, 162
- optical detection 198, 202–205
- 12-*o*-tetradecanoylphorbol 13-acetate 223
- Oviedo Convention 255
- p**
- palm oil mill effluent 80, 96, 97
- Parma Declaration on Environment and Health 253
- pesticides 13, 56, 126, 127, 129, 183
- phase-inversion process 94
- phenylboronic acid (PBA) 159
- photoluminescent composite nanosensor 14
- plasmon polaritons 36
- plastic deformation processes 31
- plastic flow localization 31, 32
- poly (ethylene oxide) (PEO) 8
- polyamide (PA) composite membranes 96
- polydimethylsiloxane (PDMS) 118, 154, 197
- polydopamine (pDA) 101
- polyethyleneimine 101
- polymer-based membranes 94
- polymeric nanoparticles 8, 147, 155
- polymer nanocomposites 30
- polymer-stabilized silver nanoparticles (poly-SERS) 130
- polystyrene (PS) 99
 microspheres 98
- p-polarized light 36
- prestrained polydimethylsiloxane (PDMS) substrates 118
- primary sampling 275, 276
- pseudo-first-order model 52, 53
- pseudo-second-order kinetic model 53–57, 62
- q**
- quantum dots (QDs) 13, 14, 27, 147, 206, 207, 232, 269
- quantum dots labeled nerve growth factor (QDs-NGF) 204
- r**
- Raman hot spots 128
- Raman scattering 121, 122
- Raman spectroscopy 122
- reactive oxygen species (ROS) 220
- Redlich–Peterson isotherm 51–52
- regulatory issues and requirements, NM
 in drugs, cosmetics and human health 255–256
 environmental effects of 253–254
 in food 255
 occupational health and safety of workers 254
- resonance energy transfer (RET) 149, 203, 204
- rhodamine B (RB) 62, 128
- rhodamine 6G removal 102
- s**
- sample preparation method 275–278
- sampling
 green chemistry 278–280
 miniaturization
 lab-on-a-valve (LOV) 283
 microelectromechanical systems (MEMS) 281
 micro total analysis system (μ TAS) 281
 of separation techniques 281–282
- physical, chemical and/
 or microbiological degradation 276
- primary sampling 276
- sample integrity 276
- sample preparation 276–278
- secondary sampling 276
- scanning tunneling microscopy (STM) 269
- Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR) 230

- scientific risk assessment process 229
 - screen-printed electrodes 12
 - secondary sampling 275, 276
 - semiconductor, the energy separation 37
 - semi-transparent plasmenane nanosheets 130
 - silica 7, 8, 10, 14, 101, 224
 - silica nanoparticles (SNP) 6, 7, 10, 14, 101, 161, 181, 202
 - silicon nanowires 33
 - silver nanoparticle (AgNPs) 6, 54, 202, 204
 - Si nanopillar arrays 131
 - single-walled carbon nanotubes (SWCNTs) 3, 59, 71, 72, 200, 214
 - sol-gel synthesis 174, 175
 - solid-phase extraction (SPE) 4, 174, 177, 179
 - solid-phase microextraction (SPME) fiber 282
 - spin valve (SV) sensors 207
 - square wave anodic stripping voltammetry (SWASV) 207
 - superparamagnetic iron oxide nanoparticles (SPION) 222
 - surface acoustic wave-based LOC systems 152–153
 - surface enhanced Raman spectroscopy (SERS) 6, 150, 202
 - chemical enhancement 120–121
 - determination of 121
 - direct deposition technique 125
 - electromagnetic enhancement
 - mechanism 119–120
 - electromagnetic field model 122–123
 - environmental analysis 126–129
 - fabrication, colloids 124–125
 - forensic analysis 129–131
 - hybrid fabrication 124
 - image field model 121–122
 - SERS-based separation applications 125–126
 - template-assisted fabrication 124
 - theory of 118
 - surface plasmon resonance (SPR) 9, 36, 119, 150, 202
 - surface plasmons 9, 36, 119, 120, 127, 150, 202
- t**
- Temkin adsorption isotherm 50
 - template-assisted synthesis
 - approach 8
 - tetraethoxysilane (TEOS) 161
 - thermal decomposition technique 174–175
 - thin film-based membranes 94
 - thiram pesticide 126, 127
 - tinidazole (TNZ) 105
 - titanium dioxide (TiO₂) 7, 223
 - triangular nanoprisms 243
 - trinitrotoluene (TNT) 131
 - Trojan-horse
 - mechanism 243
- u**
- upconversion nanoparticles 147
 - US Environmental Protection Agency 254
- v**
- vibrational spectroscopies 269
 - Victoria 2B removal 102
- w**
- water flux behavior 93, 97–99, 101
 - water-oil emulsion 79, 95, 96, 98, 99
- y**
- Young's modulus values 29, 30
- z**
- zinc oxide (ZnO) nanoparticles 56