

Index

a

absolute configuration (AC) 3, 31, 87, 107, 129, 247
 acetonitrile 139, 213, 221, 229
 actinoranone 12
 acutumine 15
 L-amino acids 3, 7, 8
 β -amino alcohol catalyst 166, 189
 amino alcohols 189–190
 amphidinolide T2 298–303
 androstan-3-one 16
 9-anthranylmethoxyacetic acid (9-ATMA) 49
 aquatolide 157
 asymmetric Lewis acids 196, 197
 asymmetric-axle-supported chiral catalysts 189, 194, 195
 atropisomer 19, 116, 121, 243
 auto-self catalysis 198–200

b

baccatin III 280, 283, 296
 benzamide 235, 236
 benzopyrenomycin 60, 144
 betaine 97
 [1,1'-binaphthalene]-2,2'-diol 19
 bioassay-guided study 101
 Birch reduction-alkylation 270, 271
 Boltzmann statistics 36, 37, 39, 63, 95, 110, 112, 118, 145
 brefeldin A 290–293
 brevianamide M 43, 148, 274
 Brewster model 59
 (R)-butan-2-ol 33

c

carbon tetrahedron
 – alkaloids 14, 15
 – flavonoids 13, 14

– glycoside 17, 18
 – steroids 16
 – terpenoids 9, 10, 12, 13
 carbon-13 NMR
 – aromatic compounds 131
 – conformational searches
 – Boltzmann statistics 36, 37
 – *cis*-structures 39
 – errors and coefficients 39
 – HF/6-31G(d)-optimized conformations 35
 – Me₄Si 36
 – MMFF94S force field 37
 – molecular mechanic force field 35
 – optical rotations 3, 36, 40, 59, 94, 107, 129, 165, 241
 – prediction 40
 – quantum theory 35
 – conformations, stereoselective reaction 243
 – NMR and atomic structure 31, 32
 – stereogenic centers 4, 9, 10, 13, 19, 25, 40, 65, 68, 87, 95, 98, 99, 130, 132–133, 147, 206, 272, 299
 (+)-catechin, 13, 14
 chemoselective additions
 – anhydrides 206
 – ketone and aldehyde 205
 – Me₂Zn/Et₃B 208
 – spirocyclic 2-oxindoles 210
 – *t*-BuOK 207
 – TS barrier magnitude 209
 – α,β -unsaturated nitrile 207
 chemoselective oxidation
 – BAIB-TEMPO 228
 – DMP reagent 227
 – PhI(OAc)₂ 226
 – sodium azide 228

- chemoselective oxidation (*contd.*)
 - sulfoether 229
- chemoselective reduction
 - AgNPs-CeO₂ 223
- aldehyde 10, 20, 52, 163–167, 171–177, 183, 187, 190–193, 197, 203, 206–207, 209–210, 211, 212, 222–223, 225, 227, 229, 234–235, 245–246, 258, 263–266, 274, 284, 298, 301
- aromatic nitro compounds 223
- BH₃-SMe₂/LiAlH₄ 225
- Clemmensen reduction 213
- esters 213, 214
- α -F ester 215
- hydrides 211
- hydrogenation 211
- InCl₃/NaBH₄ 221
- intrinsic reaction coordinate 215
- iodotrichlorosilane (ITCS) reagents 213
- ketone 50, 52, 96–97, 113, 131, 171, 179, 189, 193, 203, 205–209, 211, 219–220, 222, 224–225, 249, 251–255, 258–259, 266, 272, 281, 284, 288–289
- metals/metallic salts 211
- *N*-methylacetamide 219
- NaBH₄ 217
- nitrines 217, 221
- sulfoxides 224
- tautomerization 219
- α,β -unsaturated aldehydes 211
- α,β -unsaturated ketones 222, 226
- Zn(BH₄)₂ 211
- chirality
 - D-amino acids 8
 - L-amino acids 3, 7
 - amplification 198, 199
 - bioactivity 4
 - carbon tetrahedron
 - – alkaloids 14, 15
 - – flavonoids 13, 14
 - – glycoside 17, 18
 - – steroids 16
 - – terpenoids 9, 10, 12, 13
 - chiral compounds 18, 19
 - chiral compound separation 53
 - chiral material study 6
 - circularly polarized light (CPL) 3
 - ¹³C NMR spectra
 - – NMR and atomic structure 31, 32
 - – prediction and conformational search 34–37, 39–41
 - CPL irradiation 8
 - enantiomers 3
 - ¹H NMR 34
 - (-)-menthyl methacrylate 6
 - Mosher method 44–51
 - optical characteristics
 - – ECD and definition 25, 26
 - – OR measurement 24, 25
 - – Raman optical activity 27
 - – vibrational circular dichroism 26, 27
 - organic acids 53
 - organic alcohols 53
 - organic bases 53
 - recorded chiroptical spectroscopy 6
 - Sharpless epoxidation 4
 - stereogenic center
 - – [1,1'-binaphthalene]-2,2'-diol 19
 - – chiral ferrocenes 22
 - – chiral structures 22
 - – helix biopolymer 23
 - – helix hexahelicenes 23
 - – hydroxyl groups 21
 - – N, P/S atom 19
 - – sulfoxide's chirality 19
 - D-sugars 3
 - tertodotoxin 4
 - transition state (TS) barrier 3
 - transition state energy and chirality-selectivity 51, 52
 - D-tryptophan 8
 - L-tryptophan 8
 - L-tryptophan methyl ester 8
 - x-ray diffraction 41–44
- Chiron 280
- cholesterol 16
- chromanes 152, 155
- circularly polarized light (CPL) 3, 7, 64, 87, 107
- circularly polarized Raman scattering 110
- Claisen rearrangement, 271Clemmensen reduction 213
- (*S*)-cleonin 261
- codeine 34
- concentricolide 79, 177
- conessine 15
- crotonide 17
- cyclohexane 242
- cycloisomerization 253, 255
- cyclopropenyl ketones 253, 255
- d**
 - Davydov (energy) spitting 88
 - Dess–Martin periodinane (DMP) reagent 225, 227–229
 - diastereoselective reactions
 - addition reactions
 - – allylic alkylation 268, 269

- – chiral lactams 260
- – α,β -dihydroxyl ketones 268
- – homoallylic amines 268, 269
- – imines, allylation of 269, 270
- – Kulinkovich reaction 261
- – metallated propargylic amines 265
- – rhodium-catalyzed cross-aldol reaction 264, 266
- – Zn reagents 261
- Birch reduction-alkylation 270, 271
- Claisen rearrangement 271, 273
- oxidation-coupling reaction 271, 272
- theoretical methods vs. experiments
- – chiral compounds, AC assignment for 273, 274
- – de% values 274, 276
- – ee% values 274–276
- Diels–Alder reactions 196, 197, 280, 287–289
- 1,5-di-F,2,6-di-NO₂-benzene 49
- α,β -dihydroxyl ketones 268
- 4-dimethyl amino benzoic acid 89, 90
- (*R*)-2'-((dimethylamino)methyl)-[1,1'-binaphthalen]-2-ol 19
- N,N*-dimethylformamide 219
- 1,2-diol dibenzoate 87–89
- N,N'*-dioxide chiral ligands 190
- (-)-discorhabdin Z 99
- DpenPhos 197
- e**
- ECD, *see* electronic circular dichroism (ECD)
- elatenyne 157
- electronic circular dichroism (ECD) 23, 25, 36, 87, 107, 129, 134, 135, 241
- B3LYP/6-31G(d)-optimized conformers 97
- definition 87
- exciton chirality model, *see* exciton chirality circular dichroism (ECCD)
- quantum theory 94, 95
- theoretical curve vs. experimental curve
- – betaine 97
- – diincarvilone 97, 98
- – (-)-discorhabdin Z 99
- – incarvilone A 97, 98
- – mandassion A 99, 100
- – mandassion B 99, 100
- – psychotripine 99, 100
- – spirocurcasone 98, 100
- – streptocarbazoles A 101
- – streptosetin A 102
- UV correction method 102–105
- enantioselective reaction
- addition reaction
- allylic alkylations 174–176
- asymmetric allylation 178, 179
- bioactive compounds 177
- ferrocene ligands 173
- Henry reactions 177
- intermolecular C-acylation 174, 175
- Michael additions 173
- phenylation 174
- chiral catalysts 191, 193, 195
- amino alcohols 189, 190
- asymmetric-axle-supported catalysts 194, 195
- asymmetric Lewis acids 196, 197
- N–O catalysts 190
- organic-P containing ligands 197
- Schiff base ligands 195, 196
- solid-supported catalysts 193
- spiral catalysts 193, 194
- diethylzinc addition reaction
- acyclic enones 171
- aldehydes 165–169
- auto-self catalysis 199, 200
- benzaldehyde 166
- chiral axial catalysts 167–169
- chirality amplification 198, 199
- Cu-promoted conjugate additions 169, 170
- *N*-diphenylphosphinoylimines 172
- nitropropene acetals 170
- odd-even carbon effect 199–201
- phenylation 169
- oxidation reaction 184, 185
- reaction types 165
- reduction reaction
- acetophenone 181
- *N*-aryl ketoimine 183
- aryl ketones 182
- >C=N– group compounds 182
- >C=C< group compounds 180
- stereogenic center formation 165
- TS barrier and selectivity prediction
- – B3LYP/6-311+G(d) level theory 188
- – B3LYP/6-31G(d) level theory 187
- – DFT theory 187, 188
- – HF/6-31G(d) theory 186, 187
- quantum mechanics (QM)/molecular mechanism (MM) 185
- ene/Prins cyclization reaction 190
- enicillitone 16, 17
- ephedrine 14
- ethane 241, 242
- 5-ethyl 5-propyl-undecane 25, 73
- exciton chirality
- circular dichroism (ECCD) 87

- exciton chirality (*contd.*)
 - 4-dimethyl amino benzoic acid 90
 - 1,2-diol dibenzoate 87–89
 - 7-oxocholest-5-en-3 β -ol, chiral acetate of 91
 - (S)-PBA-containing Cu-complex 92, 93
 - VCD 108, 109, *see also* vibrational circular dichroism (VCD)
- exciton coupling 88, 90, 91, 108, 124
- f**
- formestane 16, 17
- Friedel–Crafts alkylation 256, 258
- g**
- Gauge-independent-atomic-orbit (GIAO) 34
- green chemistry 181–183
- griseusins 159
- h**
- Harada–Nakanishi function 94
- harpagoside 10
- Hatree–Fock (HF) 59
- H-bonds 27, 76, 131, 136, 186
- Henry reactions 177, 190
- hexacyclinol 158
- high performance liquid chromatography (HPLC) 55, 243, 244
- (+)-hirsutene 285–287
- 17 β H-neriifolin 17, 18
- ^1H NMR 34, 45–47, 51, 144, 242, 267
- Huang Min-Ion reduction 213
- (S)-3-hydroxydihydrofuran-2(3H)-one 108
- i**
- indole alkaloids 232, 256, 303
- indole derivatives 233
- intrinsic reaction coordinate (IRC) 215
- iodotrichlorosilane (ITCS) reagents 213
- isoeptaondiol 156
- isoschizogaline 134, 135
- isovitexin 17
- k**
- Kulinkovich reaction 261
- m**
- (S)-(-) malic acid 53
- malyngamides 292, 294, 295
- mandassion A 99, 100
- mandassion B 99, 100
- matrix method 153, 154
- matrix model 63–77, 132
- L-menthol 9
- menthyl hydrazine 54
- menthyl isocyanate 53
- mestanolone 16
- 2-(2'-methoxy-1,1'-naphthyl)-3,5-di-chlorobenzoic acid (MNCB) 49, 50
- N-methylacetamide 219
- (S)-((4-methyl cyclohexylidene)methyl)benzene 22
- 1-methylhexane 243
- methyloxirane 124, 125
- Michael addition reactions 123, 173
- molecular mechanic force field 35
- monodentate hosphoramidite 197
- morphine 14, 279
- Mosher ester 44, 45, 48, 51, 129, 144, 251
- Mosher method 44–48, 50, 51, 144
- (-)-myrtenal 115, 116
- n**
- naphthalene-1,5-diol 289
- nitrides 217, 221
- nobilisitine A 158
- nonlinear effect, *see* chirality amplification
- nuclear magnetic resonance (NMR), *see* carbon-13 NMR
- nuclear Overhauser enhancement spectroscopy (NOESY) 34
- nucleophilic addition 177, 208
- o**
- odd–even carbon effect 198–201
- oleane-3 β -ol 13
- oligothiophenes 259
- optical rotation (OR) 40
 - AC assignment 131
 - and ECD 144, 145
 - quantum theory 131
- optical rotatory dispersion (ORD) 25, 83
 - AC assignment 131
 - mono-stereogenic center compounds 79
 - poly-stereogenic center compounds 82
 - acetonitrile 139
 - Brewster model 59
 - comprehensive mass 68–70
 - det(*D*) values 73–76
 - electronegativity 72
 - matrix basis 65–68
 - matrix model 63–65, 80, 81
 - *n*-propyl model 69
 - quantum theory
 - bezopyrenomycin 60
 - (R)-2-chloropentane 62
 - OR calculation 60
 - radius 70, 72

- substituents 70, 71
- symmetry factor 72, 73
- Van der Waal's radii 72
- optical rotatory dispersion (ORD)
 - AC assignment 83
 - structural elucidation 77
- organocatalytic Michael addition 123
- oruwacin 157
- 1,3,4-oxadiazoles 229, 306
- oxidation–coupling reaction 271, 272
- 7-oxocholest-5-en-3 β -ol, chiral acetate of 91

- p**
- paederoside 10
- perdeuteriophenyl-phenyl-sulfoxide 116, 117
- L-phenylalanine 148, 151
- (-)-*N*-(1-phenylethyl) aniline 152, 154, 274
- 1-phenylhexanone 276
- Pictet–Spengler cyclization 280
- α -pinene 9
- β -pinene 9
- (*R*)-2-piperidine-1,1,2-triphenylethanol 185
- plakotenin 158
- plumericin 156, 157
- preussidone 119
- psychotripine 99, 100, 135
- pyrimidine 220

- q**
- quantum theory 28, 59–65, 80, 94–95, 97, 99, 109–113, 131, 136, 218

- r**
- Raman optical activity (ROA) 23, 27, 36, 107 and 129
 - CID spectra 111, 112
 - methyloxirane 124, 125
 - Raman scattering 27, 110–112
 - theoretical vs. experimental spectra 125, 126
- Raman scattering 27, 107, 110–112
- reduction–coupling reaction 212, 251, 252
- regioselective reaction
 - 1,2- and 1,4-addition reactions 256, 257
 - allenes 257, 258
 - cyclization reaction 256
 - [5 + 2 + 1] cycloaddition 254
 - cycloisomerization 253–255
 - Friedel–Crafts alkylation 256, 258, 259
 - head-to-tail-type oligothiophenes 259
 - reaction routes 252, 253
 - reduction–coupling reaction 251
 - reductive hydration 252
 - zinc carbenoids 258
- relative configuration (RC) 3, 31, 82, 98, 129
- ring enlargement reaction 253, 258, 260
- rosmaridiphenol 156
- rotating frame Overhauser enhancement spectroscopy (ROESY) 34, 135
- rotenone 14
- rubiginone A2 287–289
- rutin 14

- s**
- saccopetrin A 46
- scaffnerine 11, 12
- (+)-schizandrin 146, 274
- Schmidt reaction 236
- 8,14-*seco*-oleana-8(26),13-dien-3 β -ol 13
- Sharpless epoxidation 4, 185, 279
- Sharpless oxidation 4, 163, 184, 185
- Shiff base ligands 195, 196
- Simmons–Smith reaction 258, 262
- sodium borohydride 52, 186, 200, 215, 217, 288, 293
- solid-supported catalysts 192, 193
- spiral chiral catalysts 193, 194
- spirocurcasone 98, 99
- stereoselective reaction
 - conformational study
 - B3LYP/6-31G (d) level energy optimizations 245–247
 - catalyst structure changes and ee% values 248
 - correct gesture collision 241
 - cyclohexane 242
 - energy difference and R% percentages 249, 250
 - ethane 241, 242
 - HF/6-31G(d,p) level energy computations 249
 - 1-methylhexane 243
 - MP2 energy 245, 246
 - NMR spectra 243, 244
 - remote chirality control reaction 247, 248
 - ring-opening and ring-closing changes 244, 245
 - softwares 249
 - de% 241
 - dr 241
- stereostrein A 10
- stereostrein D 10
- streptocarbazole A 101
- streptosetin A 102
- sulfoxides 224, 225, 229, 230
- Swern reaction 225
- Syngen 280

t

- D-(+)-tartaric acid 53
- tartaric acid mono-anilide 53
- taxol 11, 292, 296, 297
- temperature gradient method 43, 44
- terpenes 133
- tertodotoxin 4
- 2,2,6,6-tetramethyl-piperidine 1-oxyl (TEMPO) 226, 227
- (*S*)-thalidomide 3
- total organic synthesis
 - amphidinolide T2 and derivatives 298–303
 - (+)-brefeldin A 290–293
 - calculations
 - – biogenetic routes study 307
 - – density functional theory 307
 - – reaction directions 307
 - – TS geometries 308
 - (+)-hirsutene 285, 286
 - malyncamides and AC assignments 292, 294, 295
 - retro-synthesis tactics
 - – 2-aminophenols and anilines 285
 - – baccatin III 280
 - – DOS 284
 - – DTS procedure 284
 - – eleutherobin 280, 283
 - – pattern recognition 280
 - – ring formation methods 280
 - – target molecule (TM) 280
 - – Wittig reagent reaction 280
 - rubiginone A2 and analog 287–289
 - taxol derivatives 296–298
 - (+)-vindoline 303–306
- 3,5-trichloro-1,3,5-triazinane-2,4,6-trione (TCTATO) 226

- D-tryptophan 8
- L-tryptophan 8, 178
- L-tryptophan methyl ester 8

u

- ursodeoxycholic acid 16
- UV correction method 102–105, 153, 154

v

- vannusal B 158
- vapor diffusion method 44
- VCD, *see* vibrational circular dichroism (VCD)
- velocity rotatory strengths 94
- vibrational circular dichroism (VCD) 23, 26, 36, 107, 129, 134, 241
 - AC determinations 115
 - calculated *vs.* experimental spectra 113, 114, 116–118, 120, 121, 124
 - definition 107
 - and ECD 146, 147, 149
 - exciton chirality method 108, 109
 - IR 109, 110, 113, 114, 118–120, 123, 124
 - ROA, *see* Raman optical activity (ROA)
- (+)-vindoline 303–306

w

- Wittig reagent reaction 232, 233, 280, 286, 301

x

- x-ray crystallography 147–148
- x-ray diffraction 41–44, 151

z

- zinc carbenoids 258, 261, 263