

Index

a

acenaphthylene 37
 acenes 6, 226
 acenethiophenes 281
 acenodithiophenes (AcDTs) 282–286
 acenothiophenes (AcTs) 282–286
 acepleiadylene 98
 acridine orange 244
 aggregation-caused quenching (ACQ) 193
 aggregation-induced emission (AIE), 193
 see also tetraphenylethene (TPE)
 all-benzenoid PHs 3
 [8]annulenes 112
 anthenes 22
 armchair-edged GNRs 3
 aromatic sextet theory 133
asymmetric DACTTs 291
 azaacenes 226
 azabuckybowls 69
 azatrioxa[8]circulenes 137
 azulene 85
 – Hückel frontier molecular orbitals 86
 – Leaver synthesis 87
 – resonance structures 86
 2-azulenyl-substituted benzenes
 – cyclic voltammogram 88
 – synthesis 88
 6-azulenylethynyl-substituted benzenes
 – cyclic voltammogram 88
 – reduction of 88
 – structures 87
 6-azulenyl-substituted benzenes
 – cyclic voltammogram 87, 88
 – reduction of 88
 – structures 87

b

bacteriochlorin 236
 bathocuproine 245
 bent tetraazaarenes 232
 benzannelated phosphole 311
 1,2-benzannulated pleiadene 99
 benzenoid PHs
 – closed-shell electronic configuration 4
 – open-shell electronic configuration 5
 – organic photovoltaic devices 33
 – two-photon absorption (TPA) 32
 benzobisthiadiazole (BBT) 297
 benzobisthiaphospholes 320
 benzo[de]-isoquinoline-1,3(2*H*)-dione 210
 benzo[fluoranthenes] 40
 benzo-fused [8]annulenes 116–119
 benzo-fused dehydro[8]annulenes 113
 benzo[*ghi*]fluoranthene 40
 benzo[thiaphospholes] 320
 [1]benzothieno[3,2-*b*]benzothiophene (BTBT) 291
 benzothiophenes (BTs) 278, 279
 β -substituted porphycene 237
 biphenylene-fused[8]annulenes 119–122
 bisanthene 22, 24
 bisbenzothienothiophene 287
 bisdithienothiophene 287
 bisnaphthothiophene 287
 4,4'-bis(*N*-carbazolyl)biphenyl 246
 bispentacenequinone 25
 bis(phenalenyl)-based diradicaloids
 – butyl-substituted compound 12, 13
 – crystal structure 10–12
 – hexa-*tert*-butyl derivative 14
 – resonance forms 10–13
 – stabilization 10
 bis(trifluoromethyl)corannulene 79
 9-borafluorenes 252

- 9-borataanthracenes 253
 - boron-containing polycyclic aromatic hydrocarbons (B-PAHs) 251
 - hydroboration chemistry 258
 - intramolecular cascade cyclization 255
 - linear ladder-type π -systems
 - boraacenes 253, 262, 264, 265
 - borepins 252, 261, 262
 - boroles 252, 259–261
 - tetravalent boron 266, 267
 - metalation/quenching method 253, 254
 - oxidative/radical cyclizations 258
 - photo/thermal isomerization process 256
 - Tovar's synthesis 255
 - two-dimensionally fused π -systems
 - categories 267
 - fully delocalized π -conjugated systems 270–272
 - planarized triarylboranes 267–269
 - BrBBT 297, 298
 - buckybowls
 - carbon nanotubes 62
 - chirality 65, 67
 - columnar packing structures
 - π - π stacking interaction 76
 - bidirectional column 76
 - eclipsed stacking 77, 78
 - slipped stacking 77
 - staggered column 77
 - unidirectional column 78, 79
 - heterobuckybowls
 - FVP synthesis 69, 70
 - heteroatoms 68, 69
 - solution-phase synthesis 70
 - triazasumanene racemization of 74, 75
 - triheterosumanenes 71, 74
- c**
- carbon nanotubes (CNTs) 143
 - chiral buckybowls 65–68
 - chlorin 236
 - [7]circulene 101, 102
 - [8]circulene 133
 - Clar's aromatic sextet rule 3, 4
 - complete active space self-consistent field (CASSCF) calculation 5, 7, 30
 - copper-phthalocyanine (CuPc) 242, 244
 - corannulene 61, 62, 79, 101
 - crystal packing 76
 - non-columnar crystal packing 75
 - corrole 240
 - [5]CPP 149
 - CPPs, *see* cycloparaphenylenes (CPPs)
 - cyclo[*n*]pyrroles 240
 - cyclohepta[*de*]naphthalene 97
 - 1,3,5-cycloheptatriene 85
 - 1,3,5-cycloheptatrienyliene 85
 - cyclooctatetraene 111, 112
 - cyclooctatrienyne 112, 113
 - cycloparaphenylacetylene 145
 - cycloparaphenylenebisacetylene 146
 - cycloparaphenylenes (CPPs) 143
 - absorption spectra 157
 - all-benzene carbon nanocages 151, 153
 - applications 144
 - “bottom-up” organic synthetic methods 143
 - CNTs 153, 154
 - [5]CPP 149
 - cyclic voltammogram 155
 - [4]cyclo-2,8-chrysenylene isomers 151, 152
 - 3,6-dihydroxy-1,4-cyclohexadiene, reductive aromatization of 150
 - early developments 144–146
 - fluorescence emission spectra 154, 155
 - HOMO/LUMO energies 146, 147
 - host–guest complex 158, 159
 - Itami's synthesis 148, 149
 - Jasti and Bertozzi's synthesis 148
 - photophysical properties 154, 155
 - π -extended derivatives 151
 - redox properties 155–157
 - strain energies 146, 147
 - structures 143, 144
 - “top-down” physical methods 143
 - UV–vis spectra 154
 - Yamago's synthesis 148, 149
 - cyclopent[*hi*]aceanthrylenes
 - all-carbon copolymers 40, 41
 - Garcia-Garibay synthesis 38
 - OFETs 41, 43
 - OPV 42
 - orthogonal functionalization 42
 - Plunkett synthesis 39
 - Suzuki/Heck-type cyclopentannulation 39
 - cyclopenta-fused polycyclic arenes (CPPAs) 37
 - acenaphthylenes, *see* cyclopent[*hi*]aceanthrylenes
 - dibenzopentalene, *see* dibenzopentalenes
 - indacenes, *see* indeno[1,2-*b*]fluorene
- d**
- DACtTs, *see* diacene-fused thienothiophenes (DACtTs)
 - DBAs, *see* dehydrobenzoannulenes (DBAs)
 - dehydro[8]annulenes 113

- dehydroannulenes 112
- dehydrobenzoannulenes (DBAs)
 - applications 163
 - biological applications 185, 186
 - crystal packing 172–174
 - 3D assemblies 174
 - dye-sensitized solar cells 180
 - electrophile-induced transannular cyclizations 183
 - fused aromatic rings 163
 - graphdiyne 170, 171
 - graphyne 169–171
 - multiple ring 166, 167, 169
 - optoelectronic applications 180, 181
 - π -electrons 163
 - ring size 164
 - self-assembled 2D monolayers 175
 - single ring 164, 166
 - strain assisted cycloaddition 185, 186
 - thermally induced transannular cyclizations 184
 - transannular bond formation 181, 183
 - two-photon absorption (TPA) 180
- diacene-fused thienothiophenes (DAcTTs) 291, 292
- diacetylsumanene 77
- diazacenes 228, 229
- diazadioxa[8]circulenes 137
- diazapentacene 228
- dibenzo[*a,e*]cyclocta-1,3,5-trien-7-yne 113
- dibenzo[*a,e*]cycloocta-1,5-diene-3,7-diyne 114
- dibenzo[*a,e*]cyclooctene 116
- dibenzo[*d,d'*]benzo[1,2-*a:4,5-a'*]dicycloheptene 96
- dibenzoboroles 259
- dibenzofuran-substituted ethenes 207, 208
- dibenzoheptazethrene 18, 19
- dibenzopentalenes
 - alkali metal induced cyclization 46
 - C–H palladation 48
 - conjugated polymers 50
 - 5-endo-dig cyclization 45
 - gold(I) catalyzed cyclization 47
 - Linstead's synthesis 43, 44
 - multi-pentalene-containing systems 47
 - Ni-mediated reductive cyclization 45
 - OFET devices 50
 - Pd-catalyzed reaction
 - arylation/annulation 44
 - crossover annulation 48
 - cyclization 49
 - reductive homocoupling 47
 - perfluorinated arenes 49
 - transannular cyclization 44
- dibenzophospholes 312
- dibenzothiophene-substituted ethenes 207, 208
- dicyclohepta[*de,ij*]naphthalene 98
- didehydro[8]annulenes 112
- didehydrotribenzo[*a,c,e*]cyclooctenes 115
- 4,4-difluoro-4-bora-3*a,4a*-diazas-indacene (BODIPY) 244
- dihydrodiazapentacene 228
- 6,13-dihydro-6,13-diazapentacene 228
- 10,11-dihydro-5H-dibenzo[*a,d*]cycloheptene 94
- dihydropyrazine-fused pyrazinacene 235
- 5,14-dihydro-5,7,12,14-tetraazapentacene 228
- diketophosphepin
 - photoluminescence spectrum 324
 - structures 324
 - synthesis 323
 - UV–vis absorption spectrum 324
- 11,12-dimesitylindeno[2,1-*a*]fluorene 53
- dinaphthoazulene 101
- dinaphtho[2,3-*b:2',3'-f*]thieno[3,2-*b*]thiophene (DNTT) 291
- 1,2-diphenyl-1,2-bis(4-phenylphenyl)ethene 211
- diphenyldibenzofulvene 196
- dithienophosphole 311, 312
- dodecacene 7
- doubly N-confused porphyrin 237, 238
- 2-D π -extended fused thiophenes 293, 294
- dye-sensitized solar cells
 - phthalocyanines 244
 - porphyrins 241, 242
- e**
- ethidium bromide 244
- f**
- flash vacuum pyrolysis (FVP) 61, 62, 69, 70
- fluoreno[4,3-*c*]fluorene 54, 55
- fullerenes 143
- fused azulenes
 - protonated species 91
 - structures 91
- fused S-containing polycyclic heteroarenes
 - thiadiazoles, *see* thiadiazole-fused heteroarenes
 - thiophenes, *see* thiophene-fused heteroarenes
- fused tetracyano-N-annulated rylene quinodimethanes 29
- FVP, *see* flash vacuum pyrolysis (FVP)

g

- Garcia-Garibay's synthesis 39
- geminal-substituted TAEs (g-TAE) 208–210
- graphdiyne 169–171
- graphene 3, 4
- graphene-nanoribbons (GNRs) 3
- graphyne 170, 171

h

- 5*H*-dibenzo[*a,d*]cycloheptene 92
- hemifullerene 65
- heptacene 7
- heptazethrene 14, 15, 17, 18, 21
- heterobuckybowls
 - FVP synthesis 69, 70
 - heteroatoms 68, 69
 - solution-phase synthesis 70
 - triazasumanene, racemization of 74, 75
 - triheterosumanenes 71, 74
- hetero[8]circulenes 137, 138
- heterosumanene 72, 73
- hexacene 7, 8
- hexafluorosumanene 77
- Hückel's rules 111

i

- indacene 51
- indacenedithiophenes 55
- indacenodiphenalene 10
- indeno[1,2-*b*]fluorene
 - 6,12-diaryl derivatives 53
 - fully-conjugated derivatives 51
 - OFET 52
 - structures 51
 - thermal annealing 55
 - Tobe's synthesis 53, 54
- indeno[2,1-*c*]fluorenes 54
- intramolecular rotation (IMR) process 194

k

- Kekulé polycyclic hydrocarbons 3
- Kumada reaction 42

l

- longer N-heteroacenes 232

m

- McMurry coupling 194, 198, 207
- meso-substituted porphyrins 237
- metallophthalocyanine 242, 243
- methyl viologen 319
- multiple ring DBAs 166, 167, 169

n

- N*-annulated perylenes 235–236
 - naphthalene-substituted ethenes 205, 206
 - N*-confused porphyrin 241
 - near infra-red (NIR) emitting dye 245
 - N*-heteroacenes 226
 - bent tetraazaarenes 232, 233
 - molecular structure 226, 227
 - n-type organic semiconductors 231
 - OFETs 230
 - pyrazine-based 231
 - pyrene embedded linear and star-shaped 234, 235
 - pyridine-based 231
 - synthesis
 - – aromaticity 229, 230
 - – condensation reaction 228
 - – hydrogen bonding 229
 - – organic electronics 230
 - – Pd-catalyzed *N*-arylation 228, 229
 - N*-heteroarenes
 - dyes and pigments 244, 245
 - organic photovoltaics 245, 246
 - phthalocyanine 242–244
 - N,N'*-di(1-naphthyl)-*N,N'*-diphenyl-(1,1'-biphenyl)-4,4'-diamine 246
 - non-Kekulé polycyclic hydrocarbons 3
 - nonacene 8, 9
 - [*n*]thienoacenes ([*n*]TACs) 286–288
- o**
- octacene 8
 - octamethoxytetraphenylene 132
 - 2,3,6,7,10,11,14,15-octasubstituted octahydroxytetraphenylene 132
 - octazethrene 14, 17
 - OFETs, *see* organic field effect transistors (OFETs)
 - OLEDs, *see* organic light-emitting diodes (OLEDs)
 - oligoacenes 7
 - open-shell benzenoid PHs
 - acenes 6–8
 - anthenes 21, 22, 24, 25
 - bis(phenalenyl), *see* bis(phenalenyl)-based diradicaloids
 - periacenes 21, 25
 - π -extended p-quinodimethane
 - – fused tetracyano-*N*-annulated rylene 29
 - – parent compound 27
 - – tetracyano-*N*-annulated perylene 29
 - – tetracyanothiophene-capped *N*-annulated perylene 30
 - Tschitschibabin's hydrocarbon 27, 28

- triangulene
- – biradical trianion 32
- – SOMO–SOMO interaction 31
- – tri-tert-butyl diradical 31
- zethrene, *see* zethrenes
- organic field effect transistors (OFETs) 6, 41, 230, 277
- organic light-emitting diodes (OLEDs) 213
- organic luminescent materials 193
- organic photovoltaic (OPV) cells 42
- orthogonally functionalized
 - cyclopent[*hi*]aceanthrylenes 42
- ortho-methylated TPE 198

P

- para-quinodimethane 27
- partially fused bispentacenequinone 25
- Pd-catalyzed arylation/annulation 44
- Pd-catalyzed cyclopentannulation reaction 39
- pentacene 6, 228
- pentaindenocorannulne 62
- pentalenodiphenalene 10
- perfluorinated dibenzophospholes 312
- peri-substituted [8]circulene 134
- periacenes 25
- peripentacene 24, 26
- peripentacenetetraketone 25
- peritetracene 24
- 8-phenylbenzo[*e*]-acephenanthrylene 196
- phosphinines
 - electron-acceptors 322
 - *vs.* pyridine 321
 - structures 322, 323
 - synthesis
 - – furan conversion 321
 - – phosphole expansion 321
 - – tandem hetero Friedel–Crafts reaction 322
- phospholes
 - benzannelated phosphole 311
 - dibenzophospholes 312, 313
 - dilithiation strategy 310
 - dithienophosphole 311
 - electron-accepting properties 319
 - electronic properties 316
 - Fagan–Nugent strategy 310
 - furan-fused 317
 - fused ring systems 315, 316
 - helical structures 313, 314
 - highly planar structures 315
 - oxaphosphole 320
 - photophysical properties 311, 316
 - radical phosphanylation synthesis 310, 311
 - thiaphosphole 320
 - thiophene-fused 316, 317
 - two-dimensional 314
- phosphorus-containing heteroarenes
 - applications 309
 - diketophospholes
 - – cyclic voltammograms 326
 - – electron acceptors 325
 - – structure 325
 - – synthesis 325
 - electron-acceptor 309
 - five-membered rings, *see* phospholes
 - pyramidal geometry 309, 310
 - seven-membered rings 323, 324
 - six-membered rings, *see* phosphinines
- phthalocyanines
 - dye-sensitized solar cells 244
 - structural analogs 243
 - synthesis 242, 243
- π -extended buckybowls 62, 63, 65
- polycyclic arenes (PAs) 37
- polycyclic azaheteroarenes 225
- polycyclic heteroarenes 225
- poly(isothianaphthene) 279
- porphyrinoids 239–241
- porphyrins
 - annuloid pathways 238
 - aromaticity 238
 - dye-sensitized solar cells 241, 242
 - molecular structure 236
 - oxidation states 239
 - photodynamic therapy 241
 - synthesis 237
- pyracylene 38
- pyrazinacenes 226
- pyrene approach 25
- pyrenylsumanene 77
- pyridine 225
- pyridine fused phosphole 319
- pyrrole 225

q

- quarteranthene 22–24
- quinoidal diindenothienoacenes 56, 57

r

- rectangular-shaped GNRs 3
- restriction of intramolecular rotation (RIR) 193
- rubicene 43
- rubrene 42

s

- saddle-shaped polycyclic arene 101
- safranin 244
- sapphyrins 239
- Scholl reaction 102, 105, 107
- Schwarzite P192 135
- sil-Friedel–Crafts cyclization 70
- silylalkynylated azaheptacenes 232
- silylethynylated N-heteroarenes 228
- single ring DBAs 164, 165
- solution-phase methods 61, 62, 67, 70
- Sonogashira cross-coupling reaction 39, 41
- substituted tetraphenylenes 123
- sumanene 61, 62, 66, 69, 70, 77, 78
 - bowl chirality 65
 - CH- π interaction 80
 - columnar packing structures 76, 78
 - crystal packing 76
- sumanenetrione 77, 78
- supramolecular nanofibers (SNFs) 171, 174, 175
- Suzuki cross-coupling 135
- Suzuki/Heck-type cyclopentannulation 39
- symmetric DACTTs 291

t

- teranthene 22–24
- 2,6'2',6''-terazulene 89
 - HOMO–LUMO energy 90
- tetraalkoxy-substituted tetraphenylenes 132, 133
- tetraarylethenes (TAEs) 194, 205
 - chemosensors 210
 - mechanochromic luminescent materials 211
 - molecular structures 207
 - OLEDs 213, 215–218
- tetraaryl-substituted fused
 - bispentacenequinone 25
- tetrabenzo[8]circulene 136
- tetrabenzo[*a,c,e,g*]cyclooctene
 - chirality 126, 127
 - saddle-shaped structure 122
 - synthesis
 - – biphenylene, thermal ring opening of 123
 - – CuBr₂-mediated oxidation coupling 125, 126
 - – cycloaddition-deoxygenation 124, 125
 - – rhodium-catalyzed [2+2+2] cycloaddition 126
 - – transition metal-mediated oxidative coupling 123, 124
- tetrabenzo[5,7]fulvalene 94
- tetrabenzoheptafulvalene 92, 93
- tetracyano-N-annulated perylene
 - quinodimethanes 29
- tetracyanothiophene-capped N-annulated perylene quinodimethanes 30
- 9,9',10,10'-tetrahydrodianthracene 144
- 1,8,9,16-tetraethynyltetraphenylene 128, 129
- 1,8,9,16-tetrahydroxytetraphenylene 127
- 1,8,9,16-tetrakis(diphenylphosphino)tetraphenylene 128, 129
- tetraphenylethene (TPE) 193
 - crystal packing 194, 195
 - emission color tuning 202, 204
 - fluorescence spectra 204
 - fluorescent chromophores 200–202
 - IMR process 196, 197
 - McMurry coupling 194
 - mechanochromic luminescent materials 211–213, 215
 - molecular structure 195
 - phenyl rotors, rotation of 205
 - photoisomerization process 196
 - photoluminescence (PL) property 196
 - RIR process 197
- tetraseleno[8]circulene 138
- ThBBT 298
- thiadiazole-fused heteroarenes 279
 - ambipolar semiconductors 300
 - chemical structures 279
 - crystal structures 297
 - n-type semiconductors 300
 - p-type semiconductors 298
 - structures 298, 299
- thieno[3,2-*b*]thiophene ([2]TAc) 286
- thienothiophenes (TTs) 278, 279
- thiophene-fused heteroarenes
 - benzothiophenes 278, 279
 - HOMO–LUMO energies 280, 281
 - n-type semiconductors 293, 296, 297
 - p-type semiconductors 282
 - – [n]thienoacenes 286–288
 - – 2-D π -extension systems 293, 294
 - – AcDTs 282–286
 - – AcTs 282–286
 - – alternating fused benzene and thiophene rings 288–290
 - – benzo[*a*]tetracene, isoelectronic analogues of 290
 - – DACTTs 290–292
 - – dibenzo[*a,h*]anthracene, isoelectronic analogues of 290
 - – pentaphene, isoelectronic analogues of 290
 - thienothiophenes 278, 279

thiophene-fused phospholes 317
 Tovar's synthesis 255
 TPE, *see* tetraphenylethene (TPE)
 triazasumanene 65, 69, 74, 75
 tribenzo-fused dehydro[8]annulenyne 114
 tribenzohemifullerene 62
 triheterosumanenes 72
 trimethylsumanene 65–67, 77
 triphenylenothiophene 71
 tris-(4-carbazoyl-9-yl-phenyl)-amine 246
 triselenasumanene 69, 73, 74
 tris(8-hydroxyquinoline)aluminum salt 245
 trisilasumanene 69–71, 73
 trithiasumanene 69, 70, 73, 77
 – crystal packing 70
 tub-shaped benzo[8]annulenes 116–118

u

unrestricted broken spin-symmetry density functional theory 8

w

Wu's Pd-catalyzed formal [2+2+2] cycloaddition 40

z

zethrenes
 – Clar's sextet rule 18, 19, 21
 – diradical character prediction 15, 18
 – p-QDM bridged perylene dimers 18, 20, 21
 – resonance structures 14
 – synthesis 15, 16
 – triplet biradicals 21
 zigzag-edged GNRs 3

