

## Index

### a

acacia gum *see* gum, Arabic  
 acetone 65  
 acetylcholine  
   electrode-independent delivery  
     of 113  
   neuronal signalling modulation, with  
     pnp-IBJTs 109  
 acid hydrolysis 164  
 active mode, npn-IBJTs 108  
 additive patterning 64, 66, 68  
 adenine (A) 11, 193, 197, 206, 221  
   AlOx-adenine gate dielectric 12  
   use in OLEDs 12  
 adenosine diphosphate (ADP) 239  
 adenosine triphosphate (ATP) 235, 238  
 aerosol jet printing 75, 83  
 albumen  
   use in OFETs 31  
   use in synaptic transistors 32  
 alkyl ketene dimer 165  
*Aloe barbadensis miller see* Aloe Vera  
 Aloe Vera 18  
 AlOx-adenine gate dielectric 12  
 amber 26  
 amino acids 31  
*Amphora* 296  
 ampicillin 158–159  
 AND-gate, ion diode-based 109  
 anesthetics detection, FBI-OFET for 130  
 anionic (SRh) fluorescent dye 196  
 anions 93  
 antennas, transient 155

antibody-functionalized diatom  
   frustules 297  
 anti-counterfeiting  
   use of paper-based OTFT arrays in 7  
 aqueous development,  
   photolithography 63  
*Arachnoidiscus* 293  
 area centralis 272  
 areolae 288, 292  
 artificial membranes 260–261  
 artificial vision devices, implantation  
   of 282  
 atomic force microscopy (AFM) 197  
   lithography 58  
   of Si NMs 147–148  
 atomic layer deposition (ALD) 204,  
   303  
*Aulacoseira* 305–306, 308  
 autofluorescence, of diatom  
   frustules 298

### b

bacterial cellulose 24–25  
 bacteria sensors 138  
 bacteriorhodopsin (bR) 130  
 band gap 245–246  
 Becquerel effect 255  
 beta-carotene semiconductor 34  
 bias-stress stability 3  
 binary continuous inkjet system 77  
 Bioclastic and Shape-preserving  
   Inorganic Conversion  
   (BaSIC) 305

- biocompatibility, of transient electronic systems 157
  - bioconjugation, of hydrogen-bonded pigments 40
  - bioelectronics
    - pixel 101
    - use of cellulose in 22
    - use of natural waxes and gums in 19
    - use of resins in 29
  - biological applications of paper 165
  - biomacromolecules 103
  - biomemristor, use of fibroin in 13
  - biomolecules detection, biosensor for 138
  - biopolymer proton conductors 239
  - bioprotonic devices
    - acid and base doping 244
    - bioprotonic transistors 246
    - enzyme logic transducer 248
    - hydrogen diffusion 243
    - protodes 241
  - bioresorbable electronics 15
  - bio-resorbable silicon electronic systems 158–159
  - bioresorption, of transient electronic systems 157
  - biosensors
    - definition of 123, 128
    - modification of gate electrodes 136
    - OEFT 136
    - OTFT, electrolyte gated 132
    - planar geometry of 137
    - with solid dielectric 129
  - biosilicification process 301
  - biotinylated
    - phospholipid layer (Biotin-PL) 133
  - bipolar junction transistor 106
  - bipolar membranes
    - diodes 104
    - forward bias regime 96
    - reverse bias regime 97
  - bitumen of Judea 56
  - boron-doped Si NMs 148
  - bulk heterojunctions (BHJ) 280
- c**
- carnauba wax 19
  - carotenoids 256, 271
  - cationic (RhP) fluorescent dye 196
  - cations 93
  - cell based organic electrochemical transistor biosensor 138
  - cell lysates 260
  - cell stimulation, optoelectronic organic membranes 277
  - cell stimulation by polymer photoexcitation (CSP) 280
  - cellulose 22
    - derivatives 22
    - microfibrils 164
    - nanofibrils 164
    - nanopaper 7
    - substrates, use in OLED fabrication 172
    - use in paper-based diodes 172
  - cellulosic nanomaterials 165
  - centripetal acceleration 60–61
  - cetyltrimethyl ammonium chloride (CTAC) 195
  - cetyltrimethylammonium (CTMA) 195, 196
  - charged particle lithography 58
  - chemical etching technique 57
  - chemical overoxidation 100
  - chemical pulping 164
  - chemical sensing
    - coupling OEIP chemical delivery with 101
  - chemical sensors 123
  - chemical vapor deposition (CVD) 68, 149, 307
  - chemiosmosis 238
  - chemiresistor 170
  - chemoresponsive colorants 179
  - chlorophyll semiconductor 34
  - chloroplasts 258
  - choline chloride (ChoCl) 175
  - chromophores 34–35, 42
  - clean room environment, in photolithography 60
  - Clevios™ ink 75, 79
  - coating, paper electronics 166–167

- collagen fibrils 239  
 colorants 35, 39, 42  
 colorimetric assays 179  
 commercial papers aimed at printed electronics 168  
 complementary metal-oxide-semiconductor (CMOS) 149  
   architectures, use of paper in 2  
   ring oscillators 154–155  
 complementary type inverter circuits 109–110  
 compressive strain test 22  
 conducting polymer device fabrication 55  
   photolithography 56  
   printing 71  
 conducting polymer inks 81  
 conduction band 246  
 conductors transient, dissolution of 148  
 contact mode lithography 62  
 contact photolithography 62  
 contact printing technologies 72  
 continuous inkjet (CIJ) technology 76–77  
 converging lenses 270  
 copal 26  
*Coscinodiscus*  
   *C. concinnus* Wm. Smith 297  
   *C. granii* 291, 301  
   *C. wailesii* 292–294, 295, 301  
 C-reactive protein (CRP) probing 134  
 cribellum 288  
 CuPc nanowire field effect transistor 124–125  
 cut-off mode, npn-IBJTs 108  
 cyclic voltammetry 219  
*Cyclotella* sp. 297  
 cytosine (C) 193, 197, 206  
   use in OLEDs 12–13  
 cytotoxicity effects 282
- d**  
 Debye's screening length 121, 130, 133  
 density functional theory (DFT) 216  
 deoxyguanosine 202  
 depletion current ( $I_d$ ) 243  
 descumming 64  
 diagnostic technologies, paper-based 170  
 diatom frustules 288  
   antibody-functionalized 297  
   autofluorescence of 298  
   in electronics 308  
   with organic/inorganic emitters, functionalization of 301  
   as photonic crystals 295  
   as templates for three-dimensional replication 308  
   silica transport and polymerization in 290  
 diazonaphthoquinone 57  
 dielectric inks 81  
 diffuse layer 98  
 diffusion ion transport 93  
 digital microfluidics, paper-based 170  
 dimethyl phosphonate (DMPP) 125  
 diodes  
   ion conducting 104  
   logics 109  
   paper-based 171  
 disaccharides 16  
 divergent lenses 270  
 DNA 8  
   biosensing 219  
   bonding 210  
   charge-modulated OFET biosensor 132  
   detection, using EGOFFET biosensor for 133  
   double helix 191, 194–195  
   electrode self-assembly 219  
   energy levels 200  
   gate dielectrics 202  
   helix structure 206  
   hybridization 208, 213, 219  
   immobilizing injection layer 221  
   lattice restoration 213  
   metal-nucleobase interaction 214  
   molecular engineering 192, 197, 213  
   nanoparticle-template 208  
   nanostructure 211  
   opto/electronic organic material 195

- DNA (*contd.*)  
 photonic materials 205  
 plasmonic atoms 214–215  
 self-assembly 214, 217  
 sequencing 219  
 surfactant molecules 195  
 synthetic processes 194  
 wet-to-dry transition 195
- DNA-CTMA  
 Ag nanocomposite 202  
 dielectric layers 202  
 dry films 196  
 electrospinning 205  
 HOMO/LUMO levels 199  
 thin films 197  
 wagon wheel structure 212  
 wet processing (spin-coating) 205
- DNA origami 192, 197, 210  
 charge transfer 210  
 electronic properties 193  
 energy transfer 210  
 intermolecular bonding 192  
 nanotechnology 206  
 2D lattice with DNA-templated  
 plasmonics 214
- DNA polymer  
 artificial synthesis 193  
 electronic properties 196  
 guanine (G) 202  
 molecular weight 197  
 nucleic acids 193
- DNA-scaffolds 193
- DNA strands  
 crystalline lattice 213  
 hybridization-based 206  
 label-free methods 219  
 nanoparticles 213  
 oligonucleotide synthesis 195  
 PCR 195
- DND-160 298–301
- Donnan's equilibria 134
- 5,5'-bis-(7-dodecyl-9H-fluoren-2-yl)-2,2'-bithiophene (DDFTTF),  
 OFET with 127
- dopamine sensor 128
- drop-on-demand (DOD)  
 technology 76, 78, 79
- drug delivery system,  
 wireless 158–159
- dry development, photolithography 64
- dry DNA pellet 212
- dry etching 64–65
- dry photolithography process  
 (DPP) 70
- dual gate geometry 131
- dyes 35, 39, 42
- dye sensitized solar cells  
 (DSSCs) 303–304
- e**
- E-beam oxides, dissolution of 150
- edible supercapacitors 29–30
- Einstein–Stokes equation 236
- electrical double layers (EDLs) 121
- electrical sensors 179
- electric double layer (EDL) 98
- electric field-enhanced water  
 dissociation 98
- electroactive paper 164
- electroanalytical sensing  
 platforms 170
- electrochemical DNA sensor 170
- electrochemical doping  
 of organic electrochemical  
 transistors 122  
 of OTFTs 121
- electrochemical microfluidic paper-  
 based analytical devices 170
- electrochemical reactions, and ion  
 transport 98
- electrochemical  
 reader, paper-based 170
- electrochemical sensing device,  
 paper-based 170
- electrochemical sensors/assays 181
- electrochemical transistor (ECTs) 15
- electrodes 98
- electroluminescence 302
- electrolyte 93
- electrolyte gated organic field effect  
 transistors (EGOFETs) 121,  
 132
- biofunctionalization of organic  
 semiconductors 134

- gold gate electrode
  - biofunctionalization 135, 136
  - modification of OS-electrolyte interface 133
- electrolyte-gated thin-film transistors 22, 24
- electron beam evaporation 149
- electron blocking layer (EBL) 204
  - DNA as 8
  - nucleobases as 12
- electroneutrality 93–95
- electronic devices, transient 153–154
- electronic diatom frustules in 308
- electronic paper 164
- electronic readout enzyme-linked immunosorbent assay (ER-ELISA) 129–130
- electron transfer layer (ETL) 206
- electro-optical sensors 179
- electrophoresis 99
- encapsulating barrier 167
- encapsulation materials 150
- Endo, Ichiro 76
- energy of incident light 255
- enzymatic biosensors 136–137
- enzyme-linked immunosorbent assay (ELISA) 181
- enzyme logic transducer 248
- epindolidione 39, 40
- Escherichia coli* detection 138
- etching 64, 67
- excitatory postsynaptic current (EPSC) 34, 240
- excitatory postsynaptic potential (EPSP) 33
- f
- Faradic current 98–99
- farsightedness 270
- Fermi energy 246
- Fermi level 278
- fibroin, use in biomemristor 13
- field effect transistors (FETs)
  - dielectric layer 204
  - gate electrodes 277
  - graphene-based 219
  - using gravure printing in 72
  - indigo 37
- Fischer–Tropsch synthesis 194
- FITC-APS dyes 298, 300–301
- flatbed screen printing 74
- flavanthrone 42
- flexography 73, 82
  - printed silver electrodes, elimination of squeeze for 166
- fluorescein 109
- fluorine-doped tin oxide (FTO) 304
- fms-like tyrosine kinase
  - detection 129–130
- foils, metal 149
- foramen 288
- formation current (IF) 243
- forward bias regime, bipolar membrane 96, 104
- four-diode bridge circuit 111
- Fourier transform infrared (FTIR) spectroscopy 218
- foveal vision 272
- full-wave rectifier 111
- functional
  - biological interlayer (FBI)-OFET 130
- functional printing 165
- functional transformation via transience 155–156
- g**
- Galvani, Luigi 91
- gamma-aminobutyric acid (GABA) 101, 103
- ganglion cells 273
- gas barriers, in paper-based products 167
- gate bias 240
- gelatine 28, 29
- genetically engineered peptide for inorganics (GEPI) 34
- Gibbs–Helmholtz equation 246
- glucose
  - detection, using biosensors for 136–137
  - oxidase 179
  - sensor 180
  - use in OFETs 17
- glucose dehydrogenase (GDH) 248

- gold (Au)
  - electrodes 202, 218
  - nanoparticles 214
  - nanostructures, fabrication of 308
- Gomphocymbella* 296
- Gouy–Chapman electrical double layer 121
- Gramicidin proton channel
  - structure 238
- graphic inks 80
- gravure printing 72, 82
- green electronics, on paper 171
- Grotthuss mechanism, proton wires 237
- guanine (G) 11, 12, 193, 197, 201, 204, 206
- guanine-quadruplex DNA (G4-DNA) 202
- gum
  - Arabic 19
  - mastic 19
  - natural 19, 25
- gum-resins 25
- h**
- hard baking 64
- hard resins 25
- HCK-123 298–300
- Helmholtz electrical double layer 121
- Helmholtz layer 98
- HFE-7200 69
- highest occupied molecular orbital (HOMO) 199
- high-throughput printing
  - techniques 176
- hole blocking layer (HBL) 12, 206
- homo-oligonucleotides 218
- hopping energy 246
- human cortical neurons (HCN-2) 100
- human embryonic kidney (HEK-293) cells 280
- human-machine interfacing,
  - biocompatible circuits for 91
  - ion diodes, transistors, and circuits 103
  - ions and types of electrolytes 93
  - organic electronic ion pump 99
- humidity sensor 124
- hybrid metal biosilica-based materials 304
- hybrid sensor systems 181
- hybrid solid-liquid cells 276
- hydrodynamic diffusion model 236
- hydrofluoroethers (HFEs) 69
- hydrogels, use in EGOFET based biosensors 136
- hydrogen-bonded pigments 35, 39, 40, 42, 45
- hydrogen bonds
  - chains of 237
  - Grotthuss transport 237
  - hydrated, polypeptides/polysaccharides 239
  - proton transport 236
  - proton wires 237
- hydrogen sulphide, sensors
  - for 181–182
- hydronium ion 236
- hyperexcitability 101
- hypermetropia 270
- hyperpolarisation 280
- hysteresis, in bipolar membrane diodes 106
- i**
- immune system 91
- immunosensors, OECT based 138
- imprint technology 56
- indanthrone 42
- indigo 35–36
  - field effect transistors 37
  - as semiconductor 35
- inhibitory pain control restoration, using OEIP for 103
- ink formulations 176–177
- inkjet printing 76, 82
  - history of 76
  - principles of 76
  - printability requirements 79
  - technology 77
- inorganic semiconducting oxide (IGZO) 203

- insulators transient, dissolution of 148  
 integrated system transient 146  
 intelligent packaging systems 169  
 intensity of incident light 256  
 inverters  
   CMOS, use of paper in 2  
   gates, based on IBJTs 109  
   use of cellulose in 22–23  
*in vitro* membrane-assisted protein  
   synthesis (iMAPS) 262  
 ion bipolar junction transistors  
   (IBJTs) 107, 109  
 ion conducting diodes 104, 109  
 ion-exchange membranes 95, 104  
 ionic conduction 92  
 ionic full-wave rectifier 111  
 ionic liquids 175  
 ion-modulation 175  
 ionogel 22, 24, 138  
 ion-sensitive OFETs 126  
 ion transport 93  
   bipolar membranes 96  
   electrodes 98  
   ion-exchange membranes 95  
   migration and diffusion 93  
   transport number 94  
 iris 270–271  
 iron (Fe) films, dissolution of 149
- k**
- keratin 239  
 K<sup>+</sup> sensing, ion-sensitive OFETs  
   for 126
- l**
- lac 26  
 lactate detection, using biosensor  
   for 138  
 latent pigment approach 44  
 layer-by-layer (LbL) assembly 131  
 legal blindness 273  
 Lemaitre, Augustin Francois 57  
 leucoindigo 35  
 lift-off technique 172  
 light-emitting electrochemical cells  
   (LECs) 172  
 light-emitting paper 172  
 light emitting polymer (LEP), patterning  
   of 71  
 light harvesting complex II  
   (LHCII) 256  
   artificial lipid membranes 263  
   artificial polymer membranes 263  
   monomer 256  
   photosynthetic proteins 256  
   of production 260  
   sensitize solar cells 256  
   trimer 263  
 light sensitive protein 277  
 linking quantum dots 214  
 liposomes 261  
 living tissue, interfacing electronics  
   with 15  
 localized surface plasmon resonance  
   (LSPR) 308  
 logics transistors 109  
 long chain polyamines (LCPA) 290  
 lowest unoccupied molecular orbital  
   (LUMO) 199  
 low pressure chemical vapor deposition  
   (LPCVD) 150  
 lutein 256
- m**
- macula 272  
 magnesium (Mg)  
   resistors, functional  
     transformation 156  
   RF antenna, integrated with Mg  
     heater 156  
   traces, electrical resistance of 151  
 magnesium oxide (MgO)  
   dissolution of 149–150  
   encapsulation using 151  
 magnetron sputtering techniques 149  
 mask (photolithography) 57, 62  
 maximum equal criterion method 22  
 mechanical attrition 80  
 mechanical energy harvesters  
   (MEHs) 154  
 medical implants, application of transient  
   electronic systems in 158

- Mees, Kenneth 57  
 melanopsin 271  
 Melosira variance 293  
 membrane protein  
   artificial membranes 260  
   integrating protein 261  
   LHCII 257  
   of production 261  
   of types 259  
   production of 260  
   reliable test systems 259  
 3-mercaptopropionic acid (3MPA) 135  
 mesoporous nanofluidic device 241  
 metal electrodes transfer 15  
 metal-insulator-metal (MIM)  
   with silk fibroin protein 13  
   structure 154  
 metallic inks 80  
 metal oxide biosilica-based  
   materials 304  
 metal-oxide-semiconductor field-effect  
   transistors (MOSFETs) 151  
 Mg–Mo battery system 152–153  
 microelectrode array (MEA) 281  
 microfluidic electrochemiluminescence  
   biosensing device 170  
 microfluidic paper-based analytical  
   devices ( $\mu$ PADs) 178–179  
 microplates  
   paper-based 177  
   readers 180  
 Minsk, Louis 57  
 molecular cloning 195  
 monosaccharides 16  
 mouse brain, in vitro modulation of  
   neuronal activity in 101  
 Mueller cells 271  
 multielectrode array (MEA) 276  
 multi-ion selective sensors 128  
 multilayer specialty paper 168  
 multiple deflection continuous inkjet  
   system 77
- n**
- nanofluidic ion diodes 104  
 nanopaper 165  
   cellulose 24  
   nanopaper-based OTFT arrays 7  
   nanoparticles, use in OECT  
     biosensors 137  
   nanorods 205  
   nanoscale 191, 206  
   nanowires, use in paper-based  
     diodes 171  
   natural gums 19, 25  
   natural membrane, in proteins 257  
   natural/nature-inspired  
     semiconductors 34  
   natural waxes 19  
   NBD-N2 dyes 299, 301  
   NBD-N3 dyes 299, 301  
   negative photoresists 58, 63  
   neocortical astrocytes 279  
   neoxanthin 256  
   Nernst–Planck equation 94  
   neuronal signaling 101  
   neurotransmitter 101  
   Niépce, Nicéphore 56  
   non-contact printing technologies 75  
   nondestructive patterning  
     techniques 56  
   NOR gates 3  
   npn-ion bipolar junction  
     transistors 108, 110  
   N-rays 272  
   *N*-succinimidyl esters (NHSs) 40  
   nucleic acids  
     artificial synthesis 193  
     HOMO 199  
     LUMO 199  
     natural DNA polymer 193  
     organic electronics devices 200  
   nucleobases 8  
     dielectric layers 203  
     dipole formation 219  
     electrode interaction 215  
     energy levels 200  
     FET 204  
     gold electrodes 216  
     guanine (G) 193  
     height distribution 199  
     HOMO–LUMO energy gaps 200  
     hydrogen bonds 193  
     OFETs 192



- OLEDs 192, 206–207  
thin films 197  
nucleotides DNA bricks 209
- O**
- Ohnesorge number 79  
oleoresins 25  
oligonucleotide 217, 219  
DNA chains 210  
synthesis 195  
oligosaccharides 16  
opsins 271  
optic nerve 271  
optoelectronic 45  
organic membranes 277  
and paper 7  
use of DNA/nucleobases in 13  
organic charge-modulated FET  
(OCMFET) 127, 131–132  
organic electrochemical transistors  
(OECTs)  
Au gate electrodes 219  
biosensors 136  
sensors 122, 128  
organic electronic biomimetic  
neuron 101  
organic electronic ion pump (OEIP)  
applications of 100  
limitations of 103  
principles of 99  
organic field effect transistors  
(OFETs) 192  
biosensors 235  
components of 202  
with epindolidione  
semiconductor 39  
pentacene-based 221  
use of albumen in 31  
use of Aloe Vera in 19  
use of gelatine in 28  
use of natural gums in 19  
use of nucleobases in 11  
use of resins in 26  
use of saccharides in 16  
use of silk protein in 13  
using DNA as charge injection layer  
in 8
- organic light emitting diodes  
(OLEDs) 192  
adenine, effect of 223  
Alq3 rod crystallization 205  
DNA-CTMA 204  
fabrication of 70, 172  
nucleobases fluorescent 224  
use of cellulose in 24–25  
use of nucleobases in 12  
using DNA in 8  
organic light-emitting transistors  
(OLETs) 13  
organic photodetectors 277  
organic semiconductor (OSC) 120  
organic thin-film transistors (OTFTs)  
CcDNA/CTMADNA-co-CcDNA 203  
chemical sensors 123  
field effect mode of 121  
gas sensors 123  
liquid sensors 126  
modified with QBP 34  
nanopaper-based 7  
sensors 119  
use of fibroin in 13, 15  
orthogonal photoresist method 69  
oxidative phosphorylation 238
- P**
- palladium hydride (PdHx) 241, 243  
paper electronics 163  
analytical devices and test  
platforms 175  
applications of 169  
barrier properties in 167  
colorimetric (optical) indicators and  
sensors 179  
electrochemical sensors/assays 181  
green electronics 171  
hybrid technology used in 169  
microfluidics 178  
microplates/patterning 177  
sensor substrate 175  
substrate, semiconductor absorption  
into 2, 164  
thin-film transistors 175  
use in CMOS architectures 2  
wireless and remote sensing 181

- paper sheets, nanocellulose based 24
- Parylene-C 65, 67–69
- passive RF components, in transient systems 155
- pattern transfer, photolithography 59, 64
- PECVD-HF nitride, dissolution of 150
- penicillinase (PEN) 134
- peptides 31
- peristimulus time histograms (PSTHs) 279
- perovskite solar cell 205
- pharmaceutical packaging 170
- phenyl-C61-butyric-acid-methyl ester (PCBM) 276
- phosphate buffered saline (PBS) 133
- phosphatidylcholine 261
- phosphoethanolamine 261
- phospholipids
  - (PL)-based FBI-OFET 130
- phosphoribosyl pyrophosphate (PRPP) 194
- phosphorous-doped Si NMs 148
- photo-active blends 173–174
- photodiode 154–155, 171
- photoelectrochemical
  - device, paper-based 170
- photolithography 55, 57, 83, 104, 177
  - deposition of photoresist 60
  - descumming and postbaking 64
  - dry development 64
  - fabrication steps 59
  - history of 56, 71
  - orthogonal photoresist method 69
  - pattern transfer 64
  - in polymer device fabrication 65
  - principles of 57
  - sacrificial layer method 65
  - stripping 65
  - substrate cleaning 59
  - use of mask/alignment/exposure 62
  - wet development 63
- photoluminescence 205
- photonic crystals 295
- photonic nanocavity on paper substrate 7
- photoresists 57–58
  - deposition of 60
  - dynamic dispersion of 61
  - orthogonal photoresist method 69
  - pattern transfer for 59, 64
  - post-apply bake 61
  - static dispersion of 61
  - stripping 65
- photostimulation mediated, conjugated polymer 279
- photosystem I (PSI) 256
- photosystem II (PSII) 256–257
- photothermal effect 280
- phototrophic archaea 239
- photovoltaic(s) 4, 265
  - blend 278
  - cells, using gravure printing in 72
- pH sensing
  - OCMFET for 127
  - OEETs for 128
- P3HT 126, 133
- $\pi$ -conjugated polymers 92
  - charging of 98
- piezoelectric inkjet 78
- pigments 35, 39, 42
- PIN diodes 155
- piranha solution 60
- planarizing layer 173
- plant resins 25
- plasma deposited ethylene acrylic acid (pdEthAA) 133–134
- plasma enhanced chemical vapor deposition (PECVD) 129, 133–134, 150, 174
- plasma etching 64
- plasmonic nanostructures 214
- plasticizing effect of sugars 18
- pnp-ion bipolar junction transistors
  - modulation 109
- point-of-care (POC) devices 176
- Poisson's equation 243
- polyaniline inks 81
- polycarbazole 128
- poly(chloro-p-xylylene), chemical structure of 68
- polydimethylsiloxane (PDMS) 15, 177
- polyelectrolytes 106, 109

- polyenes 34  
 poly(3,4-ethylenedioxythiophene) (PEDOT)  
   based electrophysiological sensing electrode 101  
   based nucleotide sensor 138  
   based OECTs 128  
   glucose sensor 137  
   PSS 66–70, 73, 100, 122  
   use in paper-based diodes 171  
 polyethylene terephthalate (PET) 137–138  
 poly-lactic acid 175  
 polymerase chain reaction (PCR) 195  
 polymer brushes 137  
 polymer composites 28  
 polymeric dielectrics 124  
 polymersomes 264  
 poly(methyl methacrylate) (PMMA) 124, 126  
 poly(p-xylylene), chemical structure of 68  
 polypyrrole inks 81  
 poly(styrene) (PS) 124  
 polytopic transmembrane protein 259  
 poly(vinyl cinnamate) 57  
 poly(4-vinylphenol) (PVP) 127  
 poly(vinyl pyrrolidone) (PVP) 80  
 porcine odorant binding proteins (pOBPs) 135  
 porphyrins 34  
 positive charge carrier 246  
 positive depletion voltage (VD) 243  
 positive photoresists 58, 63  
 post-apply bake (PAB) 61  
 postbaking 64  
 presbyopia 270  
 PRIMA implant 275  
 printable organic semiconductors 175  
 printed bio-sensing platform 170  
 printed electronics 71, 165  
   commercial papers aimed at 168  
 printing 71, 83  
   contact printing technologies 72  
   inks 80  
   non-contact printing technologies 75  
   rheological properties of 79  
   techniques, comparison of 56, 82  
 programmable transience 150–151  
 projection printing 63  
 prostate specific antigen (PSA) 138  
 proteins 31  
 protomotive force (PMF) 238  
 proton blocking 241–242  
 proton hole 237  
 proton hopping 237  
 proton ( $H^+$ ) transfer 235  
 proton translocation processes, at purple membrane 130  
 proton transport  
   acid and base doping 244  
   ATP 238  
   biopolymer proton conductors 239  
   chemiosmosis 238  
   oxidative phosphorylation 238  
   in proton channels 237  
   proton conductors, devices based 240  
 proton wires  
   antibiotic gramicidin 237  
   ATP 238  
 proximity photolithography 62, 63  
 pulp fibers 164  
 pupil 270–271  
 purines 194, 217  
 purple membrane (PM) 130  
 pyrimidines 194, 206, 217
- q**
- quantum dots 193, 205, 213–214, 216  
 quartz binding polypeptide (QBP) 34  
 quinacridone 39, 40
- r**
- radio frequency (RF), passive components 154  
 reaction arrays 177  
 reactive diffusion 148–149  
 reactive ion etching (RIE) 65, 67  
 recyclability of paper 165  
 redox reagents, OECTs for detection of 128

- reduced graphene oxide (rGO) based
    - conductometric nitrogen dioxide sensitive sensor 180
  - regioregular poly(3-hexylthiophene-2,5-diyl) (rr-P3HT) 276
  - registration (photolithography) 59, 62
  - remote sensing, paper-based 181
  - resins 25, 56
  - resolution (photolithography) 58
  - retinal implants
    - cellular photostimulation 276
    - optoelectronic organic membranes 277
    - organic artificial 275
    - photoelectrical stimulation 280
    - photoreceptors 280
    - for vision restoration 273
  - retinitis pigmentosa (RP) 273
  - reverse active mode, npn-IBJTs 108
  - reverse bias regime, bipolar membrane 97, 105
  - Reynolds number 79
  - RFID-tags, paper-based 169, 181
  - Rhodamine 123 298–299
  - rhodamine perchlorate (RhP) 196
  - ribbon synapse 280
  - ribonucleic acid (RNA) 193
  - ribose 18
  - ribosomes 262
  - roll-to-roll print sensors 177
  - rotary screen printing 74–75
- S**
- saccharides 16
  - sacrificial layer method 65
  - sap 25
  - saturation mode, npn-IBJTs 108
  - scanning tunneling microscopy (STM) 216
  - screen printing 74, 82
  - selective curing techniques 81
  - selective etching 64
  - self-assembled monolayers (SAMs) 123, 127–128, 134–135
  - semiconductor absorption 2
  - semiconductor nanocrystals (SCNC) 282
  - Senebier, Jean 56
  - sensing, use of DNA/nucleobases in 13
  - sensor, OTFTs 119
    - biosensors 128
    - chemical sensors 123
    - fundamental aspects of 120
    - geometries and operation principle 120
  - sensor substrate 175
  - sensor technologies, paper-based 170
  - $\alpha$ -sexithiophene ( $\alpha$ -6T) 134
  - shadow mask deposition 56
  - shelf life, transistors 3
  - shellac 26
  - Shockley, William 57
  - short-term depression (STD) 244
  - sigmoidal dose 281
  - silacidins 290
  - silaffins 290
  - silica deposition vesicle (SDV) 289, 298, 300–301
  - silicic acid ( $\text{Si}(\text{OH})_4$ ) 146
  - silicon (Si)
    - diodes, functional transformation 156
    - oxide, dissolution of 150
    - wafers 59
  - silicon dioxide ( $\text{SiO}_2$ )
    - dissolution of 149
    - as encapsulation material 152
  - silicon nanomembranes (Si NMs)
    - in vitro* evaluation of culturing metastatic breast cancer cells on 157, 158
    - monocrystalline, dissolution of 146–147
    - Si dopant type and concentration 148
  - silicon nanowires (Si NWs) 148
  - silicon nitride ( $\text{Si}_3\text{N}_4$ )
    - as encapsulation material 152
    - hydrolysis of 150
  - silicon transporters (SITs) 289

- silk 13
    - fibroin films 152, 158
  - Simon, Samuel 74
  - single device components,
    - paper-based 171
  - single-pass transmembrane
    - protein 259
  - single-stranded DNA (ssDNA) 218
  - smart envelope 169
  - smart paper 164
  - soft bake 61
  - soft resins 25
  - solar cells
    - biopolymers 205
    - DX-tile based lattice 211
    - dye-sensitized 255
    - organic 5
    - silicon 153–154
    - paper-based 173
  - solid dielectric, biosensors with 129
  - sonication 60
  - specialty papers 168
  - spectrophotometer 180
  - spider silk, use in OFETs 14
  - spin coating 60, 68, 79, 131, 133
  - spin-on glass (SOG) materials 152
  - spoilage process sensors 181–182
  - stability of devices fabricated on
    - paper 3
  - strain gauge, silicon 154–155
  - streptavidin (SA)
    - based FBI-OFET 131
    - detection, using EGOFET for 133
  - stripping, in photolithography 65
  - SU8 100
  - subretinal architecture 273
  - substrate, use of paper 163–164
  - substrate cleaning, in
    - photolithography 59
  - subtractive patterning 64, 66–67
  - sucrose, use in transient electronics 18
  - sugar 16
  - sulforhodamine (SRh) 196
  - supercapacitors 29–30
  - supercritical carbon dioxide
    - (scCO<sub>2</sub>) 70–71
  - surface chemistry of paper 166–167
  - surface-enhanced Raman scattering
    - (SERS) 298, 297
  - surface plasmon resonance
    - (LSPR) 308
  - surface smoothness, of paper
    - substrates 166
  - Süß, Oskar 57
  - synaptic transistor 2
- t**
- Tachardia Lacca* 26
  - temperature sensors, silicon
    - based 154–155
  - TEMPO-mediated oxidation 164
  - terpenes 26
  - terpenoids 26
  - tertbutoxy carbonyl functional group
    - (tBOC) 44
  - tetrahedral DNA nanostructures 220
  - tetramethyl ammonium hydroxide
    - (TMAH) 63
  - Thalassiosira*
    - T. rotula* 296
    - T. weissflogii* 298, 300
  - 3D shaped paper electronics 7
  - thermal curing 81
  - thermal inkjet 78
  - thermal oxides, dissolution of 150
  - thermal therapy systems,
    - transient 158–159
  - thin films
    - AFM 197, 199
    - DNA conductivity 202
    - DNA-CTMA mobility values 201
    - DNA-CTMA properties 197
    - DNA honeycomb structure 211
    - dry-wet centrifugation
      - processing 213
    - electronic evolution 221
    - electronic properties 211
    - FETs 203
    - honeycomb structure 212
    - nucleobases 192, 197
    - OLEDs 200
    - opto-electric properties 198

- thin films (*contd.*)
    - solar cells 213
    - thermal evaporation 197, 203
  - thin-film transistors (TFTs)
    - based glucose sensor 180
    - paper-based 175
  - thiol(s) 135
  - thiol-modified silicon replicas 306
  - threshold voltage ( $V_T$ ), polypeptides to control 34
  - throughput (photolithography) 59
  - thymine (T) 193, 197, 206
    - use in OLEDs 12
  - time-of-flight techniques 201
  - titanium (IV) isopropoxide (TIP) 303
  - train-sublimation method 10
  - train sublimation technique 35
  - transfer printing
    - photonic nanocavity laser deposited via 7
    - and silk 15
  - transient electronics 145
    - biocompatibility and bioresorption 157
    - dissolution of conductors and insulators 148
    - dissolution of monocrystalline silicon nanomembranes 146
    - functional transformation via transience 155–156
    - practical applications in medical implants 158
    - role of gelatin in 29
    - systems 152
    - tunable/programmable transience 150–151
    - use of sucrose in 18
    - use of silk in 15
  - transistors
    - for modulating ion flows 106
    - logics 109
    - on paper 3
  - transport number, ion 94
  - trichromatic vision 272
  - tri-methyl silyl cellulose (TMSC) 22–23
  - tunable transience 150–151
  - tungsten (W) films, dissolution of 149
  - turpentine 26
  - Tyrian purple 37
- U**
- ultraviolet
    - inks 81
    - photolithography 58
  - uncoated paper 166
  - uracil (U) 193, 206
    - use in OLEDs 12–13
  - UV crosslinking of poly(acrylic acid) (UVC-PAA) 133–134
- V**
- valence band 246
  - vat dyeing 35, 36
  - Vaught, John 76
  - vehicle mechanism 236
  - violaxanthin 256
  - vision restoration
    - for flexible optoelectronic membranes 282
    - retinal implants for 273
  - visual cortex 269
  - visual streak 272
- W**
- water dissociation
    - in bipolar membrane diodes 105–106
  - waxes, natural 19
  - Weber number 79
  - wet development,
    - photolithography 63
  - wet etching 64
  - wireless drug delivery system 158–159
  - wireless power transmission 154
  - wireless radio frequency power scavenger 155
  - wireless technologies,
    - paper-based 181
  - wood fibres 164–165
- X**
- x-ray diffraction 216
  - x-ray lithography 58

**Z**

- zinc metalized polypropylene thin film 5
- ZnO
  - biodegradable 152–153
  - mechanical energy harvesters (MEHs) 154
  - nanorods, use in paper-based diodes 171
- ZnS nanoparticles
  - on diatom biosilica shells, deposition of 301–302

