

Index

a

absorption coefficient 84–88, 167
 acid-degradable polymeric network 195
 activated immuno-oncological approach 177
 adverse outcome pathways (AOP), of nanomaterials 202
 Ag nanoparticles 10, 142, 215
 amino acids 56–58, 144–146, 183, 208
 atomic force microscopy (AFM) 99–103, 138
 atomic layer deposition (ALD) 127, 135
 atom probe field ion microscope (AP-FIM) 117–118
 Auger electron spectroscopy (AES) 113–115
 Au nanoparticles 60, 132, 142, 143, 175

b

bare-metal stents (BMS) 197
 batteries 46, 112, 119, 144, 160, 164–166, 202, 215
 bionanofabrication
 cell structures 146–147
 DNA 147–148
 peptide 149
 proteins 148–149
 viruses 147
 block copolymers 130–132
 blood–brain barrier (BBB) 185, 186
 Bose–Einstein Statistics 32–33, 69, 72, 231–232
 thermodynamic quantities 232

bosons 21, 30–33, 69, 153, 223, 224, 231

Brillouin zone 62–65, 69–74, 93
 by-products of human activity 200

c

cancer 3, 174–180, 184, 194, 214
 canonical ensemble
 statistics 29–32, 223–224
 thermodynamic quantities 29–32, 225
 carbohydrates 52–55
 cardiac-targeting peptide (CTP) 183
 cardiovascular diseases 180–184
 catalytic properties 40, 89
 chemical energy conversion technology
 batteries 165–166
 fuel cells 166–167
 chemically engineered adenovirus NPs 177
 chemical vapor deposition (CVD) 123, 133–135
 chlorine 168
 cold-wall reactor CVD 133
 colloidal chemistry 127–128, 142
 conduction band edge 6, 7, 65, 86
 covalent bonding 41–43, 45, 131
 cyclodextrin-based NPs 177

d

density of states (DOS) 64, 91, 104, 227
 Doxil 178
 drift electric current density 82

drift mobility and conductivity 82
 drug-eluting stents (DES) 197
 dynamic light scattering (DLS) 201

e

Ehrlich, Paul 173, 189
 electrical conduction 42, 43, 162, 163
 properties 81–83
 electron beam microscopies 110–112
 electron energy loss spectroscopy
 (EELS) 114, 115
 electrons and probability waves 19–22
 electron spin manipulation 153
 electrospinning 125–127
 electrostatic force microscopy (EFM)
 100, 103
 emitted photon energy 7, 79
 E–M radiation driven mass
 spectroscopy 110
 energy quantization 15–17
 energy technology 163–168
 engineered or manufactured
 nanomaterials 201
 enhanced permeability and retention
 (EPR) 28, 180
 entanglement 25, 28, 155
 entropy 29, 31, 33, 225, 229, 232
 environmental engineering 160,
 168–169, 215
 environmental impact, of
 nanotechnology 215–216
 epitaxial growth techniques 135–136

f

femtotechnology 1
 Fermi–Dirac statistics 32, 227
 Fermi level 228
 thermodynamic quantities 229
 fermions 21, 22, 30–33, 40, 64, 71, 78,
 86, 87, 93, 153, 223, 224,
 227–229, 231
 fibrous carbon nanotubes (CNT) 203
 fluctuating dipole bonding 44
 fluorescence 6, 7, 77, 86, 97, 106, 107,
 162, 182, 183
 focused ion beams (FIBs) 115, 118,
 127, 136

food and agriculture 159–171
 fuel cells 160, 164, 166–167, 171, 215
 functionalized nanoparticles 40–41

g

Greek-Roman hair-dyes 11
 green nanotechnology 216
 grow-in-place approach 134

h

high-density lipoprotein (HDL)
 nanoparticles 181, 182
 highly controllable DNA origami
 nanostructures 178
 high-pressure CVD versions 134
 high-throughput screening (HTS)
 methods 211
 hot-wall reactor CVD 133
 hydrogen storage 160, 167–168
 hydrophilicity 44
 hydrophobicity 44, 45, 162, 201

i

ICP etch-defined silicon nanopillar
 array 146
 immune-oncology 175, 180
 infrared spectroscopy 109
 injectable and implantable materials
 195–196
 inorganic NPs 174
 ionic bonding 43

j

Janus geometry 41

k

Kelvin probe force microscopy (KPFM)
 100, 103

l

lab-on-a-chip (LOC) technology
 193–194, 215, 222
 Langmuir–Blodgett (LB) deposition
 125, 126
 laser ablation 123
 lipophilicity 45
 lipids 45, 55, 180, 199, 208, 209, 219

- lipophobicity 45
- liquid biopsies 194
- liver X receptors (LXRs) 181
- low-energy electron diffraction (LEED) 114–116
- low-energy ion scattering (LEIS) 118
- Lycurgus cup 11, 122, 216

- m**
- macromolecules 35, 89, 101, 107, 131, 178
- magic bullets 173, 175, 184, 189
- magnetic force microscopy (MFM) 100, 103
- magnetic hyperthermia 179
- magnetic properties, of nanomaterials 88–89
- magnetothermal hyperthermia 178
- Majorana fermions 78
- material science fundamentals
 - solid materials 59–61
 - spin and orbital angular magnetic moment in solids 79
 - quantum state 61–79
 - 3-dimensional solid 59
 - topological insulators (TIs) 59, 60
 - topological materials 59, 77–79
 - valence electron states
 - in 0-D materials 76–77
 - in 1-D materials 72–73
 - in 2-D solids 69–72
 - in 3-D solid 62–68
 - vibration modes
 - in 0-D materials 77
 - in 1-D materials 73–76
 - in 2-D solids 72
 - in 3-D solid 68–69
- mechanical alloying (MA) 122
- mechanical properties, of nanomaterials 92–93
- mechanochemical activation synthesis (MCAS) 122
- mesoscopic scale 1
- metallic bonding 43, 44
- micelles 129–130
- microbes 57–58
- microemulsions 129–130

- MicroRNAs 56, 181
- mononuclear phagocyte system (MPS) 175, 207
- multielectron atoms 16, 39–41
- multiple exciton generation (MEG) 86, 167

- n**
- nanoagents 182
- nanocomposite formation 132–133
- nanocrystalline materials 86, 92, 122, 125
- nanoelectronics 12, 91, 151–153, 163, 170, 190–193
- nanofunctionalized textiles 162
- nanomaterial biosynthesis
 - amino acids 144–146
 - eukaryotic cells 142
 - peptides 144–146
 - plant substances 141
 - prokaryotic cells 142–143
 - proteins 146
 - viruses 143–144
- nanomaterials 57–58
 - catalytic properties 89
 - electrical conduction properties 81–83
 - magnetic properties 88–89
 - mechanical properties 92–93
 - optical properties 84–88
 - thermal and thermoelectric properties 89–92
- nanomaterials preparation
 - chemical vapor deposition (CVD) 133–135
 - colloidal chemistry 127–128
 - electrospinning 125–127
 - epitaxial growth techniques 135–136
 - focused ion beams 136
 - Langmuir–Blodgett deposition 125, 126
 - micelles and microemulsions 129–130
 - milling process 122–123
 - nanocomposite formation 132–133

- nanomaterials preparation (*contd.*)
 - nanoscale non-biological fabrication
 - processing 138–140
 - pattern orchestration 136–138
 - physical ion beam deposition
 - techniques 124
 - physical vapor deposition (PVD)
 - 123–124
 - probe deposition 125, 127
 - sol–processing 129
 - structured polymers 130–132
- nanomaterial toxicity 201–203
- nanomechanical devices 192–193
- nano-optoelectronics 151, 156–158
- nanoparticle assembly 41
- nanoparticle clearance routes 205–207
- nanoparticle translocation through
 - biological barriers 207
- nanophotonics 151, 156
- nanopollution 216
- nanoscale biomimetics 58
- nanoscale bulk-and
 - surface-characterization
 - techniques 96
- nanoscale deterministic lateral
 - displacement (DL)D pillar arrays
 - 194
- nanoscale electrospun fibers 170
- nanoscale non-biological fabrication
 - processing 138–140
- nanosensors 158, 163, 170, 190–192, 195
- nanotechnology
 - applications 159
 - basic materials 159–162
 - benefit-risk balancing inherent 213
 - benefits 214
 - boundaries 1
 - Brownian motion 3
 - chemical energy conversion
 - technology, *see* chemical energy
 - conversion technology
 - chemical processing 170, 171
 - concepts of quantization 5
 - conduction band edge 6
 - corral configuration 8
 - definition 1
 - and economy 214
 - emitted photon energy 7
 - energy technology 163
 - environmental engineering 168, 215
 - and ethics 218
 - flow diagram 218
 - fluorescence 6
 - food and agriculture 169–170
 - hydrogen storage 167–168
 - impact for selected industrial sectors
 - 215
 - labelling requirements 222
 - Lycurgus Cup 11
 - mesoscopic scale 1
 - photovoltaic energy conversion 167
 - Planck's relation 5
 - plasmonic mode 10
 - public engagement and consumer
 - acceptance 217–218
 - quantum dots (QDs) 5, 7
 - regulatory aspects 220–221
 - scanning tunneling microscopy
 - (STM) 9
 - Schrodinger wave equation 8
 - semiconductor forbidden energy gap
 - 6
 - single wall carbon nanotube 4, 5
 - size range 1
 - super-capacitor energy conversion
 - 164–165
 - surface properties and surface forces
 - 3
 - surface to volume ratio 3
 - textile materials 162–163
 - transmission electron microscopy
 - 12
 - two-dimensional (2D) crystalline
 - material 5
 - unique features 10
 - valence band edge 6
 - wave–particle duality concept 8, 9
 - workplace and consumer protection
 - 220–221
- nanotechnology characterization
 - approach
 - atom probe field ion microscope
 - (AP-FIM) 117–118

- atomic force microscopy (AFM)
 - 99–103, 138
 - Auger electron spectroscopy (AES)
 - 113–115
 - characteristic, X-ray emission spectroscopies 114
 - E–M radiation driven mass spectroscopy 110
 - electron beam microscopies
 - 110–112
 - electron energy loss spectroscopy (EELS) 115
 - electrostatic force microscopy (EFM)
 - 103
 - infrared spectroscopy 109
 - Kelvin probe force microscopy (KPFM) 103
 - low-energy electron diffraction (LEED) 115
 - low-energy ion scattering (LEIS)
 - 118
 - magnetic force microscopy (MFM)
 - 103
 - neutral particle beam
 - nanocharacterization techniques 119
 - nonvisible E–M radiation microscopies 106
 - optical microscopy 96–98
 - photoelectron spectroscopies 108
 - Raman spectroscopy 109
 - scanning Auger microscopy (SAM)
 - 113–114
 - scanning electron microscopy (SEM)
 - 113
 - scanning helium ion microscopy (SHIM) 116–117
 - scanning tunneling microscopy (STM) 104, 105
 - secondary ion mass spectroscopy (SIMS) 118
 - small angle X-ray scattering (SAXS)
 - 107–108
 - tip-enhanced Raman spectroscopy (TERS) 105–106
 - transmission electron microscope
 - 112
 - X-ray diffraction (XRD) 106–107
 - nanotoxicology
 - cutaneous contact approach 210
 - feed/gavage approach 210
 - inhalation approach 209
 - injection approach 210
 - intra-tracheal instillation approach 210
 - in vitro* models 210
 - limitations 211
 - nose-only approach 209
 - naturally occurring nanomaterials 200
 - neurological disorders 186–187
 - neutral particle beam
 - nanocharacterization techniques 119
 - nonvisible E–M radiation microscopies 106
 - NP targeting
 - cancer 174–180
 - cardiovascular diseases 180–184
 - neurological disorders 186–187
 - pulmonary diseases or infections 184–185
 - nucleic acids 54, 55, 57, 148, 173, 177, 194, 208, 209
- O**
- occupational exposure limit (OEL) 221
 - optical lithography technologies 138
 - optical microscopy 96–98, 106
 - optical properties, of nanomaterials 84–88
 - orbitals 20, 24, 36–43, 46, 64, 79, 89
 - organic NPs 174
 - Organization for Economic Co-operation and Development (OECD) 221
 - oxidative stress (OS) 208
- P**
- particles and waves
 - electrons and probability waves 19–22
 - photons and E–M waves 22–24
 - pattern orchestration 136–138

- Pauli Exclusion Principle 21, 40, 41, 228, 231
 - peptide-based bionanofabrication 149
 - peptides 43, 56, 58, 143–146, 149, 185
 - permanent dipole bonding 43–44
 - permittivity 22, 36, 68, 84, 192
 - pertinent biology fundamentals
 - carbohydrates 52–55
 - cells, biomolecules, and machinery 49–52
 - lipids 55
 - microbes, molecules, and nanomaterials 57–58
 - nanoscale biomimetics 58
 - nucleic acids 55–56
 - proteins 57
 - viruses 57
 - pertinent chemistry fundamentals
 - carbohydrates 52–55
 - cells, biomolecules, and machinery 49–52
 - covalent bonding 41–42
 - fluctuating dipole bonding 44
 - functionalized nanoparticles 40–41
 - ionic bonding 43
 - lipids 55
 - metallic bonding 43
 - microbes, molecules, and nanomaterials 57–58
 - multielectron atoms 39–40
 - nanoparticle assembly 41
 - nanoscale biomimetics 58
 - nucleic acids 55–56
 - permanent dipole bonding 43–44
 - philicity and phobicity interactions 44–45
 - π stacking 42–43
 - proteins 57
 - quantum chemistry 45–47
 - single electron atom 35–39
 - stacking 42
 - supramolecular chemistry 45
 - viruses 57
 - philicity and phobicity interactions 44–45
 - photoelectron spectroscopies 108
 - photon density 84
 - photons and E–M waves 22–24
 - photothermal hyperthermia 178, 179
 - photothermal therapy 178
 - photovoltaic energy conversion 167
 - physical ion beam deposition techniques 124
 - physical vapor deposition (PVD) 123–124
 - physicochemical characteristics, of nanoparticles 201
 - picotechnology 1
 - π stacking 42
 - Planck's relation 5
 - plasmonic mode 10
 - polyhedral oligomeric silsesquioxane-poly(carbonate-urea)urethane (POSS-PCU) 195
 - principal quantum number 37
 - probe deposition 125, 127
 - proteins 31, 42–45, 50, 52, 54–58, 89, 97, 107, 110, 142–149, 162, 177, 180–183, 185, 186, 194, 196, 202, 208, 209
 - pulmonary diseases/infections 184–185
 - pulsed laser deposition (PLD) technique 123, 124
- q**
- quantitative structure activity relationships (QSAR) 211
 - quantum chemistry 45–47
 - quantum dots (QDs) 5, 7
 - quantum fluctuations 9, 11, 25, 27
 - quantum mechanics
 - entanglement 28
 - quantum fluctuations 27
 - tunneling 25–26
 - uncertainty 27
 - quantum state, of solid
 - topological materials 77–79
 - valence electron states
 - in 0-D materials 76–77
 - in 1-D materials 72–73
 - in 2-D solids 69–72
 - in 3-D solid 62–68

- vibration modes
 - in 0-D materials 77
 - in 1-D materials 73–76
 - in 2-D solids 72
 - in 3-D solid 68–69

- r**
- Raman spectroscopy 105, 109, 110
- risk-benefit balance 199
- risks from nanomaterials
 - cutaneous contact approach 210
 - entry by contact 205
 - entry by ingestion 205
 - entry by inhalation 204–205
 - feed/gavage approach 210
 - inhalation approach 209
 - injection approach 210
 - intra-tracheal instillation approach 210
 - key factors influencing 201–203
 - nanoparticle clearance routes 205–207
 - nanoparticle translocation through biological barriers 207
 - nose-only approach 209
 - overall effects 208–209
- RNA-triple-helix adhesive scaffold 177
- rolled-up graphene 42, 73

- s**
- scaffolds for tissue growth 194–195
- scanning Auger microscopy (SAM) 113, 114
- scanning electron microscopy (SEM) 111, 113
- scanning helium ion microscopy (SHIM) 116, 117
- scanning tunneling microscopy (STM) 9, 25, 93, 98, 100, 104
- scanning tunneling spectroscopy (STS) 105
- Schrodinger wave equation 8, 25
- secondary ion mass spectroscopy (SIMS) 118
- Seebeck coefficient 91
- self-assembled RNA-triple-helix hydrogel 177
- semiconductor forbidden energy gap 6
- single electron atom 35–39
- single wall carbon nanotube (SWCNT) 5, 73, 191
- size range 1–3, 5, 9–11, 15, 16, 18, 40, 60, 67, 156, 194
- small angle X-ray scattering (SAXS) 107–108
- sol–gel processing 127, 129
- solid materials 59–61, 228
- solid oxide fuel cell (SOFC) 166
- spin and orbital angular magnetic moment, in solids 79
- spin–orbit coupling 37
- spintronics 72, 78, 151, 153–155
- statistical mechanics
 - canonical ensemble statistics and thermodynamics 29–32
 - Fermi-Dirac statistics, Bose–Einstein statistics, and thermodynamics 32–33
- stent thrombosis (ST) 197
- stents 196–197
- Stransky–Krastanov effect 123
- structural DNA nanotechnology 147, 148
- structured polymers 130–132
- super-capacitor energy conversion 164–165
- supramolecular chemistry 35, 44–46
- surface plasmon polariton 88

- t**
- targeted therapy 175
- textile materials 160, 162–163
- theranostics 175, 180, 181
- 3-D crystal lattices 60
- 3-dimensional solid 59
- thermal and thermoelectric properties, of nanomaterials 89–92
- thermal evaporation PVD 123, 124
- thermal fluctuations 9, 29, 30, 33, 44
- thermodynamic equilibrium
 - distribution 29, 227, 228, 231
- thermodynamics 15, 29–33, 69, 81, 82, 122, 131, 156, 225, 227–229, 231, 232

- tip-enhanced Raman spectroscopy (TERS) 105–106
 - tobacco mosaic virus (TMV) 57, 58, 143
 - topological insulators (TIs) 59, 60, 77, 78, 81, 83, 128, 153
 - topological materials 60, 77–79, 91
 - 2-D solid graphene 42
 - 2-D superlattice material 128
 - transition metal dichalcogenides (TMDs) 153
 - transmission electron microscopy (TEM) 12, 111, 112
 - tunneling 9, 25–26, 77, 98, 100, 104, 112, 116, 152–154, 192
- U**
- ultra-high vacuum (UHV) technology 102, 135
 - uncertainty 25, 27, 28
- V**
- valence band edge 6, 86
 - valence electron states
 - in 0-D materials 76–77
 - in 1-D materials 72–73
 - in 2-D solids 69–72
 - in 3-D solid 62–68
- vectors 66, 70, 146, 173, 184
- vibration modes
 - in 0-D materials 77
 - in 1-D materials 73–76
 - in 2-D solids 72
 - in 3-D solid 68–69
- viruses 1–3, 13, 40, 57, 58, 81, 141, 143–144, 146, 147, 173, 175, 177, 199, 216, 219
- virus nanoparticles (VNPs) 57, 144
- W**
- wave–particle duality 5, 8, 11, 17, 23, 96
 - Wentzel–Kramers–Brillouin (WKB) approximation 25
- X**
- X-ray diffraction (XRD) 106–107, 123
 - X-ray emission spectroscopies 114