

Index

a

Acanthochitona fascicularis 179
Acanthopleura 181, 186, 194
 – *A. echinata* 179, 194, 196
 – *A. hirtosa* 179, 188
Acanthopleura-type teeth 195
 aeolian dust 13
 aerotaxis 577, 581, 583
 AFP *see* amorphous iron ferric phosphate (AFP)
 akaganeite 12, 230
 Alzheimer's disease 127, 144, 147–149, 157, 165
 amorphous iron ferric phosphate (AFP) 192
 annexin V 431
 anoxygenic photosynthesis 57
 aqueous slugs 234
 archaeomagnetic dating 562

b

banded iron formations 54
 bernalite 12
 bimetallic NPs 488, 489, 498
 biomimetic iron oxide formation 336
 biomineralization 54–60, 99–111, 183–185, 573, 574
 biominerals
 – chiton radula 180–181
 – IOB *see* iron(II) oxidizing bacteria (IOB)
 – IRB *see* iron(III) reducing bacteria (IRB)
 – mineral products 66
 black pigments 560, 561
 Bragg's law 297
 brain 143–146

c

capping ions 229
 carbothermal reduction 480
 cell therapy imaging 432
Chaetopleura apiculata 179
 chiton radula
 – development
 – – biological control 185
 – – biomineralization stages 183
 – – organic matrix 180
 – ferrihydrite
 – – stage II 187
 – – stage III 190
 – functional architecture 194
 – insoluble organic matrix, macromolecules 186
 – phase transformations, stage IV 192
 – soluble organic matrix composition 186, 187
 – teeth, microarchitecture 181
 citrate-coated IONPs 427, 428
 classical nucleation theory 388
 coarsening 256
 coercivity 358
 color alterations 560
 computational modeling 269
 contamination
 – arsenic 473
 – nitrate ion 389
 – water 473
 continental dust deposits 19
 contrast agents (CA) 426
 corrosion 475
Cryptochiton 194
Cryptochiton stelleri 177
Cryptochiton-type teeth 195
 cryptoporticus wall paintings 561
 crystal field theory 546

d

- Debye–Waller factor 407
 - density-functional theory 13
 - Derjaguin–Landau–Verwey–Overbeek (DLVO) theory 259
 - discrete liquid plugs 234
 - distorted wave Born approximation (DWBA) 382
 - Doppler effect 312
 - droplet-based microreactors 237
 - DLVO theory *see*
 - Derjaguin–Landau–Verwey–Overbeek (DLVO) theory
 - DWBA *see* distorted wave Born approximation (DWBA)
 - dynamic self-assembly 525, 533, 536
- e**
- Earth's magnetic field 567, 568, 571, 575, 576, 585
 - Earths with organic matter type pigments 549
 - electrolysis 480
 - electron holography *see* transmission electron microscopy (TEM), electron holography
 - electron microscopy *see* transmission electron microscopy (TEM), electron microscopy
 - electron paramagnetic resonance (EPR) 429
 - electron shuttling mechanisms 31
 - elemental iron
 - atomic number 9
 - crust 10
 - electron configuration 10
 - fractional crystallization 10
 - inner core 10
 - liquid outer core 10
 - primitive mantle 10
 - protoplanetary formation 9
 - siderophile elements 10
 - solar abundances 9
 - EPR *see* electron paramagnetic resonance (EPR)
 - EPS *see* extracellular polymeric substances (EPS)
 - Ewald sphere construction 298
 - extended X-ray absorption fine structure (EXAFS) spectroscopy 151, 160, 398, 406–409, 412–414
 - extracellular biomineralization 67
 - extracellular polymeric substances (EPS) 67, 68
 - extraterrestrial iron oxides 14

f

- Fe(II)-Fe(III)-mineral system 33
 - feroxyhite (δ -FeOOH) 12, 248
 - ferric (hydr)oxides
 - electron transfer 33, 39
 - dissolution 39
 - inter-mineral vs. intra-mineral variability of reactivity 40
 - product interference 42
 - product mass balance 43
 - pyrite formation 46
 - rate constants 42
 - reductive dissolution
 - abiotic reaction 31
 - definition 31
 - electron shuttling mechanisms 31
 - goethite 32
 - implications 47
 - initial rates 33
 - microbially mediated dissimilatory iron reduction 31
 - oxoanions 32
 - rate limiting step 32
 - reversible surface complexation step 32
 - surface complexation approach 33
 - semiconducting properties 36
 - sorbed Fe(II), redox potential 36
 - sulphide and goethite 42
 - TEM images 43
 - ferrihydrate 12, 17, 146, 183, 413
 - crystallographic and structural properties 150
 - hexagonal close-packed ferrihydrate 22
 - stage II 187
 - stage III 190
 - ferritin 144, 155
 - ferrous hydroxide formation 232
 - first-order reversal curves (FORC) 354, 363, 364
 - fluoride ions 228
 - Fourier transform IR (FTIR) technique 308
 - fractional crystallization 10
 - frataxin 157
 - FTIR technique *see* Fourier transform IR (FTIR) technique 308
- g**
- geological occurrence
 - divalent/trivalent iron, precipitation 15
 - melt and partial melts, crystallization 13
 - mineral phase, alteration 15
 - geothermo-oxybarometers 14
 - GISAXS, *see* grazing incidence small angle X-ray scattering (GISAXS)

- glancing angle vapor deposition (GLAD) 529
 goethite 12, 150, 207, 225, 547
 – laboratory 210
 – limpet radula
 – – iron transport 216
 – – morphology 213
 – – nucleation and growth 219
 – – structure, properties, and function 207
 – OA 247
 – oxyhydroxide 230
 – thermodynamic stability
 – – free energies of formation 274
 – – Gibbs free energies of formation 276
 – – low-temperature environmental conditions 278
 – – magnetic transformations 271
 – – morphology 278
 – – nanomorphology 281, 283, 284
 – – phase diagram 278
 – – size 287
 GR *see* green rust (GR)
 grazing incidence small angle X-ray scattering (GISAXS) 378–381, 383–385, 388, 389
 green earth pigments 549
 green rust (GR) 12
 greigite 576, 578
 guided self-assembly 530, 532, 533
- h**
- haemosiderin 158
 hanging drop assay 580, 581
 hematite 11, 146, 547
 – OA 248
 – thermodynamic stability
 – – free energies 274
 – – Gibbs free energies of formation 276
 – – low-temperature environmental conditions 278
 – – magnetic transformations 270, 272
 – – morphology 279, 280
 – – nanomorphology 281, 282, 285, 286
 – – phase diagram 278
 – – size 287
 – versatility of 226
 hematite–ilmenite 13
 high angle elastic scattering 326
 Hooke's law 305
 hydrazine ions 228
 hydrothermal method 229
 hyperfine field distribution 314
- i**
- image-guided therapy 432
 immunohistochemistry 161
 induced magnetization 347, 349
 infrared (IR) spectroscopy 302, 304, 306, 308
 – iron oxides 309, 310
 – maghemite 311
 – magnetite 311
 INPs *see* iron nano-particles (INPs)
in situ nanoparticle temperature detection 455
 insoluble organic matrix, acidic macromolecules 186
 International Mineralogy Association (IMA) 4
 intrinsic isomer shift 313
 IOB *see* iron(II) oxidizing bacteria (IOB)
 IONPs, *see* iron oxide nanoparticles (IONPs)
 IRB *see* iron(III) reducing bacteria (IRB)
 IRM, *see* isothermal remanent magnetization (IRM)
 iron nano-particles (INPs)
 – chemical pollutants 477
 – *in situ* remediation 478
 – price 481
 – static nano-composites
 – – beads 500–502
 – – categories 496
 – – membranes and mats 496, 498, 499
 – – porous 3D structures 503–507
 – – regulations 508, 509
 – synthesis
 – – carbothermal reduction 480
 – – electrolysis 480
 – – polyphenolic plant extracts 480
 – water remediation drivers
 – – chemical reactivity 488, 489
 – – environmental toxicology 492–494
 – – injection strategy 490, 492
 – – INP size 483, 484
 – – mobility 484, 486
 – – non-aqueous phase liquids 487, 488
 – – physico-chemical structure 489, 490
 – – polyelectrolyte coatings 487
 – – protective shells and solid supports 488
 – – surfactants 486
 iron oxide nanoparticles (IONPs) 426
 – alternating magnetic fields 447, 449
 – cell therapy imaging 431, 432
 – image-guided therapy 432
 – magnetic activation, local effects 451–453, 455
 – magnetic drug targeting
 – – active and passive targeting 437–439
 – – drug carriers 435–437
 – – drug release system 441
 – – *in vivo* studies 439, 440

- iron oxide nanoparticles (IONPs) (*contd.*)
 - schematic representation 434
 - magnetic hyperthermia 447
 - cancer therapeutics 449, 450
 - preclinical and clinical treatment 450
 - molecular imaging 430
 - mononuclear phagocytic system 427, 429, 430
 - MPI 433
 - MRI 426, 428
 - nanometric features 425
 - processing and degradation
 - administration routes 456, 457
 - bio-macromolecules 456
 - liver and spleen 458, 459
 - macrophage capture 457, 458
 - nanoparticles distribution 458
 - tissue engineering 442
 - cellular building blocks 444, 445
 - large cartilaginous tissues 445, 446
 - MSC differentiation, magnetic labeling on 442, 443
 - regenerative medicine 446
 - replacement blood vessels 445, 446
 - iron transport 216
 - iron(II) oxidizing bacteria (IOB)
 - auto-catalytic oxidation 67
 - biomineralization, *see* biomineralization
 - biosignatures 68
 - cell density 65
 - electron donors, concentration and diffusion 65
 - endogenous and exogenous electron shuttles 66
 - EPS 67, 68
 - extracellular biomineralization 67
 - *Gallionella* genus 54
 - microaerobic IOB 67
 - microbial Fe redox cycling, *see* microbial Fe redox cycling
 - nitrate-dependent strains 67
 - Precambrian major oxygenation events 54
 - iron(III) reducing bacteria (IRB)
 - bacterial strains, identifying/isolating 54
 - biosignatures 68
 - cell density 65
 - cell–mineral adhesion 67
 - direct electron transfer 67
 - EET 61
 - electron donors, concentration and diffusion 65
 - endogenous and exogenous electron shuttles 66
 - *Geobacter sulfurreducens* 61
 - microbial Fe redox cycling, *see* microbial Fe redox cycling
 - mineral diversity 63
 - nanowires 53
 - organic matter degradation 61
 - Precambrian major oxygenation events 54
 - *Shewanella oneidensis* 61
 - TEA 60
 - isothermal remanent magnetization (IRM) 356, 357
 - isotopic fractionation 71
 - isotopic labeling 34
- k**
- Katharina tunicata* 179, 185
- l**
- LAMP1-IONPs 452
 - Langevin function 355, 363, 433
 - Larmor frequency 572
 - LCA *see* linear combination analysis (LCA) method
 - Lepidochitona caprearum* 179
 - lepidocrocite 12, 233, 271, 273, 277, 287
 - synthesis of 232
 - limpet radula
 - goethite
 - iron transport 216
 - morphology 213
 - nucleation and growth 219
 - neolepetospid deep sea limpet 210
 - structure, properties, and function 207
 - linear combination analysis (LCA) method 404, 406
 - linear response theory (LRT) 449
 - low angle elastic scattering 326
- m**
- maghemite ($\gamma\text{-Fe}_2\text{O}_3$) 3, 4, 11, 148, 296–297, 523, 530
 - crystallographic structures of 152
 - thermodynamic stability
 - free energies 274
 - magnetic transformations 270, 273
 - size 287
 - magnetic actuation
 - advantages 536
 - constant external magnetic fields 530, 531, 533
 - dynamic self-assembly 533–536
 - nanomachines 529
 - magnetic anisotropy 154
 - magnetic behavior
 - composition 347, 358–360

- concentration 361, 362
- magnetic interaction 364–366
- particle size 347, 349, 362–364
- magnetic field correlation (MFC) 162
- magnetic forces 524
- magnetic hysteresis 354, 355
- magnetic particle imaging (MPI) 433
- magnetic properties
 - composition 358–360
 - concentration 361, 362
 - magnetic interaction 364, 365
 - particle size 363
- magnetic resonance imaging (MRI) contrast enhancement 426–428
- magnetic splitting 314–316
- magnetic susceptibility 349, 350, 352, 353
- magnetite (Fe₃O₄) 11, 71, 147, 164, 296, 523, 567, 571–576, 578, 580, 586
 - crystallographic structures of 152
 - cubic close-packed magnetite 22
 - magnetic properties 154, 155
 - nanoparticles of 233
 - thermodynamic stability
 - – Gibbs free energies of formation 276
 - – magnetic transformations 270, 273
 - – size 287
- magnetite-based magnetoreception 572
- magnetite–ulvöspinel 12
- magneto-aerotaxis 581, 583
- magnetocrystalline anisotropy 524
- magnetolithography 532
- magnetoreception
 - architectures 574, 575
 - behavioral experiments 567
 - candidate magnetoreceptor cells 573
 - chiton mollusks 573
 - magnetic pulse experiments 572
 - pigeons 569
 - salmonids 567, 568
 - turtles 570
 - working hypotheses 570, 572
- magnetosome membrane associated proteins (Mam) 578, 579
- magnetosomes 22, 573, 575, 578, 585
- Magnetospirillum gryphiswaldense* (MSR-1) 578, 582, 583, 585
- magnetotactic bacteria (MTB) 575, 576, 579–582, 584–586
 - discovery 100
 - ecology 100
 - genetic determinants 99
 - genomics and genetics 105
 - greigite 99
 - magnetite 99
 - magnetosomes 99
 - – application 110
 - – arrangement 102
 - – biochemistry 104
 - – composition 108
 - – formation 105
 - – magneto-aerotaxis 104
 - – morphologies 109
 - – size 109
 - magnetotaxis 99
 - phylogenetic diversity 101
- magnetotactic marine cocci (MC-1) 582
- magnetotaxis 99
 - chemotactic sensors 584
 - Frankel experiments 582
 - hanging drop assay 580, 581
 - intracellular magnetic apparatus 578, 579
 - magnetite particle assembly 577, 578
 - microcapillary assay 581
 - one-dimensional taxis model 584
 - oxic anoxic transition zone (OATZ) 576
 - polar behavior enrichment 583
 - putative models 585
 - randomization vs. orientation 579, 580
 - Spormann and Wolfe experiments 581, 582
- Mars pigments 549, 554, 558
- Mars Rover measurements 14
- mercury 10
- MFC *see* magnetic field correlation (MFC)
- microaerobic IOB 59, 67
- microbial Fe redox cycling 72
 - anaerobic and microaerobic 75
 - bioremediation strategies 76
 - energy production and storage 76
 - microaerobes and aerobes 75
 - microniches 75
 - minerals 72
 - photoferrotrophs 72, 75
 - pollutant speciation and mobility 75
 - redoxcline 73
 - synchrotron-based analyses 75
- microbial life 53
- microcapillary assay 581
- microfluidic reactors
 - α -FeOOH nanoparticle synthesis 238
 - γ -Fe₂O₃ nanoparticle synthesis 235
- microfluidics 233
- micropropeller 529
- microreactors 233
- mineral forms 11
- mineral aging 67
- mitochondrial irons 156
- mobility 484

- molecular dimer formation models 253
- molecular imaging 430
- mollusk radula 177
- mononuclear phagocytic system (MPS) 429, 430
- Morin transition 353, 358
- Mössbauer spectroscopy 152
 - ferrihydrite 317, 318
 - isomer shift 313, 314
 - limitations 311
 - maghemite 316, 318, 319
 - magnetic splitting 314–316
 - magnetite 316
 - quadrupole splitting 313, 314
- MPI, *see* magnetic particle imaging (MPI)
- MPS, *see* mononuclear phagocytic system (MPS)
- MTB, *see* magnetotactic bacteria (MTB)
- multi-step mineralization process 194
- mural paintings 560, 562
- myoglobins 186

- n**
- Néel relaxation time 448
- nanomachines
 - propellers 529, 530
 - rollers 527, 528
 - swimmers 526, 527
 - types 526
- nano-materials 474
- nanoparticles 235
 - engineered nano-particles 474
 - goethite, morphology 278–279
 - homogeneously *vs.* heterogeneously 385
 - iron oxide
 - – magnetic 164
 - – MRI contrast mechanisms and quantification approach 426–428
 - – targeting 164
 - – therapeutic use 165
 - iron (hydr)oxide 371–372
 - – aggregation 379–380
 - – light sources, structural information using 372–373
 - – nucleation and growth 385–388
 - magnetite 233
 - medical applications, iron oxide
 - – bodily fluids, nanoparticle interaction with biomacromolecules 456
 - – cancer therapeutics, iron oxide-based nanoheaters 449–450
 - – cell therapy, imaging 431–432
 - – distribution 458
 - – drug release, magnetic nano systems 431
 - – drug-loading strategies, magnetic drug carriers 435–437
 - – functional magnetic tissue 445–446
 - – image-guided therapy 432
 - – macrophage capture of 457–458
 - – magnetic activation 447–449, 451–456
 - – magnetic cell 444–445
 - – magnetic hyperthermia 447
 - – magnetic labeling, cytocompatibility 442–443
 - – magnetic nano systems 437–439
 - – magnetic particle imaging 433
 - – molecular imaging 429–431
 - – mononuclear phagocyte system, imaging 427–429
 - – MRI contrast mechanisms and quantification approach 426–427
 - – organism, targets in 439–441
 - – preclinical and clinical magnetic hyperthermia treatment 450–451
 - – progressive degradation processes 458–460
 - – microfluidic reactors
 - – α -FeOOH 238–239
 - – γ -Fe₂O₃ 235–238
 - – MRI contrast agents 164
 - – water treatment, iron 473–475
 - – aqueous corrosion 475–476
 - – environmental reactivity 476–477
 - – environmental toxicology, INPs 492–494
 - – improving mobility 484–488
 - – injection strategy, INP 490–492
 - – INP 478–484
 - – reactivity, improving 488–489
 - – thermal treatments 489–490
 - – versatile material 477–478
 - nanopropeller 529
 - naturally-occurring iron oxide minerals 11
 - neuromelanin 159
 - Newton's second law 305
 - nitrate dependent ferrous oxidation 58
 - nuclear magnetic resonance dispersion (NMRD) 427

 - o**
 - OA *see* oriented attachment (OA)
 - ochres
 - Australia 554
 - Central America 554, 559
 - classical antiquity periods 551–553
 - Japan 554, 558
 - middle ages and renaissance 554, 555, 557
 - North America 554

- red ochres 548
 - – classical antiquity periods 553
 - – middle ages and renaissance periods 555
 - – Paleolithic red ochre 550
 - rupestrian art of Australia 559
 - rupestrian art of North America 559
 - Scyric ochre 552
 - Siena ochre 548, 554
 - yellow ochres 548
 - – classical antiquity periods 551, 552
 - – middle ages and renaissance 557
 - odontophore 179
 - oriented attachment (OA) 244
 - coarsening and phase transformation 256
 - correlative methods 252
 - cryogenic and fluid cell TEM 250
 - ferroxihite 248
 - forces governing assembly 259
 - goethite 247
 - hematite 248
 - imaging 249
 - kinetics 253
 - literature 245
 - molecular dimer formation models 253
 - morphology and surface chemistry 258
 - natural samples 248
 - and phase transformations 249
 - polymerization model 255
 - population balance model 255
 - thermodynamics 257
 - osmotic forces 259
 - oxide dehydration 546
 - oxyhydroxide 3, 12, 153, 309, 310
 - from aqueous ferric solution 226–231
 - from aqueous ferrous solution 231–233
 - magnetic transformations 270–274
 - polymorphic transformations 274–288
 - XAFS spectroscopy 397–415
 - oxymagnetite 4
- p**
- pair distribution function (PDF) 301, 373–375, 377, 378
 - Paleolithic red ochre 550
 - paleosols 20, 21
 - Patella*
 - *P. caerulea* 213
 - *P. vulgata* 213
 - PDF, *see* pair distribution function (PDF)
 - PEGylated IONPs 453
 - phase transformation 256
 - OA and 249
 - stage IV 192

- phosphatidylserine 431
- phosphorus 188
- pigments 545
 - advantages and disadvantages 545
 - color alteration 559
 - dating 560
 - Egyptian art 551
 - fresco painting 545
 - non-invasive scientific investigations 560, 561
 - Pliny's designations 551
 - prehistory period 550
- polyelectrolyte coatings 487
- polymerization model 255
- polyphenolic plant extracts 480
- Pompeian red pigment 560
- population balance model 255
- primitive mantle 10
- propellers 526, 529–531

q

- quantitative susceptibility mapping (QSM) 162, 163

r

- rainbow trout 568, 573
- Raman spectroscopy 304, 307, 308
 - advantage 308
 - disadvantage 308
 - iron oxides 309, 310
 - maghemite 311
 - magnetite 311
 - oxyhydroxides 309
- red ochres 548
 - classical antiquity periods 553
 - middle ages and renaissance periods 555
- redox-driven conveyor belt 35
- remanent magnetization 347, 355, 562
- rocks 1
- rollers 526–528
- Rupestrian graffiti 550

s

- Safe Drinking Water Act of 1974 508
- saturation remanent magnetization 354
- Schrödinger equation 306
- schwertmannite 12
- self-sharpening effect 209
- shape anisotropy 524
- silicon nitride window membranes 337
- sinoper 552
- solvation forces 259
- spherical apoferritin protein cage 155
- spin canting 317
- Stokes lines 307

- super-conducting quantum interference device (SQUID) 355
 - superconducting quantum interference device (SQUID) magnetometry 159
 - superficial siderosis, neuropathology of 145
 - superparamagnetic IONPs 425, 433
 - superparamagnetism 317, 349, 448
 - surfactants 486
 - swimmers 526, 527
 - synthetic pigments 554
- f**
- TCS *see* transcranial ultrasound (TCS)
 - TEA *see* terminal electron acceptor (TEA)
 - TEM analysis, *see* transmission electron microscopy (TEM) analysis
 - temperature-composition phase diagram 13
 - terminal electron acceptor (TEA) 60
 - thermodynamics 257–258
 - cartography 280
 - tooth cusp 209
 - transcranial ultrasound (TCS) 163
 - transmission electron microscopy (TEM) analysis 326, 327
 - bright field transmission electron micrograph 328
 - Continuous Flow Fluid Cell TEM Holder Platform 337
 - correlative methods 252
 - cryo-TEM 336
 - electron holography 331–335
 - electronic configuration 330
 - electron microscopy 327
 - HAADF-STEM imaging 337, 338
 - high-resolution transmission electron microscopy (HRTEM) analysis 336
 - *in situ* approach 329, 330, 379
 - liquid cell STEM imaging 337, 338
 - off-axis electron holography 331, 332
 - spatially resolved EELS analysis 330
 - specimen preparation 327
- u**
- UK Department for Environment, Food and Rural Affairs (DEFRA) 473
 - ultrasmall superparamagnetic iron oxide (USPIO) nanoparticles 429, 442
 - umbers 549
- v**
- vascular adhesion molecule-1 (VCAM-1) 430
- VASP *see* Vienna *ab initio* simulation package (VASP)
 - Verwey transition 270, 273, 353, 358
 - vibrational spectroscopy, *see* infrared (IR) spectroscopy *see* Raman spectroscopy
 - Vienna *ab initio* simulation package (VASP) 272
- w**
- wüstite 11, 14, 148
 - Wadd pigments 549
 - water contamination 473
 - water molecule, vibrational modes of 305
 - water remediation 507, 523
 - Williamson–Hall method 301
- x**
- X-ray
 - powder diffraction 300
 - Rietveld refinement method 301
 - Scherrer linewidth 300
 - single crystal monochromatic diffraction (SXD) 299
 - small angle X-ray scattering (SAXS) 378–381, 383–385, 388, 389
 - synchrotron X-ray fluorescence (SXRF) analysis 161
 - total X-ray scattering
 - – experimental setups 374
 - – PDF analysis 375, 376, 378
 - – sample preparation 374
 - X-ray absorption fine structure spectroscopy (XAFS)
 - – advantages 397
 - – experiment set-up 399
 - – fluorescence 400, 401
 - – total electron yield 400, 401
 - X-ray absorption near-edge spectroscopy (XANES) 147, 401, 405
 - LCA method 404–406
 - X-ray diffraction (XRD)
 - – Bragg’s representation 297, 298
 - – Ewald sphere 297, 299
 - – maghemite 300, 301
 - – magnetite 300, 301
 - X-ray magnetic circular dichroism (XMCD) 153
- z**
- Zeeman splitting 314
 - zero-valent iron 476