

## Contents

Preface xv

<b>1</b>	<b>TADF Material Design: Photophysical Background and Case Studies Focusing on Cu(I) and Ag(I) Complexes</b>	<b>1</b>
	<i>Hartmut Yersin, Rafał Czerwieniec, Marsel Z. Shafikov, and Alfiya F. Suleymanova</i>	
1.1	Introduction	1
1.2	TADF, Molecular Parameters, and Diversity of Materials	4
1.2.1	TADF and Phosphorescence	6
1.2.2	Minimizing $\Delta E(S_1-T_1)$	7
1.2.3	Importance of $k_r(S_1-S_0)$	7
1.3	Case Study: TADF of a Cu(I) Complex with Large $\Delta E(S_1-T_1)$	15
1.3.1	DFT and TD-DFT Calculations	16
1.3.2	Flattening Distortions and Nonradiative Decay	16
1.3.3	TADF Properties	18
1.3.4	Radiative $S_1 \rightarrow S_0$ Rate, Absorption, and Strickler–Berg Relation	20
1.4	Case Study: TADF of a Cu(I) Complex with Small $\Delta E(S_1-T_1)$	22
1.4.1	DFT and TD-DFT Calculations	22
1.4.2	Emission Spectra and Quantum Yields	23
1.4.3	The Triplet State $T_1$ and Spin–Orbit Coupling	23
1.4.4	Temperature Dependence of the Emission Decay Time and TADF	28
1.5	Energy Separation $\Delta E(S_1-T_1)$ and $S_1 \rightarrow S_0$ Fluorescence Rate	30
1.5.1	Experimental Correlation Between $\Delta E(S_1-T_1)$ and $k_r(S_1 \rightarrow S_0)$ for Cu(I) Compounds	31
1.5.2	Quantum Mechanical Considerations	32
1.6	Design Strategies for Highly Efficient Ag(I)-Based TADF Compounds	34
1.6.1	Ag(phen)(P <sub>2</sub> -nCB): A First Step to Achieve TADF	34
1.6.2	Emission Quenching in Ag(phen)(P <sub>2</sub> -nCB)	36
1.6.3	Sterical Hindrance. Tuning of the Emission Quantum Yield up to 100%	38
1.6.4	Detailed Characterization of Ag(dbp)(P <sub>2</sub> -nCB)	40
1.7	Conclusion and Future Perspectives	45
	Acknowledgments	46
	References	46

<b>2</b>	<b>Highly Emissive <math>d^{10}</math> Metal Complexes as TADF Emitters with Versatile Structures and Photophysical Properties</b>	<b>61</b>
	<i>Koichi Nozaki and Munetaka Iwamura</i>	
2.1	Introduction	61
2.2	Phosphorescence and TADF Mechanisms	62
2.3	Structure-Dependent Photophysical Properties of Four-Coordinate $[\text{Cu}(\text{N}^{\wedge}\text{N})_2]$ Complexes	64
2.4	Flattening Distortion Dynamics of the MLCT Excited State	76
2.5	Green and Blue Emitters: $[\text{Cu}(\text{N}^{\wedge}\text{N})(\text{P}^{\wedge}\text{P})]$ and $[\text{Cu}(\text{N}^{\wedge}\text{N})(\text{P}^{\wedge}\text{X})]$	77
2.6	Three-Coordinate Cu(I) Complexes	79
2.7	Dinuclear Cu(I) Complexes	80
2.8	Ag(I), Au(I), Pt(0), and Pd(0) Complexes	84
2.9	Summary	85
	References	86
<b>3</b>	<b>Luminescent Dinuclear Copper(I) Complexes with Short Intramolecular Cu–Cu Distances</b>	<b>93</b>
	<i>Akira Tsuboyama</i>	
3.1	Introduction	93
3.2	Overview of Luminescent Dinuclear Copper(I) Complexes	94
3.2.1	Structure	94
3.2.2	Luminescence Properties	99
3.3	Structural and Photophysical Studies of the Dinuclear Copper(I) Complexes: $[\text{Cu}(\mu\text{-C}^{\wedge}\text{N})_2]$ ( $\text{C}^{\wedge}\text{N} = 2\text{-}(\text{bis}(\text{trimethylsilyl})\text{methyl})\text{pyridine Derivatives}$ )	100
3.3.1	Outline	100
3.3.2	X-ray Crystallographic Study	101
3.3.3	Photophysical Properties	102
3.3.3.1	Absorption Spectrum	102
3.3.3.2	DFT Calculation	103
3.3.3.3	Emission Properties	104
3.3.3.4	Emission Decay Kinetic Analysis	105
3.3.4	OLED Device	110
3.3.5	Experimental	111
3.3.5.1	Synthesis	111
3.3.5.2	Measurement, Calculation, and Device	111
3.3.5.3	X-ray Structure Analysis	112
3.3.5.4	DFT Calculation	112
3.3.5.5	OLED Device	112
3.4	Conclusion	112
	Acknowledgment	113
	References	114

<b>4</b>	<b>Molecular Design and Synthesis of Metal Complexes as Emitters for TADF-Type OLEDs</b>	<b>119</b>
	<i>Masahisa Osawa and Mikio Hoshino</i>	
4.1	Introduction	119
4.2	Cu(I) Complexes for OLEDs	122
4.2.1	Energy Levels of Molecular Orbitals in Tetrahedral Geometries	122
4.2.2	Ligand Variation	123
4.3	Mononuclear Cu(I) Complexes for OLEDs	126
4.3.1	Bis(diimine) Type	131
4.3.2	[Cu(NN)(PP)] <sup>+</sup> Complexes with phen or bipy Derivatives as Ligands	131
4.3.3	[Cu(NN)(PP)] <sup>+</sup> Complexes with NN Ligands Other Than phen or bipy Derivatives	134
4.3.4	Tetrahedral Cu(I) Complexes with the LUMO on the PP Ligand	142
4.3.5	Charge-Neutral Three-Coordinate Cu(I) Complexes	146
4.4	Dinuclear Cu(I) Complexes for OLEDs	155
4.4.1	Dinuclear Cu(I) Complexes Possessing {Cu <sub>2</sub> (μ-X) <sub>2</sub> } Cores	155
4.4.2	Other Dinuclear Cu(I) Complexes	157
4.5	Another Group of Metal Complexes Exhibiting TADF	157
4.6	Conclusion	160
	Acknowledgments	160
	Appendix	161
4.A.1	Schematic Structures of 1–86	161
4.A.2	Abbreviations and Molecular Structures of Materials for OLEDs	168
	References	171
<b>5</b>	<b>Ionic [Cu(NN)(PP)]<sup>+</sup> TAD9727 F Complexes with Pyridine-based Diimine Chelating Ligands and Their Use in OLEDs</b>	<b>177</b>
	<i>Rongmin Yu and Can-Zhong Lu</i>	
5.1	Introduction	177
5.2	The Influence of Molecular and Electronic Structure on Emissive Properties of Cu(I) Complexes	178
5.3	Heteroleptic Diimine/Diphosphine [Cu(NN)(PP)] <sup>+</sup> Complexes with Pyridine-Based Ligand	181
5.3.1	[Cu(NN)(PP)] <sup>+</sup> Complexes with 2,2'-bipyridyl-based Ligands	181
5.3.1.1	[Cu(NN)(PP)] <sup>+</sup> Complexes with 2-(2'-pyridyl)benzimidazole and 2-(2'-pyridyl)imidazole-based Ligands	182
5.3.2	[Cu(NN)(PP)] <sup>+</sup> Complexes with 5-(2-pyridyl)tetrazole-based Ligands	185
5.3.3	[Cu(NN)(PP)] <sup>+</sup> Complexes with 3-(2'-pyridyl)-1,2,4-triazole-based Ligands	187
5.3.4	[Cu(NN)(PP)] Complexes with 2-(2-pyridyl)-pyrrolide-based Ligands	188

- 5.3.5 [Cu(NN)(PP)]<sup>+</sup> Complexes with 1-(2-pyridyl)-pyrazole-based Ligands 189
- 5.3.6 [Cu(NN)(PP)]<sup>+</sup> Complexes with Carbazolyl-modified 1-(2-pyridyl)-pyrazole-based Ligands 191
- 5.3.7 [Cu(NN)(PP)]<sup>+</sup> Complexes with 1-phenyl-3-(2-pyridyl)pyrazole-based Ligands 192
- 5.3.8 [Cu(NN)(PP)]<sup>+</sup> Complexes with 3-phenyl-5-(2-pyridyl)-1H-1,2,4-triazole-based Ligands 193
- 5.4 Conclusion and Perspective 194
- References 195

## 6 Efficiency Enhancement of Organic Light-Emitting Diodes Exhibiting Delayed Fluorescence and Nonisotropic Emitter Orientation 199

*Tobias D. Schmidt and Wolfgang Brütting*

- 6.1 Introduction 199
- 6.2 OLED Basics 200
  - 6.2.1 Working Principle 200
  - 6.2.2 Electroluminescence Quantum Efficiency 202
  - 6.2.3 Delayed Fluorescence 203
  - 6.2.4 Nonisotropic Emitter Orientation 204
  - 6.2.5 Optical Modeling 205
- 6.3 Comprehensive Efficiency Analysis of OLEDs 206
- 6.4 Case Studies 209
  - 6.4.1 Treating the OLED as a Black Box 209
  - 6.4.2 Highly Efficient Thermally Activated Delayed Fluorescence Device 214
  - 6.4.3 Low Efficiency Roll-Off Triplet–Triplet Annihilation Device 218
- 6.5 Conclusion 222
- Acknowledgments 223
- References 223

## 7 TADF Kinetics and Data Analysis in Photoluminescence and in Electroluminescence 229

*Tiago Palmeira and Mário N. Berberan-Santos*

- 7.1 TADF Kinetics 229
  - 7.1.1 Introduction 229
  - 7.1.2 Excitation Types 231
  - 7.1.3 Photoexcitation 232
    - 7.1.3.1 Rate Equations 232
    - 7.1.3.2 Fluorescence and Phosphorescence Decays 232
    - 7.1.3.3 Steady-state Fluorescence and Phosphorescence Intensities 233
    - 7.1.3.4 Excited-state Cycles 235
    - 7.1.3.5 TADF Onset Temperature 238
    - 7.1.3.6 Conditions for Efficient TADF 239

7.1.4	Electrical Excitation	240
7.1.4.1	Steady State	240
7.1.4.2	Conditions for Efficient Electroluminescence	241
7.1.5	More Complex Schemes	244
7.2	TADF Data Analysis	245
7.2.1	Introduction	245
7.2.2	Steady-state Data	245
7.2.2.1	Delayed Fluorescence and Phosphorescence Intensities as a Function of Temperature: Rosenberg–Parker Method	245
7.2.2.2	Prompt and Delayed Fluorescence Intensities as a Function of Temperature	245
7.2.2.3	Delayed Fluorescence Intensity as a Function of Temperature	249
7.2.3	Decay Data	249
7.2.4	Combined Steady-state and Decay Data	250
7.2.4.1	Linear Relation Between Delayed Fluorescence Lifetime and Intensity Ratio	250
7.2.4.2	Linearized Relation for the Determination of $\Delta E_{ST}$	250
7.3	Conclusion	252
	Acknowledgment	252
	References	252
<b>8</b>	<b>Intersystem Crossing Processes in TADF Emitters</b>	<b>257</b>
	<i>Christel M. Marian, Jelena Föllner, Martin Kleinschmidt, and Mihajlo Etinski</i>	
8.1	Introduction	257
8.1.1	Electroluminescent Emitters	257
8.1.2	Thermally Activated Delayed Fluorescence	258
8.2	Intersystem Crossing Rate Constants	259
8.2.1	Condon Approximation	260
8.2.1.1	Electronic Spin–Orbit Coupling Matrix Elements	261
8.2.1.2	Overlap of Vibrational Wave Functions	262
8.2.2	Beyond the Condon Approximation	263
8.2.3	Computation of ISC and rISC Rate Constants	264
8.2.3.1	Classical Approach	265
8.2.3.2	Statistical Approaches	265
8.2.3.3	Dynamical Approaches	265
8.3	Excitation Energies and Radiative Rate Constants	266
8.3.1	Time-Dependent Density Functional Theory	266
8.3.2	DFT-Based Multireference Configuration Interaction	267
8.3.3	Fluorescence and Phosphorescence Rates	268
8.4	Case Studies	269
8.4.1	Copper(I) Complexes	269
8.4.1.1	Three-Coordinated Cu(I)–NHC–Phenanthroline Complex	270
8.4.1.2	Four-coordinated Cu(I)–bis-Phenanthroline Complexes	275
8.4.2	Metal-Free TADF Emitters	277
8.4.2.1	1,2,3,5-Tetrakis(carbazol-9-yl)-4,6-dicyanobenzene (4CzIPN)	279

8.4.2.2	Mechanism of the Triplet-to-Singlet Upconversion in the Assistant Dopants ACRXTN and ACRSA	282
8.5	Outlook and Concluding Remarks	285
	References	286
<b>9</b>	<b>The Role of Vibronic Coupling for Intersystem Crossing and Reverse Intersystem Crossing Rates in TADF Molecules</b>	<b>297</b>
	<i>Thomas J. Penfold and Jamie Gibson</i>	
9.1	Introduction	297
9.1.1	Background to Delayed Fluorescence	300
9.1.2	The Mechanism of rISC	302
9.2	Beyond a Static Description	303
9.2.1	Obtaining the Potential Energy Surfaces	304
9.2.1.1	Vibronic Coupling Model Hamiltonian	306
9.2.2	Solving for the Motion of the Nuclei	309
9.2.2.1	Multiconfigurational Time-Dependent Hartree Approach	310
9.2.2.2	Density Matrix Formalism of MCTDH: $\rho$ MCTDH	311
9.3	Case Studies	312
9.3.1	Ultrafast Dynamics of a Cu(I)-phenanthroline Complex	313
9.3.2	The Contribution of Vibronic Coupling to the rISC of PTZ-DBTO2	316
9.4	Conclusions and Outlook	322
	References	323
<b>10</b>	<b>Exciplex: Its Nature and Application to OLEDs</b>	<b>331</b>
	<i>Hwang-Beom Kim, Dongwook Kim, and Jang-Joo Kim</i>	
10.1	Introduction	331
10.2	Formation and Electronic Structures of Exciplexes	332
10.3	Optical Properties of Exciplexes	336
10.3.1	Photoluminescence of Exciplexes	336
10.3.2	Absorption Spectra of Exciplexes	338
10.4	Decay Processes of the Exciplex in Solution	339
10.4.1	Fluorescence Rate Constant for the Exciplex State	340
10.4.2	Contact Radical Ion Pair (CRIP) Versus Solvent-separated Radical Ion Pair (SSRIP)	342
10.4.3	Charge Separation Versus Charge Recombination	343
10.4.4	Intersystem Crossing (ISC) in the Exciplex	345
10.5	Exciplexes in Organic Solid Films	346
10.5.1	Prompt Versus Delayed Fluorescence	347
10.5.2	Spectral Shift as a Function of Time	350
10.6	OLEDs Using Exciplexes	353
10.6.1	Exciplexes as Emitters	353
10.6.2	Exciplexes as Sensitizers	356
10.7	Summary and Outlook	360
	Appendix	360
10.A.1	Small Molecular Pairs of Donors and Acceptors Forming Exciplexes	360

- 10.A.2 Small Molecules with Electron-donating Moieties Forming Exciplexes 360
- 10.A.3 Small Molecules with Electron-accepting Moieties Forming Exciplexes 365
- 10.A.4 Small Molecules with Electron-donating and Electron-accepting Moieties Forming Exciplexes 368
- References 370
  
- 11 Thermally Activated Delayed Fluorescence Materials Based on Donor–Acceptor Molecular Systems 377**  
*Ye Tao, Runfeng Chen, Huanhuan Li, Chao Zheng, and Wei Huang*
- 11.1 Introduction 377
- 11.2 TADF OLEDs 380
- 11.2.1 Device Structures and Operation Mechanisms of TADF OLED 380
- 11.2.2 TADF Molecules as Emitters for OLEDs 382
- 11.2.3 TADF Molecules as Host Materials and Sensitizers for OLEDs 382
- 11.2.4 Host-free TADF OLEDs 383
- 11.3 Basic Considerations in Molecular Design of TADF Molecules 384
- 11.3.1 Design Principles of Donor–Acceptor Molecular Systems for TADF Emission 384
- 11.3.2 Control of Singlet–Triplet Energy Splitting ( $\Delta E_{ST}$ ) 386
- 11.3.3 Modulation of Luminescent Efficiency of TADF Emission 389
- 11.4 Typical Donor–Acceptor Molecular Systems with High TADF Performance 391
- 11.4.1 Cyano-based TADF Molecules 391
- 11.4.2 Nitrogen Heterocycle-based TADF Molecules 396
- 11.4.3 Diphenyl Sulfoxide-based TADF Molecules 405
- 11.4.4 X-bridged Diphenyl Sulfoxide-based TADF Molecules 407
- 11.4.5 Diphenyl Ketone-based TADF Molecules 408
- 11.4.6 X-bridged Diphenyl Ketone TADF Molecules 410
- 11.5 Organoboron-based TADF Molecules 411
- 11.6 TADF Polymers 412
- 11.7 Intermolecular D–A System for TADF Emission 413
- 11.8 Summary and Outlook 417
- References 417
  
- 12 Photophysics of Thermally Activated Delayed Fluorescence 425**  
*Andrew Monkman*
- 12.1 Introduction 425
- 12.2 Comments on the Techniques Used in Our Studies 428
- 12.3 Basic Absorption and Emission Properties 428
- 12.4 Phosphorescence and Triplet State Measurements 438
- 12.5 Characteristics of the Delayed Fluorescence 440
- 12.5.1 Time-resolved Emission in Solution 440
- 12.5.2 Time-resolved Emission in Solid State 446

- 12.5.3 Kinetics of the  $^1\text{CT}$  Prompt State 449
- 12.6 Understanding Which Excited States are Involved 450
- 12.7 Excited-state Properties 452
- 12.8 Dynamical Processes 455
- 12.9 Emitter–host Interactions 457
- 12.10 Energy Diagram for TADF 459
- 12.11 Final Comments 459
  - Acknowledgments 461
  - References 461
  
- 13 Thioxanthone (TX) Derivatives and Their Application in Organic Light-emitting Diodes 465**  
*Xiaofang Wei, Ying Wang, and Pengfei Wang*
- 13.1 Organic Light-emitting Diodes 465
- 13.2 Pure Organic TADF Materials in OLEDs 467
- 13.3 TX Derivatives for OLED 468
  - 13.3.1 High Efficient OLEDs Based on TX-based TADF Materials 468
    - 13.3.1.1 Design and Characterization of TX-based TADF Emitters 468
    - 13.3.1.2 Nondoped OLEDs Based on TADF Emitters with Quantum Well Structure 481
    - 13.3.1.3 White OLEDs Based on Blue Fluorescent Emitter and Yellow TX-based TADF Emitters 486
  - 13.3.2 TADF Host for Phosphorescent Emitters 490
- 13.4 Concluding Remarks and Outlook 495
  - Acknowledgments 496
  - References 496
  
- 14 Solution-Processed TADF Materials and Devices Based on Organic Emitters 501**  
*Nidhi Sharma, Michael Yin Wong, Ifor D.W. Samuel, and Eli Zysman-Colman*
- 14.1 Introduction 501
  - 14.1.1 Solution-Processed Blue TADF Materials and Devices 504
  - 14.1.2 Solution-Processed Green TADF Materials and Devices 512
  - 14.1.3 Solution-Processed Yellow-to-Red TADF Materials and Devices 523
  - 14.1.4 Comparison of State-of-the-Art Solution-Processed OLEDs to Vacuum-Deposited Counterparts 526
  - 14.1.5 Solution-Processed TADF Polymers and Dendrimers 527
- 14.2 Summary and Outlook 537
  - References 538
  
- 15 Status and Next Steps of TADF Technology: An Industrial Perspective 543**  
*Alhama Arjona-Esteban and Daniel Volz*
- 15.1 What Does the Market Want? 543
  - 15.1.1 The Emitter Materials: Heart of the OLED 544
  - 15.1.2 Processing Aspects 547



15.1.3	Sustainability Aspects	549
15.1.3.1	Availability Issues	549
15.1.3.2	Recycling Considerations	550
15.1.4	Realization of Efficient and Stable Blue OLEDs	550
15.1.4.1	The Blue Gap	550
15.1.4.2	Key Performance Indicators	551
15.2	Mastering Blue OLEDs with TADF Technology	552
15.2.1	Current Status of Blue TADF Technology: Academia	552
15.2.2	Current Status of Blue TADF Technology: Industry	554
15.3	An Alternative Approach: TADF Emitters as (Co) Hosts	559
15.3.1	General Remarks	559
15.3.2	First Attempts of Using TADF as Hosts	561
15.3.3	Discussion of Various Concepts	562
15.3.3.1	TADF as Host for Other TADF Emitters	562
15.3.3.2	TADF as Host for Fluorescent Materials	563
15.3.3.3	TADF as Host for Phosphorescent Emitters	564
15.4	Outlook: What to Expect from TADF Technology in the Future	566
	References	567

<b>Index</b>	573
--------------	-----

