

Index

a

- Ag NP/IL composites
 - anti-pathogenic applications 112
 - electrochemical synthesis, NSs 109
 - interfacial synthesis 108
 - plasmonic catalysis 111, 112
 - sensing and separation 110, 111
 - TEM 109
 - in tetraalkylphosphonium chloride ILs 110
- AgPd NPs 138
- 1-alkyl-3-methylimidazolium iodides 279
- 1-allyl-3-(butyl-4-sulfonyl) imidazolium hydrogensulfate [ABsim][HSO₄] modified TiO₂ (IL-TiO₂) 290
- Au NP/IL composites
 - catalytic applications 106
 - chemical synthesis protocols 98, 99, 102
 - electrochemical applications 104
 - high thermal stability 106
 - IL droplets, fusion process 103
 - imidazolium-based IL to graphene 107
 - MWCNTs 105
 - oxidative etching 100
 - physical methods 102, 103
 - in sensors 104, 105
 - SERS-based applications 106
 - SPR 97, 104
 - tryptophan-based ILs 105
 - UV–Vis absorption spectra 100, 101
- oxidation 141, 142
- continuous flow technologies 143
- core-shell structures 125
- electronic effects 125
- heterodimeric architectures 125
- in ILs
 - as additives 129, 130
 - cation exchange reaction 131
 - co-decomposition synthesis 127–129, 131
 - electrochemical methods 134, 135
 - metallic reduction 129, 130
 - MWCNTs 132
 - nanostructured supports 131
 - polymer microspheres 130
 - sputter deposition methodology 135, 136
 - thermal decomposition 132–134
- molecular- and surface-based catalysts 143
- ordered/disordered systems 125
- organic transformation 126
- spatial proximity 125
- SPR 135
- structural arrangements 125, 126

binary metal carbonyls 150, 163

biomass conversions

– chemical method 233

– cinnamaldehyde and citral 244

– Crabtree's catalyst 234

– dendrimer;[poly(amidoamine) (PAMAM) 244

– hydrocinnamaldehyde 244

– NP catalysts 233

– Pd–carbene complexes 244

– Ru NPs 18–20

– SCILL system 244

– silica gel 244

biomass feedstocks, hydrodeoxygenation 266

- bis-(4-hydroxy-2-oxothiazolyl)methanes 116
- bis-imidazole Pd complex 77
- BMNPs, *see* bimetallic nanoparticles (BMNPs)
- borylation reaction 35, 36
- c**
- carbapalladacycle Pd complex 78
- carbon-based support materials 158
- cellulose
- β -1,4-linked D-glucopyranose units 234
 - boronic acid 235
 - cellobiose 234, 235
 - [C₁₂mim][N(Tf)₂] 237
 - degradation 235
 - furfural 236
 - 4-(2-furyl)-3-butene-2-one 237, 238
 - HPA 236
 - HPLC analysis 236
 - ICP analysis 235
 - Ru@SILP catalytic system 238
- charge separation event 281
- chemical reduction route synthesis 26, 29, 64, 74, 109, 115, 141
- chemically derived graphene (CDG) supported NPs
- Rh NPs 34
 - Ru NPs 7
- CN-functionalized ILs 76
- cobalt nanoparticles (Co-NPs)
- FTS reaction 36, 37, 160
 - hydrogenation reaction 32
 - ILs 26
 - synthesis 28
- core-shell BMNPs 134
- Cu NP/IL composites
- atom-transfer radical polymerization 116
 - Biginelli reaction 117
 - C-N coupling 118
 - catalysis 116, 118
 - constant-potential amperometry 113
 - cyclic voltammetry 113
 - energy dispersive X-ray analysis 115
 - physical methods 115
 - polydisperse colloidal Cu NPs 116
 - potentiostatic electrolysis 115
 - PVP stabilizer 116
 - synthesis and applications 113
 - TEM images 115
 - transmission electron microscopy 115
 - vapor deposition 115
 - X-ray diffraction 115
- 2-cyclohexenone hydrogenation 137
- d**
- DC-sputtering system 172, 173
- Derjaguin-Landau-Verwey-Overbeek (DLVO) theory 10, 41, 99, 149
- 1,3-dipolar cycloaddition reaction 116
- dye-sensitized solar cells(DSSCs) 276–277
- e**
- electrochemical preparation, metal NPs
- cobalt 215, 217
 - gold plating 220, 222, 223
 - iron 215, 218
 - nickel 215, 217
 - palladium 218–221
 - platinum plating 222, 223, 226
- electrodeposition
- adatoms (nucleation) 209
 - diffusion (mass transfer) 208
 - electrochemical reaction 208
 - electrolyte convection 209
 - iron 217
 - metal species (charge transfer) 208
 - of silver 210, 211, 213–215
 - platinum plating 216
 - surface diffusion 209
 - terrace–step–kink (TSK) model 208–209
- electron beam deposition 171
- energy-dispersive X-ray spectroscopy (EDX) analysis 115, 128, 130, 269
- 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide ([C₂mim][N(Tf)₂]) IL electrolyte 279
- extended X-ray absorption of fine structure (EXAFS) 134, 183, 269
- f**
- fatty acid
- catalyst activity and selectivity 243
 - glycerol 243
 - hydrogenation, Pd 243
 - polyunsaturated fatty acids (PUFA) 241
 - selective partial hydrogenation 242
 - fatty acid methyl esters (FAME) 241
- Fe NPs
- catalytic applications 20
 - selective hydrogenation 20
 - stabilization 8
 - synthetic schemes 5
- FeRu alloy NPs 137
- film preparation, RTIL surface 186, 187
- Fischer–Tropsch synthesis (FTS) 4, 20, 36, 128, 150, 160, 164
- fuel cell electrocatalysis 20, 98
- functionalized ionic liquids (FILs) 8, 9, 47, 88

g

- galvanostatic cathodic electrolysis 224
- green catalytic system 160

h

- HAADF-STEM mapping 133, 136, 137, 184, 186
- Heck coupling reaction 57, 64, 66, 68, 69, 72–74, 117
- Heck/Heck/Suzuki reactions, Tandem 70
- hybrid quantum dot-organic solar cells (HyQD-OSCs) 281
- hydroformylation reaction 34
- hydrogenation reactions 31, 47, 54, 93, 137–140
 - Pt NPs 47
 - arenes 16–17
 - olefins 12, 15–16

i

- imidazolium-based ionic liquids 83, 85, 86
- inductive coupled plasma (ICP) 269
- ionic liquid immobilized metal nanoparticles
 - aerobic oxidation 234
 - cellulose, *see* cellulose
 - fatty acid, *see* fatty acid
 - hydrogenation 234
 - lignin, *see* lignin
- ionic liquids (ILs) 4, 25, 26, 41, 64
 - catalytic applications, M-NPs 160–163
 - cations and anions 149
 - chemisorption techniques 249
 - definition 207
 - microwave reactions 149
 - microwave-induced thermal decompositions 149
 - physical and electrochemical properties 207
 - physico-chemical properties 125
 - physisorption techniques 249
 - Rh-NP deposition on a Teflon-coated magnetic stirring bar 159
 - separation and purification process 158
 - silver nanoparticles formation 210, 211, 214, 215
 - synthesis 157–159
- Ir NPs
 - borylation reaction 35, 36
 - hydrogenation reaction 32
 - ILs 26
 - synthesis 28
 - TEM images 29
- iron oxide NPs 8

k

- Kirkendall effect 176

l

- laser ablation experiments 198
- laser induced downsizing and ablation of materials 197, 199
- laser induced-thermal vapor deposition, RTILs 199, 202
- laser pulse deposition 171
- lignin
 - anisole and cresol 239
 - hydrodeoxygenation 238
 - IL activity, dehydration process 239
 - palladium NPs 241
 - Poly-N-Donor Ligands 240
 - stabilizing ligands 240
 - syringaldehyde 241
 - wood extraction 238
- localized surface plasmon resonance (LSPR) 111, 118, 173
- lunar liquid mirror telescope models 108

m

- metal carbonyl precursors
 - M-NPs synthesis 152
 - microwave irradiation 156
 - molecular structures 151
 - molecular volume, ILs 157
 - nanoparticles, ILs 154–156
 - qualitative molecular orbital (MO) 152
 - Raman spectra 157
 - stoichiometry 150
 - synthesis and stabilization 153
 - tungsten and rhodium NPs 157
- metal nanoparticles
- metal nanoparticles (M-NPs) 4, 41, 63
 - applications 11–20, 25, 83
 - catalytic applications 12
 - chemical/electrochemical reduction 207
 - chemical reduction route synthesis 26, 29
 - concentration distribution 210
 - electric double layer 213
 - electrostatic adsorption 207
 - electrostatic stabilization 84
 - glassy carbon electrode in [C₄mPyr][N(Tf)₂] 211, 212
 - ionic liquids
 - properties 9
 - stabilization 10–11
 - low lattice energy 147
 - nanoscience and nanotechnology 147
 - palladium 84
 - polymers/surfactants 147

- metal nanoparticles (M-NPs) (*contd.*)
 - stabilization, ILs 148
 - stabilizing agents 25, 207
 - thermal/microwave decomposition route synthesis 26, 30
 - van der Waals interactions 207
 - metal sputtering/RTIL
 - alloy nanoparticles preparation 182, 185
 - application
 - – electrocatalysts 192, 193, 195
 - – organic syntheses 195
 - – photoluminescence materials 192
 - – plasmonic materials 189, 191
 - immobilization, nanoparticles 187, 189
 - indium metal 173
 - size distribution, Au nanoparticles 180
 - sizes and shapes. particles 173
 - synthesis mechanism of nanoparticles 178, 179, 182
 - XPS analysis 173
 - microwave irradiation 7, 30, 132, 149, 153, 156–158, 160, 163
 - mononuclear metal carbonyls 152
 - Monsanto acetic acid process 150
 - multi-photon photoreduction
 - microfabrication 102
- n**
- nabumethone 71
 - nanoparticles immobilized onto supported ionic liquids phases (NPs@SILP)
 - advantages 269
 - catalytic application
 - – C–C coupling reactions 257
 - – functionalized ILs 259–261
 - – non-functionalized ILs 257–259
 - – product recovery and catalyst reuse 256
 - chemisorbed SILP 254–256
 - growth and stabilization 252, 253
 - hydrogenation
 - – functionalized ILs 264–267
 - – non-functionalized ILs 262–264
 - physisorbed SILP 254, 255
 - sol–gel chemistry 254
 - Ni NPs
 - Heck coupling reaction 57
 - histograms 49
 - hydrogenation reaction 55
 - – micellar aggregates 57
 - – recycling experiment 56
 - synthesis 48
 - TEM micrograph 49
 - XRD patterns 49
- o**
- OH-functionalized amines 75
 - Os NPs
 - applications 12
 - synthesis 5
 - TEM images 154
 - Ostwald ripening 103, 147
- p**
- palladium nanoparticles (PdNPs)
 - C–C cross-coupling reactions 63
 - cross-linked polymeric ionic liquids 90
 - Heck coupling reaction 68
 - homogeneous and heterogeneous reaction pathways 63, 64
 - hydrogenation
 - – aldehydes and aromatic nitro compounds 90
 - – alkenes and arenes 88, 90
 - – alkynes and dienes 88, 89
 - – biomass 92, 93
 - – cross-linked polymeric ionic liquid (imidazolium) microgels 89
 - – ketones 91
 - – phenols 91
 - – quantum size effects 88
 - IL and NHC ligands 67
 - laser irradiation 68
 - metal precursor type 87
 - precursor effects 66, 67
 - RCO₂- anion effect 66
 - reducing agents and ionic liquids 87, 88
 - reduction, ILs 86
 - Sonogashira coupling reaction 77
 - stabilization 67
 - Stille coupling reaction 75
 - Suzuki cross-coupling reaction 74
 - synthesis 65, 66
 - PdAu NPs 131
 - PdNPs, *see* palladium nanoparticles (PdNPs)
 - phosphine functionalized ionic liquids (PFILs) 89, 90
 - photocatalytic oxidative desulfurization
 - process of DBT 283
 - photocatalytic processes
 - environmental applications 281
 - ILs 282–285
 - photoinduced formation mechanism 282
 - using transition metal oxides 281
 - photoexcitation 190, 281
 - photolithography 171
 - photoluminescence spectra, CdTe nanoparticles 191

- photolyzed acetochlor oxidation in
 TiO₂-P3HT-IL modified GCE 285
- photovoltaic cells
 - DSSC 276
 - dye-sensitized solar cell 277
 - ILs 277-280
 - photon-to-current conversion 276
- physical vapor deposition (PVD)
 - electron beam deposition 171
 - laser pulse deposition 171
 - sputter deposition 171
 - thermal vapor deposition 171
 - top-down and bottom up processes 171
- poly(vinylpyrrolidone) stabilizers 29, 33, 73, 91, 99, 129, 139, 140
- polyoxometalate-based ionic liquids 126
- potentiostatic cathodic reduction 224
 - Au nanoparticles 223
 - palladium 219, 221
 - Pt nanoparticles 225
- 1,2-propanediol (1,2-PDO) 19
- Pt NPs
 - Rietveld's refinement 42
 - synthesis 42
 - TEM micrograph 45, 46
 - two-phase model 45
 - XRD patterns 42
- pyridinium-based ionic liquids 85
- pyrrolidinium-based ionic liquids 85
- q**
- quasi-solid-state DSSCs 278
- r**
- Rh NPs
 - hydroformylation reaction 34, 35
 - hydrogenation reaction 32-34
 - ILs 26
 - synthesis 28
 - TEM images 29
- room-temperature ionic liquids (RTILs) 83
 - laser ablation 197
 - laser-induced fragmentation 197
 - pentacene, single-crystal-phase of 199-202
 - sputter deposition 172-195
 - TVD 196-197
- Ru NPs
 - biomass conversion 18-20
 - catalytic reactions 12, 13
 - chemoselective hydrogenation reactions 17, 18
 - DFT calculation 11
 - Fischer-Tropsch synthesis 20
 - ionic liquid stabilization 10, 11
 - metal reduction route synthesis 6
 - methanol oxidation 20
 - research traits 21
 - synthetic schemes 5
 - TEM images 6
 - thermal decomposition route synthesis 7
- RuCuNPs@BEN-TMGL 263
- rutile TiO₂-Polypyrrole (PPy) nanocomposites 288
- s**
- sequential sputter deposition 185, 186
- small angle X-ray scattering (SAXS) 269
- sol-gel electrolyte nanocomposite 279
- solid catalysts with ionic liquid layers (SCILLs) 249
- solvated metal atom dispersion technique 115
- Sonogashira coupling reaction 76-78
- SPR, *see* surface plasmon resonance (SPR)
- sputter deposition 102, 127, 135, 136, 142, 171-195
- Stille coupling reaction 76-77
- supported ionic liquid phases (SILPs) 245
 - advantage 250
 - application 249
 - impregnation 251
 - ion exchange/equilibrium adsorption 251
 - NP@SILP catalysts 250
 - physisorbed and chemisorbed 251
 - preparation 252
 - properties 250
 - sol-gel chemistry 251
 - synthetic strategies 252, 253
- supported PtRu NPs 131
- surface plasmon resonance (SPR)
 - Au NPs 97, 104
 - BMNPs 135, 137
- surface-enhanced Raman spectroscopy (SERS) 98, 105-106, 108
- Suzuki cross-coupling reaction 74, 75, 262
- Suzuki-Miyaura reaction 63, 67, 75, 195, 258, 260, 261
- t**
- tandem reactions 70, 71, 92, 267
- tandem triple Heck reaction 70
- terrace-step-kink (TSK) model 208-209
- thermal vapor deposition (TVD) 171, 196, 197

- thermal/microwave decomposition route
 - synthesis 26, 30, 51, 117, 132–134, 149, 156, 158
- thermally reduced graphite oxide (TRGO) 158, 161, 162
- top-down process, *see* room-temperature ionic liquids (RTILs)
 - average size and morphology, NPs 174–176
- TVD *see* thermal vapor deposition (TVD)

w

- water splitting
 - nanostructured semiconductor
 - – PEC WS reaction 289–291
 - – photocatalytic WS reaction 287, 288
 - photocatalytic and photoelectrochemical 286, 287
 - principles 286–287

x

- X-ray absorption near-edge spectroscopy (XANES) 136, 142
- X-ray absorption spectroscopy (XAS) 128
- X-ray diffraction (XRD) patterns
 - Au NPs 102, 106
 - BMNPs 129, 131, 132, 135, 136
 - Ni NPs 49
 - NP@SILP catalysts 269
 - Pd nanoparticles 218, 219
 - Pt NPs 42, 43, 224
 - RTILs 199
- X-ray photoelectron spectroscopy (XPS)
 - BMNPs 128, 131, 132, 134
 - Cu NPs 115
 - NP@SILP catalysts 269
 - Pd NPs 65, 72
 - RTILs 173