

## Index

### a

- absorption, distribution, metabolism and excretion (ADME) 162, 211
- ACCORD trial 44
- acetaminophen 27, 30, 33
- acetate ester of 2-hydroxy TP prasugrel 57
- acetic acid derivatives 221
- acetochlor 293, 295, 296
- acetoxyhydroxyacid synthase (AHAS) 339
- acetyl lactate synthase (ALS) 306
- acetyl ester group (OCOCH<sub>3</sub>) 59
- acifluorfen-sodium 347
- acrivastine 239, 241, 243
- activator protein 1 (AP-1) 259
- active pharmaceutical ingredient (API) 92
- activity-based protein profiling (ABPP) 205
- acute coronary syndrome (ACS) 59, 66
- acyl-coA oxidase (ACOX) 49
- adrenocorticotrophic hormone (ACTH) 259
- Advil 223
- alachlor 293, 295
- alfentanil 28, 35
- alkylamines 242
- alkylated pyridinium salt 31
- allidochlor 295
- Almirall-Hermal GmbH 212
- alogliptin 180
- (3 $\alpha$ ,5 $\alpha$ )-3-hydroxy-androstan-17-one (androsterone) 43
- 2'- $\alpha$ -fluoro-2'- $\beta$ -methyl analogs 174
- 9 $\alpha$ -fluorohydrocortisone, nonnatural steroid analog 250
- alveolar mucosa 245
- Amberlite-IRA 400 (OH<sup>-</sup>) resin 137
- Amias<sup>®</sup> 87
- amino acid herbicides
  - biological activity 320
  - mode of action 319
- structure–activity relationships 321
- subclasses 315
- synthesis 317
- amino amides 29
- amino ester group 29
- aminocyclopyrachlor 285, 286
- aminopyralid 284–286, 288, 290
- amisulpride
  - dopamine antagonist 8
- anagliptin 180, 183
- androgen receptor (AR) 262
- Angiomax 104
- angiotensin II (AII)-induced hemodynamic pathway 87
- angiotensin II receptor blockers 88
- angiotensin receptor blockers (ARB's) 87, 98
- angiotensin-converting enzyme (ACE) inhibitor 89, 95
- antedrug 251, 252
- anthranilamides 479, 485–488
- anthranilic acid derivatives 221
- antifungal ketoconazole
  - CYP3A4 inhibitor 66
- antihistamines 237
  - generation of drugs 237, 238
  - mode of action 241
  - structure–activity relationships 241
  - synthesis 239
- antioxidant response element (ARE) 214
- antiplatelet thienopyridines 60
- arachidonic acid (AA) 271
- argatroban 104, 105
  - discovery and optimization 106
  - pioneering work 109
- Arylex<sup>TM</sup> 286, 288, 291
- aryloxyphenoxypropionate herbicides
  - biological activity 330
  - ester replacements 332

- aryloxyphenoxypropionate herbicides (*contd.*)
- mode of action 329
  - structure–activity relationships 331
  - structures 326, 327
- arylpyridinecarboxylic acid auxin herbicides 286, 288, 291
- Aspergillus terreus* 73
- aspirin 221, 222, 224
- reaction mechanism of 230
  - synthesis of 224
- Atacand<sup>®</sup> 87
- atorvastatin 3, 73, 75
- industrial production of 78
- atrial fibrillation (AF) 103
- atromid 43
- attention deficit disorder (ADD) 15
- attention deficit hyperactivity disorder (ADHD) 15
- auxin mimic herbicides 283
- biological activity 289
  - mode of action 289
  - synthesis 287
- Avapro<sup>®</sup> 87
- azilsartan medoxomil 88, 95
- azoxystrobin 3, 371, 372, 374–376
- b**
- B cell receptors (BCRs) 202
- Bacillus anthracis* 121
- Bargellini reaction 45, 47
- Barton ester formation 258
- basipetal movement 2
- benalaxyl 361
- Benicar<sup>®</sup> 87
- N*-benzyl-5-imidazole acetic acids 89
- benzofendazole 347
- benzoic acid auxin herbicide 284, 287
- 2-(1-benzyl-1*H*-imidazol-5-yl)acetic acid 87
- N*-benzoyl-*N'*-phenyl ureas, acaricides and termiticides
- biological activity
    - – bistrifluron 448
    - – chlorfluazuron 447
    - – diflubenzuron 447
    - – flucycloxuron 447
    - – flufenoxuron 447
    - – hexaflumuron 448
    - – log  $K_{ow}$  -values 446
    - – lufenuron 448
    - – novaluron 447
    - – noviflumuron 448
    - – physico-chemical properties 446
    - – teflubenzuron 447
    - – triflumuron 448
  - halogenation 439
  - synthesis
    - – 2,6-difluoro-4-nitro-phenol 444
    - – benzonitriles/benzamides 443
    - – benzoylisocyanates 442, 444
    - – flucycloxuron 444
    - – flufenoxuron 445
    - – halogen-substituted nitro- or amino-phenols 444
- benzovindiflupyr 413, 417
- $\beta$ -lactam 18
- betamethasone (BM) 250
- bezafibrate 41, 47, 51
- biaryl ring system 163
- bifenox 349
- bilanafos 315, 320
- bilastine 239, 240
- bimatoprost 271, 275
- BioCryst Pharmaceuticals 135
- Biogen 212
- bioisostere 6
- bioprecursors 4
- Biota, Australian biotechnology company 135
- bistrifluron 448
- bivalirudin 104
- bixafen 408, 411
- blood coagulation cascade 103
- Blopress<sup>®</sup> 87
- Boc-protection 185
- Bontima<sup>®</sup> 416
- Boots Company 224
- boron-dipyrromethene (BODIPY) fluorescence probe 204
- boronic acids 181
- boscalid 405
- BPU, *see* *N*-benzoyl-*N'*-phenyl ureas, acaricides and termiticides
- Br-alkyl intermediate 61
- Breo<sup>®</sup>Ellipta<sup>™</sup> 246
- Broad-band spectrum antibiotics 117
- brufen 223
- Bruton's tyrosine kinase (Btk) 199
- critical role of 202
  - inhibition in oncology 203
  - mechanism of action 202
  - structure–activity relationships (SAR) 203
- butachlor 293
- butafenacil 349, 350
- c**
- C-20 ketone 250
- C-7-fluorotetracycline derivative 123
- Caco-2 cell system 218

- cAMP (cyclic adenosine monophosphate)  
 concentration 63
- candesartan cilexetil 88
- candesartan pro-drug 92
- captopril 89
- carbonyl diimidazole (CDI) 108
- carboxamide moiety 200
- carboxin 405, 406, 408
- carboxylic acid 1, 7, 133  
 – bioisostere 6  
 – moiety 135, 237, 240  
 – pharmacophore 3  
 – prodrug 4  
 – scaffold 8  
 – solubilizer 1
- carboxylic acid amide (CAA) fungicides  
 – agrochemical active ingredients 395  
 – benthialdicarb 395  
 – central amide linkage 395  
 – cinnamic 397, 398, 401  
 – dimethomorph 395  
 – flumorph 395  
 – general structure 401  
 – history 395  
 – mandelamide mandipropamid 395  
 – – biological activity 400  
 – – structure–activity 401  
 – – synthesis 398, 399  
 – pyrimorph 395  
 – valifenalate 395  
 – valinamide iprovalicarb 395  
 – – biological activity 400  
 – – structure–activity 401, 402  
 – – synthesis 398
- Carboxylic acid ester, *see* Sovaldi
- carboxylic acid-based statins 71  
 – history of 72  
 – structure–activity relationship 81  
 – synthesis 73
- carfentanil 28, 32
- carfentrazone-ethyl 347
- carpropamid  
 – history 385, 386  
 – mode of action 390  
 – synthesis 389
- catalytic asymmetric hydrogenation 226
- cathepsin A (CatA) 172
- Caucasian population 211
- 150-cavity, N1-nueraminidase inhibitors 145
- Celanese process patent 33
- celecoxib 223, 232
- Celera Genomics 200
- cell-based assays 173
- Centedrin™ 15, 16
- cerivastatin 81  
 – lipophilic statin 83
- cetirizine 238, 240
- chelating agents 128
- chelation sites 128
- chiral resolution 153
- chlorantraniliprole 479, 480, 485
- chlorfluazuron 447
- chloroacetamide herbicides 294  
 – biological activity 299  
 – invention pathway 295  
 – mode of action 297  
 – structure–activity relationships 300  
 – structures 294  
 – synthesis 296
- 2-chloropyridine 17
- chlorsulfuron 308
- chlortetracycline 120
- cholesterol biosynthesis 80
- chromafenozide 467  
 – biological activity 473  
 – history 467  
 – synthesis 469
- chromanones 387
- chronic inflammatory skin disease 211
- chronic lymphocytic leukemia (CLL) 199
- cinidon-ethyl 350
- ciprofibrate 41, 51
- citrinin 72
- Claisen condensation 79
- Claisen cyclization 126
- clodinafop 330
- clofibrate 41  
 – primary prevention trial 43
- clofibric acid esterification 47
- clopidogrel 57, 58  
 – activation and metabolic pathways of 63  
 – antithrombotic drug 6  
 – pharmacological properties in humans 67
- clopyralid 284, 285, 288, 290
- coagulation cascade pathway 108
- cocaine abuse treatment agents 23
- compactin 73
- Congo red azo dye 134
- Corey lactone 273, 275
- coronary heart disease (CHD) 43
- cortexolone acetate 255
- coumoxystrobin 372
- Cozaar® 87
- Crohn's disease 246
- Cubist Pharmaceuticals 152
- Cunninghamella blakesleeana* 250
- Curvularia lunata* 255
- Cushing's syndrome 251

- cyanoacrylamide based covalent inhibitors  
206
- cyantraniliprole 485
- cyclaniliprole 480
- cyclohexyl 1-hydroxyethyl carbonate (cilexetil)  
ester 92
- cyclooxygenase COX1/2 isoforms 221
- cyclopentane ring 272
- cyclopropyl congener 173, 174
- cyhalofop-butyl 330
- cyhalothrinic acid 455
- cytochrome P450 218
- cytochrome-mediated activation 57
- d**
- D-homoannulation 253
- D-Phe-Pro-Arg sequence 105
- dabigatran 104  
– historic path 112  
– synthesis 108
- dabigatran etexilate (Pro-1) 103, 104, 113
- Daiichi Sankio synthesis pathway 60
- Danishefsky's diene 140
- deep vein thrombosis (DVT) 103
- deltamethrin 455
- deoxycycline 121
- 2-deoxy-2, 3-didehydro-N-acetylneuraminic  
acid (DANA, 6) 134
- deoxyribose-5-phosphate aldolase (DERA)  
80
- detoxification 387
- Dexamethasone (DX) 256
- diamides insecticides  
– anthranilamides 479  
– biological activity 485  
– history 479  
– mode of action 485  
– phthalamides 479  
– structure–activity relationship 486  
– synthesis 481
- diastereoconvergent approach 431
- dibenzoyl hydrazine insecticides  
– A-ring or B-ring replacement 475  
– bicyclic systems 476  
– chromafenozide 467  
– – biological activity 473  
– – history 467  
– – synthesis 469  
– fufenozide 467  
– – biological activity 473  
– – history 467  
– – synthesis 470  
– halofenozide 467  
– – biological activity 473
- – history 467  
– – synthesis 469, 470  
– (history) 467  
– methoxyfenozide 467  
– – biological activity 473  
– – history 467  
– – synthesis 468, 469  
– (mode of action) 471  
– N-tert-butyl dicarbonyl hydrazine backbone  
473  
– new structural types 476  
– non-steroidal ecdysone agonists 467  
– pharmacophore model 473  
– tebufenozide 467  
– – biological activity 473  
– – history 467  
– – synthesis 469, 470
- dicamba 284, 287, 290
- 2,4-dichlorophenoxyacetic acid 283, 284
- 2,4-dichlorophenoxybutyric acid 283, 284
- dichlorprop 284
- diclocymet  
– history 387  
– synthesis 389
- diclofenac 221, 223, 227, 233
- diclofop 330
- diclofop-methyl 325–328
- Diels-Alder cycloaddition 126
- Diels-Alder reaction 140
- diester 246
- (3*R*,5*R*)-3,5-dihydroxypentanoic acid 72
- diisobutylaluminium hydride (DIBAL) 275
- dimethenamid 293, 300
- N,N*-dimethylthiocarbamoyl chloride,  
thioesterification agent 256
- dimethyl fumarate (DMF) 212  
– approved drugs 212  
– immunomodulatory, anti-inflammatory effects  
215  
– mode of action 213  
– oral formulation of 213
- dimoxystrobin 373
- diofenolan 436
- diosgenin 250
- Diovan<sup>®</sup> 87
- dipeptidyl peptidase-4 (DPP-4 DPP-IV, CD26)  
179  
– immunomodulating agents 180  
– history 179  
– mode of action 187  
– structure–activity relationships 188
- DNA-binding domain (DBD) 48
- dopamine transporter (DAT) 15
- Dowex resin 137

- DPX KZ165 382  
 drug induced liver injury (DILI) 106  
 DuPont 480  
 – oxazolidinone program 151  
 – pharmaceuticals division 89
- e**  
 Edarbi® 87  
 Effient® 59  
 electrophilic reactivity 216  
 Emergency Use Authorization (EUA) 136  
 5-enolpyruvyl shikimate 3-phosphate synthase (EPSPS) 319  
 enoxastrobin 372  
*Enterococcus faecalis*, vancomycin-resistant 149  
 enzymatic lactam pathway 161  
 eperezolid 151, 155  
 eprosartan 88, 94, 98  
*Escherichia coli* 118  
 Ester hydrolysis 136  
 ethoxyfen-ethyl 349  
 3-ethylglutaryl-coenzyme A (HMG-CoA) reductase 71  
 (±)-ethylphenidate ((±)-4) 15  
 European Medicines Agency (EMA) 182  
*ex-chiral pool* approach 432
- f**  
 famciclovir 4  
 fenaminostrobin 373  
 fenofibrate 41, 44, 51  
 fenoxanil  
 – history 387  
 – synthesis 389  
 fenoxycarb 433, 434, 436  
 fentanyl 27  
 – derivatives in 29  
 – discovery of 29  
 – important drug analogs 28  
 – mode of action 33  
 – structure–activity relationships 34  
 – synthesis 30  
 fexofenadine 239, 240  
 fibrates acids 41  
 – clofibrate 41  
 – generic versions of 41  
 – history of 42  
 – treatment of hyperlipidemia 41  
 Fischer esterification 45  
 Fischer Indole synthesis 227  
*Flavobacterium dehydrogenans* 250  
 fluacrypyrim 382  
 fluazifop 328, 333  
 fluazifop-butyl 327  
 fluazifop-P-butyl 326  
 fluazolate 347  
 flubendiamide 479, 485  
 flucyclohexuron 444, 447  
 flufenoxuron 445, 447  
 flufenoxystrobin 372  
 flufenpyr-ethyl 350  
 flumiclorac-pentyl 350  
 fluocinolone acetonide (FC) 251  
 fluocinonide 258  
 fluopyram 417, 421  
 fluoroglycofen-ethyl 349  
 fluorophenyl moiety 163  
 fluoxastrobin 382  
 flupropacil 347  
 flurbiprofen 3  
 fluroxypyr 285, 287, 291  
 fluthiacet-methyl 350  
 fluticasone 252  
 fluticasone furoate (FTF) 246  
 fluticasone propionate (FTP) 246, 255, 256  
 fluvastatin 76  
 – industrial production of 77  
 fluvastatin statin 73  
 fluxapyroxad 417  
 Focalin® 15  
 fomesafen 349  
 Food and Drug Administration (FDA) 182  
 fop herbicides, (*see*) aryloxyphenoxypropionate herbicides  
 Friedel–Crafts reaction 240  
 Friedel–Crafts acylation 226  
 Friedel–Crafts alkylation 45, 227  
 Friedel–Crafts conditions 224  
 fufenozide 467  
 – biological activity 473  
 – history 467  
 Fumaderm® 212, 217  
 fumaric acid esters (FAE) 211, 213  
 – basic structure of 212  
 – history of 211  
 Fungicide Resistance Action Committee (FRAC) 405, 406
- g**  
 G-protein coupled receptors (GPCRs) 63  
 GAL4 transactivation assays 50  
 gastrointestinal irritation 223  
 gemfibrozil 41, 44, 46, 50  
 gemigliptin 180, 183  
 Gilead Sciences 138, 139  
 Glaxo compound 263  
 Glaxo Wellcome 258

- GlaxoSmithKline 135, 137  
 gliptins 179, 187  
 glucagon-like peptide-1 (GLP-1, GLP-1(7–36) amide) 179  
 glucocorticoid esters, intranasal agents 260  
 glucocorticoid receptors (GRs) 258  
 glucocorticoid-responsive elements (GREs) 258  
 glucocorticoids carboxylic acid esters  
   – approved/ marketed 247  
 glucocorticosteroid carboxylic acid esters (GCE) analogs 245  
   – history of 249  
   – mode of action 258  
   – synthesis of 252  
 glufosinate 316  
   – biological activity 321  
   – structure–activity relationships 322  
   – synthesis 318, 319  
 glutamine 272 3  
 glutathione 216  
 glycine-based inhibitors mimic 179  
 glyoxaline ring 90  
 glyphosate 315, 316  
   – biological activity 321  
   – mode of action 319  
   – structure–activity relationships 322  
   – synthesis 317, 318  
 Gram-positive bacteria 149  
 Grignard reaction 60, 62  
 Grignard reagent 225  
 Groupe Fournier French company 44  
 guanidine moiety 144
- h**
- H1N1, influenza A virus 135  
*Haemophilus influenzae* 118, 159  
 halofenozide 467  
   – biological activity 473  
   – history 467  
   – synthesis 469, 470  
 haloperidol 28  
 halopredone acetate 254  
 halosafen 349  
 hemagglutinin (HA) 142  
 heparin-induced thrombocytopenia (HIT) 105  
 hexaflumuron 448  
 high-throughput screening (HTS) 179  
 hirudin 104  
 hirudin analogue bivalirudin 105  
 histamine 237  
 HMG-CoA reductase 72  
 Hoechst synthesis 225  
 Hoffman-La Roche Ltd 135  
 Horner Wadsworth Emmons and Witting reactions 241  
 Horner–Wadsworth–Emmons (HWE) reaction 76, 273  
 human whole-blood (HWB) assay 231  
 Humoryl® 149  
 Hunig's base 186  
 hydrocortisone monoesters 246  
 hydrofluoroalkane propellants 246  
 hydrolysis reaction 173  
 hydrophilic inositol-1,4,5-triphosphate (IP<sub>3</sub>) 63  
 hydrophobic diacylglycerol (DAG) 63  
 hydroxyisothiazoles 7  
 hydroxyisoxazole 7  
 20-hydroxy-ecdysone 468  
 (4R,6R)-4-hydroxy-tetrahydro-2H-pyran-2-one 72  
 hydroxyzine 2  
 hypothalamic-pituitary-adrenal (HPA) axis 259
- i**
- ibrutinib  
   – alternate synthesis of 202  
   – chemical structure of 200  
   – commercialized Btk inhibitor 199  
   – synthesis 201  
 ibuprofen 221, 222, 224  
   – boots synthesis of 225  
   – Hoechst synthesis of 225  
 ICM PocketFinder 233  
 imazamethabenz methyl 340, 341, 342, 344, 345  
 imazamox 340, 342, 343  
 imazapic 340  
 imazapyr 340, 342  
 imazaquin 340, 343, 345  
 imazethapyr 340, 341  
 Imbruvica® 199  
 imidazole ring modifications 97  
 imidazolinone herbicides  
   – biological activity 342  
   – carboxylic acid mimics 344  
   – invention pathway 340  
   – mode of action 342  
   – structure–activity relationship 344  
   – synthesis 341  
 imidazolyl-methylbiphenyl-tetrazole scaffold 90  
 Imperial Chemical Industries (ICI) 41  
 IMPROVE-IT trial 71  
 in vitro studies 169

- in vivo studies 169  
 indomethacin 222, 223  
   – Fischer Indole synthesis-based route 227  
 inhaled/intranasal corticosteroids (ICS) 245, 252  
 insect growth regulators (IGRs) 439  
 Insecticide Resistance Action Committee (IRAC) 439  
 Integrated Pest Management (IPM) 439  
 intramolecular amine nitrile cyclization deactivation pathway 183  
 intramolecular cyclization 189  
 intraocular pressure (IOP) 271, 278  
 invention pathway 169  
 iprovalicarb 390  
 irbesartan 92  
 irebesartan 88  
 isobutyric acid 46  
 isofetamid 421  
 isopyrazam 408, 412  
   – succinate dehydrogenase inhibitor 8  
 isoxapyrifop 330, 331
- j**
- juvenile hormone mimics  
   – biological activity 434  
   – diofenolan 436  
   – fenoxycarb 429, 436  
   – history 429  
   – hydroprene 429  
   – kinoprene 429  
   – methoprene 429  
   – mode of action 433  
   – non-crop application 429  
   – SAR exploration program 434  
   – synthetic chemistry of 431
- k**
- kadethrin 455  
 Keap1 Nrf2 pathway 214  
 keto-enol tautomerism 61, 128  
 ketoreductase (KERD) 79  
 (S)-kinoprene 434  
 Kirkpatrick Chemical Engineering Achievement Award 225  
 Knoevenagel-type condensation 79, 94, 256  
 kresoxim-methyl 373–375, 377  
 Kyoto grain shop 73
- l**
- L-threo-isoleucine thiazolidide 182  
 L-amino acids 169  
 l-phosphinothricin  
   – enantioselective synthesis 320  
 L-valine-pyrrolidide 182  
 lactofen 349  
 lactone pathway 71, 161  
 laninamivir (Inavir 3), 133, 136  
 latanoprost 271, 274, 278  
 Lederle Laboratories 120  
 Lewis-acid 253  
 LG Life Sciences 183  
 lidocaine 27, 29, 34  
 ligand binding domain (LBD) 48, 259  
 linagliptin 180  
 Lindlar's catalyst 137  
 linezolid 151, 157  
   – enantioselective syntheses of 155  
   – international surveillance programs 159  
   – metabolic pathways of 160  
 Linezolid Experience and Accurate Determination of Resistance (LEADER) 159  
 Lipinski Rule of five 211  
 lipophilicity 50  
 lipoprotein lipase (LPL) 49  
 liver fatty acid binding protein (L-FABP) 49  
 liver S9 fraction 216  
 long-acting  $\beta_2$ -adrenoceptor agonist (LABA) 246  
 losartan 4, 6, 88, 89, 90  
 lovastatin 73, 81  
   – biosynthesis of 74  
 lufenuron 448  
 Lumiracoxib 221, 224, 232  
 lysine735 3
- m**
- M2 protein inhibitors 133  
*Magnaporthe oryzae* 385  
 mandestrobin 371, 373  
 mandipropamid  
   – cellulose synthase inhibitor 8  
 mantle cell lymphoma (MCL) 199  
 Mayo clinic 249  
 mecoprop 284, 325, 326  
 melagatran 104, 105  
   – historic path 110  
   – synthesis of 107  
 melanin biosynthesis inhibitors-dehydratase (MBI-D)  
   – *Magnaporthe oryzae* 385  
   – amide motif 385  
   – amino-quinazoline melanin biosynthesis inhibitor 386  
   – biological activity 391  
   – carpropamid  
   – – *tert*-butyl terminus 388

- melanin biosynthesis inhibitors-dehydratase (MBI-D) (*contd.*)
    - – history 385, 386
    - – mode of action 390
    - – synthesis 389
    - diclocymet
      - – history 387
      - DuPont 388
    - fenoxanil
      - – history 387
    - halo-cyclobutanes 388
    - structure–activity relationships 392
    - tolprocarb 390
  - melanin biosynthesis pathway 385
  - Meldrum's acid 186
  - meperidine 28
  - Merck synthesis 250
  - mesosulfuron-methyl 304
  - metalaxyl 360, 361
    - alkylthio analogue of 367
    - invention pathway 360
  - metalaxyl-M (R)-(1) 361
    - chiral pool synthesis 362
    - enantioselective hydrogenation routes 363, 364
    - invention pathway 360
  - metamifop 330, 331
  - metazachlor 293
  - metered-dose aerosol inhalation 246
  - methano bridge 190
  - methanoprolineamide 184
  - methicillin-resistant *Staphylococcus epidermidis* (MRSE) 159
  - methicillin-resistant *Staphylococcus aureus* (MRSA) 159
  - methoprene 431, 432
  - methoxyacrylate strobilurin fungicides 372
  - methoxycarbamate strobilurin fungicides 374
  - methoxyfenozide 467
    - biological activity 473
    - history 467
    - synthesis 468, 469
  - methoxyiminoacetamide strobilurin fungicides 373
  - methoxyiminoacetate strobilurin fungicides 373
  - N*-methylacetamido group 149
  - methyl carboxylate (COOCH<sub>3</sub>) group 58
  - 2-methyl-4-chlorophenoxyacetic acid 283, 284
  - 2-methyl-4-chlorophenoxybutyric acid 283, 284
  - 16 $\beta$ -methyl corticosteroid synthesis 253
  - methyl tert-butyl ether (MTBE) 275
  - methylphenidate 15, 17
  - metofluthrin 455
  - metolachlor 293, 295, 296, 297, 300, 362
    - stereoisomers of 301
  - metominostrobin 373
  - metsulfuron-methyl 308
  - mevalonate pathway 80
  - mevastatin 73
  - MeyerSchuster (MS) rearrangement 273, 274
  - Micardis<sup>®</sup> 87
  - Michael type addition reactions 141, 211
  - Michael–Dieckmann reaction 127
  - Michael-type addition reaction 216
  - Micobacterium fortuitum* mutant 253
  - mineralcorticoid receptors (MRs) 259
  - minimum inhibitory concentration (MIC<sub>90</sub>) 159
  - Mitsubishi Chemical Industry 105, 106
    - Mitsunobu reaction 138, 201
  - mometasone furoate 245
  - momfluorothrin 457
  - mono ethyl fumarate (MEF) 212
  - mono ethylester 212
  - Mono methyl fumarate 213
  - monoamine oxidase (MAO) inhibitors 149
  - monocyte chemoattractant protein-1 (MCP-1) 260
  - monohydroxylated adamantyl ring 190
  - Moraxella catarrhalis* 159
  - morphine 27
  - Motrin 223
  - Mount Sinai School of Medicine and Ferring Research 181
  - multiple sclerosis (MS) therapy 213
  - Muxfeldt's synthesis 126
  - Mycobacterium fortuitum* 251
  - Mycobacterium tuberculosis*, multidrug resistant 149
- n**
- N*- $\alpha$ -tosyl-L-arginine methyl ester (TAME) 110
  - N*-(2,5-dichlorophenyl)chloroacetamide 294
  - N*-benzoyl-*N'*-phenyl ureas, acaricides and termiticides
    - biological activity
      - – biological profiles 442
      - – structure–activity relationship 448
    - mode of action 445
    - history 439
    - synthesis
      - – benzoylisocyanates 443
      - – methods I, and II 445

- N-Boc-D-threo-methylphenidate 21  
 N-terminal domain 48  
 naphthacene ring system 118  
 naphthyl ring 24  
 Naprosyn 223  
 naproxen 221–223, 225  
 – catalytic asymmetric hydrogenation synthesis 226  
 – commercial synthetic route 225  
 – Zambon process 226  
 neuraminidase (NA) 142  
 Neuraminidase inhibitors (NAI'S) 133, 134, 142  
 – mode of action 142  
 – structure–activity relationships 143  
 neurotransmitters 21  
 nicosulfuron 304  
 nicotinic acid 50  
 Nihon Nohyaku 480  
 nitrofen 347, 348  
 non-natural D-amino acids 174  
 non-peptidic angiotensin II receptor blockers 87  
 – mode of action 95  
 Nonsteroidal anti-inflammatory drugs (NSAIDs) 9, 221  
 – history of 222  
 – HWB activity of 231  
 – selected examples of 222  
 – structure–activity relationships 230  
 norepinephrine transporter (NET) 15  
 Norepinephrine-dopamine reuptake inhibitors (NDRIs) 15  
 novaluron 447  
 Novartis 182  
 noviflumuron 448  
 Noyori hydrogenation conditions 226  
 nucleophilic attack 189  
*S. litura* nucleopolyhedrovirus (SINPV) 450  
 Nurofen 223
- o**  
 olopatadine 239  
 olefin precursor 226  
 olmesartan medoxomil 88, 92, 93  
 Olmetec<sup>®</sup> 87  
 olopatadine 241  
 omarigliptin 180  
 one-pot domino-reaction sequence 141  
 Oomycetes diseases 400  
 opioids 27  
 organic anion transfer protein 83  
 organic anion transporting polypeptides 243  
 Orthomyxoviridae family 142  
 orysastrobin 373  
 oseltamivir 4, 135, 136, 143  
 – H5N1 NA 146  
 – synthesis of 138  
 oseltamivir (Tamiflu<sup>®</sup> 2) 133  
 oxadiazolone ring 7, 95  
 oxadiazon 347, 348  
 oxadixyl 361, 367  
 oxalate blocking method 255  
 oxazolidinones 149  
 – DuPont synthesis of 153  
 – history of 150  
 – mechanism of action 156  
 – structure–activity relationships 162  
 oxodihydroindenyl oxazolidinones 151  
 oxytetracycline 120
- p**  
 Paal–Knorr pyrrole synthesis 78  
 palladium metal catalyst 121  
 palladium tetrakis(triphenylphosphine) 91  
 para-nitrophenol acetoxycarbonate 108  
 paracrine-acting autacoids 271  
 paraoxonase-1 (PON-1) 65  
 Paratek Pharmaceuticals, Inc. 123  
*Penicillium chrysogenum* 75  
*Penicillium citrinum* Pen-51 73  
 peptidyl transferase center (PTC) 157, 158  
 peramivir 135, 136  
 – facile synthesis of 142  
 peramivir (Rapivap 4) 133  
 peripheral blood mononuclear cells (PBMC's) 205  
 peroxisome proliferator activated receptors (PPARs) 41, 48  
 pethoxamid 293, 297  
 pharmacophore model 3, 474  
 phenoxy-carboxylic acid auxin herbicides 287, 290  
 phenyl rings replacement 474  
 phenylacetonitrile 17  
 phenylamide fungicides  
 – biological activity 365  
 – classes 359  
 – mode of action 364  
 – structure–activity relationship 365  
 – structures 360  
 – synthesis 362  
 phenylamido piperidine 27  
 phenylbenzyl (PPB) protecting group 275  
 2-phenylethyl side chain 27  
 phloem mobility 2  
 phosphinothricin 315, 316, 318  
 phthalamides 479, 486, 488

- phthaldiamides 479
- picloram 284, 288, 290
- picoxystrobin 372
- pinoxaden 329
- piperazine moiety 2, 152
- piperazine ring oxidation 192
- piperazines 242
- piperaziny 3-fluorophenyl oxazolidinones 151
- piperidine group 201
- piperidines 243
- pirinixic acid 52
- pitavastatin 82
- Plasmodium falciparum* 121
- polar surface area 213
- ponasteron 472
- positron-emission tomography (PET) 17
- posizolid 149, 152
- AR response elements (PPRE)I 49
- AR subtype selectivityI 53
- AR $\alpha$  ligand binding cavityI 51
- prasugrel 58, 64, 66
  - activation and metabolic pathways of 65
  - major risk in 66
  - synthesis 60
  - structure–activity relationships 67
- prasugrel antiplatelet agents 59
- prasugrel pharmacological properties in humans 67
- pravastatin
  - manufacturing route 75
  - production of 76
- Presidential Green Chemistry Challenge Award 75, 186, 225
- pretilachlor 293
- probiobdrug 182, 183
- prodrug 4
- progesterone receptor (PR) 262
- propachlor 293, 295
- propionic acid derivatives 221
- propionylation 32
- Proprotein Convertase Subtilisin Kexin 9 (PCSK9) inhibitors 72
- prostaglandin biosynthesis 223
- prostaglandin-endo peroxide synthases (PTGS/PGHS) 228
- prostaglandins (PGs)
  - treatment of glaucoma (PGF $2_{\alpha}$ ) 271
  - – mode of action 276
  - – structure–activity relationship 278
  - – structure of 272
- – synthesis 272
- protease activating receptor PAR1 103
- protoporphyrinogen-IX-oxidase inhibiting herbicides (Protox herbicides)
  - biological activity 352
  - chemical structures 348
  - mode of action 351
  - structure activity relationship 352
  - synthesis 350
- prynachlor 293
- Psoriasis vulgaris, chronic inflammatory skin disease 211
- purinergic receptor P2Y $_{12}$  57
- pydiflumetofen 421
- pyraclostrobin 374, 378
- pyraflufen-ethyl 350
- pyrametostrobin 374
- pyraoxystrobin 372
- pyrethroid esters
  - alkenyl substituents 464
  - *B. Thuringiensis* 453
  - benzyl ester substituents 463
  - bioactive candidates 462
  - biological activity 461
  - carboxylic ester motif 453
  - class B compound esfenvalerate 459
  - classification 453, 454
  - deltamethrin 453, 458
  - halogen substituents 463
  - history
    - – alcohol variation 455
    - – carboxylic acid moiety 455
    - – cyhalothrinic acid 455
    - – discovery of 456
    - – fenvalerate 455
    - – metofluthrin 455
    - – momfluorothrin 457
    - – pyrethrin I 454
    - – pyrethrins II 454
    - – stereochemistry 457
    - – structural features 454
    - – *Tanacetum cinerariaefolium* 454
  - insecticidal activity 463
  - lambda cyhalothrin 453, 457
  - mode of action 459
  - natural 462
  - physicochemical properties 464
  - prenyl alcohol 457
  - racemic *trans* chrysanthemic acid 458
  - stereochemistry 462, 464
  - (Syngenta) and deltamethrin 453
  - synthetic 462
- pyribencarb 371, 374

- pyridinecarboxylic acid auxin herbicides 284, 288, 291
- pyridyloxy-carboxylic acid auxin herbicides 285, 287
- pyrimidinecarboxylic acid auxin herbicide 285, 286
- pyrrolidine analogs 24
- q**
- quinclorac 285, 291
- (-)-quinic acid 139
- quinolinecarboxylic acid auxin herbicide 285, 286
- quinolone antibiotic ciprofloxacin 2
- r**
- radezolid 149, 152, 156
- ragaglitazar 7
- ranitidine
- CYP3A4 inhibitor 66
- Rapivap 136
- Ratacand<sup>®</sup>, 87
- reactive oxygen species (ROS) 213, 214
- Red-Al reduction 32
- Relenza 135
- remifentanyl 28, 36
- renin 95
- Renin-Angiotensin System (RAS) pathway 87, 95, 96
- retinoid X receptor (RXR) 48
- retro-aldol reaction 124
- Rhizopus nigricans* 250
- Rib-X 152
- Rib-X Pharmaceuticals 156
- ring-opening reaction 64
- ring-opening route 64
- Rinskor<sup>TM</sup> 286, 288, 291
- Ritalin<sup>®</sup> 15, 16
- rituximab 199
- rivaroxaban 163
- rofecoxib 221, 223
- rosiglitazone antidiabetic drug 7
- rosuvastatin 77
- industrial production 77
- ryanodine receptor (RyR), *see* diamides insecticides
- s**
- saffluenacil 347
- salicin 222
- salicylic acid 221, 222
- Salix alba 222
- Sankyo Research Laboratories 72
- saponification 185
- saralasin 89
- sartans 87
- saxagliptin 182, 184, 185, 190
- scaffold 8
- Schiff base intermediates 263
- scytalone dehydratase
- MBI-D, *see* melanin biosynthesis inhibitors + dehydratase (MBI-D)
  - melanin biosynthesis pathway 385
- seasonal influenza 133
- sedaxane 413
- selective serotonin reuptake inhibitors (SSRIs) 161
- Ser630 hydroxyl group 181
- serotonin transporter (SERT) 15
- sethoxydim 329, 331
- (-)-shikimic acid 139
- sialic acid 134, 137, 142
- sialidase inhibitors 133
- Simmons–Smith cyclopropanation 185
- simvastatin 74, 81
- sitagliptin 180, 183, 186, 191
- Sivextro<sup>®</sup> 149
- Smith Kline Beecham Pharmaceuticals 94
- solubility 2
- Sovaldi
- history 168
  - mode of action 172
  - prodrugs 167
  - ProTide-based antiviral agents 167, 168
  - soft drugs 167
  - structure–activity relationships 173, 174
  - synthesis
  - – discovery stage 170
  - – large-scale 170, 171
  - – stereoselective preparation 170, 171
- spirotetramat insecticide 4
- Staphylococcus aureus*, methicillin-resistant 149
- Streptococcus pneumoniae*, penicillin-resistant 149
- statin therapy 41
- statins 71
- Staudinger reduction 138
- stent thrombosis 66
- sterling drug 45
- Stetter reaction 79
- stigmasterol 250
- Storck's total synthesis 126
- stratum corneum 245
- Strecker reaction 185, 319
- Strecker synthesis 31
- Streptomyces* bacteria 117
- Streptomyces* strain 120

- striatal cells 22
  - strobilurin A 371, 374, 375
  - strobilurin fungicides
    - biological activity 380
    - general structural requirements 381
    - mode of action 379
    - pharmacophore 382
    - structure–activity relationship 381
    - synthesis 375
  - structure activity relationships (SAR) 162, 215
  - succinate dehydrogenase (SDH) 405
  - succinate dehydrogenase inhibitor (SDHI)
    - carboxamides
      - aromatic amines 422
      - BASF's protecting group approach 411
      - benzovindiflupyr 413
      - $\beta$ -ketoester 409
      - biological activity 416
      - bixafen 411
      - boscalid 405, 420
      - carboxin 405
      - 2-difluoroacyl-3-aminoacrylic acid 411
      - 3-difluoromethylpyrazole-1-methyl-4-carboxylic acid 409
      - fluopyram 421
      - FRAC 405, 406
      - history 406
      - isofetamid 421
      - isopyrazam 412
      - market impact 416
      - 5-membered ring 421
      - mode of action 415
      - phenylbenzamides 420
      - pydiflumetofen 421
      - pyraziflumid 420
      - pyrazole-4-carboxamides 407
      - respiration inhibitors 415
      - sedaxane 413
      - structures 405
      - Suzuki coupling technology 412
      - Syngenta patent 421
      - thifluzamide 420
      - Zymoseptoria leaf blotch 419
  - sufentanil 28
  - sulfonylurea herbicides
    - ALS biochemical pathway 306, 307
    - biological activity 308
    - general structure 304
    - mode of action 306
    - ortho-carboxylate derivative 305
    - structure activity relationship 309
    - synthesis 307
    - tied-back ester strategy 311
    - tied-up cinnamate esters 311
    - tied-up phenylacetic esters 310
  - sulfonylurea receptor (SUR) protein 446
  - sulfoxide-sulfenate rearrangement 254
  - sulfoximine 488
  - sulphosate 315
  - sutezolid 149, 152, 156
  - Suzuki coupling technology 91, 156, 202, 412
  - Swern conditions 155
  - Swern oxidation 185
- t**
- tafluprost 271, 277
  - Takeda Chemical Industries 87, 98
  - Tamiflu<sup>®</sup> 135, 138
  - tebufenozide 467
    - biological activity 473
    - history 467
    - synthesis 469, 470
  - Tecfidera<sup>®</sup> 213, 215
  - tedizolid phosphate 149, 152
  - teflubenzuron 447
  - telmisartan 88, 94, 98
  - teneligliptin 179, 183
  - terfenadine 239
  - terramycin 120
  - tert-butyl group 139
  - tert. butyl carbamate (Boc) group 107
  - tetracycline antibiotics
    - chemical sensitivity 123, 124
    - generations of 119
    - historic development of 121, 122
    - mode of action 127
    - stereochemical complexity 123
    - structure–activity relationships 128
    - structural requirements 128
    - synthesis 123
    - resistance 122
  - tetracyclines amide antibiotics 117
    - fully synthetic 119
    - history of 120
    - natural products 118
    - semi-synthetic 119
  - tetraphase pharmaceuticals 123
  - Teveten<sup>®</sup> 87
  - therapeutic index (TI) 249
  - thiadiazolidinediones 7
  - Thienopyridine (TP) 57
  - thifluzamide 420
  - thrombin 103
  - thromboembolic diseases 103
  - ticagrelor antiplatelet agents 59
  - Ticlid<sup>®</sup> 58
  - Ticlopidine 57

- tolprocarb 390  
 tosylhydrazone 18  
 Tradjenta™ 180  
 transactivation agonistic mechanism 259  
 – travoprost synthesis 271, 276  
 triamcinolone acetate (TCA) 257  
 triamcinolone acetonide (TC) 251  
 triazolopiperazine HCl salt 186  
 triclopyr 285, 291  
 triclopyricarb 374  
 trifloxystrobin 373  
 triflumuron 448  
 trilipix 44  
 Trius Therapeutics 152  
 tropone fluorophenyl oxazolidinones 151  
 Trypan blue azo dye 134  
 Tufts University School of Medicine 123  
 type 2 diabetes (T2D) 179  
 tyrosine355 3
- u**
- Ugi reaction 32  
 ultraviolet visible spectroscopy (UV vis) 120  
 University of Copenhagen 182  
 unoprostone 271  
 unoprostone isopropyl ester synthesis 277  
 unsaturated carboxylic ester moiety 211  
 Upjohn company 151  
 Upjohn synthesis pathway 154
- v**
- valsartan 88, 91  
 – Suzuki coupling reaction 92  
 van der Waals-type interactions 259  
 vancomycin-resistant *Enterococcus Faecium* (VRE) 159  
 venous thromboembolism (VTE) 149  
 very long-chain fatty acids (VLCFAs) 297, 298  
 vildagliptin 182, 184  
 Vilsmeier–Haack conditions 91
- w**
- Waldenström's macroglobulinemia (WM) 199  
 Wilkinson's catalyst 258  
 Wittig condensation 273, 276  
 Wittig coupling 275  
 Wittig reaction 76, 241  
 Woodward's synthesis 124, 125
- x**
- X-linked agammaglobulinemia (XLA) 199  
 Xarelto® 149  
 ximelagatran 105, 107, 108  
 ximelagatran (Pro-3) 103, 104
- z**
- Zambon process 226  
 zanamivir 135, 136  
 – optimized scalable synthesis of 138  
 – synthetic preparation of 136  
 zanamivir (Relenza 1), 133  
 Zucker<sup>fa/fa</sup> rats 182, 191  
 zwitterions 2  
 Zyvox® Antimicrobial Potency Study (ZAPS) 149, 159

