

Index

a

- ab initio* calculations 447
 - anisotropic coupling 452
 - CASSCF/CASPT2 456
 - DDCI 458
 - isotropic coupling
 - – biquadratic exchange 449
 - – four-center interactions 450
 - – Heisenberg Hamiltonian 448
 - state-interaction with spin-orbit 458
 - zero-field splitting and Zeeman effect, in mononuclear systems 455
- ab initio* methods 419
- Allium cepa* biomembrane 244
- alternating current (AC) magnetic measurements 86
- amphiphilic pentacyano (4-dialkylaminopyridine)ferrate(III) 212
- anisotropic coupling 452
- anisotropic systems
 - FTLM 467
- anisotropy energy 20
- antiferro–ferromagnetic photoswitching, in multifunctional magnet 327
- antiferromagnetic (AFM)
 - heterometallic rings 107
 - interaction 111
- antiferromagnetic spin clusters
 - thin layers of 206
- antiferromagnets
 - magnetic lattice 20
 - magnetic susceptibility 21
 - magnetization curve types 22
 - magnetocrystalline anisotropy 22
- assembling supramolecular structures
 - capability of 118
- atomic magnetic moments 2

- atom, in magnetic field 9
- azide ion 59

b

- Barnett effect 1
- (BEDT-TTF)₃ [MnCr(oxalate)₃].CH₂Cl₂ 44
- Bethe–Slater curve 16
- bimetallic V^{II} [Mo^{III}(CN)₇].(pym)₂.4.5H₂O 177
- Block law 168
- block spin Hamiltonian (BSH) 454
- bridging ligands, for high-spin molecules 58
- Brillouin function 10
- broken-symmetry method 426
- bulk-like magnetic behavior 197

c

- Ca₃Co_{2–x}Mn_xO₆, magnetically induced electric polarization in 152
- canted spin arrangements 14
- Ce isotopes 111
- centrosymmetric space groups 304
- cgs emu system, magnetism 5
- charge order induced multiferroicity 414, 416
- charge ordering multiferroics 407
- charge-transfer induced spin transition (CTIST) 43, 214
 - CoFe-PBA network 217
- charge transfer, paddlewheel-type Ru-polycyano organic complexes 386
- charge-transfer system 268
- chemical vapor deposition (CVD) methods 215
- chemisorption 191
 - sulfur-based groups 207
- chirality 307
- chromium(III)-based rings
 - property of 208

- classical computation algorithm 103
- CN⁻ anion 72
- cobalt(II)–octacyanotungstate(V) systems 331
- coherent one-qubit manipulations 108
- Co^{II}-radical SCM 136
- Co^{II}-nitronyl nitroxide-based SCMs 151
 - [Co(hfac)₂(NITPhOMe)], magnetic properties of 149
 - [Co(hfac)₂(NITPhOMe)] SCM 152
 - [Co(hfca)₂(NITPhOMe)] crystal structure 38
- collective magnetic state
 - antiferromagnets 20
 - ferrimagnets 22
 - ferromagnets 18
 - Heisenberg model 17
 - Ising model 18
 - spin glass 23
 - superparamagnets 25
 - XY model 18
- collinear antiferromagnet 14
- complete active space second-order perturbation theory (CASPT2) 457
- complete active space self-consistent field (CASSCF) approach 456
- conductive molecular magnets
 - bisdithiazolyl radical systems 396
 - bromo-substituted bisdiselenazolyl radical systems 396
 - charge transfer, paddlewheel-type
 - Ru-polycyano organic complexes 386
 - cyano-bridged electron transfer chains 384
 - discrete metal complexes
 - with neutral TTF 372
 - with oxidized TTF radical 377
 - donor/acceptor electron-transferred magnetic chains 390
 - electron donor and acceptor molecules 369, 370
 - heterocyclic thiazyl/selenazyl radical systems 395
 - HOMO/LUMO energy gap 384
 - hybrid arrangement, *see* magnetic-conducting stacked layer hybrid
 - π -d interactions through covalent bonds 371
 - π -f system 379
 - magnetic chain-conducting column perpendicular arrangement 390
 - neutral-ionic transition, magnetic chains 389
 - one-dimensional rhodium(I)-semiquinonate complexes 385
 - oxobenzo-bridged bisdithiazolyl radical system 396
 - polymeric metal complexes
 - with neutral TTF 376
 - with oxidized TTF radical 378
 - spin-polarized donor radicals 391
 - spiro-biphenalenyl systems 395
 - structural arrangements 370, 371
 - TTF-donors
 - (ESBN)₂ ClO₄ salt 392
 - 2-[2-(4,5-dibromo-[1,3]dithiol-2-ylidene)-1,3-benzodithiol-5-yl]-4,4,5,5-tetramethylimidazoline-3-oxide-1-oxyl (BTBN) 394
 - ethylenedithio-tetrathiafulvalene benzo-derivative bearing nitronyl nitroxide (ETBN) 392
 - with tetramethylpiperidine-*N*-oxyl (TEMPO) radical 392
 - tetraselenafulvalene (TSF) 394
- copper(II)-octacyanomolybdate(IV) systems 330
- Cr^{II}-based Prussian Blue analogue 169
- Cr₇Ni 108
- Cr₇Ni molecules
 - on Au(111) surface 209
 - cyclic shape of 207
- Cr₇ Ni-Ni-Cr₇ Ni supramolecular complexes 118
- Cr₇Ni qubits
 - setup for 113
- Cr₇Ni rings 208
 - scheme of 119
- crystal structures, of Prussian blue analogs 169
- cubic Prussian blue analogue 213, 214
- Cu₃MNM 109
- Cu–Gd ferromagnetic interaction 70
- [Cu₂(OAc)₄(H₂O)₂] crystal structure 29, 30
- Curie–Weiss law 20
 - for paramagnets 20
- cyanide-bridged molecular magnetic sponges
 - low dimensional system 284
 - microporosity 292
 - polycyanometallates 283
 - 3D→3D transformation 288
 - 2D→3D transformation 286
- cyano-bridged electron transfer chains 384
- cyanometallate films 213
- cyanometallate precursors 66

d

DDCI 458
 de Almeida–Thoules irreversibility line 24
 Debye model 86
 decoherence 126
 decoherence mechanism 107
 demagnetizing field 4
 density functional theory (DFT) methods 424
 – exchange coupling constant 424
 – magnetic anisotropy parameters 431
 – transport through magnetic molecules 435
 deuterated $[\text{Fe}_8]$, inelastic neutron scattering spectra 90, 91
 d–f metal ions, high-spin molecules 69
 diamagnetic moment 9
 diatomic molecule, spatially symmetric bonding orbital of 12
 digital quantum algorithm 103
 digital quantum-computer (QC)
 – construction of 103
 – implementations of 104
 digital quantum simulation 116
 dinuclear $[\text{CoFe}]$ molecules 337
 dinuclear $\text{Cu}^{\text{II}}-\text{Gd}^{\text{III}}$ complex, magnetostructural data 70
 dinuclear Ln^{III} complex 97
 dipolar interactions 11
 direct current (DC) measurement, SMM 82
 discrete metal complexes
 – with neutral TTF 372
 – with oxidized TTF radical 377
 DiVicenzo criteria 104, 106
 d^6 metal ion, ground and excited states of 42
 d–metal ions
 – hetero-metallic high-spin molecules 67
 – homo-metallic high-spin molecules 61
 donor/acceptor magnetic chains, electron-transfer 390
 double exchange mechanism 13
 double-resonance spectroscopy (ELDOR) 110
 double-well potential 80, 81
 dysprosium(III) complexes, structural data for 68
 Dzyaloshinsky–Moriya (DM) interaction 14, 108

e
 Einstein–de Haas effect 1
 electron induced excited spin state trapping (ELIESST) 245
 electron spin resonance (ESR), SMM 88
 electron spins 104

electron transfer
 – cyano-bridged chains 384
 – magnetic donor/acceptor chains 390
 electrospray deposition (ESD) 192, 208
 elementary magnetic moment 1, 2
 enantioselective self-assembly 308, 310
 endofullerenes 98, 204
 Evans method 233
 exchange bias SMMs 92
 exchange-correlation functional 420, 427, 433
 exchange coupling constants 424

f
 fabrication techniques 219
 face-on deposition 202
 fcc-structured $\text{Cs}_2\text{Mn}^{\text{II}}[\text{V}^{\text{II}}(\text{CN})_6]$ material 169
 $[\text{Fe}(\text{phen})_2(\text{NCS})_2]$ 243
 $[\text{Fe}(\text{dpp})_2](\text{BF}_4)_2$ film fabrication 243
 $\text{Fe}[\text{H}_2\text{B}(\text{pz})_2]_2(\text{L})_2$ deposition on Au(111) surface 243
 $[\text{Fe}(\text{L})_2\text{H}](\text{ClO}_4)_3 \cdot \text{MeOH}$ films, spin transition properties of 241
 $[\text{Fe}^{\text{II}}(\text{ClO}_4)_2\text{Fe}^{\text{III}}(\text{bpca})_2](\text{ClO}_4)$ system 139
 $[\text{Fe}(\text{dpe})\text{Pt}(\text{CN})_4] \cdot \text{G}$, magnetic properties 238
 $[\text{Fe}(\text{II})(4\text{-octadecyl-1,2,4-triazole})_3](\text{tosylate})_2 \cdot 2\text{H}_2\text{O}$ structure 240
 $[\text{Fe}(\text{C}_n\text{-tba})_3]\text{X}_2$ structure 240
 $\text{Fe}(\text{pz})[\text{M}(\text{CN})_4]$ thin film assembly 216
 $[\text{Fe}(\text{pz})\text{Pt}(\text{CN})_4]$, molar magnetic susceptibility vs. temperature 242
 Fe^{III} polynuclear complex, SMM properties 93
 Fe_4 propellers 198
 ferrimagnetic Fe_3O_4 , magnetic coupling in 23
 ferrimagnets 22
 – spontaneous magnetization 162
 ferrites 27
 ferroelectric system 317, 318
 ferro–ferrimagnet 326
 ferromagnetic interaction
 – orthogonal magnetic orbitals 54
 – spin-polarization mechanism 57
 – strictly orthogonal approach 55
 ferromagnetic interactions
 – accidentally orthogonal approach 55, 56
 ferromagnetic NiCr–PBAs 217
 ferromagnetic system 317, 318
 ferromagnetism–antiferromagnetism switching 271

- ferromagnets 18
 - spontaneous magnetization 162
- field-dependent magnetization curves 202
- film deposition
 - single layer control of 213
- fine structure 8
- finite-temperature Lanczos method (FTLM) 464
- first molecular magnetic sponge system 282
- f-metal ions, high-spin molecules 67
- F nuclei 108

- g**
- Gabay–Toulouse line 24
- gadolinium(III) complexes,
 - magneto-structural data 68
- Gd^{III}-polyoxometalato complexes 98
- general-purpose quantum computation 104
- generic gate 126
- giant magnetoresistance (GMR) 27
- giant spin Hamiltonian (GSH) 454
- Glauber dynamics 38
- Goodenough–Kanamori rules 55, 56
- grafting procedures, SMMs 197
- ground state, of atom/ion 7
- Grover's algorithm 105
- gyromagnetic anomaly 3
- gyromagnetic ratio 2

- h**
- Halcrow concept 234
- Hamiltonian parameters
 - evaluation of 120
- hard magnets 27
- Hartree–Fock methods 419
- Heisenberg Hamiltonian 448
- Heisenberg model 17
- heptacyanido-based molecule-based magnet
 - Mn^{II}(H₂O)₅[Mo^{III}(CN)₇]*n*H₂O 175
- heptacyanidomolybdate(III) ion 175
- hetero-metallic high-spin molecules 67
- heterostructures 217
- hexacyanidometallate-based molecule-based magnet 170, 174
- high T_c , definition of 162
- high T_c molecule-based magnets 162
 - groups of 162
 - octacyanidometallates 177
 - Prussian blue analogs (PBA) 168
 - TCNE-based molecular magnets 163
 - V^{II} metal centers 182
- highly oriented pyrolytic graphite (HOPG) 200
- high magnetic ordering temperatures 213
- high-spin cages
 - thin layers of 209
- high-spin molecules
 - blocking ligands 60, 61
 - bridging ligands 58
 - d–f metal ions 69
 - d-metal ions 60
 - f-metal ions 67
 - magnetic exchange strategy 54
- high spin state bleaching 42
- Hilbert space, of register 125
- Hofmann-like coordination polymers 216
- homo-metallic high-spin molecules 61
- HOPG surface 200
- Hubbard model 13, 120
- Hund's rules 7, 8
- hybrid meta-GGA functionals 428
- hyperfine coupling 108
- hyperfine structure 9
- hysteresis loop 26

- i**
- inorganic molecular magnets 79
- interface-assisted molecular spintronics 219
- intrinsic anisotropy
 - SMM 196
- ionization process
 - of neutral molecules 208
- iron clusters, with ground spin state 66
- iron(II) spin crossover complex 234
- Ising coupling 111
- Ising model 18, 146, 147
- isotropic coupling
 - biquadratic exchange 449
 - four-center interactions 450
 - Heisenberg Hamiltonian 448

- j**
- Jacob's ladder classification 420
- Jahn–Teller distortion 89
- j–j coupling 7
- J vs. dihedral angle 71

- k**
- kinetic exchange interaction 12
- Kondo effect 203
- KV^{II}[Cr^{III}(CN)₆], powder X-ray diffraction and temperature dependence 173
- $K_{0.10}V_{0.54}^{II}V_{1.24}^{III}[\text{Nb}^{\text{IV}}(\text{CN})_8] \cdot (\text{SO}_4)_{0.45} \cdot 6.8\text{H}_2\text{O}$
 - field-cooled magnetization curve 181

l

- Landau–Zener–Stückelberg (LZS) model
 - 81, 85
- Langmuir–Blodgett (LB) film 211, 213
- lanthanide complexes
 - antenna effect 349
 - electronic structure 346, 347
 - energy transfer efficiency 350
 - fluorescence 349
 - ground multiplet 351
 - intersystem crossing 350
 - luminescent single molecule magnets 356
 - magnetic anisotropy 351
 - magnetic susceptibility 352
 - magnetization 351
 - near NIR range 348
 - NIR luminescent-prolate lanthanides 360
 - Orbach process 351
 - synthetic strategy 352
 - ultraviolet-visible region 348
- lanthanide ion series, magnetic properties of 136
- lanthanide SMM
 - behavior 35
 - NMR analysis of 91
- lanthanoid double-decker complexes 95
- Larmor precession frequency 2
- layer magnets
 - based on 4d-5d ions 268
 - charge-transfer system 268
 - pillared layer 266
- light-induced excited spin-state trapping (LIESST) 42
- light-induced SCMs 150
- light-switchable SCMs 151
- Ln(trensal) complexes 190, 204
- Ln^{III}-Pc triple-decker SMMs 96
- LnPc₂ complexes
 - macrocyclic ligands of 190
- LnPc₂ series 200
- logic gate 126
- long-range magnetic ordering 264
 - 3D network approach 264
 - 2D magnetic layer approach 266
 - 1D magnetic chain approach 269
- low dimensional cyanide-bridged molecular magnetic sponges 284
- low-energy spectrum 105
- low-spin system V₁₅ 108
- low-temperature decoherence time 109
- L–S coupling 7
- luminescence, lanthanide complexes 348
- luminescent lanthanide single molecule magnets (SMM) 356

m

- Maclaurin expansion 10
- magnetically anisotropic 1D spin systems 132
- magnetic anisotropy parameters 431
- magnetic chain-conducting column
 - perpendicular arrangement 391
- magnetic-conducting stacked layer hybrid 379
 - molecular conductors with paramagnetic ions 379
 - oxalate-metal complexes 380
 - SMM and conductors 382
 - spin-crossover complexes and conductor 382
- magnetic domains, in 1D ferro-/ferrimagnetic system 38
- magnetic exchange coupling 29
- magnetic-field dependence 112
- magnetic field strength 4
- magnetic induction 4
- magnetic interactions 10
 - antisymmetric exchange 14
 - dipolar interactions 11
 - direct exchange 11
 - double exchange 13
 - RKKY interaction 14
 - superexchange interaction 12
- magnetic molecular transport 435
- magnetic molecules 105
 - QIP paradigms 105
- magnetic moment
 - and angular momentum 1
 - arrangements in bulk magnet 17
 - atomic magnetic moment, size of 2
 - magnitude of 5
 - unit 1
- magnetic nanostructures 105
- magnetic relaxation mechanisms 190
- magnetic solids 10
- magnetic sponges, *see* molecular magnetic sponges
- magnetic susceptibility 4
- magnetism
 - applications and research 26
 - intensity in solid 3
 - of itinerant electrons 15
 - magnetic interactions, mechanism of, *see* magnetic interactions
 - magnetic moment 1
 - nuclear magnetism 9
 - origins 29
 - units in 5
- magnetite (Fe₃O₄) 23

- magnetization
 - definition 3, 5
 - porous molecular magnets 258
- magnetization-induced SHG (MSHG) 314
- magnetocaloric effect (MCE) 53, 209
- magnetochemical anisotropy (MChA) 315
- magnetochemical dichroism 153
- magnetocrystalline anisotropy 17
- magnetolectric system 317
- manganese clusters
 - with oxo and halide bridging ligands 62
 - with oxygen and azido bridging ligands 63
- manganese(II) octadecylphosphonate
 - LB film of 212
- manganese oxo-clusters 62
- mean field model, of spin glass 24
- metal–cyanide cluster synthesis 59
- metal–organic framework (MOF) 408
- metal–oxo cluster synthesis 59
- metal phosphonates 212
- metal–radical approach, SCMs 136
- metamagnets 22
- M(hfac)₂ [NITPhOMe] chiral chains 154
- microporosity and molecular magnetic sponges 292
- micro-SQUID 85
- mixed metal *nd-4f* complexes 97
- Mn₆ complexes, structural and magnetic parameters 61
- Mn₂[Mo^{III}(CN)₇]₂·(pym)₂·2H₂O ferrimagnet 178
- Mn^{II}–[Nb^V(CN)₈]^{4–} magnets 179
- [Mn₂(saltmen)₂Ni(pao)₂(py)₂](ClO₄)₂ crystal structure 39
- Mn^{III}Ni^{II}Mn^{III} SCM 137, 138
- [Mn₄O₃Cl₄(O₂CET)₃(py)₃] dimer 36
- [Mn₁₂O₁₂(OAc)₁₆(H₂O)₄] molecular structure 32, 33
- [Mn(TPP)O₂ PPh·H₂O] system 149
- Mn₁₂] powdered sample, ESR spectra of 89, 90
- Mn^{III} SIM 83, 84
- Mn₄ SMM 36
- Mn^{III} tetraphenylporphyrin units 148
- modeling magnetic properties
 - DFT for exchange coupling, *see* density functional theory (DFT) methods
 - Jacob's ladder classification 420
 - spin crossover systems 423
- molar magnetization 5
- molecular bistability 231
- molecular conductors with paramagnetic ions 379
- molecular electronics 231
- molecular magnetic sponges 279
 - coordination polymerization 280
 - cyanide-bridged system
 - – low dimensional system 284
 - – microporosity in cyanide-bridged systems 292
 - polycyanometallates 283
 - – 3D-3D transformation 288
 - – 2D-3D transformation 286
 - first molecular systems 282
 - paramagnetic bridging ligands 294
 - self-assembly 281
- molecular magnetism
 - ab initio approach, *see* ab initio calculations
 - conducting magnetic materials 44
 - CTIST 43
 - exchange-coupled clusters 29
 - multifunctional materials 44
 - polynuclear coordination complexes 53
 - Prussian Blue materials 31
 - research directions 47
 - single-molecule level 47
 - single-molecule magnets, *see* single-molecule magnets (SMMs)
 - spin crossover complexes 40
 - spin Hamiltonian calculations
 - – advantage 461
 - – exchange 461
 - – FTLM 464
 - – giant spin Hamiltonian 460
 - – Heisenberg exchange coupling 460
 - – matrix diagonalization, using symmetries 461
 - – model 459
 - – quantities 460
- molecular magnets
 - cyanometallate films 213
 - with extended networks 211
 - heterostructures 217
 - inorganic 79
 - Langmuir–Blodgett (LB) films 211
 - noncentrosymmetry, *see* non-centrosymmetric molecular magnets (NCM)
 - organic 79
 - spin crossover networks 216
 - V(TCNE)_x and derivatives 214
- molecular multiferroics 407
- molecular nanomagnets (MNM) 105, 107
 - hybrid setups based on 106
 - low-temperature decoherence time 109
 - production of 105
 - QIP register 112
 - spin-electric mechanism 108

- molecular photomagnets
 - hexacyanidometallate-based complexes 325
 - $\text{LFe}(\text{CN})_x$ 339
 - octacyanidometallate-based complexes 330
 - photoinduced magnetic pole inversion 327
 - polynuclear molecules
 - – $[\text{Fe}^{\text{III}}(\text{CN})_6]^{-3}$ 333
 - – $\text{LFe}(\text{CN})^{3-}$ 335
 - – $[\text{Mo}^{\text{IV}}(\text{CN})_8]^{4-}$ 334
- molecular qubits 107
- molecular spin qubits 106
- molecular spintronics 187, 435, 438
- molecule-based magnets 31, 188
 - vs. conventional magnets 161
- molecular magnetism
 - single-chain magnet 37
- mononuclear *d* metal complexes 95
- Monte Carlo simulations 244
- multiferroicity 316, 406, 407
- multiferroics
 - advantage 406
 - applications 406
 - charge ordering 414
 - classification 405, 406
 - materials 405
 - metal-organic framework and hybrid perovskites 408
 - molecular solids 407
 - organic-inorganic hybrids 408
 - schematic representation 406
- multi-frequency high-field ESR 89
- multifunctional magnet,
 - antiferro–ferromagnetic photoswitching 327
- multifunctional molecules, with electron transfer 339
- multifunctional SCMs 153
- multifunctional SMM semiconductors 45
- muon spin relaxation (μSR) measurements 91
- n**
- nanomagnets 209
- nanosized magnets 381
- nearest neighbor (NN) exchange interactions 147
- Néel-Brown formula 142
- neutral double-decker lanthanide complexes (LnPc_2) 200
- neutral-ionic transition, magnetic chains 389
- neutral molecules
 - ionization process of 208
- next-nearest neighbor (NNN) exchange interactions 147
- NIR luminescent-prolate lanthanides 360
- non-centrosymmetric molecular magnets (NCM) 301, 302
 - chiral ligand 307
 - crystal classes and physico-chemical effects 302
 - dimensionality 304
 - Dzyaloshinskii–Moryia interaction 311
 - enantioselective self-assembly 308, 310
 - magnetic properties 312
 - magnetization-induced SHG 314
 - magneto-chiral anisotropies 315
 - MSHG 314
 - multiferroicity 316
 - spontaneous crystallization 305
 - strategies 304, 305
 - symmetry 302
- noncollinear blackbox approach 430
- nondegenerate system 420
- nonhybrid meta-GGA functionals 428
- N*-qubit register 103
- nuclear magnetic resonance (NMR)
 - computing 104
 - frameworks, selective population transfer in 111
 - SMM 89
- nuclear magnetism 9
- nuclear magneton 9
- NWChem quantum chemistry code 120
- o**
- octacyanidometallate based molecule-based magnets 177
- octacyanidometallate-based photomagnets
 - cobalt(II)-octacyanotungstate(V) systems 331
 - copper(II)-octacyanomolybdate(IV) systems 330
- octadecylphosphonic acid 212
- octanuclear $[\text{Co}_4\text{Fe}_4]$ cube molecule 335
- on-chip magnetic refrigeration 187
- one-dimensional rhodium(I)-semiquinonate complexes 385
- 1D magnetic chain approach 269
- optical switching 328
- Orbach and Raman spin–phonon processes 109
- Orbach process 33, 80
- orbital angular momentum 3
- organic ligands 106

- organic molecular magnets 79
- oxalate-based system 318
- oxalate-metal complexes, magnetic layers 380
- p**
- paramagnetic bridging ligands, molecular magnetic sponges 294
- paramagnetic cyanide complexes 175
- Pauli paramagnetism 16
- permalloy 27
- permanently coupled qubits 110
- permanent magnets, *see* hard magnets
- phloroglucinol (1,3,5-trihydroxybenzene) bridging unit 58
- photoinduced magnetic pole inversion, ferro–ferrimagnet 326
- photoinduced magnetization
 - Prussian blue analogs (PBA)
 - – in Co complexes 329
 - – in heterostructures 329
- photomagnetic coordination networks
 - hexacyanidometallate-based photomagnets 325
 - octacyanidometallate-based photomagnets 330
- photomagnetic heterostructures, Prussian Blue analog 329
- photomagnetic polynuclear molecules
 - dinuclear [CoFe] molecules 337
 - [Fe^{III}(CN)₆]³⁻ 333
 - [Mo^{IV}(CN)₈]⁴⁻ 334
 - multifunctional molecules with electron transfer 339
 - octanuclear [Co₄Fe₄] cube molecule 335
 - tetranuclear [Co₂Fe₂] molecules 336
- photoresponsive Prussian blue analogue 217
- photoswitching, in multifunctional magnet 327
- phthalocyaninato double-decker complex 95
- physisorbed molecules 195
- physisorption 192
- pillared-layer magnets 266, 267
- polymeric metal complexes
 - with neutral TTF 376
 - with oxidized TTF radical 378
- polynuclear clusters 192
- polynuclear complexes 197
- polynuclear coordination complexes 53
- polynuclear *d* metal complexes 96
- polynuclear *f* metal SMMs 93
- polynuclear SMM 34, 189
- polyoxometalate MNM 123
- porous molecular magnets (PMM) 253
 - ferromagnetic and antiferromagnetic structures 273
 - ferromagnetism–antiferromagnetism switching 271
 - long-range magnetic ordering, *see* long-range magnetic ordering
 - magnetic couplings 274
 - post-synthetic modification 273
 - schematic representation 254
 - single-chain magnets dynamics 263
 - single-molecule magnets dynamics 259
 - spin-glass-like behaviors 260
 - with spin-state switching 255
- potential exchange interaction 12
- prefunctionalized surfaces 191
- Prussian blue analogs (PBA) 168
 - photoinduced magnetization in Co complexes 329
 - photomagnetic heterostructures 329
- Prussian blue materials, molecule-based magnets of 31
- q**
- QIP paradigms
 - with magnetic molecules 105
- quantum computation 187
 - gates 126
- quantum correlation control 206
- quantum entanglement 125
- quantum Hamiltonian
 - time evolution of 116
- quantum information processing (QIP) 104
- quantum parallelism 103
- quantum simulations 116
- quantum simulator (QS) 104
- quantum tunneling of the magnetization (QTM) 80, 81
- quasi-Ising coupling 111
- quasi-flat* orientation 207
- qubit coherence
 - decay of 107
- qubits 103
 - definition 125
 - dephasing effects 108
 - encoding of 105, 123
 - molecular qubits 107
- qubit-switch coupling constants 120
- r**
- Rabi oscillations 108, 126
- rare earth (Ln) based SMMs 190
- redox active molecular materials 46

- register
 - Hilbert space of 125
- remnant magnetization
 - SMM 85
- reverse-LIESST (RLIESST) effect 42
- reversible switching 272
- RKKY interaction 14, 15
- Russell–Saunders coupling 7

- s**
- scanning tunneling microscope (STM) 191
 - tip 109
 - electric potential of 122
- SCMs, *see* single-chain magnets (SCMs)
- self-assembly method 58
- Sherrington–Kirkpatrick phase diagram 25
- silicon 201
- single-chain magnet (SCM) 37, 131, 136
 - canted SCMs 137
 - classical-spin approach 142
 - collinear anisotropy axes 139
 - concepts 133
 - domain walls 134
 - dynamics 134, 263
 - $[\text{Fe}^{\text{II}}(\text{ClO}_4)_2\text{Fe}^{\text{II}}(\text{bpca})_2](\text{ClO}_4)$ system 139
 - feature 133
 - heavy metal ions and orbital angular momenta 140
 - Ising model 146, 147
 - light-induced 150
 - magnetically ordered systems 137
 - magnetic spins 132
 - metal-radical approach 136
 - multifunctional 153
 - non-collinear magnetic anisotropy 147
 - relaxation time barrier 134
 - spin dynamics, external control of 151
 - uniaxial anisotropy 132
- single domain magnets 80
- single electron spins 105
- single-ion magnet (SIM) 36, 80, 435
 - anisotropy 132
- single-ion SMMs 36
- single-molecule magnet (SMM) 32, 93, 187
 - AC measurements 86
 - characteristic fingerprints 33
 - chemical structure of 196
 - classes of 188
 - and conductors 381
 - criterion 33
 - design 91
 - DC measurement 82
 - disadvantages 35
 - dynamics 259
 - electron spin resonance 88
 - energy barrier 34
 - examples 35
 - Fe_4 propellers 198
 - inelastic neutron scattering 91
 - information storage devices 36
 - Ln(trens) complexes and endofullerenes 204
 - LnPc_2 series 200
 - magnetic anisotropy 35
 - magnetic functionality of 196
 - magnetic relaxation process 80
 - magnetism in 193
 - magnetization, slow relaxation of 80
 - micro-SQUID 85
 - mixed metal– d – $4f$ complexes 97
 - mononuclear d metal complexes 95
 - mononuclear f metal complexes 95
 - multilayers and submicron films of 204
 - muon spin relaxation 91
 - NMR 89
 - one-molecule thick layers of 194
 - Orbach process 80
 - polynuclear d metal complexes 96
 - polynuclear f metal type SMMs 93
 - processing methods for 191
 - remnant magnetization 85
 - spin dynamic experiments 81
 - surface role in 194, 196
- single phase multiferroic system 317
- single spin crossover molecules
 - charge transport properties 245
- single three-qubits Deutsch gate 104
- single-triangle spectrum 114
- skyrmions 147
- slow magnetic relaxation 258
- SMM, *see* single-molecule magnet (SMM)
- “smoking-gun” proof 198
- soft magnets 26
- solid-state alkylphosphonates 212
- solvent-modulated magnetism 255
- space groups, centrosymmetry 304
- space groups, noncentrosymmetry, *see* non-centrosymmetric molecular magnets (NCM)
- spin angular momentum 3
- spin-crossover (SCO) complex and conductors 382
- spin crossover compounds, multifunctionality in 236
- spin crossover networks 216

- spin crossover phenomenon
 - hysteresis loops 233
 - at nanoscale 239
 - scan rate 235
 - in soft matter 238
 - in solid and liquid state 232
 - spin transitions in solution 233
 - stepwise spin transitions 235
 - spin crossover systems 423
 - spin-dependent electronics 187, 191
 - spin-echo method 91
 - spin-electric mechanism 108
 - spin-flip DFT (SF-DFT) methods 429
 - spin glass 23
 - H – T mean field phase diagram 25
 - spin-glass-like behaviors 260
 - spin Hamiltonian 108, 120
 - spin Hamiltonian calculations
 - advantage 461
 - exchange 461
 - FTLM 464
 - giant spin Hamiltonian 460
 - Heisenberg exchange coupling 460
 - matrix diagonalization 461
 - model 459
 - quantities 460
 - spin-ionics 174
 - spin-orbit coupling 190
 - spin polarization 215
 - mechanism, for ferromagnetic interaction 57
 - spin-state switching 255
 - in Fe(II) coordination compounds 232
 - spinterface 219
 - spin transitions
 - in Hofmann-like networks 216
 - spin transport, in organic/molecular materials 28
 - spintronics 27
 - state-interaction with spin-orbit (SO-SI) 458
 - step modular approach 58
 - stepwise spin transitions 235
 - STM methods 203
 - Stoner criterion 16
 - sublimable polynuclear SMMs 192
 - submicron films 214
 - sum rules 193
 - superexchange interaction 13
 - super-ionic conductivity, in Prussian Blue analogues 174
 - superparamagnetism 25, 80, 260
 - superspin glasses 260
 - superspines 260
 - supramolecular assembly concept 212
 - surface-supported SMMs 197
 - symmetries, spin Hamiltonian calculations 462
 - symmetry 302
 - synchrotron light sources 197
 - synthetic methods, nano-object production 241
 - canted SCMs 137
 - classical-spin approach 142
 - collinear anisotropy axes 139
 - concepts 133
 - domain walls 134
 - dynamics 134
 - feature 133
 - heavy metal ions and orbital angular momenta 140
 - Ising model 146, 147
 - light-induced 150
 - magnetically ordered systems 137
 - magnetic spins 132
 - metal–radical approach 136
 - multifunctional 153
 - noncollinear magnetic anisotropy 147
 - relaxation time barrier 134
 - spin dynamics, external control of 151
 - uniaxial anisotropy 132
- t**
- Tb^{III}-Pc double-decker complex 95
 - Tb^{III}-Pc tripledecker SMM 96
 - TbPc₂ molecules
 - on Co/Cu(100) 203
 - face-on deposition 202
 - STM methods 203
 - TbPc₂–single-walled carbon nanotube (SWCN) 98
 - tetracyanoethylene-based molecular magnets 163
 - 7,7,8,8-tetracyano-*p*-quinodimethane (TCNQ) 369
 - tetranuclear [Co₂Fe₂] molecules 336
 - tetrathiafulvalene (TTF) 369
 - 3D network approach 264
 - time-evolution operator 116
 - Trotter–Suzuki formula 116
 - TTF-attached organic radicals, conductive molecular magnets 391
 - TTF-based donor radicals 393
 - 2D magnetic layer approach 266
 - two-qubit biradical 110
 - two-qubit gates 110, 126
 - Cr₇Ni-Ni-Cr₇Ni supramolecular complexes 118
 - implementation with tip 122

- permanently coupled qubits 110
 - quantum simulations 116
 - switchable effective interactions 112
 - two-qubit proof-of-principle experiments 122
 - type I multiferroics 406
 - type II multiferroics 407
- u**
- UHV-compatible deposition techniques 192
 - ultra high vacuum (UHV) 192
 - uranyl(V)-based SCMs 141
- v**
- vanadium(II)-hexacyanidochromate(III) high T_C magnet
 - photo-induced magnetization 174
 - vanadium(II)-hexacyanidochromate(III) system 172, 173
 - van Vleck paramagnetism 10
 - van Vleck theory 82
 - V-[Cr(CN)₆] system 173
 - V^{II}[TCNE]^{•-}_z[TCNE]²⁻_{1-z/2} structural model 167
 - V(TCNE)_x 214
- w**
- Wigner–Eckart theorem 117
- x**
- XAS/XMCD spectra 197
 - X-ray, magnetochiral dichroism detection 154
 - X-ray absorption (XAS) 193
 - X-ray magnetic circular dichroism (XMCD) 154, 193, 194, 208
 - X-ray natural circular dichroism (XNCD) 154
 - X-ray natural linear dichroism (XNLD) 193
 - X-ray near-edge absorption (XANES) 154
 - X-ray photoemission spectroscopy (XPS) 201
 - core level intensities of 207
 - XY model 18
- z**
- Zeeman effect, in mononuclear systems 455
 - Zeeman splitting 89
 - zero-field splitting (ZFS) 82
 - in mononuclear systems 455
 - zero-field tunneling resonance 197

