

## Index

- a**
- achiral 403
    - definition 192, 194
    - surface 197, 409
  - acute representation
    - two-dim. 409
    - three-dim. 403
    - hexagonal 21, 45, 109
  - additivity theorem 410
  - adsorbate layer 235
    - clusters 236
    - coverage 235
    - fully disordered 235
    - interference lattice 263
      - anisotropic scaling 279
      - basic formalism 264
      - chiral pairs 279
      - first order 267
      - Fourier expansion 265
      - high-order 268
      - HOC 271
      - isotropic scaling 267, 275
      - isotropic scaling + rotation 275, 277
      - modulation factor 267, 269
      - non-periodic 266
      - order matrix 269
      - periodic 266
      - rotation 275
      - shifting 281
      - stretching 280
      - warping 264
      - Wood notation 272
    - islands 236
    - lattice gas 236
    - partially disordered 236
    - periodic overlayer 236
      - coincidence lattice 238
      - commensurate 237
        - high-order commensurate 258, 261, 262
          - hexagonal 261
          - square 262
        - high-order commensurate (HOC) 238
          - incommensurate 74, 240
          - modulation 239
          - warping 239
  - adsorbate sites 241
    - centered rectangular lattice 247
      - threefold hollow 248
      - fourfold hollow 247
      - top 247
    - hexagonal lattice 243
      - twofold bridge 245
      - threefold hollow 243
      - top 243
    - high-symmetry sites 241
    - mixed 249
    - primitive rectangular lattice 245
      - twofold long bridge 245
      - twofold short bridge 246
      - fourfold hollow 247
      - top 245
    - sketches 329
    - bcc surface 338
    - diamond surface 346
    - fcc surface 330
    - hcp surface 342
    - zinblend surface 349
    - square lattice 242
      - twofold bridge 243
      - fourfold hollow 242
      - top 242
    - substitutional 249
  - adsorbates 235
  - adsorption
    - chiral 293
    - cooperative 294, 296

- enantiopure 296
- enantioselective 293
- local 293
- racemic 296
- anti-ferromagnetic ordering 26
  
- b**
- Bain path 37, 403
- Balsac XII, 4, 399
- basis 403, 410
- bcc 16, 403
- Bravais lattice (two-dim.) 410
  - centered rectangular 125, 127, 129, 136, 138, 145
  - hexagonal 129, 130, 144
  - oblique 144
  - overview 146
  - primitive rectangular 123, 125, 126, 136, 138, 144
  - square 128, 144
- Bravais lattice (three-dim.) 40, 41, 403
  - cubic-F 44, 51
  - cubic-I 44, 51
  - cubic-P 44, 51
  - hexagonal-P 45, 51
  - monoclinic-A 42
  - monoclinic-B 42, 51
  - monoclinic-C 42
  - monoclinic-P 42, 51
  - orthorhombic-C 43, 51
  - orthorhombic-F 43, 51
  - orthorhombic-I 43, 51
  - orthorhombic-P 43, 51
  - overview 46
  - tetragonal-I 43, 51
  - tetragonal-P 43, 51
  - triclinic-P 41, 51
  - trigonal-R (rhombohedral) 45, 51
- BrClFCH 192
- Brillouin zone (BZ) 404
- Buerger cell 35, 404
- bulk crystals 7
  - representation 11
  
- c**
- $C_4O_6H_6$  194, 295
- Cahn-Ingold-Prelog rules 195
- carbon nanotube 317
  - armchair 319
  - chiral pairs 319
  - zigzag 318
- Cartesian coordinates 15
- catalysis 2
- centering 31, 404, 410
- cesium chloride 12, 58
- chemical binding 1
- chiral
  - centers 194
  - definition 192, 194
  - molecule 192
  - partner 195
  - surface 192, 410
- chirality 192, 404
- CIF 415
- classification scheme
  - crystal lattices 40, 46
  - netplanes 144, 149, 163
- clusters 63
- coincidence (super)lattice 410
- commensurate reconstruction 410
- compatibility constraints
  - two-dim. 110, 115, 123, 127, 133
  - three-dim. 40
- coordinate transformation (two-dim.)
  - glide reflection 132
  - inversion 112
  - mirroring (reflection) 120
  - rotation 114
- coordination
  - number 53, 404
  - shell 52, 404
- c-rectangular 410
- crystal 404
  - aperiodic 71, 72
  - decomposition 12
  - definition 9, 11
  - growth 222
  - growth mode 222
  - – three-dim cluster 224
  - – alloying 225
  - – Frank-Van-der-Merwe (FM) 223, 224
  - – layer-by-layer 223
  - – mixed layer, cluster 224
  - – Stranski–Krastanov (SK) 224
  - – Volmer–Weber (VW) 224, 225
  - hexagonal close-packed (hcp) 21, 165
  - incommensurate 71
  - incommensurate composite 73, 75
  - modulated structures 71
  - periodic 72
  - quasicrystal 71, 76, 78
  - –  $Al_{65}Cu_{20}Fe_{15}$  82
  - – dihedral 80
  - – i-AlCuFe 82
  - – icosahedral 80
- crystal parameters 351
- crystal systems (two-dim.) 144, 410

- hexagonal 144
- oblique 144
- overview 146
- rectangular 144
- square 144
- crystal systems (three-dim.) 40, 405
  - cubic 44
  - hexagonal 44
  - monoclinic 42
  - orthorhombic 43
  - rhombohedral 45
  - tetragonal 43
  - triclinic 41
  - trigonal 45
- crystallites 63, 69
  - quasi-continuum models 69
- crystallographic plane 92, 410
- CsCl 58, 201
- CSD 415
- ct 405
- cubic Miller Indices 405
- cuboctahedral clusters 65
- cut-and-project method 80, 411

**d**

- DAS model 214, 411
- density-functional theory 415
- DFT 263, 415
- diamond 13
- Diophantine equations 415
  - linear 31, 97, 177, 189, 377
    - (in)homogeneous 377
    - iterative solution 377
  - quadratic 54, 57, 59, 380
    - $a m^2 = b n^2$  385
    - $m^2 + 2 n^2 = N^2$  384
    - $m^2 + m n + n^2 = N^2$  383
    - $n_1^2 + n_2^2 = N$  382
    - $n_1^2 + n_2^2 + n_3^2 = N$  380
    - $n_1^2 + n_2^2 + n_3^2 + n_4^2 = N$  382
- dodecahedral clusters 68
- domain formation 411

**e**

- electronic properties 1
- enantiomer 192, 416
- enantiopure 296, 416
- Euclid formula 382
- Euclid's algorithm 376, 377, 416
- experimental methods 305
  - IS 310
  - LEED 305, 310
  - PED 305, 310
  - SEXAFS 305, 310

- table 306
- X-ray grazing incidence 305
- XSW 310

**f**

- facet 69, 411
- faceting 226
- fcc 18, 405
- ferromagnetic ordering 26
- Fibonacci
  - chain 81, 411
  - numbers 79, 416
- five-fold symmetry 78, 82
- Fourier theory 51, 213, 395
  - harmonic functions 395
- four-index notation 108, 405, 406
- Frank-Van-der-Merwe 411
- FW growth mode 411

**g**

- gallium arsenite, GaAs 86, 172
- gcd 416
- generic Miller Indices 405
- Gibbs-Wulff theorem 69, 405
- glossary
  - bulk and three-dim. 403
  - miscellaneous 415
  - surface and two-dim. 409
- glossary, abbreviations 403
- golden mean 416
- golden ratio 77, 416
- Gra 405
- grains 69
- graphene 317, 405

**h**

- handedness 30, 192, 195, 405
  - left-handed 196
  - right-handed 14, 196
- hcp 21, 405
- Hermann-Mauguin notation 40, 115, 151, 405
- hex(hcp) 405
- hexagonal close-packed (hcp) crystal 61
- hexagonal graphite 83
- high-Miller-index surface 411
- high-order commensurate (HOC) 411
- HOC reconstruction 214, 411

**i**

- icosahedral
  - clusters 64
  - symmetry 64

- ICSD 416  
 incommensurate composite crystal 406  
 incommensurate reconstruction 411  
 intercept factors 106  
 interference lattice 411  
 international notation 40  
 international tables of crystallography, ITC 40, 151  
 inversion symmetry 172  
 ITC 40, 151, 406  
 IUCr crystal definition 71  
 IUPAC 222
- k**
- kinked surface 412
- l**
- label 10  
 Lagrange's theorem 382  
 lattice 406  
 – alternative description 12, 14, 30  
 – basis 11  
 – centered 31  
 – – A-centered 33  
 – – B-centered 34  
 – – body centered 16, 33, 44, 50, 57, 101  
 – – – cubic (bcc) 16, 44, 50, 57, 101  
 – – C-centered 34  
 – – face centered 18, 34, 44, 50, 58, 100  
 – – – cubic (fcc) 18, 44, 50, 58, 100  
 – – F-centered 34  
 – – I-centered 33  
 – classification 38  
 – definition 9, 11  
 – geometric constraints 29  
 – hexagonal 21, 104  
 – hexagonal sublattice (trigonal) 23  
 – linear transformations 29  
 – perovskite 187  
 – reciprocal 49  
 – – Bravais lattices 51  
 – – double reciprocal lattice 392  
 – – lattice vectors 49  
 – – orthogonality relations 50, 265  
 – – unit cell volume 50  
 – rhombohedral 22  
 – simple cubic (sc) 16, 44, 50, 54, 100  
 – symmetrically appropriate vectors 98  
 – symmetry 38  
 – trigonal 22, 104  
 lattice basis vectors 10, 92, 93, 406, 412  
 lattice constant 9, 406  
 lattice gas 412  
 lattice points 9  
 lattice vectors 9, 406, 412  
 – acute 14, 100  
 – general 91, 228, 405, 411  
 – netplane-adapted 96, 316  
 – obtuse 14, 100  
 – reduced 15  
 lcm 416  
 LEED 82, 416  
 LEEDpat 286, 399  
 linear algebra 391  
 – linear transformation 391
- m**
- magic numbers 64, 65, 416  
 magnetism 2, 26  
 matrix notation ( $2 \times 2$ ) 221, 409  
 MgO 3, 93, 170, 200, 226  
 microfacet notation 185, 412  
 microfaceted surface 414  
 Miller indices 91, 406  
 – additivity theorem  
 – – kinked surface 182, 183  
 – – stepped surface 178, 179  
 – alternative definition 106, 107  
 – cubic lattices 100  
 – decomposition 178, 187  
 – direction 96  
 – direction family 96  
 – family 96  
 – four-index notation 108  
 – generic 94  
 – large values 175, 178, 182  
 – negative values 94, 169  
 – simple cubic notation 101, 102, 169  
 – trigonal (hexagonal notation) 105  
 Miller-Bravais indices 106, 108, 406  
 Minkowski reduction 98, 99, 368, 412  
 – basic condition 369  
 – mathematics 367  
 modulated structure 407  
 moiré 416  
 – angle 274  
 – factor 268, 274  
 – lattice vectors 267, 269  
 – matrix 267, 270, 274  
 – moirons 264  
 – pattern 263, 412  
 – stripes 280  
 molecular adsorbates 249  
 monoatomic crystal 407  
 monolayer 91, 412  
 – atom density 94  
 – definition 92, 93  
 – distance 94

- NaCl(1 2 2) 316
- morphological unit cell 10, 35, 93, 110
- two-dim. 413
- three-dim. 407
- motif 151
- two-dim. 413
- three-dim. 407

**n**

- NaCl 60, 170, 200, 226
- NAD 416
- nanoparticle 2, 63, 315
- nanotube 315, 407
  - achiral 323
  - basic definition 315
  - carbon 315
  - chiral pairs 320
  - complex nanotubes 323
  - coordinate transformation 317
  - crystallography 315
  - rolling indices (m, n) 316
  - rolling vector 316
  - symmetry 319
  - translational periodicity 322
- nanowire 324
- neighbor shells 52, 407
  - complete set 53
  - Diophantine equations 380
  - evaluation 61
  - polyhedral shells 64
  - shell center 53
  - shell multiplicity 53, 407, 408
    - – accidental 55
    - – symmetry related 55, 58, 60
    - – total 55, 58, 60
  - shell radius 52, 53
  - shell range 53
  - shell thickness 53
- netplane 91, 413
  - centered 110, 145
  - definition 92
  - distance 94
  - normal direction 93, 104
  - symmetry 109
- netplane symmetry
  - centered rectangular 155
  - classification 146
  - hexagonal 158
  - oblique 151
  - primitive rectangular 151
  - square 157
- netplane-adapted
  - lattice 407
  - lattice vectors 16, 96

- matrix 93
- transformation 93
- n-fold rotation 40, 407, 413
- Niggli cell 35, 407
- non-primitive
  - lattice vectors 10, 32
  - unit cell 10
- non-symmorphic space group 407
- number theory 97, 371, 416
  - basic definitions 371
  - composite function  $p(x)$  373
  - coprime 372
  - greatest common divisor, gcd 98, 372, 376
  - least common multiple, lcm 374
  - matrices 386
    - – coprime pair 387
    - – integer approximant 266, 386
    - – reduction 387
  - modulo function 372
  - nearest integer function 371
  - truncation function 371

**o**

- obtuse representation
  - two-dim. 413
  - three-dim. 408
  - hexagonal 21, 45, 107

**p**

- PDB 416
- Penrose tiling 76, 413
- periodicity cells 35
- plane group 143, 413
- point symmetry group 142
  - two-dim. 414
  - three-dim. 408
  - associativity 142
  - highest 151
  - inverse element 142
  - list of groups 142
  - product 142
  - subgroup 143
  - unit element 142
- point symmetry operations
  - two-dim. 110
  - three-dim. 39
- polyatomic crystal 408
- p-rectangular 414
- primitive
  - lattice 10, 408
  - lattice vectors 10
  - unit cell 10
- prototiles 76

- Pythagorean
  - equation 220
  - triplets 382
  
- q**
- quantitative structure determination 305
- quasicrystal 76, 408
- quasiperiodic crystal 76
  
- r**
- racemic mixture 296, 416
- reciprocal lattice 408
- relative coordinates 11, 408
- repeated slab geometry 25, 27
- rhombohedral graphite 83
- rolling vector 414
- rotation
  - angles 115
  - anti-clockwise 356
  - two-, three-, four-, and sixfold 116
- rutile 86
  
- s**
- sc 16, 408
  - notation 101, 102, 408
- scaled commensurate 414
- Schönflies notation 40, 41, 115, 140, 151, 408
- self-similarity 79
- shell models 52
- simple cubic notation 409
- single crystal 409
- SK growth mode 414
- sodium chloride 60, 170
- space group (two-dim.) 150, 414
  - non-symmorphic 143, 150
  - overview 163
  - simple 143
  - symmorphic 143, 150
- space group (three-dim.) 49, 409
- SrTiO<sub>3</sub> 187
- SSD 418
  - experimental methods 310
  - NIST SSD 242, 251, 307, 312, 399, 401
  - oSSD 242, 307, 312, 399, 401, 416
  - SSDIN 4, 399
  - statistical analysis 308
- step notation 180, 414
- stepped surface 414
- Stranski-Krastanov 414
- strontium titanate 187
- structure 10
- structure database
  - critical 308
  - Crystmet 306
  - CSD 306
  - format 311
  - – Balsac 312
  - – CIF 312
  - – PDB 312
  - – requirements 312
  - – SSD 312
  - – Survis 312
  - – XYZ 312
  - ICSD 306
  - NAD 306
  - PDB 307
  - SCIS 307
- supercell 25
- superlattice 25, 409, 414
  - methods 16
- surface
  - achiral 197
  - – bcc crystal 202
  - – fcc crystal 201
  - – hexagonal crystal 203
  - bulk truncation 169, 210
  - chiral 192, 195
  - ideal 169
  - kinked 175
  - – multiple-atom-height 185
  - microfacet notation 185
  - microfaceted 231
  - moiré pattern 216, 218
  - morphology 175
  - orientation 169
  - polyatomic crystal 187
  - real 209
  - step notation 180
  - stepped 175
  - – multiple-atom-height 176, 181, 375
  - – – partitioning 375
  - – step edges 176
  - – subterraces 181
  - surface atoms 173
  - symmetry 283
  - termination 170
  - terrace 175
  - vicinal 175, 179, 183, 415
- surface domain 283, 289
  - anti-phase 293
  - glide line 290
  - mirrored 289
  - rotational 289
  - translational 290
- surface facet
  - angle 228
  - edge vector 227
  - negative 227

- positive 227
- surface free energy 69
- surface reconstruction 210, 414
  - buckling 213, 215
  - coincidence lattice 214, 218
  - commensurate 211
  - disordered 210
  - displacive 213
  - high-order commensurate 214
  - incommensurate 217, 221
  - matrix 211, 214, 217
  - modulation function 213
  - reconstruction matrix 211
  - rotational superlattice 218
  - scaled commensurate 214
  - superlattice 211
- surface relaxation 209, 415
  - inwards/outwards 209
- surface structure
  - compilations 306
  - examples
    - Ag(1 1 0) + (2 × 1) - O 245, 291
    - Ag(1 1 1) + Xe hex disordered 240
    - Al(1 1 1) + (1 × 1) - O 286
    - Au(1 0 0) hex disordered 217
    - Au(1 1 1) - ( $\sqrt{3} \times 22$ )rect 215, 280
    - Au(1 1 1) + rubrene 295
    - Co(1 0 -1 5) 203
    - Cu(0 0 1) + ( $2\sqrt{2} \times \sqrt{2}$ )R45° - 2O 301
    - Cu(1 0 0) + ( $\sqrt{2} \times \sqrt{2}$ )R45° - Cl 251
    - Cu(1 0 0) + c(2 × 2) - Cl 243
    - Cu(1 0 0) + c(2 × 2) - Pd 249
    - Cu(1 1 0) - (1 × 1) 250
    - Cu(1 1 0) + (9 0 | 1 2) - 3(R,R)-TA 296
    - Cu(1 1 0) + (9 0 | -1 2) - 3(S,S)-TA 296
    - Cu(1 1 0) + (2 × 1) - CO 245
    - Cu(1 1 0) + (2 × 3) - 4N 250
    - Cu(1 1 0) + c(2 × 2) - Mn 249
    - Cu(1 1 1) + ( $6\sqrt{3} \times 6\sqrt{3}$ )R30° - 2TPyB - 3Cu 308
    - Cu(1 1 1) + (disordered) - NH<sub>3</sub> 236, 293
    - Cu(1 1 1) + (2 × 2) - Cs 243
    - Cu(1 1 1) + (4 × 4) - C<sub>60</sub> 238
    - Cu(1 1 1) + (disordered) - C<sub>2</sub>H<sub>2</sub> 245
    - Cu(1 1 1) + (R,R)-TA 295
    - Cu(1 1 1) + (S,S)-TA 295
    - Cu(1 1 1) + C<sub>4</sub>O<sub>6</sub>H<sub>6</sub> 295
    - Cu(1 1 1) + R-(NH<sub>3</sub>)<sub>6</sub> 295
    - Cu(1 1 1) + S-(NH<sub>3</sub>)<sub>6</sub> 295
    - Cu(8 7 4)<sup>R</sup> + R/S-FAM 299
    - Cu(-8 -7 -4)<sup>S</sup> + R/S-FAM 299
    - fcc(15 15 23) 181
    - fcc(3 3 1) 198
    - fcc(3 3 5) 178
  - fcc(37 25 17) 186
  - fcc(5 6 8) 175
  - fcc(6 1 1) 176
  - fcc(7 1 1) facets 227
  - fcc(7 7 9) 175
  - fcc(*h k l*) crystal sphere 231
  - Fe(110) + (2 × 2) - S 247
  - Fe(1 2 3) 202
  - Fe(-25 -20 -3)<sup>R</sup> 297
  - Fe(-25 -20 -3)<sup>R</sup> + R-Co<sub>9</sub> 298
  - Fe(-25 -20 -3)<sup>R</sup> + S-Co<sub>9</sub> 298
  - Fe(25 20 3)<sup>S</sup> 297
  - Fe(25 20 3)<sup>S</sup> + R-Co<sub>9</sub> 298
  - Fe(25 20 3)<sup>S</sup> + S-Co<sub>9</sub> 298
  - GaAs(1 1 1) 173
  - GaAs(-1 -1 -1) 173
  - Gra + (1 × 1)R3.5° - Gra 275
  - h-BN + (0.97 × 0.97)R3° - Gra 275
  - Ir(1 0 0) + (1 × 2) - O 243
  - Ir(1 1 1) - ( $\sqrt{124/151} \times \sqrt{124/151}$ )R29.5° - Gra 270, 277
  - Ir(1 1 1) - (0.9 × 0.9)R29.5° - Gra 270
  - Ir(1 1 1) + (0.906 × 0.906) - Gra 283
  - Ir(1 1 1) + (0.906 × 0.906)R5° - Gra 283
  - Me + ( $\gamma \times \gamma$ ) - Gra 267
  - MgO(1 1 1) facets 227
  - MgO(15 11 9) 187
  - NaCl(*h k l*) 170
  - Ni(1 0 0) + c(2 × 2) - CO 242, 250
  - Ni(1 1 0) + c(2 × 2) - S 247
  - Ni(1 1 0) + c(2 × 2) - CN 290
  - Ni(1 1 0) + p2mg(2 × 1) - 2CO 237, 247, 250, 253
  - Ni(1 1 1) - (1 × 1) - Gra 268
  - Ni(1 1 1) + (1.155 × 1.155)R2.2° - Ag 264
  - Ni(1 1 1) + (1.167 × 1.167)R2.4° - Ag 264
  - Ni(1 1 1) + (2 × 2) - O 243
  - Ni(1 1 1) + c(4 × 2) - 2NO 244, 249
  - Ni(*h k l*) 170
  - Pb(1 1 1) + ( $\sqrt{403}/7 \times \sqrt{403}/7$ )R22.85° - C<sub>60</sub> 260
  - Pd(1 1 1) + ( $\sqrt{3} \times \sqrt{3}$ )R30° - CO 243, 251
  - Pt(1 1 0) - (1 × 2) missing row 211, 251
  - Pt(1 1 0) + c(2 × 2) - Br 246
  - Pt(1 1 1) + (0.89 × 0.89) - Gra 268, 275
  - Pt(1 1 1) + c(4 × 2) - 2CO 249, 289
  - Rh(1 1 0) + (1 × 3) - H 290
  - Rh(1 1 0) + p2mg(2 × 1) - 2O 284
  - Rh(1 1 1) + ( $\sqrt{3} \times \sqrt{3}$ )R30° - CO 243

- Rh(1 1 1) + (12/13 × 12/13) – B<sub>3</sub>N<sub>3</sub> 264
  - Ru(0 0 0 1) + (12/13 × 12/13) – Gra 239, 263
  - Ru(0 0 0 1) + (23/25 × 23/25) – Gra 263, 272
  - sc(0 0 1) – (1 × 1)R36.87° 219
  - Si(1 0 0) – (2 × 1) symmetric dimer 213
  - Si(1 0 0) – c(4 × 2) buckled dimer 213
  - Si(1 1 1) – (7 × 7) DAS model 214, 250
  - Si(1 1 1) + (1 × 1) – H 250
  - SrTiO<sub>3</sub>(0 1 8) 187
  - V<sub>2</sub>O<sub>3</sub>(0 0 0 1) 171
  - V<sub>2</sub>O<sub>5</sub>(0 1 0), (0 0 1) 172
  - W(1 0 0) – c(2 × 2) 212
  - W(1 1 0) + (2 × 1) – O 248
  - W(2 1 1) microfaceted 231
  - listing 401
  - web sites 399
  - Surface Structure Database (SSD) 4, 416
  - surface symmetry
    - allowed space groups 286
    - surface termination 415
    - symmetry group
      - two-dim. 110, 139, 142
      - three-dim. 49
    - symmetry operation (two-dim.)
      - glide reflection 110, 131, 138
      - identity 141
      - inversion 110, 111, 114
      - mirroring (reflection) 110, 119, 130, 140
      - rotation 110, 114, 119, 140
    - symmetry operation (three-dim.)
      - glide reflection 40
      - inversion 39, 193
      - mirroring (reflection) 39, 193
      - rotation 39, 194
      - rotoinversion 39
      - rotoreflexion 39
      - rototranslation (screw operation) 40
  - symmorphic space group 409
- t**
- tartaric acid (TA) 295
  - thin films 222
  - TiO<sub>2</sub> 86
  - titanium dioxide 86
  - transformation matrix
    - integer approximant 264
    - supercell 25
  - translation
    - group 143
    - operation 39
    - symmetry 39
- u**
- unit cell 10
    - two-dim. 415
    - three-dim. 409
    - origin 11
    - primitive 10, 93
- v**
- V<sub>2</sub>O<sub>3</sub> 171
  - V<sub>2</sub>O<sub>5</sub> 172
  - vanadium pentoxide 172
  - vanadium sesquioxide 171
  - vector calculus 391
    - scalar product 391, 392
    - vector product 392
    - volume product 393, 392
  - vicinal partner 179, 183
  - Volmer-Weber 415
  - Voronoi cell 36
    - two-dim. 415
    - three-dim. 409
  - VW growth mode 415
- w**
- web sites 399
  - Wigner-Seitz cell (WSC)
    - two-dim. 147, 415
    - three-dim. 36, 409
  - Wood notation 212, 222, 251, 415
    - centered 363
    - combined transformation 364
    - definition 253
    - examples 254, 357
    - mathematics 355
    - matrix transformation 254, 272
    - primitive 361
    - simplified 253
    - symmetry information 253
    - Wood-representable 361
  - Wulff
    - construction 69, 71, 409
    - polyhedron 69
- y**
- YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> 7, 12
- z**
- zinblend 86









