

Index

a

- achiral 403
 - definition 192, 194
 - surface 197, 409
- acute representation
 - two-dim. 409
 - three-dim. 403
 - hexagonal 21, 45, 109
- additivity theorem 410
- adsorbate layer 235
 - clusters 236
 - coverage 235
 - fully disordered 235
 - interference lattice 263
 - anisotropic scaling 279
 - basic formalism 264
 - chiral pairs 279
 - first order 267
 - Fourier expansion 265
 - high-order 268
 - HOC 271
 - isotropic scaling 267, 275
 - isotropic scaling + rotation 275, 277
 - modulation factor 267, 269
 - non-periodic 266
 - order matrix 269
 - periodic 266
 - rotation 275
 - shifting 281
 - stretching 280
 - warping 264
 - Wood notation 272
 - islands 236
 - lattice gas 236
 - partially disordered 236
 - periodic overlayer 236
 - coincidence lattice 238
 - commensurate 237
 - high-order commensurate 258, 261, 262
 - hexagonal 261
 - square 262
 - high-order commensurate (HOC) 238
 - incommensurate 74, 240
 - modulation 239
 - warping 239
- adsorbate sites 241
 - centered rectangular lattice 247
 - threefold hollow 248
 - fourfold hollow 247
 - top 247
 - hexagonal lattice 243
 - twofold bridge 245
 - threefold hollow 243
 - top 243
 - high-symmetry sites 241
 - mixed 249
 - primitive rectangular lattice 245
 - twofold long bridge 245
 - twofold short bridge 246
 - fourfold hollow 247
 - top 245
 - sketches 329
 - bcc surface 338
 - diamond surface 346
 - fcc surface 330
 - hcp surface 342
 - zinblende surface 349
 - square lattice 242
 - twofold bridge 243
 - fourfold hollow 242
 - top 242
 - substitutional 249
- adsorbates 235
- adsorption
 - chiral 293
 - cooperative 294, 296

- enantiopure 296
- enantioselective 293
- local 293
- racemic 296
- anti-ferromagnetic ordering 26

- b**
- Bain path 37, 403
- Balsac XII, 4, 399
- basis 403, 410
- bcc 16, 403
- Bravais lattice (two-dim.) 410
 - centered rectangular 125, 127, 129, 136, 138, 145
 - hexagonal 129, 130, 144
 - oblique 144
 - overview 146
 - primitive rectangular 123, 125, 126, 136, 138, 144
 - square 128, 144
- Bravais lattice (three-dim.) 40, 41, 403
 - cubic-F 44, 51
 - cubic-I 44, 51
 - cubic-P 44, 51
 - hexagonal-P 45, 51
 - monoclinic-A 42
 - monoclinic-B 42, 51
 - monoclinic-C 42
 - monoclinic-P 42, 51
 - orthorhombic-C 43, 51
 - orthorhombic-F 43, 51
 - orthorhombic-I 43, 51
 - orthorhombic-P 43, 51
 - overview 46
 - tetragonal-I 43, 51
 - tetragonal-P 43, 51
 - triclinic-P 41, 51
 - trigonal-R (rhombohedral) 45, 51
- BrCIFCH 192
- Brillouin zone (BZ) 404
- Buerger cell 35, 404
- bulk crystals 7
 - representation 11

- c**
- $C_4O_6H_6$ 194, 295
- Cahn-Ingold-Prelog rules 195
- carbon nanotube 317
 - armchair 319
 - chiral pairs 319
 - zigzag 318
- Cartesian coordinates 15
- catalysis 2
- centering 31, 404, 410
 - cesium chloride 12, 58
 - chemical binding 1
 - chiral
 - centers 194
 - definition 192, 194
 - molecule 192
 - partner 195
 - surface 192, 410
 - chirality 192, 404
 - CIF 415
 - classification scheme
 - crystal lattices 40, 46
 - netplanes 144, 149, 163
 - clusters 63
 - coincidence (super)lattice 410
 - commensurate reconstruction 410
 - compatibility constraints
 - two-dim. 110, 115, 123, 127, 133
 - three-dim. 40
 - coordinate transformation (two-dim.)
 - glide reflection 132
 - inversion 112
 - mirroring (reflection) 120
 - rotation 114
 - coordination
 - number 53, 404
 - shell 52, 404
 - c-rectangular 410
 - crystal 404
 - aperiodic 71, 72
 - decomposition 12
 - definition 9, 11
 - growth 222
 - growth mode 222
 - three-dim cluster 224
 - alloying 225
 - Frank-Van-der-Merwe (FM) 223, 224
 - layer-by-layer 223
 - mixed layer, cluster 224
 - Stranski–Krastanov (SK) 224
 - Volmer–Weber (VW) 224, 225
 - hexagonal close-packed (hcp) 21, 165
 - incommensurate 71
 - incommensurate composite 73, 75
 - modulated structures 71
 - periodic 72
 - quasicrystal 71, 76, 78
 - $Al_{65}Cu_{20}Fe_{15}$ 82
 - dihedral 80
 - i-AlCuFe 82
 - icosahedral 80
 - crystal parameters 351
 - crystal systems (two-dim.) 144, 410

- hexagonal 144
- oblique 144
- overview 146
- rectangular 144
- square 144
- crystal systems (three-dim.) 40, 405
 - cubic 44
 - hexagonal 44
 - monoclinic 42
 - orthorhombic 43
 - rhombohedral 45
 - tetragonal 43
 - triclinic 41
 - trigonal 45
- crystallites 63, 69
- quasi-continuum models 69
- crystallographic plane 92, 410
- CsCl 58, 201
- CSD 415
- ct 405
- cubic Miller Indices 405
- cuboctahedral clusters 65
- cut-and-project method 80, 411

- d**
- DAS model 214, 411
- density-functional theory 415
- DFT 263, 415
- diamond 13
- Diophantine equations 415
 - linear 31, 97, 177, 189, 377
 - – (in)homogeneous 377
 - – iterative solution 377
 - quadratic 54, 57, 59, 380
 - – $a m^2 = b n^2$ 385
 - – $m^2 + 2 n^2 = N^2$ 384
 - – $m^2 + m n + n^2 = N^2$ 383
 - – $n_1^2 + n_2^2 = N$ 382
 - – $n_1^2 + n_2^2 + n_3^2 = N$ 380
 - – $n_1^2 + n_2^2 + n_3^2 + n_4^2 = N$ 382
- dodecahedral clusters 68
- domain formation 411

- e**
- electronic properties 1
- enantiomer 192, 416
- enantiopure 296, 416
- Euclid formula 382
- Euclid's algorithm 376, 377, 416
- experimental methods 305
 - IS 310
 - LEED 305, 310
 - PED 305, 310
 - SEXAFS 305, 310

- table 306
- X-ray grazing incidence 305
- XSW 310

- f**
- facet 69, 411
- faceting 226
- fcc 18, 405
- ferromagnetic ordering 26
- Fibonacci
 - chain 81, 411
 - numbers 79, 416
- five-fold symmetry 78, 82
- Fourier theory 51, 213, 395
 - harmonic functions 395
- four-index notation 108, 405, 406
- Frank-Van-der-Merwe 411
- FW growth mode 411

- g**
- gallium arsenite, GaAs 86, 172
- gcd 416
- generic Miller Indices 405
- Gibbs-Wulff theorem 69, 405
- glossary
 - bulk and three-dim. 403
 - miscellaneous 415
 - surface and two-dim. 409
- glossary, abbreviations 403
- golden mean 416
- golden ratio 77, 416
- Gra 405
- grains 69
- graphene 317, 405

- h**
- handedness 30, 192, 195, 405
 - left-handed 196
 - right-handed 14, 196
- hcp 21, 405
- Hermann-Mauguin notation 40, 115, 151, 405
- hex(hcp) 405
- hexagonal close-packed (hcp) crystal 61
- hexagonal graphite 83
- high-Miller-index surface 411
- high-order commensurate (HOC) 411
- HOC reconstruction 214, 411

- i**
- icosahedral
 - clusters 64
 - symmetry 64

- ICSD 416
- incommensurate composite crystal 406
- incommensurate reconstruction 411
- intercept factors 106
- interference lattice 411
- international notation 40
- international tables of crystallography, ITC 40, 151
- inversion symmetry 172
- ITC 40, 151, 406
- IUCr crystal definition 71
- IUPAC 222

- k**
- kinked surface 412

- l**
- label 10
- Lagrange's theorem 382
- lattice 406
 - alternative description 12, 14, 30
 - basis 11
 - centered 31
 - – A-centered 33
 - – B-centered 34
 - – body centered 16, 33, 44, 50, 57, 101
 - – – cubic (bcc) 16, 44, 50, 57, 101
 - – C-centered 34
 - – face centered 18, 34, 44, 50, 58, 100
 - – – cubic (fcc) 18, 44, 50, 58, 100
 - – F-centered 34
 - – I-centered 33
 - classification 38
 - definition 9, 11
 - geometric constraints 29
 - hexagonal 21, 104
 - hexagonal sublattice (trigonal) 23
 - linear transformations 29
 - perovskite 187
 - reciprocal 49
 - – Bravais lattices 51
 - – double reciprocal lattice 392
 - – lattice vectors 49
 - – orthogonality relations 50, 265
 - – unit cell volume 50
 - rhombohedral 22
 - simple cubic (sc) 16, 44, 50, 54, 100
 - symmetrically appropriate vectors 98
 - symmetry 38
 - trigonal 22, 104
- lattice basis vectors 10, 92, 93, 406, 412
- lattice constant 9, 406
- lattice gas 412
- lattice points 9
 - lattice vectors 9, 406, 412
 - acute 14, 100
 - general 91, 228, 405, 411
 - netplane-adapted 96, 316
 - obtuse 14, 100
 - reduced 15
 - lcm 416
 - LEED 82, 416
 - LEEDpat 286, 399
 - linear algebra 391
 - linear transformation 391

- m**
- magic numbers 64, 65, 416
- magnetism 2, 26
- matrix notation (2×2) 221, 409
- MgO 3, 93, 170, 200, 226
- microfacet notation 185, 412
- microfaceted surface 414
- Miller indices 91, 406
 - additivity theorem
 - – kinked surface 182, 183
 - – stepped surface 178, 179
 - alternative definition 106, 107
 - cubic lattices 100
 - decomposition 178, 187
 - direction 96
 - direction family 96
 - family 96
 - four-index notation 108
 - generic 94
 - large values 175, 178, 182
 - negative values 94, 169
 - simple cubic notation 101, 102, 169
 - trigonal (hexagonal notation) 105
- Miller-Bravais indices 106, 108, 406
- Minkowski reduction 98, 99, 368, 412
 - basic condition 369
 - mathematics 367
- modulated structure 407
- moiré 416
 - angle 274
 - factor 268, 274
 - lattice vectors 267, 269
 - matrix 267, 270, 274
 - moirons 264
 - pattern 263, 412
 - stripes 280
- molecular adsorbates 249
- monoatomic crystal 407
- monolayer 91, 412
 - atom density 94
 - definition 92, 93
 - distance 94

- NaCl(1 2 2) 316
- morphological unit cell 10, 35, 93, 110
- two-dim. 413
- three-dim. 407
- motif 151
- two-dim. 413
- three-dim. 407

n

- NaCl 60, 170, 200, 226
- NAD 416
- nanoparticle 2, 63, 315
- nanotube 315, 407
- achiral 323
- basic definition 315
- carbon 315
- chiral pairs 320
- complex nanotubes 323
- coordinate transformation 317
- crystallography 315
- rolling indices (m, n) 316
- rolling vector 316
- symmetry 319
- translational periodicity 322
- nanowire 324
- neighbor shells 52, 407
- complete set 53
- Diophantine equations 380
- evaluation 61
- polyhedral shells 64
- shell center 53
- shell multiplicity 53, 407, 408
- – accidental 55
- – symmetry related 55, 58, 60
- – total 55, 58, 60
- shell radius 52, 53
- shell range 53
- shell thickness 53
- netplane 91, 413
- centered 110, 145
- definition 92
- distance 94
- normal direction 93, 104
- symmetry 109
- netplane symmetry
- centered rectangular 155
- classification 146
- hexagonal 158
- oblique 151
- primitive rectangular 151
- square 157
- netplane-adapted
- lattice 407
- lattice vectors 16, 96

- matrix 93
- transformation 93
- n-fold rotation 40, 407, 413
- Niggli cell 35, 407
- non-primitive
- lattice vectors 10, 32
- unit cell 10
- non-symmorphic space group 407
- number theory 97, 371, 416
- basic definitions 371
- composite function $p(x)$ 373
- coprime 372
- greatest common divisor, gcd 98, 372, 376
- least common multiple, lcm 374
- matrices 386
- – coprime pair 387
- – integer approximant 266, 386
- – reduction 387
- modulo function 372
- nearest integer function 371
- truncation function 371

o

- obtuse representation
- two-dim. 413
- three-dim. 408
- hexagonal 21, 45, 107

p

- PDB 416
- Penrose tiling 76, 413
- periodicity cells 35
- plane group 143, 413
- point symmetry group 142
- two-dim. 414
- three-dim. 408
- associativity 142
- highest 151
- inverse element 142
- list of groups 142
- product 142
- subgroup 143
- unit element 142
- point symmetry operations
- two-dim. 110
- three-dim. 39
- polyatomic crystal 408
- p-rectangular 414
- primitive
- lattice 10, 408
- lattice vectors 10
- unit cell 10
- prototiles 76

- Pythagorean
 - equation 220
 - triplets 382
- q**
- quantitative structure determination 305
- quasicrystal 76, 408
- quasiperiodic crystal 76
- r**
- racemic mixture 296, 416
- reciprocal lattice 408
- relative coordinates 11, 408
- repeated slab geometry 25, 27
- rhombohedral graphite 83
- rolling vector 414
- rotation
 - angles 115
 - anti-clockwise 356
 - two-, three-, four-, and sixfold 116
- rutile 86
- s**
- sc 16, 408
 - notation 101, 102, 408
- scaled commensurate 414
- Schönflies notation 40, 41, 115, 140, 151, 408
- self-similarity 79
- shell models 52
- simple cubic notation 409
- single crystal 409
- SK growth mode 414
- sodium chloride 60, 170
- space group (two-dim.) 150, 414
 - non-symmorphic 143, 150
 - overview 163
 - simple 143
 - symmorphic 143, 150
- space group (three-dim.) 49, 409
- SrTiO₃ 187
- SSD 418
 - experimental methods 310
 - NIST SSD 242, 251, 307, 312, 399, 401
 - oSSD 242, 307, 312, 399, 401, 416
 - SSDIN 4, 399
 - statistical analysis 308
- step notation 180, 414
- stepped surface 414
- Stranski-Krastanov 414
- strontium titanate 187
- structure 10
- structure database
 - critical 308
 - Crystmet 306
 - CSD 306
 - format 311
 - – Balsac 312
 - – CIF 312
 - – PDB 312
 - – requirements 312
 - – SSD 312
 - – Survis 312
 - – XYZ 312
 - ICSD 306
 - NAD 306
 - PDB 307
 - SCIS 307
- supercell 25
- superlattice 25, 409, 414
 - methods 16
- surface
 - achiral 197
 - – bcc crystal 202
 - – fcc crystal 201
 - – hexagonal crystal 203
 - bulk truncation 169, 210
 - chiral 192, 195
 - ideal 169
 - kinked 175
 - – multiple-atom-height 185
 - microfacet notation 185
 - microfaceted 231
 - moiré pattern 216, 218
 - morphology 175
 - orientation 169
 - polyatomic crystal 187
 - real 209
 - step notation 180
 - stepped 175
 - – multiple-atom-height 176, 181, 375
 - – – partitioning 375
 - – step edges 176
 - – subterraces 181
 - surface atoms 173
 - symmetry 283
 - termination 170
 - terrace 175
 - vicinal 175, 179, 183, 415
- surface domain 283, 289
 - anti-phase 293
 - glide line 290
 - mirrored 289
 - rotational 289
 - translational 290
- surface facet
 - angle 228
 - edge vector 227
 - negative 227

- positive 227
- surface free energy 69
- surface reconstruction 210, 414
 - buckling 213, 215
 - coincidence lattice 214, 218
 - commensurate 211
 - disordered 210
 - displacive 213
 - high-order commensurate 214
 - incommensurate 217, 221
 - matrix 211, 214, 217
 - modulation function 213
 - reconstruction matrix 211
 - rotational superlattice 218
 - scaled commensurate 214
 - superlattice 211
- surface relaxation 209, 415
 - inwards/outwards 209
- surface structure
 - compilations 306
 - examples
 - Ag(1 1 0) + (2 × 1) - O 245, 291
 - Ag(1 1 1) + Xe hex disordered 240
 - Al(1 1 1) + (1 × 1) - O 286
 - Au(1 0 0) hex disordered 217
 - Au(1 1 1) - ($\sqrt{3} \times 22$)rect 215, 280
 - Au(1 1 1) + rubrene 295
 - Co(1 0 -1 5) 203
 - Cu(0 0 1) + ($2\sqrt{2} \times \sqrt{2}$)R45° - 2O 301
 - Cu(1 0 0) + ($\sqrt{2} \times \sqrt{2}$)R45° - Cl 251
 - Cu(1 0 0) + c(2 × 2) - Cl 243
 - Cu(1 0 0) + c(2 × 2) - Pd 249
 - Cu(1 1 0) - (1 × 1) 250
 - Cu(1 1 0) + (9 0 | 1 2) - 3(R,R)-TA 296
 - Cu(1 1 0) + (9 0 | -1 2) - 3(S,S)-TA 296
 - Cu(1 1 0) + (2 × 1) - CO 245
 - Cu(1 1 0) + (2 × 3) - 4N 250
 - Cu(1 1 0) + c(2 × 2) - Mn 249
 - Cu(1 1 1) + ($6\sqrt{3} \times 6\sqrt{3}$)R30° - 2TPyB - 3Cu 308
 - Cu(1 1 1) + (disordered) - NH₃ 236, 293
 - Cu(1 1 1) + (2 × 2) - Cs 243
 - Cu(1 1 1) + (4 × 4) - C₆₀ 238
 - Cu(1 1 1) + (disordered) - C₂H₂ 245
 - Cu(1 1 1) + (R,R)-TA 295
 - Cu(1 1 1) + (S,S)-TA 295
 - Cu(1 1 1) + C₄O₆H₆ 295
 - Cu(1 1 1) + R-(NH₃)₆ 295
 - Cu(1 1 1) + S-(NH₃)₆ 295
 - Cu(8 7 4)^R + R/S-FAM 299
 - Cu(-8 -7 -4)^S + R/S-FAM 299
 - fcc(15 15 23) 181
 - fcc(3 3 1) 198
 - fcc(3 3 5) 178
 - fcc(37 25 17) 186
 - fcc(5 6 8) 175
 - fcc(6 1 1) 176
 - fcc(7 1 1) facets 227
 - fcc(7 7 9) 175
 - fcc(*h k l*) crystal sphere 231
 - Fe(110) + (2 × 2) - S 247
 - Fe(1 2 3) 202
 - Fe(-25 -20 -3)^R 297
 - Fe(-25 -20 -3)^R + R-Co₉ 298
 - Fe(-25 -20 -3)^R + S-Co₉ 298
 - Fe(25 20 3)^S 297
 - Fe(25 20 3)^S + R-Co₉ 298
 - Fe(25 20 3)^S + S-Co₉ 298
 - GaAs(1 1 1) 173
 - GaAs(-1 -1 -1) 173
 - Gra + (1 × 1)R3.5° - Gra 275
 - h-BN + (0.97 × 0.97)R3° - Gra 275
 - Ir(1 0 0) + (1 × 2) - O 243
 - Ir(1 1 1) - ($\sqrt{124/151} \times \sqrt{124/151}$)R29.5° - Gra 270, 277
 - Ir(1 1 1) - (0.9 × 0.9)R29.5° - Gra 270
 - Ir(1 1 1) + (0.906 × 0.906) - Gra 283
 - Ir(1 1 1) + (0.906 × 0.906)R5° - Gra 283
 - Me + ($\gamma \times \gamma$) - Gra 267
 - MgO(1 1 1) facets 227
 - MgO(15 11 9) 187
 - NaCl(*h k l*) 170
 - Ni(1 0 0) + c(2 × 2) - CO 242, 250
 - Ni(1 1 0) + c(2 × 2) - S 247
 - Ni(1 1 0) + c(2 × 2) - CN 290
 - Ni(1 1 0) + p2mg(2 × 1) - 2CO 237, 247, 250, 253
 - Ni(1 1 1) - (1 × 1) - Gra 268
 - Ni(1 1 1) + (1.155 × 1.155)R2.2° - Ag 264
 - Ni(1 1 1) + (1.167 × 1.167)R2.4° - Ag 264
 - Ni(1 1 1) + (2 × 2) - O 243
 - Ni(1 1 1) + c(4 × 2) - 2NO 244, 249
 - Ni(*h k l*) 170
 - Pb(1 1 1) + ($\sqrt{403/7} \times \sqrt{403/7}$)R22.85° - C₆₀ 260
 - Pd(1 1 1) + ($\sqrt{3} \times \sqrt{3}$)R30° - CO 243, 251
 - Pt(1 1 0) - (1 × 2) missing row 211, 251
 - Pt(1 1 0) + c(2 × 2) - Br 246
 - Pt(1 1 1) + (0.89 × 0.89) - Gra 268, 275
 - Pt(1 1 1) + c(4 × 2) - 2CO 249, 289
 - Rh(1 1 0) + (1 × 3) - H 290
 - Rh(1 1 0) + p2mg(2 × 1) - 2O 284
 - Rh(1 1 1) + ($\sqrt{3} \times \sqrt{3}$)R30° - CO 243

- Rh(1 1 1) + (12/13 × 12/13) – B₃N₃ 264
 - Ru(0 0 0 1) + (12/13 × 12/13) – Gra 239, 263
 - Ru(0 0 0 1) + (23/25 × 23/25) – Gra 263, 272
 - sc(0 0 1) – (1 × 1)R36.87° 219
 - Si(1 0 0) – (2 × 1) symmetric dimer 213
 - Si(1 0 0) – c(4 × 2) buckled dimer 213
 - Si(1 1 1) – (7 × 7) DAS model 214, 250
 - Si(1 1 1) + (1 × 1) – H 250
 - SrTiO₃(0 1 8) 187
 - V₂O₃(0 0 0 1) 171
 - V₂O₅(0 1 0), (0 0 1) 172
 - W(1 0 0) – c(2 × 2) 212
 - W(1 1 0) + (2 × 1) – O 248
 - W(2 1 1) microfaceted 231
 - listing 401
 - web sites 399
 - Surface Structure Database (SSD) 4, 416
 - surface symmetry
 - allowed space groups 286
 - surface termination 415
 - symmetry group
 - two-dim. 110, 139, 142
 - three-dim. 49
 - symmetry operation (two-dim.)
 - glide reflection 110, 131, 138
 - identity 141
 - inversion 110, 111, 114
 - mirroring (reflection) 110, 119, 130, 140
 - rotation 110, 114, 119, 140
 - symmetry operation (three-dim.)
 - glide reflection 40
 - inversion 39, 193
 - mirroring (reflection) 39, 193
 - rotation 39, 194
 - rotoinversion 39
 - rotoreflexion 39
 - rototranslation (screw operation) 40
 - symmorphic space group 409
- t**
- tartaric acid (TA) 295
 - thin films 222
 - TiO₂ 86
 - titanium dioxide 86
 - transformation matrix
 - integer approximant 264
 - supercell 25
 - translation
 - group 143
 - operation 39
 - symmetry 39
- u**
- unit cell 10
 - two-dim. 415
 - three-dim. 409
 - origin 11
 - primitive 10, 93
- v**
- V₂O₃ 171
 - V₂O₅ 172
 - vanadium pentoxide 172
 - vanadium sesquioxide 171
 - vector calculus 391
 - scalar product 391, 392
 - vector product 392
 - volume product 393, 392
 - vicinal partner 179, 183
 - Volmer-Weber 415
 - Voronoi cell 36
 - two-dim. 415
 - three-dim. 409
 - VW growth mode 415
- w**
- web sites 399
 - Wigner-Seitz cell (WSC)
 - two-dim. 147, 415
 - three-dim. 36, 409
 - Wood notation 212, 222, 251, 415
 - centered 363
 - combined transformation 364
 - definition 253
 - examples 254, 357
 - mathematics 355
 - matrix transformation 254, 272
 - primitive 361
 - simplified 253
 - symmetry information 253
 - Wood-representable 361
 - Wulff
 - construction 69, 71, 409
 - polyhedron 69
- y**
- YBa₂Cu₃O₇ 7, 12
- z**
- zinblend 86