

Index

a

- acetalation 204, 208, 210, 216
- acetalization
 - furanose ketals, deprotection of 348
 - furanoside ketals 346
 - galactofuranose ketals 345–346
 - glucofuranoside ketals 342–344
 - mannofuranose ketals, preparation of 344–345
- acetate 39
- acetate migration 300
- acetimidates 452
- acetone 155
- acetyl (Ac) 458
- acetylation 151
- active pharmaceutical ingredient (API) 474
- acyclic groups 290
- acyl group migration
 - directed evolution of 234–235
 - mechanism and migration kinetics 228–230
 - protecting group manipulations 235–237
 - silyl group-migration sequence 239
 - with sonication 239
 - traditional synthetic applications 230–234
- agelagalastatin synthesis 360
- aglycons 150
- aldehyde 58
- aliphatic acetals
 - isopropylidene acetals 310, 312
 - methylene acetals 307
 - phenylsulfonylethylidene (PSE) acetal 308–309
- alkyl ethers 115
- alkyl α -D-galactofuranosides 341
- alkyne and azide groups 79
- allyl group 150
- allyloxycarbonyl group (Alloc) 458
- allyloxycarbonyl protecting group 181
- amide cleavage 289–290
- amide formation 286
- 2-amino-2,6-dideoxy-glycosides 171
- 4-amino-4-deoxy 364
- 4-amino-4-deoxy-, 4-deoxy-4-thio-, 4-deoxy-4-seleno-furanose derivatives 364
- 2-amino-2-deoxy-glycosides
 - carbamate-based protecting groups 179–185
- cellulose 170
- chitin 170
- glycals to 2-azido
 - intermediates 188–189
- glycals to 2-sulfonamido
 - intermediates 190–191
- glycosaminoglycans (GAGs) 170
- imido-based protecting groups 175–179
- imine-or enamine-based protecting groups 185–187

- 2-amino-2-deoxy-glycosides (*Contd.*)
N-acyl-based protecting groups 171
N-acetyl-neuraminic acid (Neu5Ac) 171
O-GlcNAc-transferase (OGT) 171
 2,3-oxazolidinone protecting group 183
 1,6-anhydro acetolysis 487
 1,4-anhydrogalactopyranose derivatives 363
 β -anomer 483
 anomeric centre
 cyclic acetals, ketals and orthoesters 155–157
 glycosylation 146
 glycosyl esters 151–155
 hemiacetal or hemiketal 145
 O-alkyl and *O*-aryl glycosides 146
 N,O-dimethyloxyamine-*N*-glycosides 164
 p-methoxyphenyl glycoside 164
 Schmidt's trichloroacetimidate 146
 S-glycosyl and *N*-glycosyl derivatives 158–162
 silyl ethers 157–158
 thexyldimethylsilyl glycoside 165
 thioglycosides 145
 anomeric deacetylation 487
 anomeric deprotection 150
 antithrombin binding sequences 475
 9-anthryl methylene acetal 320
 arabinogalactan 465
 arabinoxylans 20
 aromatic acetals
 9-anthryl methylene acetal 320
 benzylidene acetals 314–315
 halobenzylidene acetals 316–317
 nitrobenzylidene acetals 317–319
 p-methoxybenzylidene acetal 315–316
 polyaromatic methylene acetals 319–320
 artificial enzyme 386–387
 automated glycan assembly
 approved building blocks 461
 chances, challenges and commercialization 467, 469
 free hydroxyl groups 459
 mammalian, microbial and plant oligosaccharides 464
 non-participating protecting groups
 azides 455–456
 benzyl ethers 453, 455
 olefin metathesis 451
 orthogonal protection groups 460
 participating protecting groups 453
 solid support and oligosaccharides 451
 temporary protecting groups
 acetyl (Ac) 458
 allyloxycarbonyl group (Alloc) 458
 fluorenylmethoxycarbonyl group (Fmoc) 457
 levulinoyl esters (Lev) 457–458
 monitoring reaction progress 459
 (2-Naphthyl)methyl (Nap) 458
 tert-butyl dimethylsilyl ethers (TBS) 458
 [(Triisopropylsilyl)oxy]methyl ether (Tom) 459
 azides 91, 455–456
 azido-nitration 189
- b**
 benzoate derivatives 39
 benzoates 52
 benzoyl 227, 229, 234–235
 benzoylation 117
 benzyl ethers 205, 453–455
 benzylidenation 483
 benzylidene acetals 314–315, 405
 benzylidene mannose system 14
 benzyloxycarbonyl protecting group 180–181
 benzyl trichloroacetimidate 74
 benzyl-type protecting groups
 (2-naphthyl)methyl (Nap) group 72
 benzyl and *p*-methoxybenzyl (PMB) ethers 72

- benzyl ethers 72, 74–82
 - Hartwig-Buchwald
 - conditions 72
 - p*-methoxybenzyl (PMB)
 - group 82
 - Birch reduction 5, 21
 - Boons approach 454
 - butane-1,2-diacetals 312
 - 4,6-benzylidene 415
- C**
- C-2 chloroacylation 263
 - camphorsulfonic acid (CSA) 383
 - carbamate-based protecting groups
 - 2,2,2-trichloroethoxycarbonyl protecting group (Troc) 179
 - benzyloxycarbonyl protecting group 180
 - carbamate FTags 433–434
 - carbohydrate ring
 - anomeric hydroxyl group 1
 - automated synthesis 14
 - axial secondary alcohols 2
 - benzyl ethers 5
 - benzylidene acetals and silylidene ketals 3
 - Birch reduction 5
 - borinic acid catalysis 3
 - D-glucosamine 3
 - hemiacetal functionality 1
 - hydroxyl functionalities 1
 - Lewis acidic conditions 3
 - Lewis acidic glycosylation conditions 5
 - reactivity and stereochemistry 7
 - stannylidene ketals 3
 - trimethylsilyl (TMS) ethers 4
 - carboxylic acid 29, 39, 53, 57–58
 - C-2 chloroacylation 263
 - ceric ammonium nitrate (CAN) 150
 - chemo-enzymatic approaches 59
 - chemoenzymatic methods 474
 - chitin 170
 - chloroacetyl 151
 - chondroitin sulfate (CS)
 - and HS synthesis 415
 - 2-or 3-sulfation 412
 - 4-or 6-sulfation
 - 4,6-diol 403–405
 - 6-benzylidene acetal 405
 - temporary protecting groups 410–411
 - cleistetrosides 261
 - cleistriosides 261
 - copper(II) triflate 205, 210
 - copper triflate 216
 - cyclic acetals 146, 155, 216
 - 1,2-acetals 312–313
 - aliphatic acetals
 - isopropylidene acetals 310–312
 - methylene acetals 307
 - phenylsulfonylethylidene (PSE) acetal 308
 - aromatic acetals
 - 9-anthryl methylene acetal 320
 - benzylidene acetals 314–315
 - halobenzylidene acetals 316–317
 - nitrobenzylidene acetals 317–319
 - p*-methoxybenzylidene acetal 315–316
 - polyaromatic methylene acetals 319–320
 - cyclic carbonate 328–329
 - cyclodextrins (CDs)
 - DIBALH-promoted primary rim desilylation 387–388
 - DIBALH-promoted regioselective demethylation 387
 - DIBALH scalpel 384
 - experimental procedures 388
 - hydroxyl sets 381
 - per-*O*-protection 373
 - primary vs. secondary hydroxyl protection 374
 - single hydroxyl protection strategies 379
 - structure-reactivity 372–373
 - β -cyclodextrin derivatives 151
- d**
- D-arabinofuranose 352
 - debenzylation 52
 - delevulinoylations 488

- de novo* asymmetric synthesis, of
 oligosaccharides
 asymmetric hetero-Diels-Alder
 reaction 245
 atom economic concerns 243
 atom-less protecting groups 244
 experimentals 273
 glucosyl-donor 243
 hexoses 246
 O'Doherty approach 246
 structure activity relationship (SAR)
 studies 245
 2-deoxy-2-azido derivatives 187–188
 3-deoxy-D-glycero-D-galacto-2-
 nonulosonic acid (KDN) 363
 4-deoxy-4-thio-aldose derivatives 364
 D-galactopyranoses 465
 D-galactose 345
 diacetals 313
 diacetone L-sorbose 347
 1,3-dibromo-5,5-dimethylhydantoin
 (DBDH) 340
 dichlorophthaloyl protecting group
 (DCP) 176
 diethylaminosulfur trifluoride
 (DAST) 53
 Differential Scanning Calorimetry
 (DSC) 482
 difluorous tagged strategies
 donor-and acceptor-bound 432
 glycosylation 433
 diisoamylborane (DSB) 359
 1,2:3,5-diisopropylideneoxylo-
 furanose 346
 4,4-dimethyl-2,6-
 dioxocyclohexylideneethyl (Dde)
 protecting groups 186
 4,4-dimethyl-2,6-
 dioxocyclohexylidenemethyl
 (Ddm) 186
 dimethylformamide (DMF) 426
 dimethylmaleoyl (DMM)
 group 178
 (1,3-dimethyl-2,4,6-trioxypyrimidine-5-
 ylidene)methyl protecting group
 (DTPM) 187
 3,3'-di-O-benzyl-4,6;4',6'-di-O-
 benzylidene- α,α -D-
 trehalose 221
 diphenylmaleoyl (DPM) group 178
 direct acylation
 benzylation 349
 boric acid 351
 D-fructose 350
 furanose forms 350
 pentaacetate D-talofuranose 349
 pentoses and hexoses 349
 direct silylation 351–352
 disaccharide mezzettiasides 267
 Dispiroketal 312
 di-*t*-butylsilylene group 324–326
 dithiasuccinyl protecting
 group 177
 dodecasaccharide glucosyl donor 485
- e**
 environmental aspects, health and
 safety (EHS) 475
 ester-linked ITags 437–438
 esters 49
 glycosylation reactions 87
 simple ester protecting
 groups 87
 triggered ester protecting
 groups 91–93
 Zemplén conditions 87
- f**
 Fischer, Emil 337
 Fischer glycosylation 146
 acetolysis of furanoside 340
 aryl glycosides/thioglycosides 340
 bilipidic furanosides 339
 1,3-dibromo-5,5-dimethylhydantoin
 (DBDH) 340
 heterogeneous conditions 339
 monosaccharides\polyols 339
 reactants, catalyst and
 condition 339
 1-thiofuranosides synthesis 340
 9-fluorenylmethoxycarbonyl (Fmoc)-
 Nap 20, 183

- fluorous supported (FTag)-based strategies
 anomeric position 427
 automated oligosaccharide synthesis 424
 catalytic hydrogenolysis 429
 dimethylformamide (DMF) 426
 disaccharides 431
 ester\amide linkages 425
 fluorinated solid phase extraction (FSPE) 424
¹⁹F-spectrum 426
 glycosylation reactions 427, 431
 Lewis acid (LA) catalysis 425
 LewisX trisaccharide 428
 liquid-liquid extraction 424
N-iodo succinimide (NIS) 429
 oligosaccharides 428
 oligosaccharide synthesis 430
 pentenyl-based FTag 428
 trifluoroacetic acid (TFA) 428
 trifluoromethanesulfonic acid (TfOH) 429
 trimethylsilyl trifluoromethanesulfonate (TMSOTf) 429
 ZnBr, AcBr and hemiacetal 427
- furanolactones 341
 furanoside ketals 346
 furanosides
 chemical approaches
 1,4-anhydrogalactopyranose derivatives 363
 sulfate groups, role of 364
- furanosyl synthesis
 1,2-*cis*-furanosides
 agelagalastatin synthesis 360
 epoxides 360–362
 intramolecular aglycon delivery (IAD) 359–360
 galactono-1,4-lactone 359
- g**
 galactofuranose ketals 345
 galactofuranoside 354
 galactopyranosides 126
 galactose 233
- 2,6-,6-and 4,6-positions of hexopyranoside tetraols 3, 134
 benzyl ethers 119
 esters 119, 129
 substituted benzyl ethers 129
 silyl ethers 119–120, 129
- glucofuranoside ketals 342–344
- glucose
 2,3,4-triols and 6-tetraols, glucopyranoside monoprotection at O-2 of 2–4, 115–117
 2,6-, 6-and 4,6-positions of hexopyranoside tetraols 3, 131
 glucopyranoside 3-diols, monoprotection at O-2 2, 111–114
 alkyl ethers 115
 esters and carbonates 115
 silyl ether 110, 115
- regioselective
 protections at 3-position
 4,6-*O*-benzylidene-*D*-glucopyranosides 122
 esters 122, 126–128
 silyl ethers 122, 123
- glucopyranosides 210–211
- glycosaminoglycans (GAGs) 170
O- and *N*-sulfonation 397
- sulfations
 4,6-diol precursor 397–399
 temporary protection 399, 401, 402
- glycosidic linkages 23
 glycosylamines 453
 α -glycosylamines 455
 glycosyl donors 162
 glycosyl esters 151
- h**
 halobenzylidene acetals 316–317
 hamper purification 58
 hemiacetal hydroxyl 69
 heparin synthetic analogs
 antithrombotic activities 475
 development and production 474–475

- heparin synthetic analogs (*Contd.*)
 disaccharide synthesis 482–484
 dodecasaccharide glycosyl
 donor 485
 experimental analysis 487
 glycosylation and conjugation,
 biotin 485–487
 idrabiota-parinix and
 hexadecasaccharide
 GlcN^V-GlcUA^{IV}-Glc^{III}-IdoUA^{II}-
 Glc^I precursors 478–482
 GlcN^V unit precursor 482
 retrosynthetic analysis 476–478
 spacer elongation 485
 tetrasaccharid synthesis 484–485
 heptasaccharide 259
 hexadecasaccharide 476–477, 486
 hexamannuronate 15
 hexopyranosides 121, 135
 HPN/HS polysaccharide 475
 hyaluronic acid (HA) oligomers 18
 hydrazinium acetate 151
 hydrogenolysis 72, 79, 82, 93, 489
 hydroxyl differentiation 377–379
- i**
- idrabiota-parinix 476–477, 486
 imido-based protecting groups
 dichlorophthaloyl protecting group
 (DCP) 176–177
 dimethylmaleoyl (DMM)
 group 178
 dimethylmaleoyl protecting
 group 179
 diphenylmaleoyl (DPM)
 group 178–179
 dithiasuccinyl group (Dts) 177
 intramolecular C-C bond
 formation 178
 phthaloyl protecting group
 (Phth) 175–176
 tetrachlorophthaloyl protecting group
 (TCP) 177
 thiodiglycolyl group (DTG) 178
 iodine 202, 217, 219, 347
 iodine-mediated catalysis 151
 ionic liquids (ILs) supports 436
- ionic liquid tag (ITag)
 chemo-enzymatic oligosaccharide
 synthesis 445–447
 dichloromethane and
 acetonitrile 436
 ester linkages and ether
 linkages 437
 ester-linked ITags 437–440
 ether-linked ITags 441–445
 formation 436
 oligosaccharide synthesis and product
 purification 437
 iron(III) chloride
 hexahydrate 211–214
 isopropylidene acetals 310–312
- k**
- ketals 155
- l**
- lactone analogs 354
 lactonization 287
 L-arabinofuranoses 465
 levulinoyl esters (Lev) 457–458
 Levulinyl groups 151
 Lewis acid 204
 Lewis-Y oligosaccharide 465
 L-gulono-1,4-lactone 341
 1,4-linked oligosaccharides 257
 lipoarabinomannan
 polysaccharides 465
 lithium aluminium hydride 157
 L-sugar glycosyl-donors 254
- m**
- maltose peracetylation
 conditions 483
 mannofuranose ketals 344–345
 mannopeptimycins 259
 mannose
 2,6-, 6- and 4,6-positions of
 hexopyranoside tetraols 3, 133
 benzyl and substituted benzyl
 ethers 117
 esters 117, 119
 mannopyranoside 2,3,4-triols and
 2,3,4,6-tetraols 2–4, 128

- mannopyranoside 3-diols,
 monoprotection at O-3 of
 2, 125
 silyl ethers 119
 β -mannosidic linkages 455, 463
 mannosyl donors 12
 β -mannosylation 455
 β -mannuronic acid alginates 455
 2-methoxypropene 346
 2-methylthioethyl chloride 285
 methyl 4-tri-*O*-benzyl- α -*D*-
 glucopyranoside 2–3, 329
 methyl 6-*O*-benzylidene-*D*-taloside 4,
 130
 methylene acetals 307
 methyl ester formation 283–284
 methyl (methyl 5-acetamido-3,5-
 dideoxy-*D*-glycero- β -*D*-galacto-
 non-2-ulopyranosid)onate 301
 mezzettiaside tetrasaccharide 272
 mezzettiaside trisaccharides 271
 Mitsunobu reaction 151
m-nitrobenzylidene acetal 318
 molecular sieves 214–215
 mono-(*O*-6)-silyl ether β CD
 derivative 379
 Myers reductive rearrangement 261
- n**
- N*-(2-mercaptoethyl)aminomethyl-
 polystyrene 183
N-acetyl-galactosamine 170
N-acetyl-glucosamine 170
N-acetyl glycosylamines 453
N-acetyl mannosaminuronic acid 23
N-acetyl-neuraminic acid
 (Neu5Ac) 171
N-acyl-based protecting groups
 acetyl protecting group 171, 173
 trichloroacetamido protecting group
 (TCA) 173–174
 trifluoroacetic anhydride
 (TFAA) 174–175
N-arylidene protecting
 groups 185–186
 2-naphthylmethylene acetal
 (NAP) 319
 2-naphthylmethyl (NAP)
 aglycone 405
N-iodosuccinimide 162
 nitrobenzylidene acetals 317–319
 nitroptalimidobutyric acid ester
 (NPB) 459
N-methyl-2-pyrrolidone (NMP) 482
N,N-dimethylformamide (DMF) 155
N,N-dimethylpropylurea (DMPU) 340
N,O-dialkoxyamine-*N*-glycosides 162
N,O-dimethylhydroxylamine 162
N,O-dimethyloxyamine-*N*-
 glycoside 164
n-pentenyl glycosides 150
- o**
- O*-alkyl and *O*-aryl
 glycosides 146–150
 1-*O*-alkylation approach 341
 2-*O*-benzoyl-4,6-*O*-benzylidene- α -*D*-
 alloside 121
 3-*O*-benzylation 136
 6-*O*-benzylation 419
 4,6-*O*-benzylidene 121
 1,2-*O*-benzylidene acetal 155, 157
 4,6-*O*-benzylidene-*D*-
 glycopyranosides 122
 4,6-*O*-benzylidene-*L*-idose 121
 4,6-*O*-benzylidene- α -*D*-
 allopopyranoside 120
 2-*O*-debenzylation 136
O-cyanobenzyl ether 14
 3,5-*O*-di-*tert*-butylsilylene (DTBS) 358
 O'Doherty approach,
 carbohydrates
de novo synthesis of
 pyranoses, Achmatowicz
 approach 246, 249
 deoxy-pyranones 250
 furan alcohols and pyranones 247
 Myers 3-allylic reduction 1, 249
 pyran-2-ones 252
 Upjohn dihydroxylation 246
 Wharton rearrangement, of
 sugars 251
 natural oligosaccharides 259, 261,
 265, 267

- palladium catalyzed
 - glycosylation 253–254
 - unnatural oligosaccharides 253, 257, 259
 - O-GlcNAc-transferase (OGT) 171
 - oligomannuronic acid sequences 15
 - oligosaccharides 190–191
 - one-pot multi-step procedures
 - acid-catalyzed reductive
 - etherification processes 216
 - copper triflate on unprotected sugars 216
 - experimental procedures 220
 - hydroxyl groups 202
 - silylated substrates
 - copper triflate catalysis 204–207
 - glycopyranosides 210
 - iron(III) chloride hexahydrate 211
 - triflic acid, on molecular sieves 214–215
 - trimethylsilyltriflate 207
 - orthoesters 155, 157, 320
 - α -ethoxybenzylidene ortho esters 322–323
 - α -methoxy 322–323
 - methoxy, 1-ethoxyethylidene 322
 - methoxy-, ethoxymethylene orthoesters 321
 - methylidene ortho ester 323–324
 - O-sulfonations 489
 - 6-*O*-*t*-butyldimethylsilyl-D-mannoside 4-triol 2–3, 119
 - O-sulfonation 487
- p**
 - peracetylated galactose 463
 - peracetyl methyl ester 284
 - peracetyl monodeprotection 134
 - perbenzyl methyl
 - glucopyranoside 136
 - perbenzyl monosaccharides 134
 - phenacyl esters 285
 - phenylsulfonylethylidene (PSE)
 - acetal 308–310
 - phenylthioglycoside 483
 - phosphate FTags 435–436
 - phosphates 452
 - phosphotungstic acid 347
 - picolinyl ethers 14
 - pivaloyl 229, 231
 - plant arabinogalactan
 - oligosaccharide 468
 - p*-methoxybenzylidene acetal 155, 315–316
 - p*-methoxybenzyl (PMB) 415
 - p*-methoxyphenyl glycosides 162
 - p*-methoxyphenyl group 150
 - p*-nitrobenzylidene acetal 318
 - p*-nitrobenzyloxycarbonyl (PNZ) 181
 - polyaromatic methylene
 - acetals 319–320
 - potassium iodide 155
 - potassium *tert*-butoxide 150
- q**
 - quantitative capping 459
- r**
 - reductive etherification 211, 216
 - reductive opening 210
 - regioselective 6-*O*-desilylation 45, 47–48
 - regioselective 6-*O*-sulfonylation 37
 - regioselective 6-*O*-acylation
 - chemical methods 39
 - chemo-enzymatic methods 39, 41–45
 - regioselective 6-*O*-deacylation
 - chemical methods 48–49
 - chemo-enzymatic reactions 49–52
 - regioselective
 - 6-*O*-debenzylation 52–53
 - regioselective debenzylation
 - reaction 385
 - regioselective hydroxyl
 - protection 373–374
 - regioselective transformations, primary
 - position
 - aldehyde, oxidation to 58–59
 - carboxylic acid, oxidation to 53
 - halogenation 53

- regioselectivity
 anomeric configuration 70–71
 orthogonality regioselectivity
 orthogonality 70
 protecting group migration 71
 relative reactivity values (RRVs) 7
- S**
- selective acylation and deacylation
 chemical methods 353–354
 chemo-enzymatic
 methods 354–357
 selector 234, 238
 self-assembling 383, 386
 S-glycosyl and N-glycosyl
 derivatives 158
 sialic acids
 alcohol, selective protection
 acetate migration 300
 acetylative desilylation of
 per-O-trimethylsilyl ether 300
 acylation 294
 alkylation 294–295
 selective acetal formation and
 manipulation 295–299
 silylation 295–296
 silylene acetal formation and
 manipulation 299
 amide formation 286
 amine function
 acyclic groups 290–292
 amide cleavage 289–290
 O7,N5-Oxazinone 294
 oxazolidinone and
 N-acetyloxazolidinone 292–294
 by chemoenzymatic synthesis 301
 functionalized ester
 formation 285–286
 lactam formation 288
 lactonization 287
 methyl ester formation 283–284
 spirocyclic hydantoin 288
 thioesterification 286
 total and hemi-synthesis 301
 silylation 158
 silylene acetals
 1,1,3,3-tetraisopropylidisiloxane-1,3-
 diyl (TIPDS) group 326–327
 1,1,4,4-tetraphenyl-1,4-disilabuta-1,
 4-diyl group (SIBA) 326
 di-*t*-butylsilylene group 324–326
 silyl ether FTags 434–435
 silyl ethers 82–83, 110, 119,
 157, 458
 glucal/galactal moieties 32
 pyridine 32
 TBDMS silyl ethers, removal of 36
 silyl groups
 anomeric position 358
 di-*tert*-butylsilane
 bis-(trifluoromethane-
 sulfonate) 358
 DTBS 358
 silyl protecting groups
 carbohydrate conformation and
 stereoelectronic interactions 82
 deprotection conditions 83
t-butyldiphenylsilyl (TBDPS)
 group 82
 solid-phase oligosaccharide synthesis
 (SPOS) 451
 sonication 232, 239
 S-thiazolinyl (STaz) glycosides 162
 structure activity relation (SAR) 259
 sulfuric acid 483
- t**
- tandem catalysis 210
 “tandem” process 205
t-butoxycarbonyl protecting group
 (Boc) 181–182
t-butyldimethylsilyl 32, 36
t-butyldiphenylsilyl 33
t-butyldimethylsilylchloride
 (TBDMSCl) 351
t-butyldimethylsilyl groups 79
tert-butyldimethylsilyl ethers
 (TBS) 458–459
 tetrabutylammonium fluoride
 (TBAF) 183
tert-butylchlorodiphenylsilane
 (TBDPS) 399

- tert*-butyldimethylsilyl 158
tetrachlorophthalimide 176
tetrachlorophthaloyl protecting group (TCP) 177
1,3,4,6-tetra-*O*-acetyl-glucopyranose 134
1,3,4,6-tetra-*O*-acetyl-2-phthalimido-2-deoxy- β -D-glucopyranose 191
1,1,4,4-tetraphenyl-1,4-disilabuta-1,4-diyl group (SIBA) 326–327
tetrasaccharides 265, 481
thexyldimethylsilyl glycoside 165
thexyldimethylsilyl (TDS) 158, 374
thioesterification 286
thioethers 463
thiofuranosides 340
thioglycoside 145, 158, 202, 204, 452, 461, 488
tosylates 59
transesterifications 488
trehalose 221
trialkylaluminum reagents 134
trichloroacetamides (TCA) 173–174, 405, 487, 488
trichloroacetyl (TCA) groups 453
2,2,2-trichloroethoxycarbonyl protecting group (Troc) 179–180
2,2,2-trichloroethyl glycosides 150
triethylamine 457
triethylsilyl (TES) 32
triflate 216
trifluoroacetic acid (TFA) 428
trifluoromethanesulfonic acid 221
triisopropylsilyl (TIPS) 32, 158
triisopropylsilyl triflate (TIPSOTf) 158
trimethylsilyl (TMS) 32
2-(trimethylsilyl)ethyl glycosides 162
2-(trimethylsilyl)ethyl group 150
trimethylsilyltriflate 204
glucopyranosides 207
mannopyranosides 207–210
triphenylmethyl 29
triphenylmethyl chloride 30
trisaccharide mezzettiasides 267
trisaccharides 265
trityl chloride 32
trityl ethers
conditions for removal 33
non-conventional synthetic procedures 30
regioselective 6-*O*-tritylation 31
regioselectivity 30
- u**
uronate saponification 489
- w**
Williamson conditions 72
- x**
 α -xylosides 454
- y**
 γ -azide 93
- z**
Zemplén conditions 146
Zemplén reaction 478
Zemplén saponification 483