

## Contents

**Foreword** *xvii*

**Preface** *xix*

- 1 Protecting Group Strategies in Carbohydrate Chemistry** *1*  
*Anne G. Volbeda, Gijs A. van der Marel, and Jeroen D. C. Codée*
- 1.1 Discriminating Different Functionalities on a Carbohydrate Ring *1*  
1.2 Strategies for an (Oligo)saccharide Synthesis Campaign *5*  
1.3 Reactivity and Stereochemistry *7*  
1.4 Protecting Groups in Automated Synthesis *14*  
1.5 Summary and Outlook *20*  
Abbreviations *23*  
References *24*
- 2 Protecting Groups at the Primary Position of Carbohydrates** *29*  
*Marion Donnier-Maréchal, Sébastien Vidal, and Michele Fiore*
- 2.1 Introduction *29*  
2.2 Selective Primary Hydroxyl Group Protection *30*  
2.2.1 Trityl Ethers *30*  
2.2.2 Silyl Ethers *32*  
2.2.3 Regioselective 6-*O*-Sulfonylation *37*  
2.2.4 Regioselective 6-*O*-Acylation *39*  
2.2.4.1 Chemical Methods *39*  
2.2.4.2 Chemoenzymatic Methods *39*  
2.3 Selective Primary Hydroxyl Group Deprotection *45*  
2.3.1 Regioselective 6-*O*-Desilylation *45*  
2.3.2 Regioselective 6-*O*-Deacylation *48*  
2.3.2.1 Chemical Methods *48*  
2.3.2.2 Chemoenzymatic Methods *49*  
2.3.3 Regioselective 6-*O*-Debenzylation *52*  
2.4 Regioselective Transformations at the Primary Position *53*  
2.4.1 Halogenation *53*  
2.4.2 Oxidation to the Carboxylic Acid *53*  
2.4.3 Oxidation to the Aldehyde *58*  
2.5 Summary and Conclusions *59*  
2.6 Experimental Section *59*

- 2.6.1 Typical Experimental Procedure for Regioselective Silylation [23]  
(Table 2.3, Entry 21) 59
- 2.6.2 Typical Experimental Procedure for Desilylation [52]  
(Table 2.4, Entry 46) 60
- Abbreviations 60
- References 61
  
- 3 Protecting Groups at the Secondary Positions of Carbohydrates 69**  
*Sébastien Vidal and Peter G. Goekjian*
- 3.1 Introduction 69
- 3.1.1 Regioselectivity 69
- 3.1.2 Temporary or Persistent Protecting Groups: Orthogonality 70
- 3.1.3 Anchimeric Participation in the Control of the Anomeric  
Configuration 70
- 3.1.4 Protecting Group Migration 71
- 3.2 The Major Protecting Group Motifs 72
- 3.2.1 Benzyl and Substituted Benzyl Ethers 72
- 3.2.1.1 Benzyl Ethers 72
- 3.2.1.2 *p*-Methoxybenzyl Ethers (PMB) 82
- 3.2.2 Silyl Ethers 82
- 3.2.3 Esters 83
- 3.2.3.1 Simple Ester Protecting Groups 87
- 3.2.3.2 Triggered Ester Protecting Groups 91
- 3.2.4 Other Protecting Groups 93
- 3.3 Conclusion 95
- 3.4 Experimental Section 95
- 3.4.1 Phenyl 2,3-Di-*O*-benzyl-4,6-*O*-benzylidene- $\alpha$ -D-glucopyranosyl-  
[(1 $\rightarrow$ 4)-2,3,6-tri-*O*-benzyl- $\alpha$ -D-glucopyranosyl]<sub>4</sub>-(1 $\rightarrow$ 4)-2,3,6-tri-*O*-  
benzyl-1-thio- $\beta$ -D-glucopyranoside [27] 95
- 3.4.2 5-Azidopentyl 2-*O*-acetyl-4,6-*O*-benzylidene- $\beta$ -D-mannopyranosyl-  
(1 $\rightarrow$ 4)-*O*-(3,6-di-*O*-benzyl-2-deoxy-2-phthalimido- $\beta$ -D-  
glucopyranosyl)-(1 $\rightarrow$ 4)-*O*-3,6-di-*O*-benzyl-2-deoxy-2-  
phthalimido- $\beta$ -D-glucopyranoside [169] 95
- Abbreviations 96
- References 97
  
- 4 Regioselective Protection at the Secondary Positions of Carbohydrates  
with Acyclic Protecting Groups 109**  
*Peter G. Goekjian and Sébastien Vidal*
- 4.1 Introduction 109
- 4.2 Regioselective Protections at the 2-Position 110
- 4.2.1 Glucose 110
- 4.2.1.1 Monoprotection at O-2 of Glucopyranoside 2,3-Diols 110
- 4.2.1.2 Monoprotection at O-2 of Glucopyranoside 2,3,4-Triols  
and 2,3,4,6-Tetraols 115
- 4.2.2 Mannose 117
- 4.2.2.1 Benzyl and Substituted Benzyl Ethers 117

|          |  |            |
|----------|--|------------|
| 4.2.2.2  | Esters   | 117        |
| 4.2.2.3  | Silyl Ethers   | 119        |
| 4.2.3    | Galactose  | 119        |
| 4.2.3.1  | Silyl Ethers   | 119        |
| 4.2.3.2  | Benzyl Ethers  | 119        |
| 4.2.3.3  | Esters   | 119        |
| 4.2.4    | Other Monosaccharides  | 120        |
| 4.3      | Regioselective Protections at the 3-Position   | 122        |
| 4.3.1    | Glucose  | 122        |
| 4.3.1.1  | Silyl Ethers   | 122        |
| 4.3.1.2  | Other Ethers   | 122        |
| 4.3.1.3  | Esters   | 122        |
| 4.3.2    | Mannose  | 125        |
| 4.3.2.1  | Monoprotection at O-3 of Mannopyranoside 2,3-Diols   | 125        |
| 4.3.2.2  | Monoprotection at O-3 of Mannopyranoside 2,3,4-Triols and 2,3,4,6-Tetraols   | 128        |
| 4.3.3    | Galactose  | 129        |
| 4.3.3.1  | Silyl and Substituted Benzyl Ethers  | 129        |
| 4.3.3.2  | Esters   | 129        |
| 4.3.4    | Other Sugars   | 130        |
| 4.4      | Regioselective Protections at the 4-Position   | 130        |
| 4.5      | Regioselective <i>bis</i> -Protection of the 2,6-, 3,6-, and 4,6-Positions of Hexopyranoside Tetraols  | 130        |
| 4.5.1    | Glucose  | 131        |
| 4.5.2    | Mannose  | 133        |
| 4.5.3    | Galactose  | 134        |
| 4.6      | Regioselective Mono-deprotection of Peracetyl and Perbenzyl Monosaccharides  | 134        |
| 4.7      | Summary and Conclusions  | 135        |
| 4.8      | Experimental Section   | 136        |
| 4.8.1    | Typical Experimental Procedure for Tin-acetal-mediated Regioselective 3- <i>O</i> -Benzylation [101] REF (Table 4.7, Entry 74)                 | 136        |
| 4.8.2    | Typical Experimental Procedure for Regioselective 2- <i>O</i> -Debenzylation of Perbenzyl Methyl Glucopyranoside [187] (Table 4.11, Entry 135) | 136        |
|          | Abbreviations  | 137        |
|          | References   | 138        |
| <b>5</b> | <b>Protecting Groups at the Anomeric Position of Carbohydrates</b>   | <b>145</b> |
|          | <i>Chadamas Sakonsinsiri and W. Bruce Turnbull</i>   |            |
| 5.1      | Introduction   | 145        |
| 5.2      | <i>O</i> -alkyl and <i>O</i> -aryl Glycosides  | 146        |
| 5.3      | Glycosyl Esters  | 151        |
| 5.4      | Cyclic Acetals, Ketals, and Orthoesters  | 155        |
| 5.5      | Silyl Ethers   | 157        |
| 5.6      | <i>S</i> -glycosyl and <i>N</i> -glycosyl Derivatives  | 158        |
| 5.7      | Concluding Remarks   | 162        |

- 5.8 Example Experimental Procedures 164
  - 5.8.1 Synthesis of a *p*-Methoxyphenyl Glycoside [16] 164
  - 5.8.2 Synthesis of a *N,O*-dimethyloxyamine-*N*-glycoside [82] 164
  - 5.8.3 Synthesis of a Thexyldimethylsilyl Glycoside [61] 165
- Abbreviations 165
- References 166
  
- 6 N-protecting Groups for 2-Amino-2-deoxy-glycosides 169**  
*Sébastien Vidal*
  - 6.1 Introduction 169
  - 6.2 *N*-acyl-based Protecting Groups 171
    - 6.2.1 Acetyl Protecting Group 171
    - 6.2.2 Trichloroacetamido Protecting Group (TCA) 173
    - 6.2.3 Trifluoroacetyl Protecting Group (TFA) 174
  - 6.3 Imido-based Protecting Groups 175
    - 6.3.1 Phthaloyl Protecting Group (Phth) 175
    - 6.3.2 Dichlorophthaloyl Protecting Group (DCP) 176
    - 6.3.3 Tetrachlorophthaloyl Protecting Group (TCP) 177
    - 6.3.4 Other Imido-based Protecting Groups (Dts, DTG, DPM, and DMM) 177
  - 6.4 Carbamate-based Protecting Groups 179
    - 6.4.1 2,2,2-Trichloroethoxycarbonyl Protecting Group (Troc) 179
    - 6.4.2 Benzyloxycarbonyl Protecting Group (Cbz or Z) 180
    - 6.4.3 Allyloxycarbonyl Protecting Group (Alloc) 181
    - 6.4.4 *t*-Butoxycarbonyl Protecting Group (Boc) 181
    - 6.4.5 9-Fluorenylmethoxycarbonyl Protecting Group (Fmoc) 183
    - 6.4.6 2,3-Oxazolidinone Protecting Group 183
  - 6.5 Imine- or Enamine-based Protecting Groups 185
    - 6.5.1 *N*-arylidene Protecting Groups 185
    - 6.5.2 4,4-Dimethyl-2,6-dioxocyclohexylidenemethyl (Ddm) and 4,4-Dimethyl-2,6-dioxocyclohexylideneethyl (Dde) Protecting Groups 186
    - 6.5.3 (1,3-Dimethyl-2,4,6-trioxypyrimidine-5-ylidene)methyl (DTPM) Protecting Group 187
  - 6.6 2-Deoxy-2-azido Derivatives as a Protecting Group 187
  - 6.7 From Glycals to 2-Azido Intermediates 188
  - 6.8 From Glycals to 2-Sulfonamido Intermediates 190
  - 6.9 Summary and Conclusions 191
  - 6.10 Experimental Section 191
    - 6.10.1 1,3,4,6-Tetra-*O*-acetyl-2-phthalimido-2-deoxy- $\beta$ -D-glucopyranose [211] 191
    - 6.10.2 2-Acetamido-1,3-di-*O*-acetyl-4,6-*O*-benzylidene-2-deoxy-D-glucopyranose [79] 192
- Abbreviations 192
- References 193

|          |  |            |
|----------|--|------------|
| <b>7</b> | <b>One-pot Multistep Regioselective Protection of Carbohydrates Catalyzed by Acids</b>   | <b>201</b> |
|          | <i>Jean-Marie Beau, Yann Bourdreux, Guillaume Despras, Alexandra Gouasmat, Géraldine San Jose, Dominique Urban, and Boris Vauzeilles</i>   |            |
| 7.1      | Introduction   | 201        |
| 7.2      | Examples of Early Developments of the One-pot Multistep Regioselective Hydroxyl Protection of Carbohydrates  | 202        |
| 7.3      | One-pot Multistep Methods from Silylated Substrates  | 204        |
| 7.3.1    | Catalysis by Copper Triflate   | 204        |
| 7.3.2    | Catalysis by Trimethylsilyltriflate  | 207        |
| 7.3.2.1  | Glucopyranosides   | 207        |
| 7.3.2.2  | Mannopyranosides   | 207        |
| 7.3.3    | One-pot Catalysis with Other Glycopyranosides  | 210        |
| 7.3.4    | Catalysis by Iron(III) Chloride Hexahydrate  | 211        |
| 7.3.5    | Catalysis by Triflic Acid on Molecular Sieves  | 214        |
| 7.4      | One-pot Multistep Methods Catalyzed by Copper Triflate on Unprotected Sugars   | 216        |
| 7.5      | Other One-pot Multistep Methods Catalyzed by Acids   | 216        |
| 7.6      | Conclusions and Outlook  | 220        |
| 7.7      | Experimental Procedures  | 220        |
| 7.7.1    | General Procedure for the Preparation of Compounds 3,9–11 [6]  | 220        |
| 7.7.2    | Procedure for the Preparation of Phenyl 2- <i>O</i> -acetyl-3- <i>O</i> -benzyl-4,6- <i>O</i> -benzylidene-1-thio- $\beta$ -D-glucopyranoside 19 [27]  | 220        |
| 7.7.3    | Procedure for the Preparation of 3,3'-di- <i>O</i> -benzyl-4,6;4',6'-di- <i>O</i> -benzylidene- $\alpha$ , $\alpha$ -D-trehalose 54 [44a]  | 221        |
| 7.7.4    | General Procedure for the Tandem Acetalation/Benylation; Preparation of <i>tert</i> -butyldimethylsilyl 3- <i>O</i> -benzyl-4,6- <i>O</i> -benzylidene-2-deoxy-2-trifluoroacetamido- $\beta$ -D-glucopyranoside 62c [51] | 221        |
|          | Acknowledgments  | 221        |
|          | Abbreviations  | 222        |
|          | References   | 222        |
| <b>8</b> | <b>Acyl Migrations in Carbohydrate Chemistry</b>   | <b>227</b> |
|          | <i>Filip S. Ekholm and Reko Leino</i>  |            |
| 8.1      | Introduction   | 227        |
| 8.2      | Mechanism and Migration Kinetics   | 228        |
| 8.3      | Acyl Group Migration – Synthetic Applications  | 230        |
| 8.3.1    | Traditional Synthetic Applications   | 230        |
| 8.3.2    | Directed Evolution of Acyl Migrations  | 234        |
| 8.3.3    | Protecting Group Manipulation – Acyl Migration   | 235        |
| 8.4      | Summary and Conclusions  | 238        |
| 8.5      | Selected Experimental Procedures   | 239        |
|          | Abbreviations  | 239        |
|          | References   | 240        |

- 9 De Novo Asymmetric Synthesis of Oligosaccharides Using Atom-less Protecting Groups 243**  
*Debarpita Ray and George A. O'Doherty*
- 9.1 Introduction 243
- 9.2 Atom-less Protecting Groups 244
- 9.3 *De Novo* Approach to Carbohydrates 244
- 9.4 O'Doherty Approach to Carbohydrates 246
- 9.4.1 The Achmatowicz Approach to the *De Novo* Synthesis of Pyranoses 246
- 9.4.2 Palladium-catalyzed Glycosylation of Pyranoses 253
- 9.4.3 Unnatural Oligosaccharides 253
- 9.4.4 Natural Oligosaccharides 259
- 9.5 Conclusion 273
- 9.6 Experimentals [3] 273
- 9.6.1 Benzyl 2,3-Dideoxy-4,6-bis-*O*-[(2*R*,6*S*)-6-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-5,6-dihydro-5-oxo-2*H*-pyran-2-yl]-*L*-*erythro*-hex-2-enopyranoside (136) 273
- 9.6.2 Benzyl *O*-2,3-Dideoxy-6-*O*-[(1,1-dimethylethyl)dimethylsilyl]- $\alpha$ -*L*-*erythro*-hex-2-enopyranosyl-(1 $\rightarrow$ 4)-*O*-[2,3-dideoxy-6-*O*-[(1,1-dimethylethyl)dimethylsilyl]- $\alpha$ -*L*-*erythro*-hex-2-enopyranosyl-(1 $\rightarrow$ 6)]-2,3-dideoxy-*L*-*erythro*-hex-2-enopyranoside (77) 274
- 9.6.3 Benzyl *O*-2,3-Dideoxy- $\alpha$ -*L*-*erythro*-hex-2-enopyranosyl-(1 $\rightarrow$ 4)-*O*-[2,3-dideoxy- $\alpha$ -*L*-*erythro*-hex-2-enopyranosyl-(1 $\rightarrow$ 6)]-2,3-dideoxy-*L*-*erythro*-hex-2-enopyranoside (78) 275
- 9.6.4 Benzyl *O*-2,3-Dideoxy-4,6-bis-*O*-[(2*R*,6*S*)-6-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-5,6-dihydro-5-oxo-2*H*-pyran-2-yl]- $\alpha$ -*L*-*erythro*-hex-2-enopyranosyl-(1 $\rightarrow$ 4)-*O*-[2,3-dideoxy-4,6-bis-*O*-[(2*R*,6*S*)-6-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-5,6-dihydro-5-oxo-2*H*-pyran-2-yl]- $\alpha$ -*L*-*erythro*-hex-2-enopyranosyl-(1 $\rightarrow$ 6)]-2,3-dideoxy-*L*-*erythro*-hex-2-enopyranoside (79) 275
- 9.6.5 (2*S*,3*R*,6*R*)-6-(((2*S*,3*R*,6*R*)-6-(((2*S*,3*R*,6*R*)-6-(Benzoyloxy)-2-(((2*R*,5*R*,6*S*)-5-(((2*R*,5*R*,6*S*)-6-(((*tert*-butyldimethylsilyl)oxy)methyl)-5-hydroxy-5,6-dihydro-2*H*-pyran-2-yl)oxy)-6-(((2*R*,5*R*,6*S*)-6-(((*tert*-butyldimethylsilyl)oxy)methyl)-5-hydroxy-5,6-dihydro-2*H*-pyran-2-yl)oxy)methyl)-5,6-dihydro-2*H*-pyran-2-yl)oxy)methyl)-3,6-dihydro-2*H*-pyran-3-yl)oxy)-2-(((2*R*,5*R*,6*S*)-6-(((*tert*-butyldimethylsilyl)oxy)methyl)-5-hydroxy-5,6-dihydro-2*H*-pyran-2-yl)oxy)methyl)-3,6-dihydro-2*H*-pyran-3-yl)oxy)-2-(((*tert*-butyldimethylsilyl)oxy)methyl)-3,6-dihydro-2*H*-pyran-3-ol (137) 276
- 9.6.6 Benzyl *O*-6-*O*-[(1,1-dimethylethyl)dimethylsilyl]- $\alpha$ -*L*-mannopyranosyl-(1 $\rightarrow$ 4)-*O*-[6-*O*-[(1,1-dimethylethyl)dimethylsilyl]- $\alpha$ -*L*-mannopyranosyl-(1 $\rightarrow$ 6)]-*O*- $\alpha$ -*L*-mannopyranosyl-(1 $\rightarrow$ 4)-*O*-[6-*O*-[(1,1-dimethylethyl)dimethylsilyl]- $\alpha$ -*L*-mannopyranosyl-(1 $\rightarrow$ 4)-*O*-[6-*O*-[(1,1-dimethylethyl)dimethylsilyl]- $\alpha$ -*L*-mannopyranosyl-(1 $\rightarrow$ 6)]- $\alpha$ -*L*-mannopyranosyl-(1 $\rightarrow$ 6)]- $\alpha$ -*L*-mannopyranoside (80) 277
- Abbreviations 278
- References 279

- 10 Protecting Group Strategies for Sialic Acid Derivatives 283**  
*Harsha Amarasekara, Szymon Buda, Appi R. Mandhapati, and David Crich*
- 10.1 Introduction 283
- 10.2 Protection of the Carboxylate Group 283
- 10.2.1 Methyl Ester Formation 283
- 10.2.2 Functionalized Ester Formation 285
- 10.2.3 Thioesterification 286
- 10.2.4 Amide Formation 286
- 10.2.5 Lactonization 287
- 10.2.6 Lactam Formation 288
- 10.2.7 Other Cyclic Derivatives 288
- 10.3 Protection of Amine Function 289
- 10.3.1 Amide Cleavage 289
- 10.3.2 Amine Protection with Acyclic Groups 290
- 10.3.3 Dual Protection of O4 and N5 as the Oxazolidinone and *N*-Acetyloxazolidinone 292
- 10.3.4 Dual Protection of O7 and N5 as an Oxazinone 294
- 10.4 Selective Protection of Alcohols 294
- 10.4.1 Acylation and Alkylation 294
- 10.4.2 Alkylation 295
- 10.4.3 Silylation 295
- 10.4.4 Selective Acetal Formation and Manipulation 295
- 10.4.5 Silylene Acetal Formation and Manipulation 299
- 10.4.6 Acetate Migration 300
- 10.4.7 Acetylation and Desilylation of Per-*O*-silyl Ethers 300
- 10.5 Access to Protected Sialic Acid Derivatives by Total Synthesis 301
- 10.6 Access to Protected Sialic Acid Derivatives by Chemoenzymatic Synthesis 301
- 10.7 Preparation of Methyl (methyl 5-acetamido-3,5-dideoxy- $\beta$ -D-glycero- $\beta$ -D-galacto-non-2-ulopyranosid)onate [20, 22, 104] 301
- Abbreviations 302
- References 302
- 11 Strategies Toward Protection of 1,2- and 1,3-Diols in Carbohydrate Chemistry 307**  
*Marie Schuler and Arnaud Tatibouët*
- 11.1 Introduction 307
- 11.2 Protection as Cyclic Acetals 307
- 11.2.1 Aliphatic Acetals 307
- 11.2.1.1 Methylene 307
- 11.2.1.2 Phenylsulfonylethylidene (PSE):  $\text{PhSO}_2\text{CH}_2\text{CH}_2\text{CH}(\text{OR})_2$  308
- 11.2.1.3 Cycloalkylidene (Cyclopentyl- and Cyclohexyl-) 309
- 11.2.1.4 Isopropylidene (Acetonide) 310
- 11.2.2 1,2-Acetals: Dispiroketals (Spoke), Cyclohexane-1,2-diacetal (CDA), and Butane-1,2-diacetal (BDA) 312
- 11.2.3 Aromatic Acetals 314
- 11.2.3.1 Benzylidene Acetals 314

- 11.2.3.2 *p*-Methoxybenzylidene Acetals 315
- 11.2.3.3 Halobenzylidene Acetals 316
- 11.2.3.4 Nitrobenzylidene Acetals 317
- 11.2.3.5 Polyaromatic Methylene Acetals 319
- 11.3 Protection as Orthoesters 320
  - 11.3.1 Methoxy-, Ethoxymethylene Orthoesters 321
  - 11.3.2 1-Methoxy, 1-Ethoxyethylidene and  $\alpha$ -Methoxy,  $\alpha$ -Ethoxybenzylidene Ortho Esters 322
  - 11.3.3 Methylidene Ortho Ester 323
- 11.4 Silylene Acetals as Protecting Groups 324
  - 11.4.1 Di-*t*-butylsilylene DTBS (OR)<sub>2</sub> 324
  - 11.4.2 Methylene 1,3-bis-Diisopropylsilylanyl Group 326
  - 11.4.3 1,1,4,4-Tetraphenyl-1,4-disilabuta-1,4-diyl group (SIBA) 326
  - 11.4.4 1,1,3,3-Tetraisopropylidisiloxane-1,3-diyl (TIPDS) Group 326
  - 11.4.5 1,1,3,3-Tetramethyldisiloxane-1,3-diyl Group 327
- 11.5 Cyclic Carbonate 327
- 11.6 Summary and Conclusions 329
- 11.7 Experimental Part: Procedure for Regioselective and Reductive Benzylidene Opening Synthesis of Methyl 2,3,4-Tri-*O*-benzyl- $\alpha$ -D-glucofuranoside 329
- Abbreviations 329
- References 330
  
- 12 Protecting Group Strategies Toward Glycofuranoses 337**  
*Vincent Ferrières, Laurent Legentil, and Loïc Lemiègre*
  - 12.1 Introduction 337
  - 12.2 What About Chemistry Without Protecting Groups? 338
    - 12.2.1 Special Reactivity at the Anomeric Center 338
      - 12.2.1.1 Fischer Glycosylation 338
      - 12.2.1.2 1-*O*-alkylation of Galactose 340
      - 12.2.1.3 Furanolactones 341
    - 12.2.2 Direct Protection of Hexoses by Acetalization 341
      - 12.2.2.1 Preparation of Glucofuranoside Ketals 342
      - 12.2.2.2 Preparation of Mannofuranose Ketals 344
      - 12.2.2.3 Preparation of Galactofuranose Ketals 345
      - 12.2.2.4 Preparation of Other Furanoside Ketals 346
      - 12.2.2.5 Selective Deprotection of Furanose Ketals 348
    - 12.2.3 Direct Acylation 348
    - 12.2.4 Direct Silylation 351
  - 12.3 Protecting Group Interconversion 353
    - 12.3.1 Selective Acylation and Deacylation 353
      - 12.3.1.1 Chemical Methods 353
      - 12.3.1.2 Chemoenzymatic Methods 354
    - 12.3.2 The Silyl Groups 357
  - 12.4 Multistep Synthesis of Some Furanosyl-containing Glycosides and Conjugates 358

- 12.4.1 The Galactono-1,4-lactone as a Key Substrate 359
- 12.4.2 Synthesis of 1,2-*cis*-Furanosides 359
  - 12.4.2.1 Intramolecular Aglycon Delivery (IAD) 359
  - 12.4.2.2 Synthesis of Agelagalastatin 360
  - 12.4.2.3 Epoxide Opening 360
- 12.5 The Striking Ring Contraction Strategy 362
  - 12.5.1 An Enzymatic Pathway: The Unprecedented Mechanism from the Mutase 362
  - 12.5.2 Chemical Approaches 363
    - 12.5.2.1 From 1,4-Anhydrogalactopyranose 363
    - 12.5.2.2 The Role of Sulfate Groups 364
- 12.6 Conclusion Strategy for Synthesizing 4-Amino-4-deoxy and 4-Deoxy-4-thio-aldose Derivatives 364
  - Abbreviations 364
  - References 366
  
- 13 Cyclodextrin Chemistry via Selective Protecting Group Manipulations 371**  
*Juan M. Benito and José M. García Fernández*
- 13.1 Introduction 371
  - 13.1.1 Structure–Reactivity Interplay in Native CDs 372
- 13.2 Per-*O*-protection of Cyclodextrins 373
- 13.3 Face-selective Differentiation: Primary vs Secondary Hydroxyl Protection 374
  - 13.3.1 Strategies Toward Regioselective Protection of All Hydroxyls at the Primary Rim 374
  - 13.3.2 Strategies Toward Full Protection of Hydroxyls at the Secondary Rim 375
    - 13.3.2.1 Strategies Toward Full Protection of Secondary Hydroxyls 375
    - 13.3.2.2 Strategies Toward Differentiation Between Secondary Hydroxyls 377
- 13.4 Single Hydroxyl Protection Strategies 379
  - 13.4.1 (Regio)selective Protection of a Primary Hydroxyl Group 379
  - 13.4.2 (Regio)selective Protection of a Secondary Hydroxyl Group 381
- 13.5 Concerted Protection of Hydroxyl Sets (Pairs or Triads) 381
  - 13.5.1 Concerted Protection of Primary Hydroxyl Sets 381
  - 13.5.2 Concerted Protection of Secondary Hydroxyl Sets 383
- 13.6 Regioselective Deprotection of Symmetric Cyclodextrins 384
  - 13.6.1 The DIBALH Scalpel: Concerted DIBALH-Promoted Primary Rim Debenzylations 384
  - 13.6.2 Regioselective DIBALH-Promoted Primary Rim Desilylation 387
  - 13.6.3 DIBALH-Promoted Regioselective Demethylation of Secondary Hydroxyl Pairs 387
- 13.7 Summary and Conclusions 388
- 13.8 Experimental Procedures 388
  - 13.8.1 *O*-TBDMS Protection at the Primary Rim of  $\alpha$ -,  $\beta$ -, and  $\gamma$ CD 388
  - 13.8.2 Regioselective Per-(*O*-2,*O*-6)-allylation of  $\alpha$ -,  $\beta$ -, and  $\gamma$ CD 389
  - 13.8.3 Regioselective Per-(*O*-2)-methylation of  $\alpha$ - and  $\beta$ CD 389

- 13.8.4 Regioselective *bis*(Debenzylation) at the Primary Rim of Per-*O*-benzylated  $\alpha$  and  $\beta$ CD 389  
Abbreviations 389  
References 390
- 14 Protecting Group Strategies Toward Sulfated Glycosaminoglycans 395**  
*Hélène Ledru, Pascal Matton, Jean-Maurice Mallet, and Chrystel Lopin-Bon*
- 14.1 Introduction 395
- 14.2 *O*- and *N*-sulfation in Glycosaminoglycan Glycosaminoglycans Synthesis 397
- 14.3 Protecting Group Strategies for the Synthesis of Sulfated Oligosaccharides of the Proteoglycans Linkage Region 397
- 14.3.1 Sulfations via a 4,6-Diol Precursor 397
- 14.3.2 Sulfations via Temporary Protection on Specific Positions 399
- 14.4 Protecting Group Strategy for the Synthesis of Chondroitin Sulfate 403
- 14.4.1 Sulfation at Position 4 or/and 6 of the GalN: Synthesis of CS-A, -C, and -E 403
- 14.4.1.1 4- or 6-Sulfation from a Single 4,6-Diol 403
- 14.4.1.2 4- or 6-Sulfation After Reductive Ring Opening of 4,6-Benzylidene Acetal 405
- 14.4.1.3 4- or 6-Sulfation from Temporary Protecting Groups 410
- 14.4.2 Sulfation at Position 2 or 3 of the GlcA and 4 and/or 6 of the GalN: Synthesis of CS-D, -K, -L, and -M 412
- 14.5 Protecting Groups in Heparin and HS Synthesis 415
- 14.6 Summary and Conclusions 419
- 14.7 Experimental Part: Procedure for Regioselective 6-*O*-benzylation Followed by 4-Sulfation, an Example of the Synthesis of Disaccharide 31 [18] 419  
Abbreviations 420  
References 421
- 15 Applications of Fluorous and Ionic Liquid Tags in Oligosaccharide Synthesis 423**  
*Imke Sittel and M. Carmen Galan*
- 15.1 Introduction 423
- 15.2 Fluorous Supports 424
- 15.2.1 Ether-linked FTags 426
- 15.2.2 Ester-linked FTags 430
- 15.2.3 Difluorous Tagged Strategies 431
- 15.2.4 Carbamate FTags 433
- 15.2.5 Silyl Ether FTags 434
- 15.2.6 Phosphate FTags 435
- 15.3 Ionic Liquid Supports 436
- 15.3.1 Ester-linked ITags at the C-4 and C-6 Position 437
- 15.3.2 Ether-linked ITags at the Anomeric Position 441
- 15.3.3 ITag-assisted Chemoenzymatic Oligosaccharide Synthesis 445

- 15.3.3.1 Synthesis of 3-(Perfluorooctyl)propanyloxybutenyl-4-*O*-benzyl-3-*O*-levulinyl-6-*O*-(4-*O*-benzyl-6-*O*-*t*-butyldiphenylsilyl-3-*O*-levulinyl-2-*O*-pivaloyl- $\alpha$ -D-mannopyranoside)-2-*O*-pivaloyl- $\alpha$ -D-mannopyranoside [15a] 446
- 15.3.3.2 Synthesis of 3-(3-Methylimidazolium)-propyl 2,3,4-tri-*O*-benzoyl-6-*O*-(2,3,4-tri-*O*-benzoyl-6-*O*-triisopropylsilyl- $\beta$ -D-glucopyranosyl)- $\beta$ -D-glucopyranoside trifluoromethanesulfonate [34] 447
- 15.4 Conclusions 447
- Abbreviations 447
- References 448

## 16 Orthogonally Protected Building Blocks for Automated Glycan Assembly 451

*Fabian Pfrengle and Peter H. Seeberger*

- 16.1 Introduction 451
- 16.2 Protecting Groups 452
  - 16.2.1 Permanent Protecting Groups 453
    - 16.2.1.1 Participating Protecting Groups 453
    - 16.2.1.2 Nonparticipating Protecting Groups 453
    - 16.2.1.3 Cyclic Protecting Groups 456
  - 16.2.2 Temporary Protecting Groups 456
    - 16.2.2.1 Participating Protecting Groups 457
    - 16.2.2.2 Nonparticipating Protecting Groups 458
    - 16.2.2.3 Colorimetric Protecting Groups for Monitoring Reaction Progress 459
- 16.2.3 Capping of Free Hydroxyl Groups During Glycan Assembly 459
- 16.3 General Strategy for the Design of Orthogonally Protected Building Blocks 460
- 16.4 “Approved Building Blocks” for Automated Glycan Assembly 461
- 16.5 Solid-phase Syntheses of Mammalian, Microbial, and Plant Oligosaccharides 464
- 16.6 Chances, Challenges, and Commercialization of Automated Glycan Assembly 467
- Abbreviations 469
- References 470

## 17 Kilogram-scale Production of Synthetic Heparin Analogs: Some Chemical Considerations 473

*Patrick Trouilleux, Pierre Potier, and Pierre-Alexandre Driguez*

- 17.1 Introduction 473
- 17.2 Kilogram Synthesis of Heparin Building Blocks 474
  - 17.2.1 General Considerations 474
    - 17.2.1.1 Development and Production of Synthetic Heparin Analogs 474
    - 17.2.1.2 New Synthetic Oligosaccharides with Neutralizable Antithrombotic Activities 475
    - 17.2.1.3 Retrosynthetic Analysis 476
  - 17.2.2 Synthesis of Idrabiotaparinux and Hexadecasaccharide 2 478

|          |   |     |
|----------|---|-----|
| 17.2.4.1 | Synthesis of GlcN <sup>V</sup> -GlcUA <sup>IV</sup> -Glc <sup>III</sup> -IdoUA <sup>II</sup> -Glc <sup>I</sup> Precursors | 478 |
| 17.2.4.2 | Synthesis of GlcN <sup>V</sup> Unit Precursor   | 482 |
| 17.2.4.3 | Synthesis of the Key Disaccharidic Building Block   | 482 |
| 17.2.4.4 | Synthesis of Tetrasaccharide  | 484 |
| 17.2.4.5 | Elongation of the Spacer  | 485 |
| 17.2.4.6 | Synthesis of the Dodecasaccharide Glycosyl Donor  | 485 |
| 17.2.4.7 | Final Glycosylation and Conjugation with Biotin   | 485 |
| 17.3     | Experimental Section  | 487 |
| 17.3.1   | General Conditions for 1,6-Anhydro Acetolysis   | 487 |
| 17.3.2   | General Conditions for Anomeric Deacetylation   | 487 |
| 17.3.3   | General Conditions for Trichloroacetimidate Formation   | 487 |
| 17.3.4   | General Conditions for Glycosylation with Trichloroacetimidate  | 488 |
| 17.3.5   | General Conditions for Glycosylation with Thioglycoside   | 488 |
| 17.3.6   | General Conditions for Delevulinoylations   | 488 |
| 17.3.7   | General Conditions for Transesterifications (Zemplén)   | 488 |
| 17.3.8   | General Conditions for O-sulfonations   | 489 |
| 17.3.9   | General Conditions for Uronate Saponification   | 489 |
| 17.3.10  | General Conditions for the Catalytic Hydrogenolysis   | 489 |
| 17.4     | Summary and Conclusions   | 489 |
|          | Abbreviations   | 489 |
|          | References  | 490 |

|              |     |
|--------------|-----|
| <b>Index</b> | 493 |
|--------------|-----|