

Index

a

ABA-type hard-soft-hard triblock copolymers 73
acetone-formaldehyde tannin resin (AFTR) 259
acid hydrolysis 246
acrylated abietic acid-g-bacterial cellulose 130
(meth)acrylate monomers 182
N-alkylhydroxyl amides 191
fatty acid methyl esters 182
fatty acids 184
fatty alcohols 186
structures of 183
acrylipimic acid (APA) 104
acyclic diene metathesis (ADMET)
polymerization 111
aldehyde crosslinkers 257
aliphatic polycarbonates 316–317
Aliquat 336 190
alkyds 160
N-alkylhydroxyl amides 191
alloocimene anionic polymerization 73
cationic polymerization 71–72
coordination polymerization 74–75
polymerization 76
radical polymerization 69, 70
 α -and β -phellandrenes 76–77
 α -methyl-*p*-methylstyrene (AMMSt) 74
 α -methylstyrene (α MeSt) 57
 α -ocimene
anionic polymerization 73
cationic polymerization 71–72
coordination polymerization 74–75

polymerization 76

radical polymerization 69, 70

α -pinene 155

cationic polymerization 63

polymerization 64

amidoamine epoxy resins 166

amidoamine modified epoxy resin

esters 166

amphiphilic poly(ethylene glycol) 118

amphiphilic proteins 26

amphiphilic random copolymer

poly(2-VOES-ran-

TEGEVE) 202

amphiphilic rosin grafted cellulose

composite 133

anionic polymerization 186

anti-1,4-cyclohexadiene diepoxyde 291

APA derived monomers 109

aromatic polyols 164

asymmetric monothiocarbonate

structure 300

atom transfer radical polymerization

(ATRP) 60, 187

Australian wheat flour 255

b

β -caryophyllene and

α -humulene 78–79

β -farnesene 77–78

β -myrcene

anionic polymerization 73

cationic polymerization 71–72

coordination polymerization 74–75

polymerization 76

radical polymerization 69, 70

- β-pinene**
 cationic polymerization 57
 polymerization 62
 radical copolymerization 60
- bifunctional resin derived
 monomer 111
- bio-based cycloolefin polymer 58
- bio-based epoxide 290
- biodegradable aliphatic
 polycarbonates 316
- biodegradable linear polyesters 5
- biodegradable polycarbonate 288
- biodegradation 269
- biomass filler 271
- biomass monomers 288
- Biopol 28
- biorefinery raw biomass feedstock 6
- biorenewable and low-cost dicarboxylic acids 293
- biotechnologically derived
 monomers 5
- bis(cyclic-carbonate)s 295
- block copolymers 11
- branched acrylate monomers 184
- branched polymers 35
- N-bromosuccinimide (NBS) 60
- bulky rosin derived monomers 106
- n*-butyl acrylate (BA) 60
- n*-butyl methacrylate (BMA) 67
- C**
- carbon footprint 1
- cassava starch film 241
- cassava starch films 239
- cationic polyol 97
- C1-based polycarbonate polymers 8
- C1-based polymers
 mechanical property 306
 optical property 306
 thermal property 304
- Cell-g-P(BA-co-DAEMA) 128
- Cell-g-P(LMA-co-DAEMA) 128
- cellulose-g-poly(lauryl methacrylate-co-dehydroabietic ethyl methacrylate)
 (Cell-g-P(LMA-co-DAEMA)) 126
- cellulose-g-poly(n-butyl acrylate-co-dehydroabietic ethyl methacrylate)
 (Cell-g-P(BA-co-DAEMA)) 126
- cellulose I 229
- cellulose micro/nanofibrils 234–235
- cellulose nanocrystals (CNCs) 99, 234–236
- cellulose nanofibrils (CNF) 236
- 2-chloroethyl vinyl ether (CEVE) 58
- CHO/CO₂ copolymerization 331
- clustered regularly interspaced short palindromic repeats interference (CRISPRi) 23
- cobalt precursor 331
- co-complexing agents 326–329
- CO₂/epichlorohydrin
 copolymerization 291
- CO₂/epoxide copolymerization
 biomass monomers 288
 carbon-oxygen bond 281
 heterogeneous Zn-Co (III)
 DMCC 281
- commercial available epoxide-functionalized copolymer 37
- complexing agents 325–327
- controlled/living radical polymerization (CRP) 113
- copolymerization of CO₂ and epoxides 318
- copolymer P(EtOx-co-DecenOx) 197
- COS/epoxide copolymerization
 Abbe's refractometer 300
 binary (salen)CrCl/PPNCl catalyst system 302
 carbonate linkages 301
 electron-poor methine carbon 304
 O/S exchange reaction 301
 phenyl glycidyl ether 302
 “polar” group terminated epoxides 302
- poly(cyclohexene monothiocarbonate) 301
- poly(ethylene thiocarbonate) 299
- propagating process 300
- propagating stage 300

- propylene oxide 300
 ring-opening reaction 302
 (salen)CrCl 299
 sulfur propagating center 303
 tetramethyltetraazaannulene CrCl 304
- CO₂/epoxide copolymerization
 carbon-oxygen bond 280
 heterogeneous catalysts 280
 homogeneous metal catalysts 280
 parameters 281
- Co-Zn DMC 339
 Crivello salts 210
 crude tall oil (CTO) 151
 crystallization kinetics 46
- CS₂/epoxide copolymerization
 asymmetric bis-Schiff-base
 ligand 297
 cyclopentene oxide 298
 diethyl zinc 296
 gas chromatography-mass
 spectrometry 296
 gel permeation chromatography 296
¹H NMR spectra 299
 mixed-species scrambling 298
 onium salt cocatalysts 298
 O/S scrambling phenomenon 297
 oxygen/sulfur exchange
 reaction 296
 oxetane 298
 poly (thiocarbonate)s 296
 propylene oxide 296
 reaction temperature 298
 (salen)CrCl/bis(triphenylphosphine)
 iminium chloride (PPNCl)
 system 297
- (salen)CrCl/onium salt catalyst
 system 298
- sulfur-containing polymers 295
 cumyl trithiocarbonate (CumSC(S)
 SBu), 68
- curcumin 212
- cyclic conjugated aldehydes 78
- cyclic hexane vinyl ether
 (CHVE) 202
- cyclic monoterpene 288
- cycloaliphatic and aromatic
 compounds 103
- 1,4-cyclohexadiene oxide
 (CHDO) 291
- cyclohexene oxide (CHO) 291
- d**
- DA grafted ethyl cellulose 133
 Daltola P744 93
 DecenOx 196
 dehydroabietic acid (DA) 104
 1,8-diazabicyclo[5.4.0]
 undec-7-ene 292
- diblock copolymers 117
- dicyclopentadiene 171
- dicyclopentadiene-rosin polymer
 blend 170
- dimer acid epoxy resin adducts 166
- divinylbenzene (DVB) 220
- double-metal cyanides (DMCs)
 biodegradable polycarbonates 342
 CO₂ 315
 cobalt precursor 331
 co-catalyst role 332–333
 co-complexing agents 326–329
 complexing agents 325–327
 copolymerization, hybrid
 catalysts 334
- copolymerization, nano-lamellar
 catalysts 335–336
- copolymerization of CO₂ and
 epoxides 318
- crystallinity and crystal
 structure 337
- hexacyanometallates 323
- high energy processes 316
- low energy processes 316
- method of preparation 337–341
- methods of synthesis 322
- polycarbonates 317
- reaction mechanism of
 copolymerization 340,
 342
- structural variation 319, 321
- zinc precursor/halide
 precursor 329, 330
- of dried modified methylaluminioxane
 (dMMAO) 68
- DuPontTM 3

e

emulsion aggregation toners 170
end-functionalized polymyrcene 74
enzymatic cocktail OptimashTM
 VR 239
enzymatic hydrolysis 246
epichlorohydrin (ECH) 291
epoxide-functionalized copolymer 36
epoxidized linseed oil (ELO-f_{epoxy}) 216
epoxidized
 soybean oil (ESO-f_{epoxy}) 216
epoxidized vegetable oil (EVO) 264 *see also* photo-initiated cationic polymerization, EVO"
alkyl-and Alkoxy substituted diaryliodonium salt 211
ATR FTIR 225
cationic photo-initiators 210
curcumin 211
diaryliodonium and triarylsulfonium salts 210
double bonds per triglyceride molecule 210
fatty acid compositions 210
glass transition temperatures 224
Hammett acidities 212
onium salts 210–211
photo-initiated cationic polymerization 213
renewable source 209
rubbery plateau modulus 224
soybean oil production 209–210
UV absorption spectra 212
UV LED technology 211
epoxies 169
1,2-epoxydodecane (EDD) 336
epoxy resin amine thermosets 167
epoxy resin esters 164
ethylcellulose (EC) 124

f

fatty acid epoxy resin esters 166
fatty acid methyl esters 182
fatty acids 184, 288
fatty alcohol derived (meth)acrylate monomers 190
fatty alcohols 186

Fe-Zn DMC, catalysts 323, 337

fluorinated alcohols 62

foaming 50

food industry-derived

 lignocellulose 247

formaldehyde modified rosin acid 94

fumaropimamic acid derived polyester polyols (FAPP) 97

g

gliadin 256

global warming 279

glycerol triesters 210

glycolic acid 35

graft polymers 11

gravure printing inks 170

"green" thermoset materials 209

group transfer polymerization (GTP) 187

h

HCl-CEVE/TiCl₃(O*i*-Pr)/*n*-Bu₄NCl system 58

hemicelluloses 229

2-heptyl-2-oxazoline (HeptOx) 196

heterogeneous Zn-Co (III) DMCC

 bulky structure 282

CO₂/epoxide copolymerization 286

 nano-sized 284

 Zn-OH initiation and catalytic cycle 282

hexacyanoferrate(III) 319

hexacyanometallates 323

hexafluoroisopropanol (HFIP) 59

homopolymers 11

hybrid DMC-SiO₂ catalyst 335

hydrocarbon-based hydrophenanthrene ring 123

hydrogenated terpene-maleic ester type epoxy resin 96

2-hydroxyethyl 2-bromoisobutyrate (HEBiB) 117

6-hydroxymethyl-7,8-dihydropterin pyrophosphokinase (HPPK) 21

1-hydroxy-2-methyl-2-(E)-butenyl 4-diphosphate reductase 21

hyper-branched poly (propylene oxide)
polyol 294

i

immortal polymerization 284
industrial scale biomass 257
inks 170
ionomer resins 172
isobutyl vinyl ether (IBVE) 78
isoprene (IP) (C_5H_8) subunits 55

k

Keggin-type heteropolyacids 59
ketonic type rosin derived
macro-monomers 110

l

lactones 292
lauryl methacrylate (LMA) 189
light color rosin esters 168
lignin 230
lignocellulosic biomass 257
acid pretreatments 233
alkaline pretreatments 233
bioactive compounds 247
bioplastics and composite
films 246
chemical treatments 231
composition 229
crystal structure 229
D-anhydroglucose 229–230
enzymatic treatments 233
extrusion pretreatment 231
hemicelluloses 229
irradiation methods 231
lignin 230
lignocelluloses delignification 233
lignocellulosic structure 231
mechanical processes 231
monolignols 231
physical processes 231
polymer degradability 231–232
polymerization 231
production of polymers from soybean
biomass 234, 240
production of polymers from soybean
biomass 235, 237–238

production of polymers from
sugarcane bagasse 242, 243
from soybean 233
from sugarcane,
242
transmission electron
microscopy 239
limonene
cationic polymerization 65, 66
coordination polymerization and
ROMP 68, 69
radical copolymerization 65, 66, 68
linear diblock copolymers 118
linear polyalkylene amines 167
linear polymer 35
linoleum cement 162
living cationic ring-opening
polymerization 195
long chain branched polylactides
(LCB-PLAs) 5
applications 48
chemical/physical modifications 35
critical entanglement molecular
mass 35
crystallization and rheological
properties 36
crystallization kinetics 46
drawbacks 35
glycolic acid 35
group reaction mechanism 36
merits 35
radical coupling mechanism 37
rheology, properties 40, 43
ring-opening polymerization 36
size-exclusion chromatography 39

m

MA/CHO/CO₂ terpolymerization 294
maleic anhydride 293
maleopimaric anhydride (MPA) 104
Mcl PHA 14, 17
methacrylate-capped poly(β -pinene)
macromonomer 60
1,10-(methylenedi-4,1-phenylene)
bismaleimide (BMI) 106
3-methyl-1-pentyn-3-ol 331
methyl ricinoleate 182
modified rosin polymers 170

- monolignols 231
 monomeric amidoamines 166
 monomers and polymers 6
 monoterpene aldehydes 78–79
 monoterpenes 55
 MPA derived monomers 108
 multi-functional polycarboxylic acids 269
- n**
 nano-DMC catalyst 335
 nano-lamellar Co-Zn DMC/SiO₂ hybrid catalyst 334
 nano-lamellar Zn–Co (III) DMCC 291
 natural biopolymers 4
 natural phenolics 258
 natural polymers 103
 natural tannin 259
 NatureWorks Ingeo™ 3
 Nd(BH₄)₃(THF)₃ 74
 nitroxide-mediated polymerization (NMP) 113
 N-(n-propyl)-2-pyridylmethanimine 190
 non-hydrocarbon molecular biomass 8
 non-natural polymers 1
 norbornene monomers and polymers 194
 2-nonyl-2-oxazoline (NonOx) 196
 N-phenylmaleimide 289
 N₂ adsorption-desorption isotherm 285
- o**
 (4-n-octylphenyl)phenyliodonium hexafluoroantimonate (IOC-8) 223
 olefinic terpenes 7
 oleic acid 184
 oligopeptides 236
 one-pot AEDA-first polymerization 118
 onium salts 210–211
 O/S scrambling phenomenon 297
 2-oxazoline monomers 195
 oxidized tall oil 161
- p**
 PCL-*b*-PAEDA linear diblock copolymer 118
 PCL-*g*-DAPE polymers 122
 pentaerythritol 160
 pentaerythritoltriacylate (PETA) 38
 P(EtOx-*b*-SoyOx) 200
 petroleum-based hydrocarbons 156
 petroleum based polymers 103
 PHA-*g*-poly(acrylic acid) (PHA-*g*-PAA) 15
 PhC(CF₃)₂OH 67
 photo-initiated cationic polymerization, EVO
 acetic acid 213
 H NMR spectra 215
 peracetic acid 213
 relative fatty acid composition 216
 structure-property-relationships 214
 thickness control 221
 W-based phase transfer catalyst 214
 PHOU-*g*-polyhedral oligomeric silsesquioxane (PHOU-*g*-POSS) 15
 pine chemicals *see* rosin acids; tall oil fatty acid (TOFA)
 crude tall oil 151
 rosin acids 167
 tall oil fatty acid 159
 tall oil pitch 175
 terpenes 153
 Vinsol® resin 176
 pinocarvone 64
 piperlongumine (PLGM) 119
 plant/crop-based resources 140
 plant oils *see* (meth)acrylate monomers
 (meth)acrylate monomers 182
 di-functional monomers 181
 feedstocks 203
 norbornene monomers and polymers 194
 oleochemical industry 181
 polymeric materials 181
 2-oxazoline monomers 195
 thermoset systems 181
 vinyl ether monomers 200

- PLGM-loaded PEG-*b*-PDAEMA nanoparticles 121
- P(MeOx-*co*-DecenOx) 197
- P(MMA-*co*-HEMA)-*b*-PLMA-*b*-P(MMA-*co*-HEMA) 187
- PO/CO₂ copolymerization 330
- polyamides 160
- poly(butylene succinate) 5
- poly(ϵ -caprolactone) (PCL) 122
- polycarbonates 317
- poly(cyclohexene carbonate) (PCHC) 316
- polyesters 168
- polyester polyols 92
- polyester polyols of maleopimaric acid (MAPP) 98
- polyether polyols 320
- polyether polyol synthesis 320
- poly(ethylene) 5
- polyethylene amines 166
- polyethylene glycol 200 (PEG200) 97
- poly(ethylene thiocarbonate) 299
- polyhydroxy alkanoates (PHAs) 5, 246
- application and industrialization 26
 - biocompatibility 11
 - biodegradability 11
 - bioplastic packaging market 13
 - diversity 14
 - intracellular 12
 - Pseudomonas putida* 11
 - Ralstonia eutropha* 11
 - medium chain length 11
 - microbially based biological production processes 13
 - from mixed substrates 25
 - monomer arrangement 11
 - production cost 13
 - production strains 16
 - properties 15
 - short chain length 11
 - synthesis pathways 17
 - thermal and mechanical properties 13
 - from unrelated carbon sources 19
 - from various substrates 24
 - white granules 12
- poly(3-hydroxybutyrate)-block-poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate) 15
- poly(3-hydroxybutyrate)-block-poly(3-hydroxyhexanoate) (P₃HB-*b*-PHHx) 15
- poly(3-hydroxybutyrate)-block-poly(3-hydroxyvalerate-*co*-3-hydroxyheptanoate) (P₃HB-*b*-PHVHHp) 15
- poly(3-hydroxybutyrate)-block-poly(4-hydroxybutyrate) (P₃HB-*b*-P₄HB) 15
- poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate) (PHBV)
- carbohydrates 24
 - cellulose resources 25
- poly(3-hydroxybutyrate-*co*-3-hydroxypropionate) (P₃HB₃HP) 14
- poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate) (PHBV) 14
- poly(3-hydroxybutyrate-*co*-4-hydroxybutyrate) (P₃HB₄HB) 14, 19
- poly(3-hydroxybutyrate) (P₃HB) 14
- poly(4-hydroxybutyrate) (P₄HB) 14
- poly-hydroxybutyrate (PHB)
- production 246
- poly(3-hydroxydecanoate) (PHD) 14
- poly(3-hydroxydodecanoate) (PHDD) 14
- poly(3-hydroxyheptanoate) (PHHp) 14
- poly(3-hydroxyhexanoate) (PHHx) 14
- poly(3-hydroxynonanoate) (PHN) 14
- poly(3-hydroxyoctanoate-*co*-3-hydroxydecanoate) (P(3HO-*co*-3HD)) 14
- poly(3-hydroxyoctanoate) (PHO) 14
- poly(3-hydroxypropionate)-block-poly(4-hydroxybutyrate) (P₃HP-*b*-P₄HB) 15
- poly(3-hydroxypropionate-*co*-4-hydroxybutyrate) (P₃HP₄HB) 14
- poly(3-hydroxypropionate) (P₃HP) 14
- poly(3-hydroxyvalerate) (PHV) 14

- poly(itaconic acid) 5
 poly(lactic acid) 5
 poly(lactic acid-*co*-glycolic acid)
 (PLGA) 35
 polymyrcene 69
 poly(2-oxazoline)s 195
 poly(propylene carbonate) (PPC) 294,
 316
 poly(α CleCL) 122
 poly(β -pinene)s 57
 poly (thiocarbonate)s 296
 polyurethane elastomers (PUEs) 95
 polyurethanes 162
 pressure sensitive adhesive (PSA) 138
- q**
- quaternary ammonium-containing rosin
 grafted PCL copolymers 124
 quaternary ammonium-containing rosin
 propargyl ester 125
- r**
- random copolymers 11
 raw soybean straw 234
 resin acid derived cationic
 homopolymer 115
 resin acids 7
 reversible addition-fragmentation chain
 transfer (RAFT)
 polymerization 184, 191
 reversible addition-fragmentation
 transfer (RAFT) 115
 rheology 40
 ricinoleic acid 184
 ring opening metathesis polymerization
 (ROMP) 194
 ring-opening metathesis polymerization
 (ROMP) 65
 rosin 91
 applications 103
 based homopolymers 114
 based polyamideimides 107–108
 based polyamides 109
 based polyester 109
 based polyesterimides 106–107
 based polyetherpolyol 92
 based polyesters 108
- based polyurethane 133
 based polyurethane elastomers 95
 based thermoset resin 134
 based UV curing resin 136
 chemical composition 104
 chemical transformations 104
 hydrophenanthrene rings 103
 renewable natural feedstock 104
 rosin acid-grafted lignin
 (lignin-g-DA) 134
- rosin acids
- coatings 169
 epoxies 169
 inks 170
 insulation 170
 ionomer resins 172
 modified rosin polymers 170
 paper size 172
 plastics 171
 polyesters 168
 surfactants 172
 typical composition 168
- rosin and turpentine based
- polyurethane materials 7
 rosin-based rigid polyurethane foams
 (RPUFs)
 compression strength 92
 formaldehyde modified rosin
 acid 94
 graft polymerization 94
 gum rosin-derived polyols 92
 NCO/OH molar ratio 92
 physical parameters and foaming
 behavior 93
 physical properties 93
 Prins reaction 94
 reaction activity 95
 schematic synthesis routes 92
 thermal conductivity 93
 thermal gravimetric analysis 94
 thermal stability 92
 viscosity 94
- rosin based shape memory
- polyurethane 99, 133
 rosin carboxyllidone polymers 170
 rosin derived acrylate monomer 115
 rosin derived cationic monomer 116

rosin derived main-chain polymers,
 MPA 105
rosin derived monomers 112
rosin derived polymers, APA 107
rosin-fatty acid vinylic polymers 169
rosin-graft cellulose composite 130
rosin-modified phenolic resins 132,
 171
rosin polymer grafted cellulose
 composites 124
rosin polymer grafted chitosan 132
rosin polymer-grafted EC
 copolymers 125
rosin polymer grafted lignin
 composites 130

s

Scl-mcl PHA 11
Scl PHA 17
shape memory polymers (SMPs) 99
side-chain grafted copolymer
 amphiphilic rosin grafted cellulose
 composite 133
 click chemistry 120
 DA grafted ethyl cellulose 133
 rosin acid-grafted lignin 134
 rosin polymer grafted cellulose
 composites 124
 rosin polymer grafted chitosan 132
 rosin polymer grafted lignin
 composites 130
side-chain linear homopolymers
 ATRP 114
 RAFT 115
side-chain linear rosin acid-
 caprolactone block
 copolymers 116
side-chain linear rosin acid-PEG
 amphiphilic block
 copolymers 118
size-exclusion chromatography
 (SEC) 39
Sorona® 3
soybean and linseed vinyl ethers 200
soybean grain processing
 industry 227
soybean harvesting 227–228

soybean hulls 234
soybean oil production 209–210
soybean straw 227
SoyOx 199
succinate semialdehyde dehydrogenase
 (SSADH) 20

sulfur-containing polymers 295
surface initiated atom transfer radical
 polymerization 115

sustainable polymers
 compound annual growth rate 3
 cyclic life cycle 3
 ‘fossil-sourced’ carbon dioxide
 release 3
 from biomass 4
 global carbon cycle 3
 monomers and polymers 6
 natural biopolymers 4
 pollution emissions 2
 renewable bio-based material
 products 3
 vs. traditional petrochemical based
 polymers 2

sustainable thermoset polymer
 systems 212
sustainable vinyl polymers 7
syn-1,4-cyclohexadiene diepoxide 291
synthetic polymeric materials 1

t

tall oil fatty acid (TOFA)
 amidoamine epoxy resins 166
 epoxy resin esters 164
 oxidized tall oil 161
 polyamides 160
 polyurethanes 162
 typical composition 159
tall oil pitch 173, 175
terpene based compounds 7
terpene-based olefinic compounds 55
terpene-based polyurethanes 95
terpene-based waterborne
 polyurethanes 97
terpene oligomers 95
terpenes 7, 153
tetrahydrofuran (THF) 57, 221
thermoplastic elastomers 171

three dimensional rosin based polymer
 condensation polymerization 132
 free radical polymerization 136
 TOFA-based alkyls 160
p-toluenesulfonic acid-(2-acryloyloxy)
 ethyl ester (TAEE) 112
 trially isocyanurate (TAIC) 38
 triblock and tetrablock copolymers 72
 tri-block copolymer
 P(SMA)-b-PtBA-b-
 P(SMA) 188
 trimethylolpropane triacrylate
 (TMPTA) (IV) 38, 39
 trithiocarbonate-capped
 polymyrcene 71
 tubulin-like protein 21
 turpentines 154
 two-dimensional DMC catalysts 324

u

Ultraturrax disperser 239
 10-undecen-1-ol 111
 unsaturated fatty acids 196
 unsaturated vinyl ethers 200

v

Vernonia oil 264
 Vinsol® resin 176
 vinyl ether monomers 200
 vinylimidazole-*g*-PHO 15
 2-VOES based tri-block copolymer
 PCHVE-b-P(2-VOES)-b-
 PCHVE 203

w

WGESO-glycerol materials 265
 WG/jute fibre composites 271
 wheat gluten (WG)
 advantage 255
 biodegradation 269
 biomass filler 271
 chemical modification 256
 cysteine groups 257
 drawback 256
 environmental performances 256
 epoxidized vegetable oil 264
 food processing 256
 lifecycle assessment 255
 material properties 272
 natural phenolics 258
 packaging applications 255
 wooden biomass 25

z

ziegler-type catalysts 57
 zinc precursor/halide precursor 329,
 330
 Zn–Co(III) DMCC catalyst 301
 $Zn_3[Co(CN)_6]_2 \cdot 2DME \cdot 6H_2O /$
 $ZnSO_4$ 332
 $Zn_3[Co(CN)_6]_2 \cdot 3H_2O$ 321
 $Zn_2[Co(CN)_6](OH)^4 \cdot 4H_2O$ 321
 $Zn[Ni(CN)_4] \cdot 0.7ZnCl_2 \cdot 1.3t \cdot$
 $BuOH \cdot 2H_2O$ 324