Table of Contents

Preface *xiii*
About the Authors *xv*

Part One Introduction *1*

1 Introduction *3*
1.1 Introduction *3*
1.2 Implementation of Current-Fed Converters *6*
1.3 Dynamic Modeling of Power Electronic Converters *7*
1.4 Linear Equivalent Circuits *8*
1.5 Impedance-Based Stability Assessment *12*
1.6 Time Domain-Based Dynamic Analysis *14*
1.7 Renewable Energy System Principles *17*
1.8 Content Review *19*
References *20*

2 Dynamic Analysis and Control Design Preliminaries *27*
2.1 Introduction *27*
2.2 Generalized Dynamic Representations – DC–DC *27*
2.2.1 Introduction *27*
2.2.2 Generalized Dynamic Representations *29*
2.2.3 Generalized Closed-Loop Dynamics *30*
2.2.4 Generalized Cascaded Control Schemes *33*
2.2.5 Generalized Source and Load Interactions *38*
2.2.6 Generalized Impedance-Based Stability Assessment *40*
2.3 Generalized Dynamic Representations: DC–AC, AC–DC, and AC–AC *42*
2.3.1 Introduction *42*
2.3.2 Generalized Dynamic Representations *44*
2.3.3 Generalized Closed-Loop Dynamics *48*
2.3.4 Generalized Cascaded Control Schemes *50*
2.3.5 Generalized Source and Load Interactions *54*
2.3.6 Generalized Impedance-Based Stability Assessment *56*

2.4 Small-Signal Modeling *57*
2.4.1 Introduction *57*
2.4.2 Average Modeling and Linearization *60*
2.4.3 Modeling Coupled-Inductor Converters *64*
2.4.4 Modeling in Synchronous Reference Frame *66*
2.5 Control Design Preliminaries *77*
2.5.1 Introduction *77*
2.5.2 Transfer Functions *77*
2.5.3 Stability *84*
2.5.4 Transient Performance *95*
2.5.5 Feedback-Loop Design Constraints *100*
2.5.6 Controller Implementations *103*
2.5.7 Optocoupler Isolation *108*
2.5.8 Application of Digital Control *109*
2.6 Resonant LC-Type Circuits *110*
2.6.1 Introduction *110*
2.6.2 Single-Section LC Filter *112*
2.6.3 LCL Filter *113*
2.6.4 CLCL Filter *115*
References *117*

Part Two Voltage-Fed DC–DC Converters *123*

3 Dynamic Modeling of Direct-on-Time Control *125*
3.1 Introduction *125*
3.2 Direct-on-Time Control *127*
3.3 Generalized Modeling Technique *129*
3.3.1 Buck Converter *131*
3.3.2 Boost Converter *134*
3.3.3 Buck–Boost Converter *136*
3.3.4 Superbuck Converter *140*
3.4 Fixed-Frequency Operation in CCM *142*
3.4.1 Buck Converter *143*
3.4.2 Boost Converter *146*
3.4.3 Buck–Boost Converter *149*
3.4.4 Superbuck Converter *153*
3.4.5 Coupled-Inductor Superbuck Converter *157*
3.5 Fixed-Frequency Operation in DCM *163*
3.5.1 Buck Converter *164*
3.5.2 Boost Converter *167*
3.5.3 Buck–Boost Converter *170*
3.6 Source and Load Interactions *173*
3.6.1 Source Interactions *173*
3.6.2 Input Voltage Feedforward *174*
3.6.3 Load Interactions *176*
3.6.4 Output-Current Feedforward *177*

3.7 Impedance-Based Stability Issues *179*
3.8 Dynamic Review *181*
References *186*

4 Dynamic Modeling of Current-Mode Control *189*
4.1 Introduction *189*
4.2 Peak Current Mode Control *190*
4.2.1 PCM Control Principles *190*
4.2.2 Development of Duty-Ratio Constraints in CCM *192*
4.2.3 Development of Duty-Ratio Constraints in DCM *195*
4.2.4 Origin and Consequences of Mode Limits in CCM and DCM *196*
4.2.5 Duty-Ratio Constraints in CCM *201*
4.2.5.1 Buck Converter *201*
4.2.5.2 Boost Converter *201*
4.2.5.3 Buck–Boost Converter *202*
4.2.5.4 Superbuck Converter *204*
4.2.5.5 Coupled-Inductor Superbuck Converter *205*
4.2.6 Duty-Ratio Constraints in DCM *205*
4.2.6.1 Buck Converter *205*
4.2.6.2 Boost Converter *206*
4.2.6.3 Buck–Boost Converter *206*
4.2.7 General PCM Transfer Functions in CCM *207*
4.2.8 PCM State Spaces and Transfer Functions in CCM *209*
4.2.8.1 Buck Converter *209*
4.2.8.2 Boost Converter *211*
4.2.8.3 Buck–Boost Converter *213*
4.2.8.4 Superbuck Converter *215*
4.2.8.5 Coupled-Inductor Superbuck Converter *219*
4.2.9 PCM State Spaces in DCM *222*
4.2.9.1 Buck Converter *222*
4.2.9.2 Boost Converter *222*
4.2.9.3 Buck–Boost Converter *223*
4.3 Average Current-Mode Control *224*
4.3.1 Introduction *224*
4.3.2 ACM Control Principle *225*
4.3.3 Modeling with Full Ripple Inductor Current Feedback *226*
4.4 Variable-Frequency Control *230*
4.4.1 Introduction *230*
4.4.2 Self-Oscillation Modeling – DOT and PCM Control *231*
4.5 Source and Load Interactions *239*
4.5.1 Output Current Feedforward *240*
4.6 Impedance-Based Stability Issues *243*
4.7 Dynamic Review *244*
4.8 Critical Discussions on PCM Models and Their Validation *249*
4.8.1 Ridley's Models *249*
4.8.2 The Book PCM Model in CCM *252*

4.8.3 Evaluation of PCM-Controlled Buck in CCM *253*
4.8.4 Evaluation of PCM-Controlled Boost in CCM *258*
4.8.5 Concluding Remarks *259*
References *260*

5 Dynamic Modeling of Current-Output Converters *265*
5.1 Introduction *265*
5.2 Dynamic Modeling *267*
5.3 Source and Load Interactions *269*
5.3.1 Source Interactions *269*
5.3.2 Load Interactions *270*
5.4 Impedance-Based Stability Issues *271*
5.5 Dynamic Review *272*
References *275*

6 Control Design Issues in Voltage-Fed DC–DC Converters *277*
6.1 Introduction *277*
6.2 Developing Switching and Average Models *279*
6.2.1 Switching Models *279*
6.2.2 Averaged Models *287*
6.3 Factors Affecting Transient Response *291*
6.3.1 Output Voltage Undershoot *292*
6.3.2 Settling Time *294*
6.4 Remote Sensing *304*
6.4.1 Introduction *304*
6.4.2 Remote Sensing Dynamic Effect Analysis Method *304*
6.4.3 Remote Sensing Impedance Block Examples *306*
6.4.4 Experimental Evidence *307*
6.5 Simple Control Design Method *310*
6.5.1 DDR-Controlled Buck Converter *312*
6.5.2 PCM-Controlled Buck Converter *315*
6.5.3 DDR-Controlled Boost Converter *321*
6.5.4 PCM-Controlled Boost Converter *325*
6.6 PCM-Controlled Superbuck Converter: Experimental Examples *330*
6.6.1 Introduction *330*
6.6.2 Discrete-Inductor Superbuck *331*
6.6.3 Coupled-Inductor Superbuck *332*
6.7 Concluding Remarks *334*
References *334*

Part Three Current-Fed Converters *339*

7 Introduction to Current-Fed Converters *341*
7.1 Introduction *341*
7.2 Duality Transformation Basics *341*
7.3 Duality-Transformed Converters *345*

7.4 Input Capacitor-Based Converters *351*
References *352*

8 Dynamic Modeling of DDR-Controlled CF Converters *355*
8.1 Introduction *355*
8.2 Dynamic Models *356*
8.2.1 Duality Transformed Converters *358*
8.2.1.1 Buck Converter *358*
8.2.1.2 Boost Converter *365*
8.2.1.3 Noninverting Buck–Boost Converter *368*
8.2.1.4 CF Superbuck Converter *372*
8.2.2 Input Capacitor-Based Converters *376*
8.2.2.1 Buck Power-Stage Converter *377*
8.2.2.2 Boost Power-Stage Converter *383*
8.2.2.3 Noninverting Buck–Boost Power-Stage Converter *387*
8.3 Source and Load Interactions *390*
8.3.1 CF-CO Converters *390*
8.3.1.1 Source Interactions *390*
8.3.1.2 Load Interactions *391*
8.3.2 CF-VO Converters *392*
8.3.2.1 Source Interactions *392*
8.3.2.2 Load Interactions *393*
8.4 Impedance-Based Stability Assessment *394*
8.5 Output-Voltage Feedforward *394*
8.6 Dynamic Review *397*
References *400*

9 Dynamic Modeling of PCM/PVM-Controlled CF Converters *403*
9.1 Introduction *403*
9.2 Duty-Ratio Constraints and Dynamic Models under PCM Control *404*
9.2.1 Buck Power-Stage Converter *405*
9.2.2 Boost Power-Stage Converter *410*
9.3 Duty-Ratio Constraints and Dynamic Models under PVM Control *413*
9.3.1 CF Buck Converter *414*
9.3.2 CF Superbuck Converter *418*
9.4 Concluding Remarks *420*
References *420*

10 Introduction to Photovoltaic Generator *423*
10.1 Introduction *423*
10.2 Solar Cell Properties *424*
10.3 PV Generator *429*
10.4 MPP Tracking Methods *432*
10.5 MPP Tracking Design Issues *436*
10.5.1 Introduction *436*
10.5.2 General Dynamics of PV Power *437*
10.5.3 PV Interfacing Converter Operating at Open Loop *439*

10.5.4 PV Interfacing Converter Operating at Closed Loop *447*
10.5.4.1 Reduced-Order Models: Intuitive Model Reduction *452*
10.5.4.2 Reduced-Order Models: Control-Engineering-Based Method *454*
10.5.4.3 Reduced-Order Model Verification *455*
10.6 Concluding Remarks *461*
References *461*

11 Photovoltaic Generator Interfacing Issues *465*
11.1 Introduction *465*
11.2 Centralized PV System Architecture *465*
11.3 Distributed PV System Architectures *465*
11.4 PV Generator-Induced Effects on Interfacing-Converter Dynamics *470*
11.4.1 Introduction *470*
11.4.2 PV Generator Effects on Converter Dynamics *474*
11.4.2.1 Buck Power-Stage Converter *476*
11.4.2.2 Boost Power-Stage Converter *477*
11.4.2.3 CF Superbuck Converter *480*
11.5 Stability Issues in PV Generator Interfacing *482*
11.5.1 Buck Power-Stage Converter *483*
11.5.2 CF Superbuck Converter *485*
11.5.3 Concluding Remarks *488*
11.6 Control Design Issues *488*
References *488*

Part Four Three-Phase Grid-Connected Converters *491*

12 Dynamic Modeling of Three-Phase Inverters *493*
12.1 Introduction *493*
12.2 Dynamic Model of Voltage-Fed Inverter *494*
12.2.1 Average Model of Voltage-Fed Inverter *494*
12.2.2 Linearized State-Space and Open-Loop Dynamics *499*
12.2.3 Control Block Diagrams of Voltage-Fed Inverter *503*
12.2.4 Verification of Open-Loop Model *503*
12.3 Dynamic Model of Current-Fed Inverter *507*
12.3.1 Average Model of Current-Fed Inverter *507*
12.3.2 Linearized Model and Open-Loop Dynamics *510*
12.3.3 Control Block Diagrams of Current-Fed Inverter *512*
12.3.4 Verification of Open-Loop Model *512*
12.4 Source-Affected Dynamics of Current-Fed Inverter *515*
12.4.1 Source Effect: Photovoltaic Generator *517*
12.4.2 Source Effect: Experimental Validation *520*
12.5 Dynamic Model of Current-Fed Inverter with LCL-Filter *524*
12.5.1 Average Model of Current-Fed Inverter with LCL-Filter *525*

12.5.2 Linearized State-Space and Open-Loop Dynamics *527*
12.6 Summary *528*
Appendix 12.A *528*
References *530*

13 Control Design of Grid-Connected Three-Phase Inverters *533*
13.1 Introduction *533*
13.2 Synchronous Reference Frame Phase-Locked-Loop *533*
13.2.1 Linearized Model of SRF-PLL *536*
13.2.2 Control Design of SRF-PLL *538*
13.2.3 Damping Ratio and Undamped Natural Frequency *541*
13.2.4 Control Design Example and Experimental Verification *541*
13.2.5 The Effect of Unbalanced Grid Voltages *544*
13.3 AC Current Control *547*
13.3.1 Current Control in the dq-Domain *548*
13.3.2 Current Control in Voltage-Fed Inverters *548*
13.4 Decoupling Gains *559*
13.5 Grid Voltage Feedforward *562*
13.6 Cascaded Control Scheme in Current-Fed Inverters *563*
13.6.1 Control Block Diagrams *564*
13.6.2 Control Design of Cascaded Loops *566*
13.6.3 Instability Caused by RHP-Pole *570*
13.6.4 Stability Assessment Using the Nyquist Stability Criterion *574*
13.6.5 Design Example: Three-Phase Photovoltaic Inverter *574*
13.7 Case Study: Instability Due to RHP-Pole *581*
13.8 Summary *583*
References *583*

14 Reduced-Order Closed-Loop Modeling of Inverters *587*
14.1 Introduction *587*
14.2 Reduced-Order Model of Voltage-Fed Inverter *587*
14.2.1 Closed-Loop Model with AC Current Control *588*
14.2.2 Closed-Loop Model with SRF-PLL *591*
14.2.3 Closed-Loop Input Admittance *595*
14.2.4 Output Impedance with Grid Voltage Feedforward *596*
14.2.5 Impedance Characteristics of Voltage-Fed Inverters *602*
14.3 Reduced-Order Model of Current-Fed Inverter with L-Type Filter *602*
14.3.1 Closed-Loop Model with Cascaded Control Scheme *602*
14.3.2 Effect of Input Voltage Control Bandwidth *605*
14.3.3 Effect of AC Current Control Bandwidth *606*
14.3.4 Experimental Verification: Measured Impedance d-Component *608*
14.3.5 Effect of SRF-PLL *609*
14.3.6 Effect of Grid Voltage Feedforward on Impedance d-Component *610*
14.3.7 Effect of Grid Voltage Feedforward on Impedance q-Component *615*

14.4 Closed-Loop Model of Current-Fed Inverter with LC-Type Filter *619*
14.4.1 Experimental Verification of Impedance Model *625*
14.4.2 Impedance Characteristics of Inverter with LC-Filter and Feedforward *630*
14.5 Summary *630*
References *630*

15 Multivariable Closed-Loop Modeling of Inverters *633*
15.1 Introduction *633*
15.2 Full-Order Model of Current-Fed Inverter with L-Type Filter *633*
15.2.1 Verification of Dynamic Model *643*
15.3 Experimental Verification of Admittance Model *646*
15.4 Full-Order Model of Current-Fed Inverter with LCL-Type Filter *648*
15.4.1 Verification of Closed-Loop Model *653*
15.4.2 Measured Output Impedance of PV Inverter *656*
15.5 Summary *659*
References *660*

16 Impedance-Based Stability Assessment *663*
16.1 Introduction *663*
16.2 Modeling of Three-Phase Load Impedance in the *dq*-Domain *664*
16.3 Impedance-Based Stability Criterion *667*
16.4 Case Studies *669*
16.4.1 Instability Due to High-Bandwidth PLL in Weak Grid *669*
16.4.2 Instability Due to Control Delay in Feedforward Path *674*
16.5 Summary *678*
References *678*

17 Dynamic Modeling of Three-Phase Active Rectifiers *681*
17.1 Introduction *681*
17.2 Open-Loop Dynamics *681*
17.3 Verification of Open-Loop Model *688*
17.4 Experimental Results *691*
17.5 Summary *695*
References *695*

Index *697*