

Index

a

abundance sensitivity 145
 accelerating voltage 119
 accuracy 38
 activator 116
 Aerosil 300, 180
 AG1-X8 92, 220
 AG50W-X12 264
 AG50W-X8 92, 189
 AG50W-X8 in NH_4^+ form 94
 Agate 46
 AgCl 183
 AgF 204
 AgNO₃ 183
 Air Cadet pump 170
 air change rate 42
 air circulation type 41
 air shower 41
 Al 200
 Al₂O₃ slurry emitter 203
 Al-addition method 84
 Al-Ca-Mg ternary diagram 80
 Al-foil 47
 AlF₃ 78
 Aliquat 336 97
 alkali fusion 72
 all-fresh type 41
 α -decay 20
 altered oceanic crust 168, 173
 ammonia water 58
 amplifier rotation 152, 188
 amu 30
 angular velocity 119
 anion exchange chromatography 178
 anion exchange resin 91
 ANRT 174
 AOC 168, 173
 Aquadag 240, 305

aquaphile elements 60
 Ar plasma 117
 Ar-CH₄ 5
 Ar₂H⁺ interference 183
 ArF excimer laser 316
 Aridus 252
 arsenazo III 227
 As₂S₃ 179
 ascorbic acid 242, 267
 ascorbic acid activator 243
 AsS⁺ ions 178, 179
 Association Nationale de la Recherche
 Technique 174
 atomic mass unit 30
 Au-foil 47
 azeotrope 51

b

$\delta^{11}\text{B}$ 173
 B analysis 41
 B metal 240
 B volatilization 169
 B-scan 136
 B₂FH theory 32
 Ba(NO₃)₂ 247
 Ba(OH)₂ 258, 259, 288
 3 σ of background 8
 BaF₂ 204
 BaF₂ layer 177
 balance 46
 Balsiger 196
 bare cation elements 60
 Barium hydroxide 224
 batch analysis 183
 BCl₃ 169
⁸Be 31
 BE-N 174
 β^+ -decay 20

- β^- -decay 20
 BF_3 169
 big bang 30
 Bigeleisen 252
 biological fractionation 174
 Birck 283
 Bis(2-ethylhexyl) hydrogen phosphate 98
 Bizzarro 186
 black hole 33
 blackbody radiation 146
 Bolou-Bi 176
 bomb method 66
 boric acid 176, 200, 240
 boric acid-silica gel 203
 boron nitride 46
 boron-free air 170
 borosilicate 48
 Br^- ions 183
 Br_2 178
 Brand 163
 bromophile elements 60
 bulk analysis 313
- c**
- C-burning 32
 1/C test 24
 Ca activator 243
 ^{40}Ca ions 188
 $(\text{Ca}+\text{Mg})/\text{Al} > 1$ 79
 ^{40}K - ^{40}Ca system 188
 $\text{Ca}(\text{NO}_3)_2$ 243
 CaF_2 83
 CaF^+ ions 194
 Cal-S 174
 calcite 173
 calcium gluconate gel 53
 Calgonate Gel 53
 Canyon Diablo iron meteorite 29
 Cantanzaro 183
 Canyon Diablo Troilite 178
 carburized Re filament 198
 Carius tube 178, 179
 Carius tube digestion 69
 catheter as barriers 161
 cation exchange resin 91
 CCl_4 283
 CDT 29
 Centre de Recherché Petrographiques et
 Geochimiques 174
 centrifugal force 119
 CeO^+ ions 265, 270
 CF-IRMS 182, 183
 CG-71c resin 96
 CH_3CNOH_2 205
 Chandrasekhar limit 35
 Chang 174
 charge transfer 118
 CHCl_3 283
 Chelex 100, 98
 Cl^- ions 183
 clean evaporator 43
 clean room 41
 CMPO 98
 CNO cycle 31
 Cohen 283
 cold finger 112
 cold trap 112
 colorimetry 8
 column 91
 combustion with CuO 184
 common lead 26
 Compston 143
 concordia curve 26
 conditioning 102
 constant current source 124
 continuous flow isotope ratio mass
 spectrometry 182
 continuous laser beam 315
 coprecipitation 77
 correlation coefficient 39
 corundum crucible 72
 covariance 39
 Creaser 287
 Crichton 196
 CrO_3 283
 cross linkage 92
 CRPG 174
 crust/mantle recycling 168
 cryogenic pump 112
 cryopump 112
 Cs_2Br^+ ions 183
 Cs_2CNO^+ 185
 Cs_2BO_2^+ ions 169
 Cs_2Cl^+ ions 183
 CsCl 184
 CuCl 184
 cup efficiency 151
- d**
- Da 30
 DAAP 97
 dalton 30
 Daly 281
 Daly detector 126
 Daly knob 125
 Date and Gray 117
 DCTA 94
 dead time 127

- decay chain 298
 - decay constant 21
 - dechlorination 184
 - degradation of the As_2S_3 181
 - dehydrating slab 173
 - DePaolo 186, 188
 - desolvator 140, 227
 - 3σ detection limit 8
 - detection of the leak 112
 - di-*tert*-butylcyclohexano 18-crown-6 97
 - diamond powder 281
 - diamyl, amyolphosphonate 97
 - differential vacuum pumping system 135
 - dilution factor 82
 - dimethylglyoxime 205
 - dipentyl, pentylphosphonate 97
 - discordia line 26
 - discrimination level 127
 - discriminator 127
 - Dispersion Quad 268
 - distribution coefficients 7
 - DMG 205
 - double β^- -decay 219, 245, 277
 - double filament 115
 - double focusing mass spectrometer 122
 - ^{54}Fe – ^{58}Fe double spike 203
 - ^{57}Fe – ^{58}Fe double spike 204
 - ^{205}Pb – ^{204}Pb double spike 299
 - double spike 178, 223
 - double spike method 156, 202
 - DR-N 174
 - draft chamber 42
 - dry plasma condition 227
 - dull-red 177
 - duoplasmatron 141
 - Dy^+ ions 271
 - dynamic multicollection 151, 268, 306
- e**
- E-scan 136
 - ECV 92
 - Eichrom resins 95
 - electric conductivity 100
 - electromagnet coil 119
 - electron 30
 - electron affinity 113, 115
 - electron deflection magnet 268
 - element analyzer 181
 - ELEMENT XR 136
 - elution curve 91
 - energy filtering method 141
 - Er^+ ions 271
 - error magnification 14
 - errorchron 24
- ESPI® 287
 - essential element for life 202, 212
 - essential element in life 178
 - etched filament 204
 - Eu^+ ions 270
 - evaporation filament 115
 - EXCEL® 36
 - excimer laser 316
 - exponential law 150
 - extinct nuclides 23
 - extraction chromatographic resins 96
- f**
- FAAS 8, 227
 - Faraday cup 122
 - Faraday cup amplifier 124
 - Fassel 117
 - Fassett 196
 - Father of geochemistry 6
 - ^{56}Fe 33
 - FeF_4^- ions 204
 - ferric/ferrous ratio 6
 - filament degassing 134
 - Finnigan MAT 262, 131
 - first dynode 126
 - first ionization potentials 113
 - flame atomic absorption spectrometry 8, 227
 - Fleming's left-hand rule 119
 - flight tube 131
 - fluorides 77
 - fluorinating agent 177, 204
 - fluorophile element 59
 - focal plane 131
 - Focus Quad 268
 - fossil fuels 178
 - fossil isochron 23
 - frit 91
 - Fujitani 183, 184
 - functional group 91
 - fusion 71
 - FWHM 145
- g**
- GA 174
 - gains 124
 - gas chromatography-ICP-MS 183
 - gas flow proportional counter 5
 - gas scrubber 42
 - GC-ICP-MS 183
 - GdO^+ ions 270
 - Ge^+ 221
 - $GeCl_4$ 219
 - GeF_4 219
 - GeF_6^{2-} ions 219

- Gerstenberger 211
 glass bead 3
 glassware 47
 glassy carbon crucible 72
 Goldschmidt 6
 GPS 45
 graphite 171, 224, 240, 305
- h**
- H₃BO₃ 193, 200
 H.Cross 285, 300
 H₂O(+) 6
 H₂O(−) 6
 H₂O₂ 179, 272
 H₂Se 223
 half-life 21
 Halliday 196, 215, 277
 Harper 277
 Hasse 211
 HBr 55
 HCl 54
 HClO₄ 55
 HDEHP 98
 HDPE 48
 heavily oxidized Ta single filament 194
 HEPA 41
 Heumann 259, 287
 HF 52
 HF-HNO₃ digestion 77
 HFSE 59
 HG-AAS 223
 HG-ICP-AES 223
 HG-ICP-MS 223
 HI 179
 HIBA 94
 0.2 mol L^{−1} HIBA solution 264
 0.3 mol L^{−1} HIBA solution 264
 high field strength element 59
 high-pressure asher (HPA) 71
 high pressure liquid chromatography 183
 high resolution secondary ion mass spectrometers 27
 high-resistance resistor 122, 125
 high-resolution ICP-MS 137
 HNO₃ 55
 Houk 117
 HPA 71, 179
 HPLC 100, 183
 HR-ICP-MS 137
 HR-SIMS 26, 27, 143
 hydride generation 181, 223, 256, 257
 hydride generation-ICP-MS 223
 hydride-generation-ICP-AES 223
- i**
- IC 182
 ICP 117
 ICP torch 117
 ICP-AES 8
 ICP-QMS 227
 ICP-SFMS 136, 178
 ID 12
 ID-IS 15
 ID-N-TIMS 183, 223
 ID-TIMS 178, 182
 iminodiacetic acid 99
 incompatibility 11
 inductively coupled plasma 117
 inductively coupled plasma atomic emission spectrometry 8
 inductively coupled plasma torch 117
 inflation theory 30
 inner core 26
 insoluble fluoride forming elements 60, 77
 Institute for Reference Materials and Measurements 174
 intermediate precision 36, 38
 International Standard Organization 38
 International Working Group 174
 inverted population 315
 iodophile elements 60
 ion chromatography 100, 178, 182
 ion chromatography-MC-ICP-MS 183
 ion counting 233
 ion counting system 127
 ion exchange chromatography 91
 ion exchange resin bed 91
 ion gauge 106
 ion microscope mode 141
 ion pump 111
 ionization efficiency 116, 194
 ionization filament 115
 ionization mechanism of Cs₂BO₂⁺ 171
 ionization potential 113
 Ir single filament 281
 IRMM 174
 IRMS 17
 IrO₂[−] ions 287, 288
 Ishikawa and Nakamura 169
 ISO 38
 iso-amylol 284
 isochron plot 22
 ISOPLOT 22
 isotope 30
 isotope dilution 12, 130, 178
 isotope dilution with internal standardization method 15
 isotope fractionation of Mg 174

isotope ratio mass spectrometer 17
 isotopic anomaly of ^{26}Mg 174
 isotopic fractionation 212
 IWG-GIT, 174
 Izu arc, Japan 167, 172

j

Jacobsen 277
 jaw crusher 46
 Johnson–Nyquist noise 146

k

$^{39}\text{K}^+$ 194
 Köhler 118
 Kuritani 290

l

LA-ICP-MS 173, 183, 315
 laminar flow 45
 Langmuir–Saha equation 113
 LaO^+ ions 269
 laser ablation-inductively coupled plasma
 mass spectrometry 315
 laser oscillation 315
 law of conservation of energy 119
 LDPE 48
 Lee 277
 Liepschutz 196
 linear law 150
 liquid exchange chromatographic resin 95
 liquid extraction 95, 96
 lithium borate 3, 72
 lithium borate fusion 72
 lithium phosphate 165
 Ln resin 98
 load coil 117
 LOI 6
 loss on ignition 6
 low condensation temperature 222
 low-B-blank paper 170
 low-B-blank water 170
 Lu and Hf separation methods 272
 Lu^+ ions 271
 Lu–Hf method 78
 Lugmair 191

m

$m/\Delta m$ 145
 macroporous resin 99
 magnetic isotope effect 252
 mannitol 169
 mannitol/boron ratio 169
 mass dependent fractionation 222
 mass discrimination 18, 150

mass discrimination corrected ratio 150
 mass discrimination correction factor
 150
 mass fractionation 18
 mass number 30
 mass resolution 145
 MAT 261 122, 165, 185, 224, 265
 MAT 262 168, 183, 210, 214, 266, 281, 285,
 299, 305
 matrix amplifier 152
 MC-ICP-MS 137
 M_2BO_2^+ 185
 MC-ICP-MS cost 160
 MC-ICP-MS of S 181
 Meisel 287
 melting point of filament metals 113
 meq ml^{-1} 92
 Merck 290
 3-methyl-1-butanol 284
 100–200 mesh 92
 metamict 26
 Mg by N-TIMS 177
 Mg separation 189
 Mg-addition method 79
 MgF_2 83
 MgF_3^- ions 177
 MH495 225
 MIBK 252
 micro-crack 112
 Micromass 203
 microwave 177
 microwave digestion 68
 modified amplifiers 265
 modified Savitzky–Golay method 38
 monel metal 67
 MoO_2 242
 MoO_3^- ions 243
 Moriguti and Nakamura 165
 μ -value 29
 MP-1 99
 multicollector 122
 multicollector ICP-MS 137
 M_2X^+ 185

n

$\text{N}^+(\text{CH}_3)_3\text{Cl}^-$ 91
 N-TIMS 183, 204, 259, 287
 Na_2O_2 fusion 72
 Nakamura E. 290
 Nakamura, N. 183
 National Institute of Standard and Technology
 174
 Nb 60
 NBS group 178

- NBS-prototype positive thermal ionization
 mass spectrometer 256
 ^{147}Sm – ^{143}Nd 226
 Nd isotope ratio 235
 Nd⁺ ions 268
 Nd-YAG 315
 Ne-burning 32
 negative thermal ionization 113, 115
 negative TIMS 133
 Negative-TIMS of Mo 243
 Neptune[®] 138, 208, 211, 244
 neutron star 33
 NH₄F 76
 NH₄⁺-form 264
 ^{56}Ni 33
 (NH₄)IrCl₆ 288
 Ni cone 135
 Ni⁺ ions 194
 nickel wire 287
 Niemeyer 191
 Nier 194
 NIST 174
 NIST L-SVEC 167
 normal population 37
 normalizing isotope ratio 150, 151
 Nu 250
 Nu Plasma 138, 252
 nuclear field shift of Bigeleisen 252
 nucleus 30
- O**
- O-burning 32
 OCl analysis 184
 octopole reaction cell 222, 223
 octopoles 222
 Octyl(phenyl)-N,N-diisobutylcarbamoyl-
 methylphosphine oxide 98
 oil diffusion pump 109
 oil paints 44
 oils 178
 onion shell 32
 operation amplifier 124
 ORC 222
 ORC-ICP-QMS 222, 223
 organic extraction solvent 95
 organochlorine (OCl) analysis 184
 OsO₃⁻ 285
 OsO₄ 69
 outer rim 26
 overalls 41
 oxidized surface 187
 oxophile elements 60
 oxygen isotope correction 194
- P**
- p*-isotope 222
p-process 33
 P-TIMS 183
 P-TIMS of Fe 203
 Pa 104
 pack mill 46
 partial melting 7
 Pascal 104
 Pb in zircon 25
 Pb isotope analysis 290
 Pb separation 289
 Pb–Pb dating 26
 peak-hopping 121
 peak-jumping 121
 Penning gauge 106
 Perchloric acid 55
 PFA 48
 PGE 60
 phosphoric acid 265, 281, 290
 photodisintegration 33
 photoelectron multiplier 126
 photograph of SEM 127
 piggyback Faraday cups 171
 Pirani gauge 105
 Plasma-54 250
 plateau voltage 128
 platinum double filament 288
 Platinum group elements 60
 Platzner 163
 PM-normalized trace element patterns 11
 ^{210}Po 47
 PO₃⁻ 224
 Poisson noise 146
 pollution element of the environment 178
 polyethylene 48
 polypropylene 48
 polystyrene 48
 polytetrafluoroethylene (PTFE) 48, 49
 positive thermal ionization 113
 positive-TIMS of Mo 242
 Powdering 45
 power law 150
 PP 48
 pre-amplifier 127
 pre-filter material 96
 pre-solar grains 34
 precise isotopic measurement of Ca 188
 primary ions 118
 primitive mantle values 11
 proton-rich isotopes 33
 proton–proton chain reaction 31
 pseudo-concentration 14
 Pt cone 135

- Pt single filament 247, 285
 PTFE 48, 49
 pulse counter 127
 pure water maker 50
 PVC 44
 Pyrex 48
 pyridine 94
 pyrohydrolysis 74, 178, 182
 pyrohydrolysis-ion chromatography 182
- q**
 Q-pole mass filter 120
 Q-pole type ICP-MS 9
 Q-switch mode 315
 quadrupole 120
 quantitative elemental analysis 121
 quartz still 49
- r**
r-isotope 222
r-process 33
 radioactive isotopes 19
 radiogenic isotopes 29
 ralsstonite 77
 rare earth element pattern 7
 Rayleigh fractionation 18
⁸⁵Rb/⁸⁷Rb ratio 229
⁸⁷Rb–⁸⁷Sr 226
 Rb and Sm 227
 Rb and Sr fraction 227
 Rb concentration 229
 Rb, Sr, Sm, and Nd separation 227
 Re double filaments 165, 204, 259, 265, 268, 270, 299
 Re ionization filament 233
 Re single filament 177–179, 180, 197, 203, 207, 211, 214, 221, 224, 240, 242, 252, 255, 258, 259, 261, 269, 270, 281
 Re triple filaments 221, 264
 Re–Os systematics 115
 Re–Re double filaments 183
 Re–Re triple filament 239
 REE pattern 7
 reference isotope ratio 150
 regenerate type suppressor 100
 Rehkämper 215
 relative standard deviation 36
 relative strength of adsorption of anions 93
 relative strength of adsorption of cations 92
 ReO₃[−] 285
 ReO₄[−] 285
 repeatability 36, 38
 reservoir 91
- Retardant Potential Quadrupole 134
 retention 92
 reverse aqua regia 55
 role of Ca(NO₃)₂ 244
 rotary pump 107
 RPQ 132
 RPQ system 133
 RPQ-SEM 305
 RPQ-SEM yield 299
 RSD 36
 RuO₃[−] ions 247
- s**
 S determination 178
 S reduction apparatus 179
s-process 34
³⁴S-spike 179
 sample cone 135
 SbO₂[−] ions 259
 SD 36
 SE 37
 Se[−] ions 224
 seawater 173, 174
 secondary electron multiplier 126
 secondary ion mass spectrometry 186
 sector 54, 203, 247
 sector magnetic field 119
 sector-type ICP-MS 136
 SEM 126
 SEM voltage 128
 SEM yield 128
 semiconductor 219
 SHRIMP 143
 shrink tubes 91
 shutter valve 135
 Si in the resin 174
 Si-burning 32
 SiCl₄ 200
 silica gel 177, 200, 240, 290
 silica gel activator 252, 259
 silica gel/boric acid/Al activator 200, 207, 214, 221
 silica gel-phosphoric acid 28, 116, 177–179, 214, 248, 255
 silica glass 48
 silica-gel suspension 180
 silicic acid 290, 306
 silicic acid- phosphoric mixture 211
 Silicon nitride 46
 SIMS 186
 single filament 115
 single Re filament 248, 305, 306
 skimmer cone 135
 slab derived fluid 167

- Sm and Nd fraction 227
- Sm isotope ratio 234
- SO₃⁻ H⁺ 91
- SO₂ gas 178
- sodium peroxide fusion 72
- 3–8 solar masses 32
- <3 solar masses 32
- speciation of Br 183
- Spectroflux 100B 72
- spike 12
- spike-ratio calculation 153
- spike-ratio method 227
- Spivack and Edmond 168
- spontaneous fission 20
- spot analysis 313
- sputtering 118
- Sr and Nd isotope ratios and concentrations 227
- Sr isotope ratio 233
- Sr resin 97
- Sr, Nd, Pb, and Hf 227
- Sr–Nd–Pb 227
- SRM 980, 174
- SS-314 68
- SSB method 174, 211
- stable isotope mass spectrometer 17
- standard deviation 36
- standard error 37
- standard-sample bracketing method 139, 174, 211
- static electricity 47
- static multicollection of Cs₂BO₂⁺ ions 171
- STDEV 36
- steel 178
- sticky sheet 41
- stimulated emission 315
- stone table 46
- styrene-divinylbenzene copolymer 91, 99
- sub-boiling 56
- subduction zone 167
- subpopulation 37
- suffocation 112
- sulfate 178
- suppressor 100
- suspended Re metal 240

- t**
- Ta 60
- Ta activator 295
- Ta evaporation filament 229, 233
- Ta single filament 171, 185, 187, 194
- Ta-Re double filament 229, 271
- Ta₂O₅ powder 194
- Ta–Re double filament 234, 270
- Ta–Re–Ta triple filaments 264
- tailing 145
- target isotope ratio 150
- TBP 98
- TCF 257
- TDS 72
- Te-coprecipitation 73
- TE-N-TIMS 285
- TE-TIMS 293
- Teflon 49
- Teflon-PFA 49
- Teflon-TFM 49
- TEVA resin 97, 299
- ²²⁹Th/²³²Th 299
- ²³⁰Th/²³²Th 299
- Th isotope ratio 299
- the 1/C test 25
- thermal ionization 113
- thermal ionization mass spectrometry 130
- thermal noise 146
- thiol cotton fiber 256, 257
- ²²⁹Th spike 299
- Ti addition method 84
- Ti solution 84
- TIMS cost 160
- TIMS of S 180
- TiO⁺ ions 194
- [Ti(O₂)OH]⁺ 192
- TiO₂ 194
- TMSC 58
- TODGA resin 193
- Tomascak 168
- total dissolved solids 72
- total evaporation 285
- total evaporation TIMS 293
- total yield 116
- tourmaline 169, 173
- trace element pattern 11
- transmission 116
- tributyl phosphate 98
- triple-alpha process 31
- TRITON 132, 152, 168, 187, 188, 196, 201, 207, 243, 250, 265, 266
- Triton plus[®] 260
- Triton TI 247
- TRU spec resin 98, 267
- Tungsten carbide 46
- turbo molecular pump 109
- two-Teflon[®] bottle still 57
- Tygon tubes 317
- Type Ia supernova 35
- type-II supernova 33

u

U isotope ratio 306
 ^{233}U spike 299
 U, Th, and Pb separation 299
 U/TEVA resin 97, 192, 299
 ULPA 41
 Ultra-precise isotopic measurement of Cr 199
 ultrasonic method 64
 unified atomic mass unit 30
 UO_2^+ ions 306

v

V_2O_5 74
 V-CDT 178
 V-shaped 207, 248
 V_2O_5 fusion 74
 10% valley 145
 variances 39
 Vengosh 183
 VG 54, 221, 264, 266, 281, 354
 VG PQ2 286
 VG354 214
 Vienna-Canyon Diablo Troilite 178
 volatile 250

w

W single filament 201, 214, 233, 295
 Wachsmann 259
 Wadati–Benioff Zone 167, 173

Walczyk 204, 287
 Wasserburg 248
 WC 46
 weighing 46
 weighted average 39
 wet plasma condition 227
 Willbold 265
 WO_3^- ions 277, 281
 Wombacher 174
 work function of the filament metal 113

x

x-process 34
 X-ray fluorescence spectrometry 3
 Xiao 183
 XRF 3

y

Yb^+ ions 271
 Yin 277
 Yokoyama 176

z

Zhang 183
 Zhu 195
 zircon 25, 26
 zircon abrader 27
 zone refined Ta 194
 Zr crucible 72
 Zr^+ 240

