

Index

a

- Abbe errors, 201
- abrasive in toothpaste, 423
- absorption, distribution, metabolism, and excretion (ADME), 375
- accelerating voltage
 - electron properties, 220
- acoustic noise, 208
- active nanomaterials, 142
- active pharmaceutical ingredient (API), 142
- active surface area, 155
- additive layer manufacturing (ALM), 436
- adhesive forces, 232
- adsorption, 140
- adsorption, distribution, metabolism, and excretion (ADME), 530
- Advanced Industrial Science and Technology (AIST), 397
- adverse outcome pathway, 392
- aerodynamic diameter, 137
- aerogel, 440
- aerosolization, 493
 - techniques, 488
- aerosols, 488
 - to liquid particle extraction system (ALPXS), 178
- aerosols science, 25
 - usage of particle, 25
- AEROXIDE[®]-fumed titanium dioxide, 450
- AFM technique, 205
- agglomerates, 28, 29, 30, 31, 33, 107, 131, 133
- agglomeration, 30, 108, 165, 166, 179, 181, 252, 343, 372
 - status, 178
- aggregates, 28, 30, 31
- aggregation, 30
- aging, 123
- Ag⁺ ions, 338
- Ag nanoparticles, 94
- Ag nanowires, 423
- Ag/Pt nanoparticles
 - with nanoparticles of TiO₂, 256
- agrochemicals, 182
- Ag-sulfides or Ag-carbonates in wastewater samples, 181
- airborne particles, properties determined for, 159
- air-liquid interface (ALI), 374
- air pollution, 364
- alanine aminotransferase (ALT), 366
- Aloe vera*, 94
- Al₂O₃-supported nano-NiO catalysts, 511
- aluminum nanoparticles, 66
- aluminum oxide, 32, 151
- American Association of Textile Chemists and Colorist (AATCC), 565
- American Chemistry Council's NanoTech Panel, 23
- American National Standards Institute's Nanotechnology Standards Panel Database, 12
- American Society for Testing Materials. *see* ASTM
- Ames test, 370
- Amontons' law, 232
- amorphous materials, 142
- amorphous phases, 81
- amplitude modulation (AM), 216
- analytical electron microscopy (AFM), 222
- analytical nanoscopic techniques, 16, 211
 - historical overview of, 212, 213
 - nanoscopic and microscopic analytical techniques, 212
 - nanotechnology, 211
- anisotropy, 60
- annealing, 510
- ANSI-Nanotechnology Standards Panel (ANSI-NSP), 132

- antibody, 109
 - antiferromagnetism, 540, 543, 544
 - application-specific ISO committees, 264
 - aqueous environment, 108
 - article counting, by microscopy, 103
 - Article 18 of the Regulation (EU) No 1169/2011, 527
 - asbestos, 365
 - asbestosis, 143
 - Aspergillus niger*, 94
 - Aspergillus oryzae*, 94
 - assay using magnetic nanoparticles, 553
 - assuming spherical particles, 103
 - ASTM's ILS Program, 270
 - ASTM International, 3, 270
 - history/scope/membership, 270
 - ILS program, 270
 - ISO/TC-38 Textiles, 565
 - standards development process, 270
 - types of standards, 274
 - ASTM International Standards, 3, 5, 270, 272
 - E2490 guide, 152
 - Standard Test Method E2864, 156
 - Standard Guide for Measurement, 165
 - ASTM Technical Committee E56, 146, 270, 271, 273, 276, 277
 - collaboration areas, 273
 - future technical focus areas, 276
 - on nanotechnology, 160, 271, 276, 497
 - standard, 269, 273, 274, 276
 - pioneering standards, 275
 - scope and membership, 271
 - structure, 272
 - subcommittee structure, 273
 - subjects of, 274
 - use of, 276
 - asymmetric flow-field flow fractionation, 176
 - atmospheric contamination, 89
 - atmospheric scanning electron microscopy (ASEM), 183
 - atomic absorption spectroscopy (AAS), 157
 - atomic force microscopy (AFM), 137, 159, 164, 185, 199, 213, 231
 - atomic hydrogen bonding, 514
 - atom probe field ion microscope (AP-FIM), 224
 - atom probe tomography (APT), 224
 - Auger electrons, kinetic energy, 225
 - Auger electron spectroscopy (AES), 89, 141, 158, 159, 218, 224
 - autofluorescence, 190
 - automobile tire, 427
 - automotive coatings, 363
 - Azadiracta indica*, 94
- b**
- Babel Tower syndrome, 500
 - backlighting using quantum dot devices, 509
 - bactericides, 144
 - ball milling high-energy, 89
 - ball mills, kinetic energy of, 87
 - band gap, 22, 508
 - barriers for implementation, 473
 - consumer perspective, 475
 - uncertainty in properties and impact, 474
 - uncertainty in regulation, 475
 - BaTiO₃ ferroelectric thin films, 79
 - BCR-261 T (tantalum pentoxide on tantalum foil), 159
 - beam-based techniques, 93
 - beam insensitive, 164
 - beam scanning, 80
 - big data, 43
 - binormal distribution functions, 256
 - bioavailability, 131, 140
 - biocidal Cu, Ag, 419
 - biocides regulation, 369
 - biodistribution, 116
 - biodurability, 167
 - biofuels, 510
 - biohazard factor, 185
 - biological properties, 61
 - biomass, 510
 - gasification, 511
 - biomedical compatibility, 66
 - biomedical device fabrication, 69
 - bionanocomposites, 68
 - biopersistence, 167, 168
 - biopersistent materials, 365
 - high aspect ratio nanomaterials, 142
 - blank detail specification (BDS), 283
 - block assembly, 86
 - blood-brain barrier, 118
 - blood-neural barriers, 118, 119
 - blood-retinal barriers, 118
 - π - π bonding, 109
 - boride microplasma surface alloying, 68
 - bottom-up techniques, 75
 - bottom-up/top-down methods, 76
 - bovine serum albumin (BSA), 374
 - Bowden microtribology, 233
 - Bragg's law, 167
 - British Standards Institute (BSI), 262, 289
 - Brownian motion, 104, 135
 - Brownian rotation, 547

- Brunauer–Emmett–Teller (BET), 179
- equation, 156
 - method, 108, 109
- bulk analytical techniques, applicable for ENMs, 157
- bulk chemical composition, 157
- bulk gold, 102
- Bundesanstalt für Materialforschung und -prüfung (BAM), 323
- Bureau International des Poids et Mesures (BIPM), 324
- 1,3-butanediol dimethacrylate, 531
- C**
- cadmium chalcogenide (CdTe, CdSe, and CdS)
- quantum dots, 161
- calcium carbonate nanoparticles, 161
- calcium silicate hydrate (CSH), 438
- calibration techniques, 145
- Canadian General Standards Board (CGSB), 567
- Canadian supporting documents, 34
- Candida glabrata*, 95
- capillary forces, 232
- carbon-based nanomaterials in organic environments, 187
- carbon black, 30, 33, 131, 137, 390, 531
- particles, nanosized, 142
- carbon nanomaterials, 56, 67, 69
- carbon nanotube (CNT), 67, 69, 107, 303, 337, 350, 363, 365, 371, 372, 421, 466
- categorization of, 339
 - MWCNT, 56
 - SWCNT, 107, 176
- Cartesian coordinates, to describe shape, 25
- case studies
- composite systems, 426
 - glass ceramics, 428, 430
 - amorphous phase decomposition of the glass, 430
 - crystallization of LAS crystals, 431
 - nucleation, 431
 - nanoenabled batteries, 432
 - nanoenabled batteries oxide dispersion strengthened alloys, trends and innovations, 435
 - nanoenabled batteries performance and safety of electrodes, 434
 - nanoenabled batteries performance and safety of electrolytes, 433
 - nanoenabled batteries performance and safety of separators, 434
 - rubber nanocomposites, 426
 - nanoporous systems, 440
 - nanoenabled materials for the energy turn, 440
 - water purification by ultra- and nanofiltration membranes, 442
 - desalination vs. water reuse, 447
 - emerging membranes, 447
 - membranes in development, 447
 - pollutant selectivity, 446
 - water-energy nexus, 446
 - particle-based systems, 447
 - liquid crystal displays with enhanced brilliance by nanoengineered color filters, 455
 - nanomedicine, nanoparticles in medicine, 451
 - silica as free-flow and anticaking agent, 447
 - fine powders, 448
 - keeping fire extinguishers functional, 449
 - manufacturing process, 450
 - soft powders, 449
 - wet powders, 449
- CAS registry number, 489
- categorization
- important use of, 330
 - of nanomaterials, 329
- caveolae-mediated endocytosis, 121, 122
- CdTe or CdSe quantum dots, 338
- CEA tech, 498
- cell death, 61
- cellular membrane, 21
- cellular toxicity, 102
- cellular uptake, 122, 124, 166
- cellulose nanofiber, 57
- Center for the Environmental Implications of Nanotechnology (CEINT), 41
- centrifugal liquid sedimentation (CLS), 104, 202, 526
- centrifugal sedimentation, 159
- centrifugation, 168, 182
- ceramic materials, 66
- ceramic matrix nanocomposite (CMNC), 62, 478
- ceramic nanostructured materials, 62
- ceramic oxides, 80
- ceramics, 54, 62, 487
- CERAN® cooktop panels, 432
- certified reference material (CRM), 308
- certified reference material (CRM), 153, 217
- challenges confronting nanotechnology, 9
- competing priorities, 11
 - data and information gaps, 9
 - knowledge of standards availability and their use, 11
- characterization need, examples of, 152

- charge-charge interactions, 109
- Charles Coulomb's research, 230
- chemical-based categorization, 340
- chemical beam epitaxy, 83
- chemical categories, 330
- chemical composition, 123, 185, 338
 - data, 348
- chemical conversion of biomass, 511
- chemical energy, 69
- chemical fixation, 188
- chemical notification process, 370
- chemical products, 489
- chemical reactivity, 363
- chemical separation techniques, 168
- chemical solid-state reaction, 88
- chemical substance poses, “no unreasonable risk” (EPA), 44
- chemical vapor deposition (CVD), 78, 426
 - disadvantage of, 83
- chemisorption, 140, 514
 - -induced segregation, 140
- chiral molecule, 142
- chromatic aberration, 221
- Cinnamomum camphora*, 94
- circularity, 139
- civil society organizations, 18
- clathrin- and caveolae-mediated endocytosis,
 - utilize clathrin-coated pits, 122
- clathrin/caveolae-independent endocytosis, 121
- clathrin-mediated endocytosis, 121
- clearance, 124
- cloud-point extraction, 168
- CNT spinning processes, different types of, 564
- CODATA-VAMAS working group, 102
- Code of Federal Regulation (CFR), 567
- cold-wall reactors, 83
- collaboration area (CA), 273
- collective protective equipment, 494
- colloidal AgCl, 85
- colloidal dispersion, 83
- colloidal stability, 166
 - of nanomaterial suspensions, 109
- colloidal suspensions, 84, 110, 141
- color-rendering properties, 285
- commercialization, 6, 24, 382
 - basic supply chain for, 472
 - of nanomaterials, 381
 - nanotechnology applications, 412
 - status, terminology, 419
- commercial nomenclature, 36
- communication, 2, 499
 - engage in public debate through information meetings, 499
 - explain benefits of nanotechnologies, 499
 - improve provision of information in the supply chain, 499
 - inform, educate, and train all players, 499
- competitive cost, 423
- compositions, 363
- condensation particle counter (CPC), 177
- conducting polymers, 509
- conductive carbon nanotubes, 509
- conductivity, 34, 66, 423
- confocal electron microscopy, 134
- confocal scanning microscope, 178
- constant diameter
 - nano-fiber/tubes of, 255
- constituent particle, 28
- consumer acceptability, 70
- consumer exposure to nanomaterials, 491
- contact AFM, 216
- contact potential difference (CPD), 217
- contaminants in water treatment applications
 - and separation scales of membrane processes, 444
- contraptions, 2
- control chart, showing scattering intensity-weighted harmonic mean diameter, 310
- controlling agglomeration, 107
- control nanocrystallite size distribution, 81
- cooling of cast ZERODUR® glass block, 432
- copper, 346, 566
 - nanoparticles, 346
 - product lifecycle, 346
- core-shell geometry, 510
- corrosion protection, 78
- cosmetics regulation, 369
- covalent bonds, 165
- covalent organic framework (COF), 514
- crystallinity
 - of calcium carbonate nanoparticles, 166
- crystallite size, 166
- crystal size, key properties of pigments for LCD screens, 456
- crystal structure, 166, 338
 - determined using, 167
- CuInS₂/ZnS quantum dots, 508
- Cu/Nb multilayers, 79
- Curie temperature, 542
- CVD deposition oven, schematics, 82
- CVD films, 83
- cyclic extrusion compression (CEC), 90
- cylindrical mirror analyzer, 225
- Czech standardization body, 294

d

damaging effects, 502
 data generation, and expertise
 implementation, 492, 496
 de Broglie relation, 220
 de Broglie wavelength, 222
 decorative coatings, 78
 dedicated ceramic container, 79
 DEFRA Voluntary Reporting Scheme for
 Manufactured Nanomaterials, 393
 degradation, 123
 dehydration, of sample, 188
 dendrimers, 57, 67, 186
 Department of Energy (DOE), 514
 DF4nanoGrouping, 142
 2D grating transfer standard, 200
 diagnostic imaging, 66
 dialysis, 168
 diamagnetism, 540, 541
 dicalcium silicate, 438
 dielectric constant, 66
 diesel combustion exhaust, 151
 differential mobility analysis, 134
 diffraction, 202
 – gratings, for calibration, 154
 digital imaging, 139
 dilatation, 201
 dip coating sol-gel process, 562
 Directorate General for Research (DGR),
 290
 direct techniques, measuring nanoparticle
 size, 201
 dispersed phase, 83
 dispersibility, 332
 dispersion, 133, 165, 166
 – forces, 217
 – medium, 83
 dissemination into environment, risk of
 – avoided by measures, 494
 dissolution, 167, 337
 distribution
 – functions, 255, 256
 divinylbenzene, 531
 0D nanostructures, classification, 51
 1D nanostructures, classification, 51
 2D nanostructures, classification, 52
 3D nanostructures, classification, 53
 DNA properties, 43
 double-wall carbon nanotubes, 338
 drug delivery, 66, 67, 154
 drug, “safe and effective”(FDA), 44
 dry milling, 87
 dry nanomaterials, 108

2D triboindenter transducer, 239

dynamic AFM, 216

dynamic light scattering (DLS), 22, 104, 132,
 145, 159, 161, 177, 202, 372

e

E56 ASTM International standard, 42

ECAE/P process, 91

EC Mandate M/461 Master List, 297

ecotoxicity, 488

ecotoxicological

– data, 371

– information, 371

ECs scientific committees

– recommend characterization parameters

 similar to ISO/TR 13014, 22

Electrical and Electronic Products and Systems
 (IEC/TC 113), 280

electrical mobility analyzers, 155

electrical properties, 59, 66

electrical resistance, 66

electrical sensing zone, 136

electrochemical batteries, 511

electrochemical capacitor (EC), 512, 513

electrochemical devices, 125

electrochemical reaction, 509

electrode, 511

electroluminescence, 508

electrolyte, 511

electromagnetic lenses, 221

electron- and ion-based methods, 93

electron beam melting (EBM), 436

electron diffraction analysis, 167

electronic noise, 208

electron microscope (EM), 136, 166, 188, 211,
 221

– applications, in nanomaterials, 221

– principle of, 219

– standardization of, 222

electron probe microanalyzer (EPMA), 221

electron spectroscopy for chemical analysis
 (ESCA), 141, 158

electrophoretic mobility, 109, 165

electrospinning, 563

electrostatic force microscopy (EFM), 217

electrostatic precipitators, 178

electrostatic stabilization, 141

electrotechnical industry, 281

ellipsometry, 132

emerging nanocharacterization techniques

– atom probe field ion microscope, 224

– electron emission microscopy, 226

– nano SIMS, 226

- scanning Auger microscopy, 224
- scanning helium ion microscopy (SHIM), 222
- endocytosis, 116
 - types of, 121
- energy, 508
- energy conversion technologies, cost effective, 505
- energy dispersive X-ray spectroscopy (EDS), 221
- energy-dispersive X-ray spectroscopy (EDX), 178, 189, 348
- engineered nanomaterials (ENMs), 151, 343, 347, 355, 465
 - in agri/food/feed products, current trends in use of, 520
 - -based oral medications, 119
 - binding
 - – to biomolecules, 120
 - – with biomolecules, 120, 124
 - biodistribution, 119
 - biological processes on the fate, 117
 - biological properties, 116
 - cellular uptake, 124
 - characterization, 123, 158
 - clearance/excretion/degradation, 122
 - -containing environments, 117
 - definitions of common types of size used to describe, 160
 - endocytosis of, 122
 - entry into cell, 121
 - humans and animals, 115
 - immune/inflammatory responses, 120
 - mechanistic studies, 124, 125
 - metrics and instrumentation, for characterization, 154
 - metrology and standardization of, 123
 - morphology, 163
 - penetration into biological barriers/ biodistribution, 118, 124
 - physicochemical properties, 123, 155
 - physiological/pathological conditions, 117
 - product lifecycle, exposure at each stage of, 348
 - – end-of-life, 353
 - – formulation and manufacture, 350
 - – pristine nanomaterial production, 350
 - – use scenarios, 351
 - properties, characterization of, 152
 - routes of exposure/administration, 117, 118
 - shape, influence uptake by cells and mechanisms of toxicity, 163
 - size, techniques to measure, standards for, 160
 - stability in biological fluids, 124
 - surface area, direct measurement of, 156
- engineered nano-objects, 489
- engineered nanoparticles (ENP), 175, 185
 - biodistribution, 185
 - in soils and sediments, reported methods for measuring, 190
- ensemble-based techniques, 135
- enumeration, of meaningful characteristics, 39
- environmental conditions, error sources in microscopy, assessment of, 208
- Environmental Defense Fund, 23
- environmental erosion, 175
- environmental, health, and safety (EHS), 4, 382
- environmental or atmospheric scanning electron microscopy (ESEM or ASEM) circumvents, 188
- Environmental Protection Agency (EPA), 17, 22, 144, 330, 382
 - EPA's definition of a nanoscale material, 22
 - proposed rule on reporting and record keeping requirements for chemical substances, 5
- environmental release, of engineered nanomaterials, from common nano-enabled products, 354
 - food container products, 355
 - paint products, 355
 - sunscreen products, 356
 - textile products, 354
- environmental vibrations, 208
- environment, health, and safety (EHS), 197
- E42 on Surface Analysis, 146
- equal channel angular pressing (ECAP), 63, 90
- equivalent diameter, graphical explanation of variability, 251
- ERM-FD102 (a mixture of two sizes of nanoparticles in aqueous solution), 162
- ERM-FD304 (near-spherical amorphous silica nanoparticles in aqueous suspension), 162
- error sources in microscopy, assessment of, 207
 - type A (random) uncertainties, 207
 - type B (systematic) uncertainties, 208
- E2996-15 Standard Guide for Workforce Education in Nanotechnology Health and Safety, 146
- E3001-15 Standard Practice for Workforce Education in Nanotechnology, 146
- E56 standards, 274
- etching, uses in micromanufacturing, 93

- European Centre for Ecotoxicology and Toxicology of Chemical (ECETOC), 142
- European Chemicals Agency (ECHA), 17, 521, 528
- European Commission (EC), 290
- definition of nanomaterial, 22
 - definition of nanoscale, 19
 - issued the second nanotechnology-related standardization mandate M/461, 6
 - scheduled to reconsider definition of nanomaterial, 17
- European Commission D.G. Research and Innovation, 498
- European Commission Joint Research Center (EC-JRC), 265
- European Commission published a Recommendation for nanomaterial definition (2011/696/EU), 528
- European Commission's Recommendation on the Definition of Nanomaterial, 5
- European Committee for Electrotechnical Standardization (CENELEC), 289
- European Committee for Standardization (CEN), TC 352 145, 244, 265, 289, 293, 294, 501
- European Food Information Regulation (EU) No 1169/2011, 530
- European Food Safety Authority (EFSA), 520
- European FP-7 nanotitled projects, 41
- European Free Trade Association (EFTA), 290
- European Medicines Agency (EMA), 528
- European nanotechnology standardization program, mandate for, 291
- European Pharmacopoeia (EP), 143
- European REACH regulation, 489
- European Reference Material ERM[®], 308
- European Regulation on Novel Food, (EC) No 2015/2283, 528
- European Standard (EN), 567
- European Standardization Organization (ISO), 293
- final output, 293
 - interim output, 293
- European standardization work, for nanotechnologies, 290
- European standards on nanotechnologies, mandate for developing, 293
- European Standards Organization (ISO), 6
- European Strategy for Nanotechnology, 6
- European Telecommunications Standards Institute (ETSI), 289
- European Union (EU), 290
- European Union, the Novel Foods Regulation (EU 2015/2283), 400
- EUs 7th Framework Programme project “NanoLyse”, 526
- evaporation process, 78
- evaporation system
- schematic of, 78
- exclusion line, 254
- Executive Subcommittee, 273
- f**
- fabricated nanomaterials, 418
- fabrication method, 251
- feature size of importance, in nanocomposite systems, 477
- Fe₃B/Nd₂Fe₁₄B nanocomposite microstructure, 68
- FeCrAl alloy, 436
- feedback loop controls, 237
- feedback signal, 216
- Feret's diameter, 137
- ferrimagnetism, 540, 544
- ferromagnet, 542
- ferromagnetic and antiferromagnetic configurations, 555
- ferromagnetism, 540, 542
- fibroblasts, 372
- field flow fractionation, 104, 134, 159
- Field ion microscopy (FIM), 212
- Fischer-Tropsch process, 511
- FKT (Frenkel–Kontorova–Tomlinson) model, 234
- flight tube, 81
- flow cytometry, 185
- flow- field flow fractionation (F-FFF), 176
- focused ion beam (FIB), 189, 222
- Food and Drug Administration (FDA), 152, 276, 520
- Food and Drug Administration's Recognized Consensus Standards Program and industry, 5
- Food Information for Consumer Regulation (EC) No 1169/2011, 527
- Frenkel–Kontorova model, 231
- frequency modulation (FM), 213
- friction coefficient, 237, 238
- friction force, 233
- friction measurements, 246
- friction stir processing (FSP), 90
- F. solani*, 94
- fuel cells, 281, 509
- markets, 510
- Fukushima nuclear reactor, 556

- fullerenes, 67, 69, 106, 179, 363, 369
 - fumed and precipitated silica marketplace, characteristics, 38
 - fumed silica, 137
 - functionality, 411
 - functional MRI, 549
 - funding agencies, 18
 - Fusarium oxysporum*, 94
- g**
- gas adsorption, 156
 - gas field ion source (GFIS), 222
 - gasification, 511
 - gas injection system (GIS), 223
 - gas phase electrophoretic mobility molecular analyzer (GEMMA), 526
 - gel permeation chromatography, 134
 - genetically modified (GM) food, 521
 - geographic information system (GIS), 144
 - geometrical size, 202
 - giant magnetoresistance (GMR), 554
 - glass ceramics, 423, 430
 - glasses, 487
 - globally harmonized system (GHS), 398
 - Global Summit for Regulatory Science Research (GSR515), 528
 - gold colloids, 144, 151
 - gold nanoparticles (AuNPs), 54, 60, 105
 - different shapes and morphologies, 106
 - fluorescence emission, 61
 - high-resolution transmission electron microscopy images, 250
 - Google-Scholar database, 232
 - graphene, 67, 69, 151, 217, 419, 466
 - aerogel (GA), 513
 - flakes, 107
 - nanosheet grown, 225
 - graphite furnace atomic absorption spectrometry (GFAAS), 181
 - gross domestic product (GDP), 229
 - guidelines, for good practices in handling and processing nanomaterials, 495
- h**
- hamper innovation, 382
 - hard RE-3d magnets, 68
 - hazard-based category, 338
 - hazards, 491
 - assessments, 381
 - associated, with nanomaterials, 329
 - health assurance, 70
 - Henry function, 165
 - heterocoagulation, 181
 - heterogeneous catalysts, 66
 - hierarchical macro- and mesoporous graphene aerogels (GA)-SiO₂ frameworks, fabrication of, 512, 513
 - high-definition television (HDTV), 456
 - high-efficiency particulate air (HEPA), 397
 - high-energy ball milling (HEBM), 89
 - high-energy milling (HEM), 436
 - high-power short-pulsed laser radiation, 80
 - high-pressure freezing (HPF), 180
 - high-pressure torsion (HPT), 90
 - high-resolution electron microscope (HREM), 221
 - high-temperature superconductor (HTS), 426
 - high-throughput screening (HTS) experiments, 391
 - high-voltage electron microscope (HVEM), 220
 - homoaggregation, 29
 - homogeneity, 123
 - homogeneous ITO films, 422
 - HOMO-LUMO gap, 509
 - Hooke's law, 216
 - Horizon 2020 programme, 498
 - hot isostatic pressing (HIP), 87
 - House of Lords S&T Committee, 21
 - human gingival fibroblasts, 68
 - hybrid electric vehicles, 433
 - hydride vapor phase epitaxy (HVPE), 83
 - hydrodynamic chromatography (HDC), 183
 - hydrodynamic diameter, 185, 202
 - determined for, 159
 - hydrogen storage, 68, 513
 - in chemical and complex hydrides, 515
 - materials, 514
 - hydrolysis, of chlorosilanes, 450
 - hydrometallurgical technique, 350
 - hydrophilicity, 109
 - hydrophilic interactions, 109
 - hydrophobicity, 109, 185, 332
 - hydrothermal synthesis, 85
 - hydrothermal technique, 85
 - hypothesis-driven research, 43
 - hysteresis loop, 545
 - natural mica, a typical paramagnet due to its individualized iron impurities, 542
 - superparamagnet, 547
 - synthetic mica – a typical diamagnet, 540
 - thin film of Co, a typical ferromagnet, 543
- i**
- icroemulsion process, 86
 - IEC publications, 279

- IEC's International Standards, 279
- IEC standards, 283
- IEC/TC 113, 281, 282, 283, 285
 - documents, 286
 - and liaison committees and organizations, 284
 - by working group, 285
- IEC/TC 113 Standards, 5, 282, 284
 - Blank detail specifications, 283
 - detail specifications, 284
 - key control characteristics standards, 284
 - reliability standards, 284
- IEC Technical Committee 113, 265, 280
 - committee structure and liaison, 281
 - graphene, 283
 - history/scope/membership, 280
 - luminescent nanomaterials, 283
 - nanoenabled energy storage, 283
 - nanoenabled photovoltaics, 283
 - reliability, 282
 - standardization priorities, 281
- IEC/TR 62834, 282
 - IEC Nanoelectronics Standards Roadmap, 281
- iGlossTM, 423
- ill-designed experimental procedure, 252
- immobilization, of enzymes, 510
- immune cells, 124
- impulse transfer, 79
- indirect techniques, measuring nanoparticle size, 202
- induction plasma system, 81
- Inductively Coupled Plasma Mass Spectrometry (ICP-MS), 157, 177, 374
- inductively coupled plasma optical emission spectroscopy (ICP-OES), 157
- industrialists, engage in communication, 499
- industrial nanomaterials and nano-objects
 - Road map, 502
- innovation, 519
- inorganic carbon, 337
- inorganic nanomaterials, 53
- inorganic nanoparticles, 54
- inorganic nutrients, 520
- inorganic-organic nanomaterials, 55
- inorganic QDs, 509
- installation qualification, 145
- Institute for Reference Materials and Measurement (IRMM), 145, 159
- instrument calibration, reference materials for, 310
- intensity-weighted distributions, 104
- intensity-weighted equivalent hydrodynamic diameter, 104
- interlaboratory studies, 144
- International Association for Testing Materials, 3
- International Carbon Black Association, 23
- International Electrotechnical Commission (IEC), 4, 243, 263, 279, 292, 324
 - international standard, 279
 - publicly available specification, 279
 - technical report(TR), 280
 - technical specification, 279
- International Organization for Standardization (ISO), 1, 49, 102, 154, 211, 243, 261, 383
 - Committee on Reference Materials (ISO/REMCO), 308
 - define nanomaterial, 23, 559
 - draft technical report 19057
 - Nanotechnologies, the Use and Application of Acellular In Vitro Tests and Methodologies to Assess Nanomaterial Biodurability, 168
 - Guide 30, 307, 308
 - Online Browsing Platform, 12
 - Technical Committee 229 (ISO/TC 229) on Nanotechnologies, 102, 106, 107, 262, 264, 269, 289, 302, 304, 488, 495
 - documents under development, 267
 - history and scope, 262
- ISO/TC 229 SG, 264
 - Joint Working Group on Measurement and Characterization (JWG2), 7
 - for nanomaterials and nano-objects, 495
 - published documents, 265
 - standards development, 265
 - structure and collaboration, 263
 - supports, 265
 - TG 02, 264
 - TG 03, 264
 - Web site, 282
 - Working Groups, 265
- International standards (IS), 279
 - related to characterization, single-walled carbon nanotube morphology using SEM and TEM, 164
- International System of Units (SI), 199
- International Telecommunications Union, 3
- International Union of Pure and Applied Chemistry (IUPAC), 299, 424
- interoperability, 2
- intrinsic hazards, of nano-object, 495
- ionic conductivity, 141
- ion implantation, 80, 81

- ion implantation techniques, 81
 - iron oxide-based ceramics (ferrites), 66
 - iron oxide nanoparticles, 54
 - ISA-TAB-nano for queries, 43
 - IUPAC in Nanotechnology, future of, 302
 - anticipated scope of work, 302
 - customers and users, 304
 - description of recommendations under development (work items), 304
 - existing nomenclature systems, relevant to development of nomenclature for nanomaterials, 303
 - IUPAC organization, 299
 - history, 300
 - impact on industry and regulatory bodies, 302
 - membership, 300
 - organization, 301
 - scope, 299
 - IUPAC Web site, 302
- j**
- Japan Pharmacopeia (JP), 143
 - Joint Research Centre (JRC), 145
 - joint working groups (JWG), 265
- k**
- kaolin, 531
 - Kelvin probe force microscopy (KPFM), 217
 - key control characteristic (KCC), 283
 - kinetic properties, 142
 - Knudsen effect, 420, 440
 - KPFM measurement, 217
 - Krypton gas adsorption, 156
 - Kupffer cells, 122
- l**
- Lactobacillus* strains, 94
 - LAL Assay, 266
 - laser-assisted APT, 224
 - laser beam, 80
 - laser diffraction, 136, 145, 159
 - laser Doppler electrophoresis, 165
 - lateral force microscope (LFM), 229, 236, 240
 - lateral force signals, 237
 - layer-by-layer process showing consecutive adsorption of polyanions and polycations, 562
 - layers and coatings as, surface chemistry, 31
 - lead acid gel batteries (LAB), 433
 - leading edge distortion, 208
 - legal systems, 32
 - lethal dose 50, 143
 - life cycle analysis, for safer nano-objects, 501
 - library and information science (LIS), 43
 - life cycle assessment (LCA), 387
 - life cycle risk assessment framework (LCRA), 387
 - ligand, 109
 - light emitting diode (LED), 507
 - light scattering, 134, 135, 202
 - Li-ion battery, 435
 - limiting oxygen index (LOI), 566
 - limit of detection (LoD), 526
 - Li₂O-Al₂O₃-SiO₂ system (LAS), 430
 - liposomes, 186
 - liquid crystal display (LCD), 425
 - liquid-liquid extraction, 168
 - liquid measurement techniques, 160
 - liquid phase epitaxy (LPE), 83
 - Lisbon strategy, 292
 - lithium aluminosilicate, 66
 - lithium-ion (Li-ion) battery, 511
 - lithium titanate Li₄Ti₅O₁₂, 434
 - lithography, 93
 - based manufacturing, 93
 - local density of state (LDOS), 214
 - low-energy electron microscopy (LEEM), 226
 - lubricant film, 426
 - luminescent nanomaterials
 - emission properties, 108
- m**
- machinery tribology, 232
 - macrophages, 124, 365
 - macropores, 513
 - macrotribology, 232
 - maghemite (γ -Fe₂O₃), 544
 - magnesium-based hydrogen storage alloys, 68
 - magnetic data storage, 85
 - magnetic field application
 - in-situ operation, 217
 - magnetic force microscopy (MFM), 217
 - magnetic nanomaterials, 402
 - magnetic nanoparticles, 546, 556, 557
 - magnetic particle imaging (MPI), 549, 550
 - magnetic properties, 59, 154
 - magnetic random access memory (MRAM), 557
 - magnetic resonance imaging (MRI), 67, 547
 - magnetism, 540
 - magnetite (Fe₃O₄), 544
 - magnetite (Fe₃O₄) nanoparticles, 54
 - magnetization, 544, 545, 546
 - curves, 546
 - vs temperature measurement, 544

- magnetron sputtering system, 79
 – schematic diagram, 79
- manganese zinc ferrites, 66
- manufactured nanomaterials, 466
 – expert meeting on categorization of, 333
- MA process, schematic cross-sectional representation, 88
- Marinobacter pelagius*, 94
- Martin's diameter, 137
- masking material, 94
- mass equivalent diameter (MED), 526
- mass-selected ions, 81
- material bulk flow (MBF), 349
- material characterization, 363
- material interaction, 132
- materials according to dimensionality of nanostructures, classification of, 50
- matrix-assisted laser desorption ionization time-of-flight mass spectrometry (MALDI-ToF MS), 184
- matrix reference materials, 319
- mean multipoint BET (MP-BET), results for all reporting laboratories, 313
- mean of laboratory mean values, obtained with specific particle size analysis methods, 315
- measurement protocol, error sources in microscopy, assessment of, 208
- mechanical alloying (MA), 87, 88, 436
- mechanical milling, 87
- mechanical properties, 59
- mechanical separation techniques, 168
- mechanical strength, 363
- mechanochemical activation synthesis (MCAS), 90
- mechanochemical processing (MCP), 87
- mechanochemical synthesis (MCS), 89
- membrane application, in international markets, 445
- mercaptopropionic acid (MPA), 181
- mesopores, 513
- metal alloys, 337, 487
- metal clusters, 303
- metal injection molding (MIM), 436
- metallic nanomaterials, 65
 – applications, 61
 – usage various forms, 62
- metallic nanoparticles
 – eco-friendly synthesis, 94
- metalloid nanoparticles, 337
- metalloid oxides, 337
- metal matrix nanocomposite (MMNC), 62, 478
- metal nanoparticles, 53, 69
- metal organic framework (MOF), 514
- metal organic vapor phase epitaxy (MOVPE), 83
- metal oxide nanomaterials, 123
- metal oxide nanoparticles, 54, 85
- metal oxides, 337, 487
- metal-polymer nanocomposites, 69
- metal salts, 337
- method-dependent determination of average particle size, 161
- method validation, reference materials for, 312
- 1-methyl-2-pyrrolidinone, 445
- metrological AFM, 200
- metrological evaluation, 208
- MgH₂ nanoparticle, 515
- microbeam analysis, published ISO standards of TC202, 223
- microcomposites, 69
- microcrystalline powders, 88
- microelectromechanical system (MEMS), 93, 229, 240
- microemulsions, 85
 – method, 85
- microfluidic devices, 125
- micrographs covering, 254
- micromachining flow chart, 93
- micromotors, 240
- micro/nanotechnology, international standardization, 243
 – area of tribology, 243
 – ISO/TR 11811 Technical Report, 245
 – Technical Report ISO/TR 11811, 244
- micron scale, 143
- micropinocytosis, 121
- micropores, 513
- microscale properties, 365
- microscope-based methods, 161
- microscopic observations, 252
- microscopy-based techniques, 201, 202, 209
- microtribology, 229, 231
 – testing, 229
- microwave-assisted chemical digestion, 182
- miniaturization, 363
- miniaturized multiplexing spectrometer, enabled by quantum dots, 458
- minimum ignition energy (MIE), 398
- mobility analyzers, 159
- mobility-based surface area, 155
- mode of action (MOA), 332
- modern communication, 474
- molecular adhesion, 230
- molecular beam epitaxy (MBE), 83
- molecular dynamic (MD), 231

- molecular susceptibilities
 - with temperature dependence for typical diamagnets and paramagnets, 541
- monocytes, 124
- monodispersity, 123
- mononuclear phagocyte system, 119
- morphology, 163
 - determination, by microscopy, 164
- mucocilliary action, 168
- multiangle light scattering (MALS), 176
- multiaxial compression (MAC), 92
 - forging, 90
- multilayer coating, 66
- multiwall carbon nanotube (MWCNT), 176, 338

- n**
- N&N Action Plan for Europe 2005–2009, 292
- nanobiointeractions, 186
- nanobots, 143
- nanocatalysts, 511
- nanoceramics, 66
 - products, 66
- nanocharacterization, 211, 213
- NanoChOp-06
 - change of equivalent diameters (as measured with CLS, DLS and SAXS) and zeta potential of, 318
 - material, 318
- NanoChOp project, 145, 318
- NanoChOp test materials, 317
- nanocoating, 30
- nanocomposite
 - textiles, 560
- nanocomposite magnets, 68
- nanocomposite materials, 57, 62
- nanocomposites, 57, 68, 86, 521
 - application of, 61
 - types, 63, 478
- nanocrystalline cellulose, 338
- nanocrystalline materials, 88, 505
- nanocrystalline solids, 63
- nanocrystalline ZrC thin films, 80
- nanodimensions, 131, 363
- nanodispersions, 63
- nanoeffects, 381
- nano-EHS, 22
 - centers, 44
 - testing is not unique to ISO TC-229s working groups, 22
- nano-enabled conventional textiles, 561
 - layer-by-layer, 562
 - padding process, 561
 - sol-gel, 562
- nano-enabled PLC, 344
- nano-enabled products, 474
- nanoenabled products, definition of categories for, 420
- nano-enabled product's life, 347
- nanoenabled products, manufacturing methods and benefits, 422
 - dispersions and emulsions, 423
 - fibers and yarns, 423
 - nanocomposite systems, 422
 - nanoporous systems, 424
 - activated carbon-based systems, 425
 - inorganic systems, 425
 - particle-based systems, 425
 - polymer-based systems, 424
 - thin films, 426
- nano-engineered textiles, 563
 - CNT solution spinning and solid-state spinning, 564
 - electrospinning, 563
- nanoengineering materials, 514
- nanofibers, 151, 487, 505
- nanofibrous textiles, 560
- nanofillers, used in commercial tires, 429
- nanofinished textiles, 560
- nanofilm, 17
 - nanofilm of materials, 489
- nanofront[®] product range, 423
- nanograins, 249
- nanoimprint lithography, illustration, 93
- nanolithography, 214
 - techniques, 92
- nanomagnetism, fundamentals of, 539
- nanomagnets, 546
 - applications of, 547
 - assays, 552
 - cell stimulation, 553
 - hyperthermia and drug delivery, 551
 - magnetic particle imaging, 549
 - magnetic resonance imaging, 547
 - spintronics, 554
- nanomanufacturing facilities, 497
- nanomanufacturing standards, 281
- nanomaterial, 32, 33, 99, 131, 132, 139, 142, 339, 363, 371, 381, 490, 491, 519
 - adjustable properties of, 58
 - adoption of a similar approach for, 331
 - aggregation/agglomeration, 107
 - application, 61
 - categories of, 329, 471
 - sectors of, 64
 - types, 466
 - classification by sector, 471

- classification by supply chain position, 471
 - based on morphology, classification of, 364
 - based on origin, classification of, 364
 - catalytic applications of, 480
 - characterization, 139, 499
 - parameters of, 58
 - chemical composition, 100
 - classification, with regard to different parameters, 50
 - definition, 100, 367
 - with life forms, modes of interaction of, 366
 - morphologies, 49
 - morphology/shape, 105
 - and nanocomposites, selected, application examples of, 65
 - optimal method, 99
 - overview of available methods for detection of, 524
 - predicted size of total market for, 467
 - properties, 58
 - and applications, 468
 - quantitative assessment, 107
 - rationale for characterization of, 365
 - regulatory aspects applied to, 367
 - regulatory frameworks for, 393
 - risk management of, 395
 - size and size distribution, 102, 103
 - -specific framework development, general considerations for, 392
 - standardization, 8
 - surface properties, 108
 - surface-to-volume ratio of, 108
 - synthesis methods, 77
 - types of, 53
- Nanomaterial Data Curation Initiative, 389
- nanomaterial risk management
- cosmetics and personal care products, 400
 - food safety, 400
 - product safety, 399
 - to protect consumers and public, 399
 - to protect environment, 401
 - agricultural use, 401
 - environmental remediation, 401
 - to protect workers, 395
 - exposure limits, 397
 - risk communication - safety data sheets, 398
 - workplace controls, 397
- nanomaterials, applications of, 476
- catalysis and fuel additives, 479
 - composites, 477
 - electrical and electronics devices, 476
 - food and packaging, 476
 - healthcare, 478
 - optics, 479
- nanomaterials in textiles
- applications, 566
 - antimicrobial, 566
 - flame retardant, 566
 - impact and wear resistance, 567
 - stain resistance, 567
 - ultraviolet (UV) resistance, 568
 - quality assurance/quality control, 564
- nanomaterials, risk assessment of, 383
- alternative testing strategies and methods, 391
 - assay interference, 387
 - categorization and grouping, 390
 - dose metrics, 385
 - exposure scenarios, 387
 - frameworks for risk assessment, 392
 - physical-chemical properties, 384
 - strategies to support risk assessment evaluation, 390
 - toxicity, 386
 - uncertainty, 389
 - weight of evidence, 390
- nanomaterials, sources of innovation, 472
- academic curiosity, 472
 - consumer pull, 473
 - industrial optimization, 473
- nanomaterials synthesis methods
- biological synthesis, 94
 - chemical vapor deposition, 82
 - classification, 75
 - colloidal dispersion, 83
 - cyclic extrusion compression (CEC) method, 91
 - epitaxial growth, 83
 - equal channel angular pressing, 90
 - etching, 93
 - high-energy ball milling, 89
 - high-pressure torsion, 92
 - hydrothermal route, 85
 - ion beam techniques, 80
 - lithography, 92
 - mechanical alloying, 87
 - mechanochemical activation synthesis, 90
 - mechanochemical synthesis, 89
 - microemulsions, 85
 - micromachining, 93
 - milling processes, 87
 - physical vapor deposition, 78
 - plasma synthesis, 81
 - polymer route, 86
 - pulsed laser deposition, 80

- severe plastic deformation, 90
- – methods, 92
- sol–gel process, 84
- nanomedicines, 373
- commercially available, 453
- encapsulation of therapeutic/imaging agents for targeted delivery, 455
- nanometric powders, 81
- nanometrology, 211, 213, 522
- in agri/food/feed, 522
- nano-NiO/Al₂O₃ catalyst, 511
- nano-object, constituent particle, aggregate and agglomerate, 29
- nano-objects, 24, 488, 491
- collections of, 28
- dimension, 490
- shapes, 26
- nano-objects, aggregates, or agglomerates (NOAA), 30
- nanoparticle (NP), 75, 92, 100, 132, 138, 197, 249, 337, 544, 545
- agglomeration in biological matrices, challenges in measuring, 188
- biogenic synthesis methods, 77
- in biological matrices
- – challenges in quantitative measurement of, 186
- – instrumentation for characterizing, 188
- dose/concentration in biological matrices, challenges for determining, 187
- form stochastic populations, 250
- heterogeneous catalysts, 505
- measurements
- – in air, 177
- – in aquatic environments, 180
- – in biological matrices, 184
- – in cosmetics, 179
- – in foods, 182
- – in soils and sediments, 175
- measuring size of a population by microscopy-based techniques, 201
- size, 275
- – distribution functions, 255
- sizes and shapes in biological matrices, challenges for characterizing, 184
- of TiO₂, 66
- toxicity assessment, 371
- tracking analysis, 135, 161, 183
- Nanoparticle Emission Assessment Technique, 178
- nanoparticle size, measurement, 201
- direct and indirect measuring techniques, 201
- measuring methods by microscopy-based techniques, 203
- – calibration/metrological characterization of instruments, 204
- – image analysis and data processing, 206
- – measurement principle and acquisition, 205
- – sample preparation, 203
- nanoparticle tracking analysis (NTA), 135, 526
- nanoparticulate materials, 488
- nanopesticide, 531
- nanophase ceramics, 66
- nanoplates, 151
- nanoporous materials, 491
- nanoporous membranes, 442
- nanopowders, 255
- NANoREG project, 370, 500
- nanorisks procedures, 499
- nanorods, 49
- nanosafety platforms, 497
- nanoscale, 19, 100, 211
- chemical composition, control for, 508
- definition of, 21
- materials
- – composition, for device platform, 508
- – cost-effective manufacturing, 76
- measurements, 307
- oxidation, 214
- properties, 33
- – analytical measurement of, 211
- – phenomena, 33
- – reproducibility of, 515
- quantum mechanical effects, 212
- reinforcements, 68
- structures, 62
- technologies, 231
- upper boundary, suggested by various organizations, 20
- Nanoscale Materials Stewardship Program (NMSP), 393
- nanoscience, 519
- nanoscopic characterization techniques, 211
- nanoscopic technologies, 211
- nanosheets, 487
- nano-sized particles, 142, 519
- nano-specific transformation processes, 349
- Nanostrand Consortium, 291
- nanostructured ferritic alloy (NFA), 436
- nanostructured material (NsM), 50, 491, 511
- nanostructured MBBT [2,2'-methylene-bis-(6 (2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol), 390
- nanostructured powder, 30

- nanostructured stainless steel, 65
- nanostructured titanium (n-Ti), 63, 69
- nanostuctures, schematic representation, 76
- nanosynthesis process, 81
- nanotechnology, 212, 213, 363, 485
 - commercialization, 474
 - critical roles of, 486
 - energy, 486
 - health, 486
 - information and communications technologies, 486
 - quality of life, 487
 - safety and security, 487
 - description and regulatory framework, 23
 - development of standards for, 3
 - -enabled products, 271
 - -related standards activities, 6
 - research, 190
 - revolution, 143
 - standardization, 2, 13
 - development, in Europe, 6
 - terminology, 17
- Nanotechnology Applications and Career Knowledge (NACK), 276
- Nanotechnology Characterization Laboratory (NCL), 165
- nanotextiles, 354
 - classification, 560
 - manufacturing processes, 560
 - types of, 561
- nanothermometer, 60
- nano-titanium dioxide, 401
- nanotoxicological studies, essential chemical and physical characterization for, 371
- nanotoxicology, 184, 364, 365, 372
 - approaches to study, 367
- nanotoxicology, methods in, 372
 - in vitro approach, 374
 - in vitro cellular models, 374
 - in vitro endpoints, 375
 - in vitro NM exposure, 374
 - question of dosimetry, 375
 - in vivo approach, 372
 - animal models, 372
 - biological endpoints, 373
 - exposure methods, 373
 - metrics, 373
 - in silico approach, 375
 - physiologically based pharmacokinetic (PBPK) models, 375
 - (quantitative) structure-activity relationships ((Q)SARs), 376
- nanotribology, 229, 231, 232
- nanotubes, 25, 49, 69
- National Adhering Organization (NAO), 300
- National Committees (NC), 279
- National definitions, 32
 - comparison of, 33
- National Institute for Occupational Safety and Health (NIOSH), 178, 397
- National Institute of Standards and Technology (NIST), 8, 144, 154, 323, 528
- National Library of Medicine (NLM), 144
- National mandatory inventories, 370
- National Measurement Institute Australia (NMIA), 528
- National Metrology Institute (NMI), 104, 154, 219, 323, 528
- National Nanotechnology Initiative (NNI), 4, 6
- National Nanotechnology Initiative Strategic Plan, 271
- National Physical Laboratory (NPL), 323
- National Research Council of Canada (NRC)
 - cellulose nanocrystal reference materials, 158
- National Toxicology Program (NTP), 351
- natural nanoparticle, 176
- natural organic matter, 181, 389
- NCL Method PCC-2
 - measuring zeta potential of nanoparticles, 165
- near infrared (NIR), 54
- near-infrared fluorescence spectroscopy (NIRF), 176
- NEAT workplace testing strategy, 178
- Néel–Brown model, 545
- Néel rotation, 547
- neutron activation analysis (NAA), 157
- new work item proposal (NWIP), 265
- nickel(II)oxide nanomaterials, 153
- NIST Gold Nanoparticle Standard Reference Materials, 105
- NIST “RM 8027: Silicon Nanoparticles (Nominal Diameter 2 nm)”, 162
- NIST offering CRM for surface analysis instrument calibration, 159
- NIST’s gold nanoparticle Standard Reference Materials, 274
- NIST SRM 1980
 - material, 145
 - positive electrophoretic (+ μ E) mobility standard, 165
- NIST survey findings, 281
- NMR (nuclear magnetic resonance), for magnetic NMs), 374
- NOAA components, 30
- noble metal catalysts, 418

- noble metal nanoparticles, 60
 - nomenclature, 34
 - as enumeration, 39
 - nonequilibrium solid solutions, 81
 - nongovernmental organizations, 474
 - non-Newtonian rheology, 31
 - nonnitride coatings, 66
 - nonsecured packaging, 493
 - North American Regulatory context,
 - categorization in, 334
 - North American Regulatory Frameworks, 338
 - nuclear magnetic resonance (NMR), 101, 547
 - spectroscopy, 157
 - number-based size distributions, 103
 - nutritional value, 182
- o**
- ObservatoryNANO project, 428
 - occupational exposure limit (OEL), 395
 - occupational health and safety
 - organizations, 492
 - occupational hygienists, 152
 - OECD guidelines, 370, 496
 - OECD testing program, 145
 - OECD Working Party on Manufactured Nanomaterials (WPMN), 319
 - Office of Management and Budget (OMB)
 - Circular A-119, 12
 - oilfield chemical additives, 363
 - one-dimensional nanomaterials, 51
 - operational qualification, 145
 - opportunities, 12
 - optical detectors, 60
 - optical particle counter (OPC), 177
 - optical properties, 60
 - optical reflection-type AFM, 215
 - organ distribution, 124
 - organic aerogels, 421
 - organic chemical substances, 338
 - organic-inorganic hybrids, 422
 - organic/inorganic pigments, as
 - nanomaterials, 418
 - organic nanomaterials, 56, 57, 521
 - organic pigments, 338
 - organic substances, 338
 - Organization for Economic Cooperation and Development (OECD), 1, 265, 292, 319, 383, 427, 467
 - Organization for Economic Cooperation and Development Working Party for Manufactured Nanomaterials (OECD WPMN), 7, 333
 - original source particle, 28
 - orthogonality error, 201
 - osteoblasts, 68
 - oxidation reactions, 509
 - oxidation states, 185, 189
 - oxidative stress, 186
 - oxide dispersion strengthened (ODS), 436
- p**
- padding process, 562
 - palladium metal, 164
 - paramagnetism, 540, 542
 - parameters used in environmental models, and
 - recommended for toxicity testing,
 - comparison of, 21
 - particle, and nanoscale, 25
 - particle characterization, 184
 - particle mass concentration (PMC), 177
 - particle number concentration (PNC), 177
 - particle-particle interactions, 141
 - particle shape, 208
 - particle size, 7, 29, 66, 132, 136, 137, 140, 159, 166, 177, 183, 185, 347, 365, 508
 - accurate characterization of, 159
 - distribution, 137, 162, 166, 177, 318, 371
 - effect, geometrical explanation, 251
 - measurements, 164
 - – techniques, 25
 - sizing techniques, 145
 - particles sample
 - cascading images, 253
 - particle surface properties, 185
 - particle tracking analysis (PTA), 159, 202
 - particulate matter, 371
 - passive nanomaterials, 142
 - patterned nanomagnets, 557
 - Pauli exclusion principle, 541
 - PEM fuel cells, 509
 - performance qualification, 145
 - personal protective equipment (PPE), 397, 494
 - pesticides, 182, 521
 - phosphoric acid, 509
 - photobleaching, 190
 - photodetector, 348
 - photodiode detector, 216
 - photodynamic agents, for cancer therapy, 184
 - photoemission electron microscopy (PEEM)
 - excitation source, 226
 - photon correlation spectroscopy (PCS), 144, 276
 - photothermal therapy (PTT), 454
 - photovoltaics (PV), 505
 - devices, 281
 - physical-chemical characterizations, 385
 - physical-chemical properties, 382

- physical properties, 133
 - physical separation techniques, 168
 - physical vapor deposition (PVD), 78
 - physico-chemical characteristics, 370, 371
 - physico-chemical properties, 319, 339
 - physicochemical specificities, 371
 - pico-Newtons, 237
 - piezoelectric positioning system, 235
 - Planetary ball mill, 89
 - Plank's constant, 220
 - plasma process, schematic arrangement, 81
 - platinum, 510
 - platinum group metals (PGMs), 510
 - Pleurotus sajor-caju, 94
 - P member, 281
 - polycrystalline materials, 50
 - polydisperse samples, 105
 - polyether sulfone (PES), 445
 - polyethylene, 434
 - polyethylene glycol ligands
 - for biocompatibility, 109
 - polymer electrolyte membrane (PEM), 509
 - polymerization, 142
 - polymer materials, 68
 - polymer matrix nanocomposite (PMNC), 62, 68, 86
 - in situ synthesis of nanoparticles, 86
 - nanocomposites, 69, 478
 - vs. product value chain, 344
 - and properties, 69
 - polymers, 69, 186, 303, 338
 - polystyrene latex materials, 144
 - polyvalent ions, 141
 - polyvinylchloride, 434
 - polyvinylpyrrolidone-coated silver nanoparticles, 144
 - population-wise, 249
 - pore sizes, 168
 - porosity, 66, 156
 - porous membranes, 85
 - positron emission tomography/computed tomography (PET/CT), 549
 - precipitation, 166
 - predicted environmental concentration (PEC), 349
 - President's Council of Advisors on Science and Technology (PCAST), 6
 - prevention principle, 490, 491
 - primary particle, 28
 - primary size, 133
 - pristine nanomaterial, 350
 - product lifecycle (PLC), 344
 - product life evaluation, 344
 - product's lifecycle, stages of, 343
 - product value chain (PVC), 346
 - projects NANOSAFE 1 and 2, funded by, 498
 - properties characteristic, of nanoscale, 528
 - protein chemistry, 141
 - protein corona, 109, 141, 185
 - in cells and living organisms, 109
 - composition, 186
 - Pt catalysts, 510
 - Pt nanoparticles, 510
 - Pt particles, 510
 - size, 510
 - publicly available specification (PAS), 7
 - public policy-makers, 490
 - pulsed laser deposition (PLD), 78
 - technique, 80
 - PVD coatings, 78
 - PYRAN® Platinum fire-resistant glazing, 432
 - pyrometallurgical, 350
- q**
- qualitative particle size distribution, 136
 - quality control, reference materials for, 308
 - analytical quality assurance, 308
 - quality control chart, 309
 - quantitative characterization, 249
 - quantitative chemical analysis, 226
 - quantum confinement, 511
 - quantum dot (QD), 54, 133, 158, 338, 508
 - quantum electron tunneling, 213
 - quantum tunneling, 556
 - scanning tunneling microscopy, 215
- r**
- radioactive agents, 189
 - Rayleigh criterion, 220
 - for visible-light microscopy, 220
 - REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), 370
 - real-time spectroscopy, 347
 - reciprocating extrusion compression method, 91
 - recommended exposure limit (REL), 373
 - recrystallization of cement, accelerated by, 439
 - RedNano, 348
 - reference material (RM), 308
 - reference materials (RM), 153, 307
 - for method validation, 312
 - – between-lab reproducibility, 312
 - – between-method equivalence, 314
 - – within-laboratory method, 315

- production, 307
 - for use in environmental and health research, 319
 - refractive index, 106, 132, 201, 348
 - Regulatory Cooperation Council (RCC), 336
 - categorization approach, 338
 - categorization used in, 336
 - regulatory assessments in Europe, current status of, 530
 - contaminants, 533
 - feed additives, 532
 - food additives, 531
 - food contact materials, 531
 - novel foods, 532
 - pesticides, 530
 - reinforcing efficiency, 68
 - relaxation mechanisms, of nuclear magnetic moment, 548
 - reliability standards, 285
 - representative test material (RTM)
 - concept, 317
 - repulsion force, 216
 - resonant mass measurement, 135
 - reticuloendothelial system, 186
 - reverse osmosis (RO), 446
 - Rhodospiridium diobovatum*, 94
 - rigid nanorods, 151
 - risk control strategy, 492
 - risk management, 381, 382, 493
 - for manufactured nanomaterials based on basic principles of EHS, 402
 - RM 8017 standards
 - polyvinylpyrrolidone coated silver nanoparticles, 158
 - RM 8027 standards
 - silicon nanoparticles, 158
 - ROBAX[®] fire place windows, 432
 - roughness, 208
 - mechanism, 238
 - rough surface, 238
 - rubber-coated fabric structure (plies), 427
 - rubber latex, 29
 - Ruska's prototype, 220
- 5**
- safe and rational application, of nanomaterials, 368
 - safe handling and use of nanomaterials, in various settings, select guidance documents for, 396
 - safety, 423, 492
 - demonstration, 381
 - emissions, of nano-objects, 493
 - glasses, 2
 - during maintenance and cleaning operations on installations, 493
 - systems, 494
 - safety data
 - for regulatory authorization in Europe, 529
 - sheets (SDS), 398, 492
 - Safety of the Manufactured Nanomaterials, 8
 - sample characteristics, 208
 - sample scenarios, of potential impact of nanomaterials on various life forms, 368
 - sampling nanoparticles, 252
 - scanning Auger microscopy (SAM), 224
 - schematic representation of, 225
 - scanning electron microscope (SEM), 137, 157, 178, 199, 221, 222, 348
 - image of aerogel structure, 441
 - instruments, 164, 208
 - techniques, 206
 - scanning helium ion microscope (SHIM), 188, 222
 - schematic representation of principle and design, 224
 - scanning mobility particle sizer (SMPS), 177
 - scanning near-field optical microscopy (SNOM), 217
 - scanning probe microscope (SPM), 164, 213, 244
 - atomic force microscopy, 215
 - nanoscale property, 217
 - scanning tunneling microscopy, 214
 - standardization of, 218
 - timeline of international standardization, 219
 - scanning tunneling microscope (STM), 213
 - scanning tunneling spectroscopy (STS), 214
 - Schizosaccharomyce pombe*, 95
 - science and technology studies (STS), 43
 - SDO Committees, 32, 34
 - secondary ion mass spectrometry (SIMS), 141, 158, 226
 - secondary particle, 28
 - sedimentation, 135, 202, 343
 - selected area electron diffraction (SAED), 167, 180
 - selected nanomaterial global production volumes, 37
 - selective laser melting (SLM), 436
 - semiconductors, 55, 508
 - fabrication technology, 240
 - quantum dots, 338
 - technologies, 131
 - severe plastic deformation (SPD), 63, 90

- shape descriptors (object, particle, fiber, and plate), 27
- shell-core structure, 158
- silica, 30, 33
- silica nanoparticles
 - size distributions, 105
- silicon (Si), 511
- silicon dioxide (SiO₂), 466
 - as a nanocoating, 531
- silicon nitride cantilever, 237
- silicosis, 143
- silver, 566
- silver-enabled nanotextiles, 355
- silver ions, 168
 - interaction, 61
- silver nanoparticles, 61, 66
 - transformation, 189
- Simoloyer[®], 436
- SimpleBox4nano (SB4 N), 348
- Si nanowires, 512
- single-crystal Si (0 0 1)
 - macroscale friction coefficient of, 241
 - microscale friction coefficient, 241
 - nanoscale friction coefficient, 242
- single-domain magnetic nanoparticles, 545
- single-element solution standards, 157
- single-particle inductively coupled plasma mass spectrometry (SP-ICP-MS), 168, 181
- single-particle measurement, nanoparticle dimensions, 161
- single-wall carbon nanotube (SWCNT), 176
 - Raman signals, 190
 - in soil/sediment environments, 176
- single-walled carbon nanotubes, 151
- Si(OEt)₄ (tetraethyl orthosilicate TEOS), 84
- size-dependent optical properties, 100, 103
- size distributions, 100, 103, 123, 275
- size exclusion chromatography, 134, 159
- sizing nanoparticles, 249
 - determining size, 255
 - imaging considerations, 252
 - nanoparticles, 249
 - sampling considerations, 250
- small-angle X-ray scattering (SAXS), 104, 135, 161, 202
 - values, 318
- smartphones, 2
- sodium deoxycholate, 176
- solar energy, 69
- sol–gel approach, 84, 85
- sol–gel-based optical materials, 85
- sol–gel chemistry, 84
- sol–gel processing, 84
- sol–gel technology, 85
- solid body shapes and the number of dimensions, comparison of, 26
- solid electrolyte interface, 435
- solid-liquid extraction, 168
- solid oxide, 509
 - fuel cell, 509
- solid-state lighting, 507
- solid-state NMR, 110
- solubility, 142, 143, 167, 332, 337
 - rate, 142
- solubilization, 142
- soluble nanomaterials, 142
- sol yields, 84
- sound risk assessment strategies, 381
- spherical aberration, 221
- spheroidal nano-object, 202
- spheroidal NP size, methods for measuring, 206
- spin coating method, to disperse NP on a substrate, 204
- spin-polarized low-energy electron microscopy (SP-LEEM), 227
- spin–spin relaxation, 548
- spin tunneling, 555, 556
- sponge phase, 86
- sputtering, 158
 - process, 79
 - techniques, limitations, 80
- standard error, 136
- standardization, 18
 - activities, in ISO TC229, 7
 - offer opportunities, 12
 - and safe use of nanomaterials, regulatory aspects relating to, 527
- Standardization Management Board (SMB), 280
- Standard Reference Material SRM[™], 154, 308
 - SRM 2483
 - carbon nanotube soot, 158
 - SRM 2135c standard
 - Ni/Cr Thin Film Depth Profile Standard, 159
 - SRM 3174 standards
 - Multi-element Mix D standard solution, 157
- standards and standards, development process, 1
- standards developing organization (SDO), 17, 269
- standards development activities in ISO TC229, 5
- standards, facilitate trade and commerce, 14

- standards for nanotechnology and nanomaterials, 4
 - standard test method, 270
 - for textiles, 565
 - statutory mixture rule, 31
 - stereoisomers, 303
 - stereology, 249
 - steric effects, 141
 - STM/AFM subcommittee, 218
 - Stokes–Einstein equation, 134, 185, 200
 - Stokes sedimentation equations, 202
 - StoTherm In Aevero composite board
 - structure, with nanostructured aerogel particles and organic binder, 443
 - strategy, based on existing regulations
 - bearing, 492
 - strategy, for developing manufacturing, commercializing nanomaterials and nano-objects, 495
 - study groups (SG), 263
 - Subcommittee E56.01, 275
 - Subcommittee E56.06
 - nano-enabled consumer products, 275
 - superconductivity, 67
 - superparamagnetic behavior, 546
 - superparamagnetic iron, in medicine, 69
 - superparamagnetism, 22, 544, 545, 546
 - superplasticity, 418
 - supplement additives, 520
 - surface area, 140, 155, 156, 275, 363
 - analysis, 137
 - determination by real-time instruments
 - – advantage, 156
 - of ENMs, 155
 - measurements, back-calculation from, 159
 - by nitrogen gas adsorption, direct measurement of, 156
 - on particle-laden filters, determination of, 156
 - surface charge, 140, 164
 - surface chemical analysis, 146, 262
 - surface chemistry, 140, 158, 337, 338, 489
 - measurements, 158
 - parameters, 32
 - surface force apparatus (SFA), 229, 240
 - schematic measurement, 236
 - schematic representation, 235
 - surface functional groups, 109
 - surface modifications, 338
 - surface plasmon resonance (SPR), 54, 60
 - surface-sensitive techniques, 141
 - surfactant, 176
 - synthesis methods, pros and cons, 95
 - synthesize nanostructured titanium dioxide, 85
- t**
- Tabor's microtribology, 233
 - task force (TF), 289
 - task groups (TG), 263
 - TC-229s taxonomic framework, 43
 - TC 229 Working Groups, 265
 - Technical Board (BT), 289
 - Technical Committee (TC) 229
 - nanotechnologies, 160
 - Technical Committee (TC), 4, 334
 - Technical Committee Management Group (TCMG), 294
 - Technical Committee (TC) 352 on Nanotechnologies, 289
 - Technical Committee (TC) 113 on Nanotechnology Standardization for Electrical and Electronic Products and Systems, 292
 - technical committees (TC), 279
 - technical data sheets, 492
 - technical reports (TRs), 243
 - under the Vienna Agreement, 294
 - technical specifications (TS), 286
 - technology innovation, 2
 - technology-related standardization, 3
 - technology standardization, 2
 - telecommunications, 13
 - tensile strength, 57
 - term productivity, PAS publicly available
 - specification from BSI and TS
 - specification, 18
 - test reproducibility, 245
 - tetramethylammonium hydroxide, 94
 - textile and clothing, 559
 - textile industry, 559
 - therapeutic formulations, 363
 - thermal drifts, 208
 - thermal energy, 22, 545
 - thermal equilibrium, 545
 - thermal expansion, 57
 - thermal insulation, 78
 - thermal properties, 60
 - thermochemical routes, 511
 - thermodynamic, 142
 - thermoelectric power (TEP), 60
 - ThermoFisher Scientific, 144
 - thermogravimetric analysis, 157
 - thermomechanical processing (TMP), 63, 92
 - thermoplastic, 487

- thermosetting, 487
 - thin-film growth techniques, 80
 - three-dimensional nanomaterials, 52
 - Three Letter Acronym (TLA), 137
 - TiB phase, 82
 - α -Ti matrix, 82
 - time-of-flight (TOF) mass spectrometry, 159, 224
 - Ti₂Ni alloy, 68
 - titanium dioxide (TiO₂), 109, 337, 356, 466, 566
 - nanoparticles, 161, 355
 - titanium nanoparticles, 94
 - titanium nitride nanoparticles, 531
 - titanium oxides, 69
 - total surface area, 156
 - toxicity, 142, 143, 382
 - toxicological and ecotoxicological data, on nanomaterials, 488
 - toxicological evaluations, of ENMs, 151
 - toxicological testing, characterization parameters for, 22
 - toxicologic screening assays, 265
 - toxicology, and nanotoxicology, 372
 - Toxic Substances Control Act (TSCA), 334, 393
 - traceability chain for dimensional measurements, of NPs, 200
 - traceability of dimensional measurements, at nanoscale, 198
 - measurement reliable and comparable, 198
 - traceability routes, 199
 - trade associations, 18
 - TR analyzes, 245
 - transformation, 343
 - transition metals, 372
 - transmission electron micrograph, showing LAS crystal, 431
 - transmission electron microscope (TEM), 157, 178, 213, 221
 - aberration-corrected electron optics, 214
 - transparency, 493
 - triboindenter, 230, 240
 - tribological boundaries
 - for macro-, micro-, and nanotribology, 233
 - tribological characterization, 234
 - tribological problems, 231
 - tribology, 229
 - characterization, 234
 - lateral force microscope, 236
 - nano/micro-tribological characterization, 234
 - single-crystal silicon tribology at different scales, 240
 - surface force apparatus, 235
 - triboindenter, 239
 - history of, 230
 - research, 230
 - testing
 - scale effects, 232
 - Tribophysics, 230
 - tricalcium silicate, 438
 - Trichoderma viride*, 94
 - TS 80004-1, and 1D materials and layers, 32
 - tungsten, 66
 - tungsten carbide (WC), 88
 - tungsten filament, 164
 - tungsten spiral wire, 79
 - tunneling current, 215
 - tunneling magnetoresistance (TMR), 554, 555
 - twist extrusion (TE), 90, 92
 - two-dimensional nanomaterials, 52
 - β -type Ti₂₃Mo-45S5 Bioglass nanocomposites, 68
- u**
- ultracentrifugation, 168
 - ultrafiltration, 182
 - membranes, production by phase inversion, 446
 - ultrafine grain (UFG), 90
 - ultrafine-grained crystalline, 92
 - ultrafine particles, 489
 - ultrahigh vacuum (UHV), 81
 - ultrahigh vacuum chemical vapor deposition (UHV-CVD), 83
 - ultrasonic agitation, 166
 - ultraviolet photoemission spectroscopy (UPS), 226
 - ultraviolet protection factor (UPF) classification, 568
 - ULVAC-RIKO, 236
 - Uniform Descriptor System (UDS), 102
 - United States Standards Strategy, 269
 - University of California-led Center for the Environmental Implications of Nanotechnology (UC-CEIN), 41
 - US chemical regulatory framework, 334
 - USDA regulators, 33
 - UV protection factor (UPF), 568
 - UV-visible absorption measurements, 108
 - UV-visible spectrometer, 153
- v**
- vacuum chamber, 80
 - vacuum insulation panel (VIP), 442

- VAMAS (Versailles Project on Advanced Materials and Standards), 218, 265
- activities are conducted through technical working area, 324
 - aids in standardization process, 324
 - contribution, ways for, 325
 - frequently participate in their national standards bodies and, 324
 - funds, 324
 - industrial cooperation and contributions to, 324
 - member countries and elsewhere registered as, 324
 - mission, 323
 - project, 324
 - promotes collaboration among participating materials laboratories, 323
 - role in nanotechnology, 325
 - SPM-related prestandardization research, 218
 - steering, 324
 - – committee members, 324
- van der Waals forces, 141, 165, 216, 217, 235, 448
- Versailles Project on Advanced Materials and Standards (VAMAS), 218, 243, 265, 323
- Vienna Agreement (VA), 292
- Viral scaffolds, 95
- visible-light microscopy, 132
- visualization, 136, 137
- voluntary consensus standards, 269
- w**
- water solubility, 168
- weak reversible forces, 166
- Wear Test Methods, 243
- weathering processes, 175
- Web pages, 273
- weight-of-evidence (WoE), 382
- wettability, 185
- wetted-wall cyclone, 178
- WG 10 standards, 285
- Woodrow Wilson Center's Nanotechnology Consumer Product Inventory, 11
- working group (WG), 263, 281, 289
- Working Party on Manufactured Nanomaterials (WPMN), 265, 496
- sponsorship testing programme, 340
- workplace exposure limit (WEL), 397
- World Trade Organization's Agreement on Technical Barriers to Trade, 12
- WWTP efficacy, 355
- x**
- xanthate collection agents, 140
- Xe atoms, 213
- X-ray absorption near-edge spectroscopy, 153
- X-ray absorption spectroscopy (XAS), 189
- measurements, 189
- x-ray crystallography, 19
- X-ray diffraction (XRD), 157, 159, 179, 202
- disadvantages of, 167
- X-ray magnetic circular dichroism (XMCD), 226
- X-ray photoelectron spectroscopy (XPS), 89, 101, 110, 141, 146, 153, 158
- X-ray scattering, 202
- X-ray techniques (diffraction, absorption, and fluorescence), 157
- y**
- Young's moduli, 233
- yttrium barium copper oxide (YBCO), 426
- z**
- zeolitic imidazolate framework (ZIF), 514
- zero-dimensional nanomaterials, 51
- ZERODUR® glass ceramic, 432
- zeta potential, 109, 141, 145, 164, 165, 166, 275, 371, 382
- value, 141
- zinc oxide (ZnO), 163, 566
- material, 466
- zinc sulfide, 101
- Zn²⁺ ions, 181