

Index

a

- acceleration energy 272
- acceleration sensors 493, 510
- accelerometer structure 209
- AC–DC-converter 482
- acid etching 234
- actinic blank inspection 296
- active matrix (AMOLED) 516
- actuators 55, 214, 402
 - artificial muscles 216
 - electrostatic, electromagnetic, and piezoelectric 214
 - pneumatic, phase change, and thermal actuators 216
- adaptive cruise control (ACC) 493
- adaptive power converters 483
- ad hoc process 342, 369
 - algorithms 352
 - disposable sensors 544
- Advanced Communication Technologies and Service (ACTS) 573
- advanced driver-assistance system (ADAS) 155
- advance plasma doping approaches 275
- aging-aware logic synthesis 348
- agrifood sector 451
- Airbus of Chips 554
- air quality 540, 541
- air traffic management 383
- aka Moore's law 317
- ALD benefits 278
 - composition control 278
 - conformality 278
 - thermal budget 279
- AlGaIn/GaN system 187
 - buffer 187, 194
 - interface 186
- algebraic transformations 338
- aluminum
 - diffusion of 9
 - diode formation 11
- aluminum-doped zinc oxide (AZO) 518
- aluminum penetration 30
- ambient assisted living (AAL) 540
- Ambient Intelligence Systems and Assistive Environments 576
- ambipolar silicon-nanowires 334, 350
- amplified resists 298, 313
- analog integrated systems 375
- analog-to-digital converter (ADC) 148
- anamorphic imaging techniques 301
- ancillary activities 434
- angular rate errors 422
- angular rate sensors 422, 423
- anisotropic etching techniques 208
- annealing 191
- anodic bonding 416
- anomalous diffusion 274
- apnea-hypopnea index events (AHI) 463
- Apple A8 chip 73
- Apple II 24
- Apple iPhone 6, 510, 516
- application-specific integrated circuit (ASIC) 398, 572
- approximate logic synthesis (ALS) 352
 - SALSA, template uses 352
- APT. *see* atom probe tomography
- architectural decomposition 378
- architecture analysis 385
- architecture design 387
- Ar ions beam processes 282
- artificially constrain 371
- artificial molecular motors 218
- artificial systems 205
- aspect ratio trapping (ART) 104
- assisted living 460

- Atomic force microscopy
 - nanoprobe sweeping 270
 - atomic layer deposition 277
 - atomic layer epitaxy 277
 - atomic layer etching (ALE) 284, 285
 - atom probe tomography (APT) 246, 250
 - Auger electron spectroscopy (AES)
 - depth profiling 258
 - autarkic sensor nodes 539
 - autofocus camera modules 399
 - autofocus sensing 464
 - automata-based formalism 381
 - automated cyber-physical systems 489, 490
 - societal challenges 490
 - automated theorem 383
 - automatic control 364
 - automatic identification and data capture (AIDC) 532
 - automatic logic synthesis 352
 - automatic test equipment (ATE) 433
 - automatic test pattern generation (ATPG) 431
 - automation 373
 - automotive electronics 57
 - automotive embedded systems 385
 - autonomous driving 57
 - autonomous vehicles 593
- b**
- bachelors programs 603, 608
 - back end of line (BEOL) 126
 - back-end processing 267, 489
 - back metallization 175
 - backside analysis 258
 - ballistic transistors 101
 - band-to-band tunneling (BTBT) 143
 - BASIC language 25, 26
 - batteries
 - energy management of 164
 - operated devices 459
 - beam line implanters 274
 - behavioral modeling 370
 - SiNW and graphene p–n junction 356
 - Beyond CMOS 583
 - bi-directional energy flow 483
 - Big Data 452, 494
 - Bill Gates 26
 - binary decision diagram (BDD) 356
 - biochemical signals 205
 - biochips 588
 - biomedical chips 57
 - biophotonic sensors 576
 - biosensors 148, 213
 - biosignal sensors 459
 - bipolar junction transistor (BJT) 7, 16, 131, 176, 182
 - bipolar memories 131
 - bipolar technology 19
 - birefringence 290
 - bisimulation 388
 - 32-bit adder, switching energy 44
 - bit cell 88
 - bit-cost scalable (BiCS) 119
 - BJT. *see* bipolar junction transistor (BJT)
 - blech effect 322
 - block copolymers 302, 309
 - blood cell analysis 463
 - bluetooth 503
 - body fluid assessment 461
 - body sensor network 458
 - bolometer detector 211
 - Boltzmann's constant 158
 - Boolean function 338
 - Boolean gates 438
 - Boolean network 338
 - algebraic expressions of logic function 338
 - model 338
 - optimization 339
 - Boolean relations (BR) 352
 - Boolean techniques 341
 - boron Coulomb effect 236
 - boron diffusion 274
 - boron-implanted region 273
 - Bosch BMX055, 510
 - Bosch Sensor Swarm approach 532
 - BOX SOI substrate 94
 - BOX thickness 92
 - Bragg geometry 246
 - Bragg reflectors 295
 - braking energy 164
 - bridge fault model 430
 - British health care think tank 457
 - broadband terahertz detectors 161
 - BTI. *see* bias-temperature instabilities (BTI)
 - buffer-induced dispersion 197
 - built-in self-test (BIST) 432
 - architecture 432
 - logic 433
 - bulk transistor 89
 - buried-channel-array-transistor (BCAT) 117
 - buried oxide (BOX) 91
- c**
- CAD. *see* Computer-aided design (CAD)
 - CAGR. *see* compound annual growth rate (CAGR)
 - call emergency services 461

- cancer
 - point of care 462
- capacitances, in MOSFET structure 83
- capacitive actuation 215
- capacitive sensing 214
- capacitors
 - banks 472
 - quality factor 159
- carbon 232
- carbon based RRAM 129
- carbon dioxide emissions 541
- carbon nanotube (CNT) 442, 504
- carrier mobility 327
- carrier transport 89
- carrying gas 269
- car-to-car links 57
- car-2-x communication 542
- cascode 192
- cassettes 236
- CATRENE organization 549
- CAVET. *see* current aperture vertical electron transistor (CAVET)
- CBD. *see* contract-based design (CBD)
- CBL. *see* current-blocking layer (CBL)
- CD. *see* critical dimension (CD)
- cell displacement defect 441
- cell footprint 119
- cell library 338
- cell misalignment defect 441
- cell omission defect 441
- cell organization 130
- cell pitches 167, 169, 170
- cell-to-cell interference 120, 123
- cell-to-cell variability 121
- center gate (CG) 354
- central energy management 473
- chalcogenide-based electrolyte (CBRAM) 127
- channel bandwidth 154
- channel capacity 154
- charge carrier layer 75
- charge coupled device (CCD) 513
 - sensors 513
- charge/discharge cycle 506
- charge incorporation 191
- charge-trapping layers 119
- chemical and biological MtM devices 59
- chemical instability 145
- chemical–mechanical polishing 345
- chemical microsystems 576
- chemical reactive sputtering 282
- chemical sensors 451
- chemical vapor deposition (CVD) 147, 196, 228, 275
- chemisorption 285
- chemoepitaxy 302, 303
- chronic disease management 457
- circuits 536
 - densities 318
 - design 317
 - performance 317
 - – driven requirement 321
- cloud computing paradigm 467
- clustered sleep transistor insertion 344
- CMOS. *see* complementary metal-oxide-semiconductor (CMOS)
- CMOSFET. *see* complementary metal oxide semiconductor (CMOS)
- CNTFETs. *see* CNT field effect transistors (CNTFETs)
- CNT field effect transistors (CNTFETs) 442
- CO₂ emissions 482
- cognitive technology 590
- cold filament 4
- colloidal silica 234
- color electrochromic displays 518
- commercial motion processing unit chips 511
- Commission’s Research Framework Programme 570
- communication 56, 449, 452, 453, 503, 536
 - devices 161, 567
 - means 55
 - network 449
 - technologies 473
 - with traffic lights 57
- complementary metal-oxide-semiconductor (CMOS) 28, 39, 84, 102, 118, 122, 164, 165, 167, 271, 351, 397, 510, 595
 - based circuits and systems, types of variability in 345
 - blocks 344
 - challenges and opportunities 156
 - device scaling prediction 76, 88
 - image sensor technology 513
 - logic
 - – activities 575
 - – device, low-power mobile and multimedia applications 88
 - – speed performance 80
 - nodes 78, 100, 159
 - pixel 149
 - projects, mapping of FP7 and H2020, 585
 - sensor cleaning 270
 - technologies 28, 39, 53, 77, 85, 98, 103, 292, 334, 615
 - – area and delay optimization 335
 - – gate to channel capacitance 78

- limitations of 437
 - multilevel optimization 337
 - sequential synthesis 339
 - speed performance metrics 78
 - switching delay formulation 78
 - two-level logic minimization 336
 - terahertz circuit blocks 160
 - transistors 50
 - complex sensor fusion algorithms 494
 - component compatibility 377
 - component consumption
 - by market segment 560
 - compositional analysis 257, 386, 389, 390
 - compound annual growth rate (CAGR) 489
 - computational complexity 384
 - computational imaging 211
 - computational power 22
 - computation tree logic (CTL) 383
 - compute clusters 364
 - computer-aided design (CAD) 333, 572
 - commercial tools 343
 - computer engineering 597
 - concurrency 367
 - conductive bridge (CBRAM) 127, 128
 - conductive filament (CF) 126
 - congestive heart failure (CHF) 461
 - connected vehicle 491
 - consumer applications 57, 501, 502, 508
 - D materials/flexible electronics 502
 - contact lens
 - integrated LCD display 465
 - contamination reduction 268
 - continuous abstraction 382
 - continuous optimization engine 387
 - contour metrology 300
 - contract-based design (CBD) 373
 - contract composition 377
 - control algorithms 365
 - control design 388
 - controllable-polarity (CP) 443
 - controller equations 388
 - controller synthesis 388
 - control theory 598
 - control units, additional requirements 495
 - convergence applications 115
 - cooling filament 4
 - CoolSiC 180
 - co-op programs 602
 - copolymers 302
 - Core Partners Program 38
 - Coriolis effect 210
 - correctness of connections 369
 - cosimulation 389
 - cosmic ray 182, 325
 - cost-effective ICs 18
 - Coulomb interaction 77
 - coupling-faults, definition 442
 - covalent bonding 238
 - CPS. *see* cyber physical system (CPS)
 - CPU 74, 113
 - critical dimension control, plasma etching
 - limitation 281
 - crossbar array architectures 441
 - cross-cutting paradigm 373
 - cross-discipline applications 605
 - cross-programme action (CPA) 574
 - cryogenic 269
 - crystallization process kinetics 254
 - crystal-originated particles (COPs) defects
 - 236
 - CTL. *see* computation tree logic (CTL)
 - Cu conductors
 - reliability 320
 - Curie temperature 251
 - current aperture vertical electron transistor (CAVET) 188, 189
 - current-blocking layer (CBL) 188
 - current-carrying capability 318
 - current density 321
 - current fitness trackers 465
 - current-induced magnetic field 123
 - current-limiting design rules 321
 - CVD. *see* chemical vapor deposition (CVD)
 - cyber physical system (CPS) 363, 364, 390, 473, 489, 532, 533
 - Czochralski growth method (CZ) 228, 229, 230
- d**
- damascene trench barrier layers 318
 - 3D analysis techniques 246
 - dangling bonds 5, 44
 - dark-field holography (DFH) 251, 252
 - dark silicon 50, 139
 - Dash neck method 231, 232
 - data analysis techniques 605
 - data dependencies 379
 - data/information chain 545
 - data processing 55
 - data security 546
 - 3D chip stacking 423
 - DC power consumption 158
 - DE. *see* discrete-event (DE)
 - decentralized microgrids 471
 - deep trenches 172
 - defect density 306

- defect engineering 273
 - defect level (DL) 429
 - defects 427, 443
 - defects per million (DPM) 429
 - Defense Advanced Research Projects Agency (DARPA) 32
 - 2-DEG. *see* two-dimensional electron gas (2-DEG)
 - delay fault models 430, 433
 - demographic evolution 455
 - Dennard's equations 18
 - Dennard's scaling 34, 36, 39
 - equations 241
 - laws 18
 - rules 20, 139
 - Department of Energy (US-DOE) 449
 - design for manufacturability (DFM) 346
 - design for testability 428
 - device under test (DUT) 433
 - DFH. *see* dark-field holography
 - DG/FinFET devices 94
 - 3D horizontal cross-point™ memory 133
 - 3D horizontal ReRAM
 - diborane 236
 - dielectrics 280
 - constant materials 318
 - electrostatic charging of 407
 - etching chemicals 280
 - parasitic charging of 405, 407
 - porosity 319
 - refill 171
 - reliability 319
 - digital factories 545
 - digital functionality 54
 - digital information processing 58
 - digital integrated circuits 371
 - digitalized society 590
 - digital lifestyle 56
 - digital memory 114
 - digital mirror device 215
 - digital MOS circuit 53
 - digital power management 485
 - digital products 568
 - digital signal 55
 - digital technology 141
 - digitization 531, 537
 - dim chip 140
 - directed self-assembly (DSA) 292, 294, 302, 303, 304, 307
 - discrete abstractions 388
 - discrete-event (DE) 382
 - discrete power devices 164, 165
 - disease monitoring 462
 - dislocation density 187
 - dispersion phenomena 195
 - display technologies 515
 - DMOS 165, 166, 169
 - 3D NAND architectures 119
 - domain-specific languages (DSL) 382
 - dopants 147, 175, 232, 236, 271–273, 275
 - double-disk grinding (DDG) 234
 - double-gate devices 93, 443
 - double patterning 281, 321
 - flow 291, 292
 - double-side polishing (DSP) 234
 - 3D power scaling 48
 - 3D printing 589
 - drain-induced barrier lowering (DIBL)
 - 80, 97
 - *versus* Leff 94
 - reduction 80
 - TBOX, simulation of 92
 - drain outreach 38
 - DRAM 17, 26, 116, 131
 - architectural methodology 18
 - basic schematic 116
 - cell capacitance 118
 - cell capacitor 118
 - demise 31
 - devices 117
 - die size trend 22
 - unit volume production 25
 - drift resistances 165, 169
 - dry etching 280
 - pattern transfer 314
 - drying techniques 269
 - DSA. *see* directed self-assembly (DSA)
 - 2D scaling, physical limits 45
 - DTCO. *see* design-technology co-optimization (DTCO)
 - dual epitaxy 172
 - dummy-gate device, STEM image 253
 - 3D vertical RRAM structure 132
 - dynamic energy demand 483
 - dynamic or switching power 340
 - dynamic power 340
 - for CMOS gate 340
 - dissipation 85
 - dynamic toll systems 541
- e**
- e-beam maskless lithography 309
 - echocardiography 461
 - EDA. *see* electronic Design design Automationautomation (EDA)

- educational partnerships 606
- EELS. *see* electron energy loss spectroscopy
- E-ink, eReader products of 517
- elastomer 399
- electrical and thermal energies 539
- electrical defects 271
- electrical energy 472, 483, 535
- electrical engineering 597
- electrically sensitive hydrogel 217
- electrical resistance 212
- equivalent oxide thickness (EOT) 37
- electric cars 541
- electric/electronic systems 473
- electric field failure time model 319
- electric lighting 3
 - electrified trucks 489
- electrochromic materials 518
- electromagnetic forces 207
- electromagnetic interference (EMI) 402, 409
 - risk of 407
- electromagnetic wave 59
- electromechanical switching 144
- electromigration 322
- electron-beam lithography 598
- electron diffraction 252
- electron energy loss spectroscopy (EELS) 246
- electron holography 259
- electronic circuits 537
- Electronic Components and System for European Leadership (ECSEL) 554
- electronic control unit (ECU) 436
- electronic design automation (EDA) 333, 365
 - tools 427
- electronic devices
 - continued scaling of 370
 - manufacturing 437
- electronic grade polysilicon
 - production of 228
- electronic grade silicon 226
- electronic industry 568
- electronic readers (eReaders) 517
- electronic security systems 546
- electronic skin 459
- electron tomography (ET) 246, 250
- electro-optic lenses 464
- electrorheological fluids 216
- electrostatic actuators 214
- electrostatic discharges (ESD) 408
 - risk of 407
- electrostatic doping 355
- electrowetting 518
- embedded automation systems 489
- embedded integrated circuits 409
- embedded memories 133
 - in microcontrollers and digital signal processors 124
- embedded sensor fusion 363
- emerging devices, silicon NWFET 355
- emerging memories 127
 - architectures 130
 - devices 245
 - storage class memory 133
 - technologies 120
- emerging wearables 459
- EMI. *see* electromagnetic interference (EMI)
- emitter pipes 19
- E-mode 191, 192
- EM simulations 161
- encapsulations 409
- end-of-manufacturing 436
- energy bands 4
- energy consumption 163, 471, 532, 536
- energy dispersive X-ray spectroscopy (EDS) 246
- energy efficiency 141, 149, 451, 520
 - algorithms 536
 - computing/sensing technologies, convergence 148
 - trajectories 491
- energy flow 483
- energy generation 471, 473, 538
- energy grid 472, 473
- energy harvesting 459, 508, 537
 - applications 481, 484
- energy management 364, 483
 - systems 471, 480
- energy-saving aspect 538
- energy-saving lighting technology 164
- energy scaling requirements 142
- energy storage 506
 - system 503
- energy supply 471, 534
- energy systems 473, 483
 - of electric vehicle 482
- environmental gas analyzers 514
- environmental issues 471
- environmental monitoring 567
- epitaxial growth process 165, 170, 177, 184
- EPoSS technology platform 580
- error coding 435
 - correction codes 118
- ESD. *see* electrostatic discharges (ESD)
- e-society 57

- etching 267, 345
 - existing solutions 284
- Eureka 557, 569, 570, 588
- European budget, for research/innovation activities 571
- European Commission 449, 554, 615
- European consumption 559
 - of electronic components 560
- European Fund for Strategic Investment (EFSI) 558
- European funding of research and innovation programs 567, 569
 - ESPRIT 572
 - FP7 and H2020 581
 - H2020 (2014-2020) 579
 - ICT Research in FP 582
 - micro/nanoelectronics and smart systems 582
 - nanoelectronics integrated hardware perspective 571
 - nanoelectronics/micro-nanotechnology 570
- European general educational practices 609
- European Industry, overview of 553
- European Investment Bank manages 558
- European leaders 561
- European manufacturing capacities 563
- European market share 561
 - consumption 559
 - supply 560
- European parliament 569
- European policy makers 563, 565
- European private sector 565
- European Regional Development Fund (ERDF) 558
- European Research, Development and Innovation Programme 449
- European Research Policy 575
- European semiconductor companies and institutes 572
- European strategic initiatives 554
 - combining instruments 555
 - ECSEL Joint Undertaking 554
 - European Commission 554
- European Structural and Investment Fund (ESIF) 558
- European Technology Platform (ETP) 554, 577
- European Union (EU) 553
 - budget of Member States in 2014, 559
- Europe's market position 558
- EUROPRACTICE IC project 589
- EUROPRACTICE microsystem program 574, 575
- eutectic bonding 416
- EUV. *see* extreme ultraviolet (EUV)
- EUVL. *see* extreme ultraviolet lithography (EUVL)
- evidence-based algorithms 591
- EXNOR 357
- EXOR, boolean comparator 357
- exponential complexity 388
- exposure wavelength 290
- extended X-ray absorption fine structure (EXAFS) 256
- extremely thin SOI (ETSOI) 92
- extreme ultraviolet (EUV) 119, 297
 - anamorphic imaging 302
 - insertion into N7, 298
 - lithography 119, 309
- extreme ultraviolet lithography (EUVL) 294, 299, 300, 301
 - extendibility 301
 - insertion 294, 301
 - patterning 299
- f**
- Facebook 449
- FACTS/HVDC-systems 486
- failure mechanisms 410
- failure times 319, 321
- fast access cache memory 114
- fault collapsing 440
- fault coverage FC 429
- fault-free products 428
- fault models 427, 429
 - definition 439
- fault simulation 439
- FDSOI. *see* fully depleted silicon on insulator (FDSOI)
- ferroelectric material 121
- ferroelectric memories 120, 121
- ferroelectric polarization RRAM 129
- ferroelectric RAM (FeRAM) 120–122
- ferroelectric thin films 251
- fetal health 466
- fiber extension 155
- fiber optic gyroscopes 402
- field-assisted superlinear threshold (FAST) 131
- field-effect transistor 176
 - at Bell Labs 6
 - sensors 148
- field emission display (FED) 517
- field plate (FP) 196
- field-stop (FS) 173
- fine-tuning production techniques 508

- FinFET 90, 93, 94, 96, 99
 - FinFET sensor characteristics, full-scale pH influence 149
 - finite state machine (FSM)
 - decomposition 342
 - model 339
 - and sequential circuit implementation 339
 - fin pitch (FP)
 - *versus* technological node 96
 - flash anneal 274
 - flash memory producers 46
 - flash NAND 132
 - flip chip assembly 416
 - flip-flop configuration 48, 117, 431
 - flip-type IGBT 183
 - floating gate memories 253
 - floating gate transistor 17
 - float zone (FZ) technique 228
 - fluorine codoping 273
 - fluorine doped tin oxide (FTO) 518
 - Focus Center Research Program (FCRP) 36
 - food chain 451
 - fossil fuels 471
 - Fourier transform infrared spectroscopy (FTIR) 256
 - FP7/H2020, beyond CMOS 586
 - FP7 project 585
 - displaying EU bias 582
 - DUALOGIC 588
 - and ENIAC JU programmes 583
 - funding 581
 - FP88 project 585
 - Framework Programs 582
 - European Research 569
 - FP7 budget 581
 - free space path loss (FSPL) 154
 - free-standing IGBT 183
 - free-wheeling diodes 179, 180
 - front collision warning (FCW) 493
 - front-end process 267
 - cleaning 268–270
 - deposition 275–279
 - etching 279–285
 - silicon oxidation 271
 - frozen gas particles 269
 - FS. *see* field-stop (FS)
 - full-adders (FA) 353
 - fully depleted silicon on insulator (FDSOI) 90, 272, 561, 564, 584
 - capacitance breakout for 98
 - device 92
 - planar 281
 - structure 91
 - technology 93
 - Future and Emerging Technologies (FET) 574, 579, 585
 - negative capacitance 150
 - future technology nodes 322
 - FZ growth method 232
 - FZ techniques 229
- g**
- 1G 153
 - 2G 153
 - 3G 153
 - 4G 153
 - 5G 153, 154
 - GAA. *see* gate all around
 - gallium nitrate (GaN)
 - bandgap 195
 - bulk substrate 200
 - device 188
 - – material and physics 184
 - HEMT 195
 - layer 195
 - on-Si technology 193, 197
 - power device 184
 - power semiconductors 199
 - power transistors 193, 194
 - technologies 157, 197
 - transistors 191, 192
 - trench 189
 - vertical devices 189
 - wafers 188
 - gallium nitride (GaN) 198, 536
 - GaN. *see* gallium nitrate (GaN); gallium nitride (GaN)
 - 5G, and high-performance computing ASO 593
 - GaSb 104
 - gas-sensing technology 212
 - gate all around (GAA) 249, 273
 - transistors 13, 96
 - gate charge 169
 - gate density requirement 100
 - gate dielectric layer 77
 - gate dielectric stack 322
 - gate electrode architecture 98
 - gate field plate 196
 - gate first approach 98
 - gate leakage current 322
 - gate mask, inevitable misalignment 14
 - gate oxide
 - partial nitridation 271
 - scaling 1997 NTRS 35
 - thickness 87

- gate replacement 342
gate–stack deposition
– on Ge channel 104
gate-to-epitaxy capacitances 98, 99
– parasitic capacitance effect 98
gate voltage 75, 76, 141
Gbitp MTJ arrays 124
GDP/economic exchanges 592
GdTiO₃ 145
generic modeling 385
geometrical phase analysis (GPA) 251
geometrical scaling 291
germanium 103
– transistor effect 225
germanium-antimony-tellurium (GeSbTe) 124, 125
gestational diabetes 466
Ge, transport parameters for 103
GIXRD configuration 255
glassy silicon dioxide 9
Global Foundries 564
global positioning satellite (GPS) 504
– receiver 460
– sensors 496
Glucodoc 463
glue dispensing process 420
gold nanoparticles 512
gold-standard PSG testing 463
gold wires 6, 11
goniometer 253
Gordon E. Moore 13
GPA. *see* geometrical phase analysis (GPA)
graphene 502, 519
– nanoribbons 334
– p–n junctions 350, 354, 355
graphene nanoplatelet paper (GNP) 505
grapho-epitaxy 302, 303
grazing incidence 255
green economy 452
greenhouse gas 451
grid interface 164
GSM telephony 565
GW. *see* gigawatt (GW)
gyroscope 210, 459
- h**
- Hamming distance 342
hard disk drive (HDD) 115
hard-switching circuits 173
hardware description language (HDL) 371
hardware-in-the-loop (HIL) 497
H₂ bake cycle 236
HC. *see* hot-carrier (HC)
HDL. *see* hardware description language (HDL)
HDMI services 155
health care expenditure 456
health care system 455
health monitoring 219
HEMT. *see* high electron mobility transistor (HEMT)
heteroepitaxy 200
heterogeneous system 382, 397
– calibration of 420
– design 400, 401, 402, 403
– analysis 401, 402
– assembly and testing 403, 412
– failure mechanisms in 411
– integration 48, 414
– packaging 414, 418
– processing 576
hexagonal boron nitride (hBN) 502
HfO₂–TiN interface 258
HF vapor 269
– removal 271
high electron mobility transistor (HEMT)
187, 195
– FET hybrid 192
– transistors
– fabrication of 191
high energy efficiency 538
high-energy self-ion implantation 273
high-temperature annealing process 272
high-voltage blocking 178
high-voltage power semiconductors 542
high voltage transmission 479
high-volume manufacturing (HVM) 31, 33, 298
HIL. *see* hardware-in-the-loop (HIL)
H2020 LEIT 585
HMOS II generation 30
homoeptitaxy 200
honeycomb structure (HCS) 119
Hook's law 238
Horizon 2020 program 449, 580
– as societal challenges for Europe 450
horizontally stacked 3D RRAM (HRRAM)
architecture 132
hot-carrier (HC) 322
HR-TEM corresponding image 259
4H-SiC layers 183
4H-SiC wafers 177
humanity 589
humidity 540
HVM. *see* high-volume manufacturing (HVM)
HW/SW codesign 575
hybrid CBRAM devices 128

- hybrid linear temporal logic with
 - expressions 382
 - hybrid solutions 437
 - hybrid vehicles 163
 - hydrofluoric acid 280
 - hydrogen contamination
 - in back-end process 121
 - hydrogen-to-oxygen ratio 29
 - hyperconnected world 590, 591
 - hyperpure silicon 227, 228
 - hypertension 463
 - hysteretic characteristics 145
- i*
- Ibbetson theory 186
 - IBM 26, 32
 - IBM360, 614
 - IC. *see* integrated circuit (IC)
 - idealstacked nanowire transistor
 - schematic of 96
 - IEEE RC 51, 52
 - IEEE Rebooting Computing Organization 50
 - IEEE 1500 standard 433
 - IGBT. *see* insulated gate bipolar technology (IGBT)
 - illumination-related effects 274
 - image sensors 211, 463
 - immersion liquid 290
 - immersion lithography 291, 293, 295, 306, 309
 - immersion multiple patterning 299, 302, 307, 309, 311
 - IMOS devices 143
 - impact ionization 143
 - IMU 421
 - incentive programmes 553
 - in-depth electrical characterization 252
 - indium tin oxide (ITO) 518
 - indoor communication 540
 - indoor lighting 540
 - Industrial and Materials Technologies (IMT) 573
 - industrial automation 57
 - industrialization 471
 - Industry Strategic Symposium (ISS) 37
 - inert gas flash 278
 - inertial measurement unit (IMU) 398
 - in-field test 436
 - info-bio-nano-cogno field 588
 - information and communication technology (ICT) 531
 - infrastructure 535
 - program 572
 - related technologies 545
 - support for logistics 546
 - Information Society (IST)
 - ICT projects 588
 - program 574
 - information society tools 452
 - Infrared SNOM 256
 - infrared spectrometry 212
 - InGaAs alloys 104
 - InGaN quantum well blue LED 515
 - innovation capacity 449
 - innovative logistics strategy 544
 - inorganic LED point source 69
 - inorganic resist 298
 - in-plane switching (IPS) 516
 - InP technologies 157
 - in'situ thermal annealing 255
 - insulated gate bipolar technology (IGBT) 165
 - insulated gate bipolar transistor (IGBT) 173
 - insulators 271
 - integrated algorithm framework 442
 - integrated circuit (IC) 11, 15, 164, 205, 225, 289, 290, 333, 397, 409, 427, 473, 483, 537
 - degradation mechanisms 317
 - economical advantages 13
 - fabrication, doping technique 272
 - failure mechanisms 320
 - fundamental building blocks 47
 - manufacturing 268, 271
 - packaging technology 397
 - Robert N. Noyce 12
 - transistor effect 51
 - integrated power devices 164
 - integration density 53
 - Intel 8080, 24
 - intellectual property (IP) 353, 371, 433
 - intelligent activity tracker 461
 - intelligent energy management 473
 - intelligent environment 219
 - Intel's DRAM business 28
 - interconnect capacitance 318
 - interconnection technology 219
 - interconnect reliability issues 318
 - inter-diffusion phenomena 256
 - interlayer (IL) 256
 - intermodal transportation 490
 - internal gettering (IG) 240
 - internal transduction 143
 - internal voltage amplification 143
 - International Electron Devices Meeting (IEDM) 20, 21
 - International Energy Outlook 472

- International 300 mm Initiative (I300I) 33
 - International Nanotechnology Conference on Communication and Cooperation (INC) 42
 - International Roadmap for Devices and Systems (IRDS) 49, 51, 534
 - International Technology Roadmap for Semiconductor (ITRS) 34, 76, 534, 584
 - International Technology Roadmap for Semiconductors (ITRS)
 - ITRS 2.0 49, 51
 - roadmap 324
 - Internet of Everything (IoE) 140, 148, 154
 - Internet-of-Nano-Things concept 515
 - Internet of Thing (IoT) 55, 57, 154, 334, 370, 450, 453, 459, 514, 532, 534, 586, 588, 593
 - driving force for smart cities and semiconductors 535
 - under FP7 and H2020, 587
 - internship programs 602
 - interpoly dielectrics (IPD) 118
 - interstitial adsorption 274
 - interstitial fluids 466
 - interstitials annihilation 273
 - intraocular lens 464
 - invasive catheters 461
 - in-vehicle software 496
 - inversion coefficient (IC) 156
 - inverted temperature dependence (ITD) 347
 - inverter
 - delay 79
 - parasitic capacitances of MOSFET devices 79
 - switch, parasitics capacitance in logic devices 81
 - inverter chain 82, 84
 - Io-E requirements 150
 - ion beam curing 313
 - ion bombardment 283, 284
 - ion-hosting capacity 507
 - ionic gating liquids 145
 - ionic polymer metal composite 216
 - ion implantation 174, 179, 182, 272
 - ion-induced perturbation thickness 284
 - IP. *see* intellectual property (IP)
 - iPhone 6 smartphones 73
 - irredundant threshold networks 440
 - ISFET sensor 148
 - isothermal annealing 254
- j**
- Johnson–Nyquist theorem 141
 - Joint Technology Initiative (JTI) 577
 - JTI ECSEL 570
 - Joint Undertaking (JU) 555, 558
 - junction barrier Schottky (JBS) 179
 - junction field-effect transistor (JFET) 180
 - junction termination extension (JTE) 179
- k**
- key enabling technologies (KET) 449, 554, 577, 615
 - Kirk effect 182
- l**
- lane change assistant (LCA) 492
 - lane departure warning (LDW) 493
 - lane keeping assistant (LKA) 493
 - Langmuir-Blodgett deposition 279
 - Laplace force 270
 - lapping 234
 - Lars' brain registers stress 465
 - Lars' prostate problem 463
 - laser
 - annealing 175, 274
 - beam scans 274
 - irradiation techniques 270
 - melting 274
 - produced plasma (LPP) 294
 - pulses 270
 - lateral power devices 167
 - Laue microdiffraction 251
 - layout optimization solution 118
 - leakage power 343
 - of CMOS 139
 - in CMOS gate 343
 - leakage problems 38
 - LEIT addressing industrial competitiveness 580
 - LG G-series 516
 - Li batteries 507
 - LiDAR sensors 493
 - light-emitting diodes (LED) 69
 - light illumination 19
 - lighting 539
 - Li-ion/nanostructured battery systems 509
 - linear temporal logic (LTL) 382
 - line edge roughness (LER) 297, 311, 312, 320
 - LiNe process flow 304
 - linewidth roughness (LWR) 311
 - liquid crystal display (LCD) 516
 - liquid gate technology 148
 - FinFET ion sensor, cross section of 149
 - liquid phase epitaxial 274
 - Lisbon European Council 554
 - lithium-ion cells 482
 - litho-etch (LE) 291

- litho-etch-litho-etch (LELE) 291
- lithography 267, 345
 - imaging 292
 - insertion 314
 - pitch scaling in 292
 - projection lenses used in 290
 - technologies 205, 320
- local atomic density 250
- local energy management systems 473
- local field enhancement 320
- local magnification effect 250
- local oxidation of silicon (LOCOS) 19
- logic equivalence checking (LEC) 442
- logic function 439
- logic gates 23
- logic standard cell 292, 300
- logic storage elements 326
- logic synthesis 334, 347
 - for approximate computing 351
 - for manufacturability and PV compensation 346
 - and optimization, emerging trends in 350
 - strategies, taxonomy of 335
 - tools 334
- lower electron temperature 284
- low-noise amplifier (LNA) 156
- low-power (LP) market 74

- m**
- macromolecular memory 129
- magnetic core memories 23, 120, 122, 230
- magnetic memory (MRAM) 122
- magnetic tunnel junctions 350
- maneuvers lane changing 494
- manually driven vehicles 496
- manufacturing readiness levels (MRL) 583
- manufacturing technologies 205
- MapperLithography 310
- mapping 373
 - specifications to implementations 386
- marangoni/rotagoni drying 270
- March algorithms 431
- maritime traffic flow 490
- market share, of leading companies 562
- Mark-8, microcomputer design 24
- mask handling 296
- MASTAR model 76
- Masters programs 603
- material phase transition 143
- material properties 363
- material removal system 279
- maternal/fetal parameters monitoring 467
- mathematical optimization software 382
- Mbit Ag/GeS₂ CBRAM memory core 129
- 64 Mbit DRAM memory devices 33
- mechanical coupling 407
- mechanical forces 205
- mechanical noise 207
- mechanical parameters 59
- mechanical sensors 207
 - gyroscopes and accelerometers 209
 - pressure sensors and microphones 208
 - resonators 210
- medical imaging 211
- medium energy ion scattering (MEIS) 252
- megabit memory generation 46
- memory-centric architecture 114
- memory devices 27
- memory hierarchy, evolution 114
- memory market 115
- memory producers 46
- memory products 27
- memory reliability 119
- memory technologies 113, 114
 - computing systems 113
 - data-intensive applications 113
- merged PiN Schottky (MPS) 179
- metal capping layers 321
- metal gate 148
 - stack 249
- metal-insulator-metal (MIM) 126
- metal-insulator transition (MIT) 143, 145
 - FETs 150
- metallic CNTs 442
- metallic mobile charge 145
- metallurgical silicon
 - production 226
 - purification of 227
- metal nano-wire based transparent conductor 519
- metal oxide nanoparticle resist 298
- metal oxide semiconductor field effect transistor (MOSFET) 166, 169, 172, 502
 - device 84
 - parasitic capacitances 79
 - electrostatics 80
 - leakages 85
 - optimization 88
 - planar bulk MOSFET, TEM cross section 75
 - structure
 - capacitances of 84
 - structures 89
 - technology performance evaluation 79
 - threshold voltage 76
 - transistor 73, 75, 80, 81, 87
- metal resistance 322

- metronomy 378, 389
- mHealth 460
- microactuators 207
- micro- and nanoelectromechanical systems (MEMS/NEMS) 49, 59, 205, 363, 397, 404, 451, 503, 586, 614
 - actuator 400
 - advantages 206
 - based sensors 586
 - holistic approach 581
 - market trends 207
 - microreflector technologies 515
 - MOEMS and Miniaturized Systems 573
 - processing 269
 - silicon-integrated 588
 - tuning fork resonator 504
- microcomputers 24
- microdevices 215
- microelectronic products 54, 397
- microelectronics 271, 450, 536, 613
 - industry 53
 - structures 247
- microenergy grid 473, 480
- microfluidics 206, 462, 588
 - devices 55
 - platform 213
- microhydraulic actuators 216
- micromechanics 588
- micro-nanoelectronics 537, 539, 568, 592
- micro-nanosystems 568
- micro-nanotechnology 568
- microprocessors 50
- micropumps 206
- microrobotics. 588
- microscale energy transducers 484
- microscale sensors 219
- microscopic sensor 364
- microsystems 207, 397, 588
- microvalves 206
- mid-wavelength infrared (MWIR) 506
- miniature gas sensors 212
- miniaturization 53, 54, 409, 486, 537, 567
 - capabilities 280
 - program 568
- miniaturized system 533
- minimum voltage supply, limitation of 87
- misaligned carbon nanotubes 442
- MISHEMT 188
- mixed integer linear constraints 384, 387
- mixed-ionic-electronic conduction (MIEC) 131
- mixed valence oxide RAM 129
- mobile devices 460
- mobile health 460
- mobile Internet device (MID) 74
- mobility and transport, in smart city 541
- mobility applications, of smart energy systems 482
- model- based design (MBD) 365
- model for advanced semiconductor roadmap (MASTAR) 76
- modeling languages 385
- model-in-the-loop (MIL) 497
- molecular beam epitaxy 147
- molecular doping 274
- molecular layer deposition (MLD) 275
- molecular monolayers doping 275
- molecular motors 217
- molecule bond breaking 275
- molybdenum disulfide (MoS₂) 502
- monitor communication 540
- monitoring simulation 389
- monocrystalline silicon 237
 - crystal structure 237
 - defect kinetic behavior 240
 - doping 237
 - ingots 228
 - intrinsic defect categories 239
 - production 229
 - silicon dioxide 238
- monolayer deposition techniques 279
- monolithic integrated microsystems 573
- monolithic microwave integrated circuit (MMIC) 504
- monostable–bistable transition element (MOBILE) 439
- Moore's law 20, 33, 34, 40, 45, 51, 53, 54, 73, 118, 156, 229, 241, 280, 291, 333, 397, 428, 458, 502, 584
 - for micro-nanoelectronics 70
 - revolutionary and scalable technologies 51
 - vision, validation of 229
- More Moore domain 595
- More-than-Moore 54
 - devices 58
 - application domains 61
 - industrial applications 67
 - powering 59
 - safety and security 65
 - photodetector 56
 - technologies 55, 60, 70
- morphing 52
- MOS channel noise factor 158
- MOS circuits 16
- MOS device 5, 117, 131
 - of Shockley's dreams 15
- MOS process 29

- MOS transistor 8, 11, 14, 16, 18, 34, 54
 - p- and n-channel 28
- MOS yields 20
- motion processing unit (MPU) 510
- Mott transition RAM 130
- MP3 players 49
- MRI tomography 614
- MtM devices/technologies for sensing/
 - actuating
 - potential taxonomy of 60
- MtM technologies 58
- multenergy smart grid 477
- multibillion transistor chips 334
- multibit errors 326
- multichannel vital sign monitoring system 463
- multienergy smart grid 476
- multifunctional heterogeneous subsystems 56
- multipatterning 293, 298
- multiple-epitaxy growth 171
- multiple patterning techniques 291
- multiple p-type doping 171
- multiple sensor systems, on-chip integration
 - of 510
- multirobot systems 389
- multi-sensor system-on-chip (MUSEIC)
 - 463, 464
- multiwire sawing 233

- n**
- NAND 116
 - capability 115
 - flash 125
 - flash memory 118
 - gate 78
 - memories 117
 - type array organization 122
- nanocharacterization 245
- nanodevices 258, 363
- nano-electro-mechanical memory
 - devices 130
- nanoelectromechanical system (NEMS) 59, 504
- nanoelectronics 141, 205, 212, 219, 245, 449, 450, 453, 530, 536, 539, 541, 568, 595, 599, 613, 614, 615
 - based hardware 529
 - based solutions 541
 - components 245, 317, 537, 567, 568, 600
 - degree programs, challenge facing 601
 - education 604, 606
 - sector 471
 - in Europe 564, 578
 - fabrication technology 205
 - foundational research and disciplines 597
 - future comprehensive university programs 607
 - hardware challenges 546
 - manufacturing processes 212
 - related degree programs 602
 - research clusters 570
 - as smart energy systems 483, 533, 545
 - standardizing holistic education 609
 - technologies 602, 604
- Nanoelectronics Research Initiative (NRI) 42
- nanofabrication technologies 205, 208
- nanoinprint lithography 309, 311, 313
 - challenges 19, 311
- nanometer era 345
- nano-MOSFETs 323
- nanoparticles 424
 - based electrospray deposition methods 517
- nanopillars 518
- nanopirani-based sensors 209
- nanoscale manufacturing 277
- nanosensors 148
- nanstructuring 509
 - supercapacitor systems 508
- nanotechnologies 208, 363
 - enhanced glucose sensors 512
 - plasma etch challenges 285
- nanotweezers 270
- nanowire 96, 245, 281
 - conduction lines 519
 - fabrication 400, 404, 424
 - – defects 441
 - – methods 424
 - – techniques 66
 - grid polarizers 516
 - parasitic capacitances of 97
- National Institute of Standards and Technology (NIST) 42
- National Nanotechnology Initiative (NNI) 41
- National Network for Manufacturing Innovation (NNMI) 556
- National Science Foundation (NSF) 42, 449
- National Strategic Computing Initiative (NSCI) 51
- National Technology Roadmap for Semiconductor (NTRS) 33
- N₂-based aerosols 270
- n-Doped MOS (NMOS) 18, 19, 43, 78, 259, 260, 344
- near-adiabatic logic circuits 141
- near-field optical techniques 251
- negative bias temperature instability (NBTI) 323, 348, 350

- neuristors 147
- neurosynaptic chips (SyNAPS) 147, 148
- nFET transistor 104
- n-IGBT 184
- nitride spacer etching 281
- nitrogen aerosols 270
- nitrogen exodiffusion 258
- nitrogen plasma treatment 271
- noise figure (NF) 157
- nonaqueous cleaning steps 269
- nondestructive testing 247
- nonlinear behaviors 387
- non-Newtonian fluids 269
- nonpunch-through (NPT) 173
- non-silicon channel 102
- nonstandard oxidation techniques 271
- nonthermal activation techniques 274
- nonthermal illumination effects 274
- nonvolatile memory (NVM) 20
 - applications 125
- NOR Flash 131
- NOR gate 78
- NP junction 43
- n/p-MOS transistors 58
- N-push VCOs 161
- nuclear magnetic resonance (NMR) 210
- nucleotides 214
- numerical aperture 291

- o**
- object oriented programming 375
- obstructive sleep apnea (OSA) 463
- off-axis electron holography 260
- off-axis illumination 290, 301
- ohmic contacts 190, 198
- on-body sensors 458
- on-button-cameras 48
- one-dimensional nanowires 275
- one-pass synthesis (OPS) 356
- ON–OFF switching process 79
- on-resistance 177, 178, 180, 182
- open-circuit failures 19
- open fault model 430
- Open Microprocessor Systems Initiative (OMI) 572, 573
- operating temperatures 347
- optical lithography 289, 290, 291, 295
- optical projection lithography 294
- optical proximity effect correction 290
- optical pulse oximetry 459
- optical transducers 206
- optical wavelength 291
- optimal safety 495
- optimal trajectories 494
- optimization-based design methods 373
- optoelectronic integration 576
- optoelectronics 251
- ordinary differential equation 383
- organic-based areal light emitters range 69
- organic contamination 268
- organic films 279
- organic light-emitting diode (OLED) 516
 - commercial OLED flat panel display 517
 - displays 516
- organic thin films dep 279
- original equipment manufacturer (OEM) 437
- OSA. *see* obstructive sleep apnea (OSA)
- ovonic threshold switch 131
- oxide–electrolyte interface 145
- oxide electronics 143
- OxRAM, oxide based resistive RAM 127, 128
- oxygen plasma 268
- oxygen scavenging 258

- p**
- Packaged TLens 399, 400, 417, 418
 - assembly of 413
- package parasitic elements 408
- Pan-European partnership in micro- and nanoelectronic technologies and applications (PENTA) 557
- parallel e-beam lithography 309
- parallel testing systems 325
- parasitic capacitances 405
 - calculation method 83
- parasitic current paths, in cross-point arrays 130
- parasitic inductances 405
- Pareto optimal 389
- park distance control (PDC) 493
- parking assistant (PA) 493
- particle removal efficacy 268, 270
- pass-diagram (PD) 357
- pass-transistor-logic (PTL) 356
- pass-XNOR logic (PXL) 357
- patched flows 371
- path distribution at different temperatures 347
- pattern collapse 270
- pedestals 404, 406
- people-to-thing 153
- performance modeling, analysis 370
- permanent defects 438
- personal health, factors determining 457
- personalized stress measurement techniques 466
- personal rapid transport (PRT) 541

- pFET device 93
- pFET mobility on Ge channel 104
- p-GaN devices 192
- P-GaN/P-AlGaN gate structure 189, 192
- phase change memories (PCM) 120, 124, 125
- phase noise (PN) 158
- phase separations, morphology 304
- phase-shifting masks 290
- phosphorous, as dopants 30
- photo-beam lithography 598
- photoemission electron microscopy (PEEM) 256
- photon flux 247
- photonics 588
- photoresist mask 281
- photoresist removal 270
- photovoltaic (PV) 179, 588
- physically unclonable functions (PUF) technologies 534
- physical vapor deposition (PVD) 275, 276
- physiological sensors, medical-grade 457
- piezoelectrics 509
 - actuation 215
 - behavior 185
 - polarization 185
- piezoresistive 209
- p-IGBT 184
- pigment-silica composite nanoparticles 517
- pilot lines projects 555
- PiN diodes 181, 183
- pin reordering 349
- piranha strip 268
- planar-bulk transistor architecture 89
- planar double-gate devices 90, 93
- planar process 10
- planar transistors 317, 327
- plasma-based native oxide removal 269
- plasma cleaning procedures 283
- plasma doping 274, 275
- plasma-enhanced ALD (PE-ALD) 279
- plasma etching 279, 280
- plasma-induced damage 284
- plasma oxidation 271
- plasma processing 282, 283
- plasma smoothing 313, 314
- plasma–surface interactions 282
- platform-based design (PBD) 365, 372, 373, 380
- PMOS/NMOS transistors 18, 28, 78, 340, 349
- POC devices 462
- polarity gate (PG) 354
- policy implementation instruments
 - European Union 557, 558
 - intergovernmental programmes 557
 - joint undertaking 558
 - national programmes 557
 - public announcements 556
 - world 556
- pollution 452
- polychromatic X-ray beam 251
- polymethylmetacrylate (PMMA) 302
- polysilicon 30, 38
 - channel 120
 - chunks 229
 - etch mechanism 283
 - floating gates 119
 - gate 283
 - lines 30
 - rods 228
- polysomnography (PSG) 463
- polystyrene (PS) 302
- pooling resources 602
- porous inter-metal-level dielectrics (ILD) 318
- porous low dielectrics failure times 319, 320
- positioning sensors 493
- positron annihilation spectroscopy (PAS) 256
- post CMOS 49
 - and beyond silicon 354
- post-Dennard or leakage-limited scaling 139
- postlitho smoothing techniques 313
- post-mapping transformations 342
- power-added efficiency (PAE) 157
- power amplifier (PA) 156
- power budget 459
- power combiners 158
- power consumption 4, 486
 - per sensor 458
- power converters 540
- power density 486
- power devices 164, 176
- power dissipation
 - in CMOS circuit, sources of 340
 - in transistor devices 84
- power electronics 163, 164, 195, 451, 483, 536, 583
 - applications 163
 - components 484
 - converters 472
- power factor correction circuit (PFC) 179
- power grids
 - stabilization 163
- power management 459
 - electronics 537
- power MOSFET structures 168
- power-optimized power supplies
 - versus gate length 87

- power performance trade-off 75
 power semiconductors 164
 power spectra density (PSD) 312
 power transistors 187
 power wall 340
 PPP Green Car 588
 preamorphization 273
 precession electron diffraction (PED) 251
 predictive medicine 567
 preeclampsia 466
 pregnancy, monitoring 466
 presbyopia 464
 preterm birth 466
 printed circuit board (PCB) 54
 process architecture 99
 process engineering 317
 processor–memory performance gap 114
 processor power consumption 50
 process variations 435
 product design 544
 programmable logic array (PLA) 441
 projection lens 290
 projection systems 289
 protein identification 463
 PSA test 462
 p-type dopant 171, 272
 p-type layers 192
 Public-Private Partnership 570, 577, 606
 public support 564
 puller furnace 232
 pulmonary pressures 461
 pulse-arrival time (PAT) 464
 pulsed laser deposition 147
 pulsed plasma technologies 284
 pulse sensor 461
 punch-through (PT) 173
- q**
- quality constraint circuit (QCC) 352
 quality of information 544
 quality of life 457
 quantum confinement effects 104
 quantum-dot cellular automata 438, 439
 quantum effects 424
 quantum mechanics 4, 143
 quasi ballistic 101
- r**
- racetrack memory 124
 RADAR 542
 radar/lidar 212
 radar sensors 493
 radio communication 542
 radio frequency (RF) 505
 – performance 157
 – RF CMOS 153
 radio frequency identification (RFID) 515
 – tags 532
 radio transmitter circuits 503
 random-access memory (RAM) 16, 25
 random telegraph noise (RTN) 324
 – noise 129
 rapid escalation
 – in energy/operation 41
 rate of soft errors (SER) 325
 Rayleigh equation 289, 301
 razor 435
 RC. *see* reverse-conducting (RC)
 reactive radicals 282
 reactive synthesis 388
 read-only memory 15
 realistic simulation 542
 real-time computing power 493
 real-time sensing 458
 real-time software capabilities 499
 recess-channel-array transistor (RCAT) 117
 recess phenomena 284
 recognition, mining, and synthesis (RMS) 351
 redeposition 269
 reduce surface states 17
 refractive index 290
 register transfer level (RTL) 334, 371
 remote monitoring 503
 renewable energies 163, 451, 471, 472, 537
 ReRAM *see* Resistive RAM cell
 Research and Innovation for societal
 welfare 450
 research and technology institutes 573
 Research Technology Organization (RTO) 561
 resist removal processes 269
 resist trimming processes 281
 resistive RAM (RRAM or ReRAM) 126, 129,
 134
 resonance frequency 210, 404
 resonant tunneling diodes 438, 439
 restricted fin geometry 325
 RESURF 166
 reverse-blocking IGBT 175
 reverse-conducting (RC) 175
 risk of inconsistency 369
 Robert H. Dennard scaling laws 21
 robotics 451
 root mean square (RMS) 234
 – applications 351
 RRAM 131, 132
 rural health care 462

s

- sacrificial thin film layers 268
- safety-critical scenarios 497
- sapphire substrate 200
- SAR500 398, 399, 402, 404, 406, 407, 409, 410, 419
 - ceramic package of 411
- satisfiability modulo theory (SMT) 382
- scaffolding 373
- scaling existing technologies 120
- scaling in Dennardian and post-Dennardian nanoelectronics era and exploitable silicon area 140
- scaling laws 208
- scalpel conductive atomic force 246
- scan chain 431
- scan in signals 431
- scanners 289, 290
- scanning electron microscope 247
- scanning near-field optical microscopy (SNOM) 251
- scanning transmission electron microscopy
 - high-angle annular dark-field imaging (STEM-HAADF) 249
- scan out signals 431
- scan test 431, 432
- Schottky diode 176, 179
- science, technology, engineering, and mathematics (STEM) fields 604
- secondary ion mass spectrometry (SIMS) 256
- security measures and technologies 68
- segment insertion bit (SIB) 435
- self-aligned deposition techniques 267
- self-aligned double patterning (SADP) 291
- self-aligned quadruple patterning (SAQP) 291
- self-aligned silicon gate MOS process 15
- self-faults, definition 441
- self-sustaining energy systems 471
- Sematech consortium 32
- SEM, electron beam 248
- semiconductor 8, 15, 115, 167, 193, 333
 - atom probe tomography, analysis 249
 - based LASERS 69
 - business environment 27
 - chips 313
 - companies 48
 - components 333, 537
 - enhanced CNTs 505
 - industry 11, 22, 48, 279, 317, 431
 - history of 3
 - memory
 - lowest-cost and highest-density 116
 - packaging technologies 397, 416
 - processing 140, 193, 225, 267, 473, 483, 486
 - units 225
 - value 614
 - wafers 9
- Semiconductor Industry Association (SIA) 36
- SEMI standard 33
- sensing 532
- sensors 55, 208, 509, 533, 539
 - and communication networks 533
 - die 404, 412
 - equipped with receiver/transmitter unit 548
 - gas sensors 212
 - mechanical sensors 208
 - motion processing units 510
 - nanosensors for biomedical applications 511
 - nodes 471
 - optical sensors 513
 - for smart home, and building energy management 539
 - terahertz imaging 211
 - vision 210
- SER. *see* rate of soft errors (SER)
- shape memory alloy 216
- shift-register memory 124
- shock absorber 404, 407
- shock margins 415
- shock resistance 405
- short-channel device threshold voltage 76
- short-channel effect (SCE) 73, 322
 - DIBL component 91
 - immune MOSFET architectures 89
- SiC
 - BJT 182
 - devices 178
 - diodes/rectifiers 179
 - power devices 183
 - substrate 200
 - wafers 177, 183
- SiCOH-based porous dielectrics 318
- Siemens process 228
- SiGe-HBT 157
- signal critical path 85
- signal mapping 401
- signal processing 598
- signal temporal logic (STL) 382
- signal-to-noise ratio 154
- silicic acid residues 269
- silicon 225
 - availability and technologies 226
 - based sensors 513
 - channel 89, 92

- crystal orientation 102
- metallurgical production 226
- purity of 226
- transport parameters 103
- worldwide production of 226
- silicon boule 237
- silicon carbide (SiC) 176, 199, 536
- silicon circuits
 - radiation-induced soft-errors 325
- silicon coimplantation 273
- silicon crystal, growth 231
- silicon dioxide 31, 38
- silicon emerging technologies 335
- silicon fabrication 397
- silicon food chain 226
- silicon fusion bonding 416
- silicon gate devices 19
- silicon gate process 15, 30
- silicon ingot 231
- silicon lattice 230
- silicon microelectronics 370
- silicon nanowire 354, 438
 - FET 443
 - transistors 249
- silicon nitride layer 19
- silicon nitride spacer 284
- silicon on insulator 38, 90, 576
- silicon oxidation 271
- silicon oxide
 - consumption 268
 - deposition 279
 - as gate material 271
 - growth kinetics 271
- silicon oxynitride (SiON) 271
- silicon photonics 588
- silicon platform 458
- silicon recess 284
- Silicon Research Corporation (SRC) 36
- silicon-silicon dioxide interface 16, 271
 - properties 271
- silicon substrate 200
- silicon surface 275
- silicon (Si) technology 536
- silicon transistors 8
- Silicon Valley 18
- silicon wafers 188, 194, 242
 - production 232
 - chemical-mechanical polishing (CMP) 232, 234
 - chemical treatments 232, 234
 - cleaning methods 233
 - epitaxy 236
 - final cleaning and packaging 235
 - mechanical treatments 232, 233
 - wafer manufacturing costs 233
- silver nanoink 515
- silver nanowire 519
- SIMS. *see* secondary ion mass spectrometry (SIMS)
- simulation techniques 370
- simultaneous iterative reconstruction
 - technique (SIRT) 248
- Si nanowire channel 250
- SiN, chemical vapor deposition of 196
- Si₃N₄ film 252
- SiO₂/HfO₂ gate dielectrics 323
- SiO₂ interface layer 318
- SiP design 576
- Si power devices 164
- SiP–System-in-Package 54
- Si wafers 289
- skin conductance 466
- skipping methodology 31
- sleep apnea 463, 464
- sleep monitoring 463
- slower access mass-storage memory 114
- smart autonomous systems 148
- smart building 537, 538
 - cockpit 539
- smart cities 451, 452, 453, 529, 531, 532, 540, 543
 - areas to define 530
 - challenges to development of nanoelectronics 542
 - data security 546
 - environment 547
 - flow of information 531
 - information infrastructure 534
 - infrastructure of 543
 - mobility and transport 540
 - production and logistics 543
 - safety and security 546
 - by semiconductor business, future for 530
 - urban innovation 533
- smart contact lens 464, 465
- smartdust 532
- smart energy 473–475, 486
 - grid 536
 - key products for 483
 - management 472
 - and societal challenges, applications of 476
 - systems 471, 473, 474, 483–486
- smarter society 590
- smart factories 545
- smart grid 164, 471, 539
 - energy revolution 472

- smart mobility 542
 - and transport 537
- smartphone 49, 449, 460, 501
 - based point of care biomedical sensors 512
 - camera modules of 402
 - glucose sensor 463
- smart production and logistics 537
- smart reservation and booking 541
- smart sensor 424, 533, 586
 - based information 590
 - and sensor systems 542
- smart system 53, 530, 539
- smart watch 467
- SME businesses 571
- sneak paths 442
- social welfare system 452
- societal challenges 449
- societal demands 472
- societal needs, digital domain 58
- soft error
 - effects 318
 - in SRAMs, technology scaling trends 326
- soft skills 596, 607
- software architecture 499
- software-based self-test (SBST) 437
- software-related aspects of authorization 534
- software solutions 547
- solar energy 163, 538
- solid-phase epitaxial growth (SPEG) 273
- solid-state drives (SSD) 115
- solid-state imaging 513
- solid-state lighting 538, 539
- solid-state technology 145
- solution space of ITD-aware synthesis tool 347
- sonic pulsed spray 269
- source–drain epitaxy 97
- source–drain fringing capacitance 79
- source–drain structure 90
- source field plate 196
- source-to-drain current 38
- SpaceX 383
- spacer-defined patterning 291
- spacer formation 279
- S-parameter 97
- spatial frequency 312
- spectrometer 213
- speculative execution 50
- speed sensors 493
- spike rapid thermal annealing 274
- spiking neural network (SNN) 134
- spin coating 275
- spin-transfer torque (STTM or STT-RAM or STT-MRAM) 44, 123, 124, 131
- spontaneous polarization 185
- sputtering 147
- sputter PVD techniques 277
- stable power source 537
- stacked nanowires (SNW) 96
 - structure, capacitance breakout for 98
- standard dielectric cap 321
- standard low surface tension approaches 270
- standard megasonic cleaning 269
- standard MOS
 - FEOL process flow 267
 - transistors 351
- state encoding for low power 343
- state-of-the-art (SOA)
 - A/D BiCMOS process 573
 - energy per conversion 148
 - finFET CMOS technology 514
 - terahertz CMOS detectors 161
 - tunnel FETs from various international groups and 144
- static random access memory (SRAM) 87
 - cells 292
 - circuits 85
 - yield 77
- statistical process control (SPC) 230
- steep-slope switches address 140
- steering wheel 493
- steppers 289
- STIM300, 398, 402, 420
- ST LIS2DS12 microchips 510
- storage class memory (SCM) 115, 126
- strain analysis 250
 - precession electron diffraction 252
 - techniques 251
- strained Si 86
- strained-SOI 102
- strain field distribution 251
- stress 465
 - decoupling 405, 406
 - – substrate 404, 420
 - evaluation, single sensor 465
 - free polysilicon rods 232
- structured silicon beams 404
- stuck-at fault model 431
- study-abroad programs 604
- substrate implantation 194
- substrate isolation 165
- substrate removal 194
- substrate resistance 169
- subtractive processing 267
- sulfuric acid-based chemistries 268
- supercapacitors 506, 507
- supercritical CO₂ 270

- supercritical nitrogen fluid 270
 - superintelligence 589–591
 - superjunction 176
 - devices 170
 - research and development activities 172
 - superjunction MOSFET 199
 - HV-MOSFET 171
 - superjunctions 166, 199
 - technology 165
 - surface-induced dispersion 195
 - surface modification agent 271
 - surface passivation 198
 - surface plasmon resonance (SPR) 213
 - surface preparation 268
 - surface treatment 273
 - sustainable energy 164
 - switch devices 180
 - switching circuits 169
 - switching ON–OFF 84
 - switching PAs 158
 - switching polarity 126
 - synchrotron 246
 - synthesis tools 369
 - synthetic biology 373
 - system architectures 385
 - design 380
 - system engineers 390
 - system in package (SiP) 588
 - structures 246
 - system modeling 386
 - system of systems 531
 - system on chip (SoC) 54, 363, 433, 537
 - embedded instruments 433
 - test architecture 434
 - system properties 375
 - system requirements 48
- t**
- tablets 49
 - 1T1C CBRAM memory structure 128
 - 1T/1C ferroelectric memory 121
 - tear analysis sensors 464
 - tear fluid glucose levels 464
 - technology-dependent transformations 342
 - technology mapping 349
 - for low power 341
 - technology readiness level (TRL) 554, 571
 - telecommunication 536, 575
 - telematics application programs 574
 - temperature 540
 - terahertz circuits 161
 - terahertz CMOS 160
 - terahertz imaging 211
 - terahertz or submillimeter wave spectrum 159
 - terahertz products 160
 - terahertz radiation 211
 - terahertz waves 159
 - test access mechanism (TAM) 434
 - test access port (TAP) 434
 - test data register (TDR) 435
 - testing role 427
 - test pattern generation 440
 - test process 429
 - test vector generation circuitry 433
 - textile-integrated health patch 465
 - therapy monitoring 460
 - thermal actuators 216
 - thermal annealing process 275
 - thermal-aware logic synthesis 347
 - thermal budget 271
 - techniques 274
 - thermal conductivity 200, 238
 - thermally controlled artificial muscles 216
 - thermal voltage noise limit 141
 - thermionic limit 141
 - thermo-, piezo-, or electrodynamic generators 537
 - thin AlGaN gate barrier 191
 - thin film deposition 275
 - thin film EUV lithography 279
 - thin film transistor (TFT) 505
 - thin oxide electrical quality 271
 - three-dimensional analysis 246
 - threshold logic gates (TLG) 439
 - threshold logic synthesizer (TELS) 439
 - through silicon via (TSV) 246
 - thyristors 484
 - time-dependent dielectric breakdown (TDDB) 318, 322
 - time redundancy 436
 - timing language 386
 - tip-enhanced Raman spectroscopy (TERS) 251
 - topology manipulation 349
 - traditional beam line implanter 274
 - traffic density 540
 - traffic management 490, 540, 541
 - transducers 205
 - integration and connectivity 218
 - transfer characteristics of tunnel FET pixel, at light intensity 150
 - trans-humanism 592
 - transient defects 438
 - transient-enhanced diffusion (TED) 273
 - transistors 141, 206, 280

- architecture 318
 - Bardeen, John 7
 - Brattain, W.H. 7
 - channel, mass of carriers 102
 - concepts 53
 - current 15, 100
 - degradation 323
 - mechanisms, voltage dependence 323
 - devices 87
 - drain current changes 324
 - effect 5, 51
 - electrical width 94
 - fabrication 43
 - innovation
 - 1998 ITRS, equivalent scaling vision 35
 - reliability issues 322–325
 - self-mixing behavior of 161
 - threshold voltage 73
 - transistor-to-transistor isolation 18
 - transmission gate logic, and one-pass synthesis 356
 - transmission lines 407
 - transnational collaboration 569
 - transportation systems
 - CO₂ and toxic emissions reduction 491
 - transport enhancement, material engineering 101
 - 1T1R architecture 131
 - trench access transistors 275
 - trench MOSFET 189, 190
 - trichlorosilane 227, 228
 - TriGate 90, 99
 - triple-level cell (TLC) 120
 - true fabrication technology 464
 - truth table, algebraic expressions, and PLA implementations of logic function 337
 - tungsten silicide 30
 - polysilicon gate MOS process 30
 - tunnel FET 43, 143, 145, 148, 150
 - optical sensors 149
 - tunnel transistor. *see* tunnel FET
 - turing machine 113
 - two-dimensional electron gas (2-DEG) 185, 186
- u**
- ultrahigh voltage–high-injection devices 183
 - ultralow power (ULP) 133
 - electronics 536
 - wristband 467
 - ultrashallow junctions 273
 - ultrashort channel 100
 - ultrashort devices 100
 - ultrasonic sensors 493, 496
 - ultrasonic transducers 215
 - ultrathin body (UTB) 92
 - ultrathin body and BOX (UTBB) 92
 - device 92, 93
 - parasitic capacitances of 97
 - three-dimensional schematics 90
 - ultrathin oxides 271
 - under-represented minorities (URM) 604
 - unified modeling language (UML) 368, 385
 - unipolar memories 131
 - United States
 - built equipment 27
 - health care cost 455
 - owners 563
 - US National Nanotechnology Institute 502
 - university-industry cooperative programs 608
 - unmanned automated vehicles 490
 - Uppaal-Tiga 389
 - urban energy generation 538
 - urban manufacturing locations 543
 - urban mobility 541
 - urban processes 531
 - infrastructure 541
 - UV light 17
- v**
- vanadium dioxide (VO₂) 145
 - Van der Waal (vdW) 502
 - Van Neumann architecture 52
 - vapor phase doping 172
 - variability-reliability interactions 325
 - vehicle communication systems
 - security breaches 497
 - vehicle-to-infrastructure (V2I) 491
 - vehicle-to-vehicle (V2V) 491
 - velocity limitation 101
 - ventilation 538
 - vertical alignment (VA) 516
 - vertical buffer 193
 - vertical-channel CAT (VCAT) 117
 - vertical devices 188
 - vertical DMOS 171
 - vertical 3D RRAM (VRRAM) architecture 132
 - vertically stacked double-gate SiNW transistors 354
 - vertically stacked nanowires 90
 - Vertical NAND (V-NAND) Flash 120
 - vertical pillar transistor (VPT) 117
 - vertical ReRAM 132
 - video cameras 493
 - video sensors 543
 - virtual European research institute 587

- virtual factories 546
- virtual integration 371, 372
- virtual world models 499
- vision zerotarget for road safety 490
- VLSI Symposium 32, 33
- V-model, pictorial representations for 372
- volatile etch products 282
- voltage-controlled oscillator (VCO) 156
- voltage converters 537
- voltage doping transformation (VDT) 76
- voltage rating 170, 177
- volume-dependent forces 208
- Von Neumann architecture 39, 113
- Voronkov theory 239

- W**
- wafer
 - cost of producing 27
 - fabrication 184
 - heat 543
 - size conversions 31, 32
 - specification, for key parameters 242
 - wafer-to-wafer assembly 416
- water-based cleanings 269
- water causing pattern collapse 269
- watermarks 269
- wave radar applications 212
- wax-mounting process 234, 235
- wearable bioimpedance sensor patch
 - system 461
- wearable devices 363, 460
 - medical-grade 457
- wearable health care application domains,
 - technologies for 64
- wearable sensors 363, 459
- wearable wireless bioimpedance patch 461
- weather conditions 541

- Weibull failure distribution 319
- welding 418
- Western Institute of Nanoelectronics (WIN) 42
- wet-ambient diffusion 9
- wet cleaning 268
- wet etching 279
- wide-bandgap semiconductors 164, 177
- WiFi 155
- wind energy 163
- wire bonding 415, 416
- wireless communications 154, 536
 - for consumer electronics 503
 - systems 540
 - technologies 536
- wireless sensors 461
 - nodes 211
- World Energy Outlook 472
- World Semiconductor Council (WSC) 34
- WPAN 155

- X**
- 1975-203X, ages of scaling 47
- X-ray
 - detection chain 248
 - micro-Laue diffraction 246
 - for strain measurements 253
- X-ray absorption near-edge structure (XANES) 256
- X-ray computed tomography (XCT) 246
- X-ray diffraction (XRD) 253
- X-ray fluorescence (XRF) 256
- X-ray focusing devices 251

- Z**
- Zeno behaviors 370
- zero-power technologies 534
- zone technique (FZ) 232

