

Index

a

abrasion 275, 276, 279, 467, 469, 474

absolute pressure transducers 87

acoustic emission measurements 92

 defluidized zones 462–464

 internals erosion 464–467

agglomerates 62, 190, 252, 273, 274, 463, 475, 477, 478, 483, 554

agglomeration 2, 87, 94, 98, 173, 190, 192, 194, 270, 273–274, 388, 391, 406, 414, 451, 482

angle of internal friction 18, 67, 82, 85–86

angle of repose 18, 82, 84, 85, 533

angle of upward jets 466

annulus 534

 fluid flow in 535

anti-static agents 451–452

apparent reaction kinetics 341, 342

Archimedes number 21, 22, 26, 34, 40, 169, 278, 304, 563

attrition 2, 4, 274–278

 jet-target 473–474

 modeling 276–278

 nozzle 472

 particle 467–468

 rate 278, 474–475

automatic solids flow devices 219–222

automatic solids recirculation systems 212–213

autothermal limits 420

axial gas dispersion coefficient 168–170, 256, 442, 443

axial solids dispersion coefficient 171–173

b

backmixing coefficient 169–170

baffles

 advantages of 446

 on bed expansion 442

 on bed hydrodynamics 439–445

 catalyst stripper 438

 for fast fluidized bed risers 446

 fixed packings 436–439

 in fluidized beds 432

 gas dispersion coefficients 443

 geometric characteristics of 432–439

 high-velocity fast fluidized beds 446–447

 horizontal 432–435

 industrial fluidized beds 445

 design of 447–449

 louver 432, 433, 435, 441, 442

 low-velocity dense fluidized beds 432, 439–446

 vertical 435–436

bed contraction vs. expansion 568

bed defluidization 274

bed diameter 192, 394, 534, 543

bed dynamic pressure drop 562, 563

bed expansion 2, 48, 119, 139, 142–143, 159, 173, 408, 442

bed hydrodynamics 439–445

 impact of 476

bed pressure drop fluctuations 460

bed-to-surface heat transfer 47–48

- bed-to-surface heat transfer (*contd.*)
 - correlations for 302–304
 - fast and circulating fluidized beds 316–318
 - fluidized bed and immersed surfaces 304–314
 - gas convection component 298–299
 - maximum heat transfer coefficient 299–302
 - methods of augmenting 314
 - particle convective component 294–298
 - radiative 314–315
 - bed transport 560
 - bed voidage profile 350–351
 - bed volume fractions 350
 - bench-scale testing 271
 - biomass combined heat and power (CHP) 416–417
 - bivariate time series
 - cross-correlation coefficients 96–97
 - cross-spectral density function 97
 - joint probability density function 96
 - boundary conditions 122–123, 133, 348, 377, 535, 558, 578
 - bubble caps 79, 555, 561
 - bubbles *see also* voids
 - bed expansion 142–143
 - breakup 137, 564
 - bursting 184
 - cloud formation 137–138
 - coalescence 139
 - definition of 2
 - diameter 167
 - effect on mixing 143–144
 - flow of gas by translation of 139–140
 - flow patterns 460
 - in fluidized beds 134–135
 - form 133
 - in freely bubbling bed 142
 - gas-fluidized beds 146
 - gas mixing 145–146
 - hydrodynamic properties of 135–138
 - interactions 139
 - inter-phase mass transfer 137–138, 320
 - in liquids 134–135
 - maximum stable size 137
 - mean diameter 140–142
 - particle segregation 144–145
 - radial non-uniformity of 143–144
 - rising velocity 135
 - single 135
 - solids mixing 144–145
 - turnover time 144–145
 - volume fraction 142
 - wakes 135–137, 567
 - bubbling
 - fluidized bed with tube bundle 123–124
 - freely bubbling beds 129–146
 - onset of bubbling fluidization 55–57
 - turbulent fluidized beds 190–191
 - bulk density
 - and flowability 16–18
 - voidage 16–18
 - buoyancy force 43, 281, 501, 502
- C**
- calcium looping technologies 419
 - carryover, *see* entrainment
 - catalyst stripper baffles 438
 - catalytic fluidized-bed reactor
 - catalytic process 334
 - CFD models 353
 - components 76–78
 - comprehensive reactor modelling 352–353
 - vs. gas-solid reactors 336
 - mass/mole and energy balances 345
 - model verification and validation 353–355
 - programming and numerical solution 356
 - reaction rate expressions 345–348
 - requirements 335
 - scale-up of 419–422
 - single-phase models 346–348
 - standard two-phase theory 349–352
 - CFD–DPM 110
 - limitations of 119

- of small-scale circulating fluidized bed 124–125
- chemical looping assisted by oxygen uncoupling (CLaOU) 388
- chemical looping combustion (CLC) 387, 388
- chemical looping processes 387
- chemical looping reforming (CLR) 388
- chemical looping technology 388
- chemical looping with oxygen uncoupling (CLOU) 388
- chemical reactor scale-up 405
- choking 2, 63, 534, 535
- circulating fluidized bed (CFB)
 - advantages 241
 - axial and radial distributions (profiles) 243–246
 - basic parameters 241–243
 - characteristics of 240–241
 - CFD–DPM Simulation of 124–125
 - circulating turbulent fluidized bed 249–250
 - definition of 1–2, 239–240
 - fast fluidization and 62–64
 - flow pattern transitions in 64
 - gas and solids mixing 256–258
 - fast heat transfer 316–318
 - hydrodynamics 261–262
 - loop configuration 218
 - micro-flow structure 250–256
 - pilot plant units 407
 - radial profiles of solids distribution 246–248
 - reactor performance of 258–260
 - solids distribution 246–248
 - solids holdup/voidage 243–246
- circulating fluidized bed combustors (CFBC) 212, 245
- circulating turbulent fluidized bed (CTFB) 241, 249–250
- cloud formation 137–138, 157
- cloud-wake phase 352
- clusters 2, 190, 251–253, 256
- coal pyrolysis 521–523
- coarse-grained particle (CGP) 110
- coefficient of restitution 15, 414
- coherent frequency 97
- column diameter effect 172–173, 409–411
- compartmental flow models
 - fluidized bed 561
 - freeboard 562
 - plenum and fluid distributor 560–561
- comprehensive reactor modeling 336, 352–353
- comprehensive two-phase reactor models 354
- computational fluid dynamics (CFD)
 - boundary conditions 122–123
 - development of 415
 - discrete element method (DPM) 115–119
 - for fluidized-bed catalytic reactors 353
 - gas–solid interaction 119–122
 - two-fluid model (TFM) 110–115
- conical spouted beds 534
- contact angle, of liquid 12
- contact electrification 269
- continuity equations 111, 503
- continuous stirred tank reactor (CSTR) 347, 431, 432, 556, 580
- controlled solids recirculation systems 213–215
- conventional spouted beds (CSBs) 543
- core–annulus flow structure 64, 165–167, 247, 251, 257, 446
- Coulomb's law 269
- cross-correlation function 96, 97, 243
- crosser grid 435, 439, 445
- cross-spectral density function 96, 97
- cyclone diplegs 206, 212, 213, 219–222, 227, 432, 459, 465
- cyclone recirculation system 213
- cyclones 222–223
 - dimensions and design 228–229
 - dipleg 206, 219, 222
 - flow patterns 225, 226
 - gas outlet tube (GOT) 228
 - inlet design 227
 - inlet gas velocity for 228
 - internal vs. external 227

cyclones (*contd.*)

- in parallel 226–227
- pressure drop 224
- reverse-flow 225, 226
- in series 226
- solid loadings effect 227–228
- types 223–225
- uniflow 223
- vortex length of 228

d

- Darcy's law 535, 537
- data analysis
 - bivariate time series 96–97
 - frequency analysis 95–96
 - other signal analyses 98
- deep bubbling beds 144
- defluidization 94, 210, 274, 390, 436, 471, 473, 556
- defluidized zones
 - distributor design 463
 - low distributor pressure drop 462–463
 - sticky/agglomerating solids 463
- demo-scale systems 419
- dense bed height 159, 192, 531
- dense phase
 - definition of 2
 - interphase 320
 - solids holdup 167
- density, of liquid 12
- dielectric constant 16
- differential pressure transducers 19, 88, 155
- diffusion coefficient 113, 145, 347, 350
- dilute phase 2, 61, 62, 90, 92, 163, 222, 244, 251, 257, 464, 531
- dilute-phase spouting 546
- dilute transport zone 183
- dimensional similitude 413–414
- direct numerical simulation (DNS) 110, 120
- discharge coefficient 80, 82, 106
- discrete particle method (DPM)
 - governing equations 116–119
 - limitations of CFD–DPM 119

- distributor 2
 - design 48, 79, 123, 408, 415, 463, 561
 - plates 39, 79–82, 84, 88, 105, 272, 274, 275, 278, 458
 - pressure drop 461–462, 465
 - three-phase system 560–561
- actual distributor pressure drop 461–462, 465
- downer-based coupled reactors 519
- downer reactor
 - CFD–DEM simulation 512, 513
 - coal pyrolysis 521–522
 - conception and characteristics 499–501
 - DCC process 520
 - definition of 2
 - downer-riser coupled 518, 519
 - Eulerian–Eulerian model 509–511
 - Eulerian–Lagrangian model 511–514
 - fast separation of gas and solids 517–518
 - FCC 519–520
 - features of 522
 - with force balance analysis 502
 - gasification 521
 - heat transfer in 506–507
 - high-density 518
 - hydrodynamic 501–503
 - inlet design 514–516
 - mixing 503–506
 - outlet design 517
 - reaction engineering model 509
 - scale-up effect of 511
- downer–riser coupled reactor 518–519
- downward vertical jets 466
- draft tube attachment 482
- drag force 14, 40, 43, 111, 117, 119–121, 138, 181, 184, 193, 217, 253, 281, 501
- drag models 111, 119–121, 125
- dual gasifier 417–419

e

- ebullated bed 555, 578–580, 582
- sizing 577

- electrical conductivity 16
 - electrical fields 450
 - electrostatic charge 194–195
 - Faraday cage 272
 - measurement and prediction of 271–272
 - mitigation techniques 272–273
 - electrostatic force 55, 195, 270, 273, 282
 - electrostatic precipitators 94, 229, 230, 420
 - elutriation
 - definition of 2, 184
 - rate constant 62, 185–186, 190, 191
 - endothermic reaction 340, 420, 439
 - energy balance 347, 348
 - equation 112
 - for gas phase 111
 - mass/mole balance 345
 - energy minimization multiscale (EMMS) model 121, 557
 - entrainment 181–196
 - ejection of particles into the freeboard 184–185
 - reducing 195
 - of solid particles from fluidized beds
 - dense bed height 192
 - electrostatic charges 194–195
 - geometry and shape of freeboard 192
 - internals 192–193
 - particles properties 191, 192
 - pressure and temperature 193–194
 - transport disengagement height (TDH) 182–183, 185–190
 - from turbulent fluidized beds 190–191
 - equilibrium reactor simulation 341
 - equimolar inter-phase mass transfer 353
 - erosion, *see also* wear
 - anti-erosion measures 449
 - Eulerian–Eulerian computational fluid dynamics (CFD) model 508
 - Eulerian–Eulerian (E–E) models 109, 272, 415, 475, 509–513
 - Eulerian–Lagrangian (E–L) models 109, 115, 119, 272, 508, 511–514
 - exothermic reactions 293, 317, 340, 437
 - external mass transfer 341, 365–369, 373, 374, 538
- f**
- fabric filters 229
 - fast fluidization 411–412
 - and circulating fluidized bed 62–64
 - fast Fourier transform (FFT) 95
 - feeding system 78, 81–83
 - finer content effect 173
 - Fischer–Tropsch synthesis 406, 407, 572
 - fixed-(dense)-fluidized bed (FFB) system 407
 - fixed packings 432, 436–440, 445
 - flowability 16–18, 84
 - characterization of 84–86
 - particles or powders 76
 - flow regimes
 - bubbling regime 564–565
 - minimum liquid fluidization velocity 562–564
 - fluctuation, pressure 59
 - fluid catalytic cracking (FCC) 3, 25, 63, 140, 174, 183, 239, 245, 274, 435, 478, 508
 - fluid flow
 - in annulus 535
 - in spout 536
 - fluidizability 17, 18, 75
 - quality of fluidization 84–87
 - fluidized bed combustor 1, 273, 291–293, 387, 390, 413, 414
 - fluidized bed operation
 - shutdown 94
 - start-up 94
 - steady-state operation 94
 - fluidized bed reactors 112
 - for gas–solid reactions 364

- fluidized bed reactors (*contd.*)
 - design 334
 - modelling
 - mass/mole and energy balances 345
 - model development 337–338
 - reaction rate expressions 345–348
 - structure and reaction 338–342
 - two-phase theory 349–352
 - fluidized bed systems
 - acoustic emission measurements 92
 - configuration and design
 - auxiliary components 83–84
 - column material 78–79
 - distributor or orifice plate 79–81
 - feeding system 81–83
 - hopper design 82
 - plenum chamber 81
 - gas/solids sampling 92–93
 - isolated location 76
 - mixing and residence time
 - distribution 93
 - non-invasive measurements 90–91
 - optical probes 89–90
 - pressure measurement 87–89
 - scale-up 75, 76
 - secondary injection of fluid 84
 - solids circulation flux 92
 - thermal sensors 89
 - visualization measurements 91–92
 - fluidized catalytic cracking (FCC)
 - process 203, 204
 - fossil fuel combustion 387
 - freeboard
 - definition of 2, 562
 - diameter 192
 - ejection of particles into 184, 185
 - gas-liquid separation 578
 - geometry and shape of 192
 - voidage profile 350–351
 - freely bubbling bed 93, 139–146, 450
 - rising velocity of bubbles in 142
 - frictional force 14, 280, 282
 - frictional model 114–115
 - Froude numbers 425
- g**
- gas backmixing 169, 170, 173, 246, 249, 256, 442, 443
 - gas cushion 439, 440, 442
 - gas dispersion coefficients 168–171, 173, 256, 442, 443
 - gas distributors
 - operating problems 459
 - perforated plates 457, 458
 - spargers 458
 - gaseous reactant 241, 364–367, 369, 371, 373, 374, 376–379, 381–383, 385, 386
 - gas fluidization
 - circulating fluidized bed 62–64
 - fast fluidization 62–64
 - gas–solid fluidized beds 64–65
 - gas–solid vertical transport 65–68
 - Geldart powder classification for 24–27
 - onset of bubbling fluidization 55–57
 - onset of fluidization 55
 - onset of slugging fluidization 57–58
 - onset of turbulent fluidization 58–61
 - pressure and temperature 68–69
 - termination of turbulent fluidization 62
 - gas-fluidized beds 131, 541
 - advantages 3
 - applications 5, 9
 - bubbles formation 133
 - disadvantages 3, 4
 - effects of hydrodynamics 408
 - factors influencing bubbles in 146
 - gas properties 11
 - gasification 417–419
 - gas jets 463–465, 467, 469, 478, 481–483, 560
 - gas–liquid jets
 - applications 478
 - mechanism for 477–478
 - gas–liquid mass transfer 571, 572, 579
 - gas–liquid–solid fluidization 552–582
 - applications 554–556
 - compartmental flow models 558–562

- description and classification
 - 553–554
 - reactor design 556–558
 - reactor scale-up 558
- gas mixing 145–146, 168–171, 256, 257, 443, 445
- gas outlet tube (GOT) 212, 223, 225, 228
- gas-perturbed liquid model 562
- gas–solid conversion 381–386
- gas–solid fluidized beds 55, 64, 65, 378, 380, 382, 384
 - application 475–476
 - bed hydrodynamics, impact of 476
 - injection system design 476
 - jet penetration 476
 - flow regime diagram for 64–65
 - mechanisms 475
 - nozzle inclination 476
 - solids entrainment 476
- gas–solid interaction
 - drag force 119–121
 - heat transfer 121–122
- gas–solid jets entrainment 476
- gas–solid reactions 363
 - fluidized bed reactor for 364
 - for single particle 364–377
- gas/solid sampling 92–93
- gas–solid two-phase flows 499, 500
- gas–solid vertical transport 65–68
- gas-spouted beds 540, 541
- gas streamlines 535, 537
- gas-to-liquid ratio (GLR) 480
- gas transition velocity 577
- gas turbulence–solid turbulence model 509
- Geldart powder classification 24–27, 57, 86, 191, 408
- Geldart powder groups 2, 11, 24, 27
- Gidaspow drag model 113, 120
- glidants 431, 449, 451–452
- governing equations
 - discrete particle method 115–119
 - two-fluid model (TFM) 110–115
- granular-bed filters 230
- gravity force 116, 281, 503, 558
- grid
 - crosser 435, 439, 445
 - definition of 2
- h**
- hard-sphere model 116
- Hausner ratio 17, 84
- heat and mass transfer
 - bed-to-surface transfer 47–48
 - interphase transfer 46–47
- heat exchanger 80, 278, 280, 317, 330, 408, 478
- heat exchange tubes 435, 437
- heat losses 347, 408, 420
- heat transfer
 - augmenting methods 314
 - bed-to-surface 294–302, 314
 - correlations, for fluidized beds 302–304
 - distributor jets 467
 - downer reactor 506
 - effect of pressure 303
 - in fast and circulating fluidized beds 316–318
 - fluidized bed and immersed surfaces
 - correlations for vertical tubes 306–309
 - finned tubes and non-cylindrical tubes 312–313
 - horizontal tubes 313–314
 - Martin's correlation 309–312
 - Molerus and Wirth correlation 304
 - gas–solid interactions 121–122
 - gas–solid phases 111, 112
 - interphase 293–294
 - radiative 314–315
 - spouted beds 538
- heat transfer coefficients
 - bed and vertical tubes 309
 - measurements of 305
- heavy oil hydroprocessing reactors 555
- Higbie penetration model 538
- high-density downer 518
- hopper design 82–83

- horizontal baffles 432–435, 439, 440, 445, 447, 448
- horizontal jet 80, 464–467, 472
- hybrid standpipes 203, 214
- hydrocrackers 575, 577, 580
- hydrodynamic force 117, 187
- hydrodynamics
 - fluid inlet diameter and cone angle 532–533
 - fluid flow in annulus 535
 - fluid flow in spout 536
 - influence of scale 408–412
 - maximum spoutable bed height 534–535
 - minimum spouting velocity 533–534
 - pressure drop 536–537
 - solid particles 537–538
- i**
 - injection system design 476, 479–482
 - draft tube attachment 482
 - gas jets 482
 - impact attachment 481
 - laboratory nozzles 480
 - non-rodable commercial nozzles 480
 - rodable commercial nozzles 480–481
 - shrouds 481
 - spray nozzle 480
 - upstream piping 479–480
 - inlet gas velocity 226–228
 - in situ gasification chemical looping combustion (iG-CLC) 388
 - instrumentation documentation 423
 - internal porosity 13–14, 373, 376
 - internals, *see* baffles
 - internals erosion 464–465
 - interphase mass transfer 112, 137–138, 318, 355
 - bubble to dense-phase 320
 - bubble-emulsion 431
 - equimolar 353
 - interphase transfer 46–47
 - intrinsic reaction kinetics 341, 342, 558
 - inverse fluidization 39
- j**
 - jet grinding 471
 - jet-in-fluidized-bed 540
 - jet milling mechanisms 469
 - jet penetration 471, 478
 - bed hydrodynamics, impact of 483
 - depth 476
 - injection system design 479–482
 - lengths 80
 - spray jets, interactions between 483
 - nozzle inclination 482
 - solids entrainment 478–479
 - jets
 - formed in fluidized bed grinding 469–471
 - nozzle design 472
 - solids entrained into 471–472
 - jets coalescence 466–467
 - jets, gas distributors 457–467
 - actual distributor pressure drop 461–464
 - merging and coalescence 466–467
 - uniform 459–461
 - upward vertical jets 465
 - jet-spouted bed 546
 - jet-target attrition 473–474
 - joint probability density function 96
- k**
 - kinetic energy 277
 - kinetic granular theory 112–114, 123
 - Kunii and Levenspiel (K-L) bubbling bed model 351–352, 382–384
- l**
 - laminar flow 158, 304
 - Langmuir–Hinshelwood type rate expressions 365
 - laser Doppler velocimetry (LDV) 90 256
 - laser sheet methods 90
 - layer inversion 41–43
 - condition 42

- velocity 46
 - voidage 43–46
 - Le Chatelier's principle 339, 340
 - liquid
 - properties 12
 - recirculation 578
 - liquid fluidization 33–48
 - field of existence 33–35
 - layer inversion 41–46
 - superficial velocity 37–40
 - liquid-fluidized bed 35, 36, 40, 46
 - distributor design 48
 - heat and mass transfer 46–48
 - homogeneous expansion 35, 36
 - particle segregation and mixing 40–41
 - voidage 37–40
 - liquid–solid mass transfer 571–572
 - local void size 166
 - lockhopper 232
 - log-normal distribution 16
 - loop seal 2, 219, 222, 239
 - louver baffles 432–435, 440–442
 - low-density circulating fluidized beds (LDCFB) 245, 258
 - lumped model, single-phase 346
- m**
- macro solids circulation 447
 - magnetic fields 146, 450–451
 - mass transfer
 - bubble to dense phase interphase 320
 - in distributor jets 467
 - particle and fluid 318–319
 - spouted beds 538
 - mass transfer coefficient 350, 367, 368
 - bed-to-surface 47
 - interphase 138, 320, 553
 - gas–liquid 572
 - liquid 572
 - mass/mole balance 345, 346, 352
 - Mathur–Gishler equation 533
 - maximum heat transfer coefficient 299–304, 309, 312
 - maximum spoutable bed height 532, 534–535
 - mean particle diameter 16, 18, 25, 77, 136, 169, 278, 424
 - membrane reactor 2
 - membrane walls 2, 317
 - membrane water-wall assembly 317
 - mesh grids 432, 433, 442, 443, 445
 - methanol-to-olefin (MTO) 5, 438
 - micro flow structure 250–256
 - minimum bubbling velocity 24, 26, 55, 131, 206
 - minimum fluidization velocity 11, 18–25, 27, 34, 39, 55, 83, 104, 131, 147, 190, 205, 299, 314, 321, 330, 349, 383, 501, 534, 547, 577
 - minimum spouting velocity 532–534
 - mixing time distribution 93
 - model balance 347
 - model development, reactor 337–338
 - molecular diffusivity 169, 347, 368
 - multiphase computational fluid dynamics 547
 - multiphase particle-in-cell (MP-PIC) methods 110, 119, 123, 512
 - multiphase reactor modeling 557, 558
 - multiple spouted bed 543
 - multistage spouting 544
- n**
- Navier–Stokes equations 120
 - Newtonian fluid 112
 - Newton's equations 116, 120
 - Newton's law 15, 511
 - non-conventional spouted beds 543–546
 - non-invasive measurements 87, 90–91
 - non-mechanical solids flow devices
 - automatic solids flow devices 219–222
 - control mode of operation 216–218
 - non-porous particles, reaction models for 365–373
 - shrinking particle reaction 365–366

- non-porous particles, reaction models for (*contd.*)
 - shrinking unreacted core particle reaction 369–373
- non-rodable commercial nozzles 480
- nozzle design
 - bed hydrodynamics, impact of 473
 - inclination 472
 - laboratory nozzle 480
 - opposing jets 473
- Nusselt number 122, 293, 298, 310, 318
- Nyquist sampling theorem 87

- O**
- opposing jets 473, 474
- optical probes 89–90, 94, 96, 107, 243
- Orcutt's model 351
- ordinary differential equations (ODEs) 337, 524
- orifice plate 79, 321
- overflow fluidized-bed dipleg 222
- overflow fluidized standpipe 207–208, 212, 219
- oxy-fuel 387
- oxygen carrier (OC) 387
- oxygen carrier aided combustion (OCAC) 387, 390

- P**
- packed-bed flow 20, 206
- packet theory 294–297, 301
- pagoda-shape internals 437, 442, 4445
- parallel cyclones 226–228, 408
- partial differential equations (PDEs) 337, 377
- particle aggregation processes 253, 255
- particle attrition 274–276
 - modeling 276–278
 - tribocharging at distributor holes 467–468
- particle-bubble interaction 570
- particle clusters 35, 193, 252, 256
- particle density
 - definition of 86
 - nonporous particles 13
- particle entrainment 62, 568–569
- particle fluidizability 18, 86, 196
- particle mixing 5, 40–41, 139, 144, 171, 173, 569
- particle segregation 20, 40–41, 144–145, 542
 - model 43, 45, 49
- particle shape 12–13, 17, 27, 562
- particle sheets 253
- particle size 12, 26
 - critical 191
 - distribution 3, 16, 23, 24, 27, 173, 187, 275, 413, 541
 - transfer for 296
 - mean 68, 86, 541
- particle streamers/strands 253, 255
- particle swarms 253, 255
- particle terminal velocity 38–40, 62, 172, 257, 575, 577
- particle velocity
 - jet in fluidized bed 469, 470
 - on jet centreline 469–470
- parvoids 35
- Peclet number 145, 169, 506
- perforated plates 79, 433, 457, 458
- phase holdups 565–569, 579
 - estimation of 578
 - in gas–liquid–solid fluidized bed 588–589
- phase mixing 569–570
- phosphorus particle tracer technique 258
- pierced sheet grids 79
- piezometric pressure 34
- pilot scale unit 405, 408, 412
 - biomass combined heat and power (CHP) 416–417
 - calcium looping technologies 419
 - dual gasifier 417–419
 - purpose of 415–416
- piping and instrumentation diagrams (P&IDs) 422
- piston test 85
- plenum chamber 3, 78, 81, 84, 88, 96, 458, 560, 561, 578
- plug flow reactor (PFR) 347, 361, 556

- porous particles 373
 - particle density 86
 - reactions of complete consumption 373–374
 - of unchanging overall size, reactions 374–377
- positron emission particle tracking (PEPT) 91, 466
- Prandtl number 122, 318
- pressure drop 536–537
 - actual distributor 461
 - cyclone 223, 224
 - dry distributor 461
 - fluidized underflow standpipes 210
 - in overflow fluidized standpipe 207, 208
 - vs. superficial velocity method 18–20
 - underflow packed bed standpipe 208
- pressure fluctuations
 - in bubbling fluidized beds 441
 - in fluidized beds 95, 459
 - standard deviation of 20, 56, 59–60, 163
- pressure gradient force 111, 117
- pressure measurement 87–89, 95
- pressurized vessels 78
- primary cyclone diplegs 212, 219, 220, 232
- primary diplegs 219–220
- process control documentation 423
- process flow diagrams (PFDs) 420, 422
- pulsating fluidized bed 451
- pulsating vertical gas jet
 - expansion cycle 464
 - MRI measurements 464, 465
- punched plate distributor 463
- pure liquid jets 477
- pycnometer 86
- r**
- radial gas dispersion coefficient 170, 171, 173
- radiative heat transfer 299, 310, 314–315
- radioactive particle tracking (RPT) 91
- rate-controlling step 365, 371, 373, 376, 377
- Rayleigh–Taylor instability 137
- reaction engineering model 508, 509
- reaction equilibrium 339–340
- reaction kinetics 340–342, 344, 378
 - apparent 342
 - intrinsic 342, 558
- reaction rates 345–348
- reactor compartments 579
- reactor configurations 334
- reactor design 582
 - fluidized bed catalytic reactors 334
 - gas–liquid–solid (GLS), fluidized beds 556–558
 - gas–solid 364
- reactor economics 421
- reactor energy balance 347, 348
- reactor geometry 262, 555, 560
- reactor model 580
- reactor performance
 - coarse particles 385–386
 - fine particles 382–385
 - of circulating fluidized beds 258–260
 - evaluation of 581
- reactor pressure balance 348
- rectangular fluidized bed 321
- relative humidity 17, 82, 273
- residence time distribution (RTD) 93, 168, 169, 514
- reverse-flow cyclones 223–226
- Reynolds number 21, 22, 34, 38, 40, 46, 80, 120, 133, 169, 172, 368
- Richardson–Zaki equation 37–40
- riser
 - bubble cap 561
 - CFB 63, 219, 239, 243, 249, 253, 255, 256, 258, 260, 270
 - definition of 3, 63
 - vs. downer 514, 520, 522
 - FCC 63, 214, 245, 258, 482, 483
 - HDCFB 247
 - particle clusters in 252
 - two-stage 518

- rise velocity 57, 166, 167
 - of gas bubbles 568
 - rodable commercial nozzles 480–481
 - Rosin–Rammler distribution 16
 - rotameters 83, 84
 - rotary valves 231
 - round-nose slugs 57, 153–154, 158
- S**
- saturation carrying capacity 62
 - Sauter mean 12, 16, 25, 44, 77, 278, 533
 - scale-up
 - dimensional similitude 413–414
 - framing questions 412
 - hydrodynamic studies 412
 - pilot-scale units 412
 - Schaeffer's model 115
 - Schmidt number 169, 318, 368
 - scrubbers 229
 - secondary cyclone dipleg 212, 213, 219, 220, 236
 - secondary diplegs 212, 213, 219, 220, 236
 - segregation 3, 40–41, 144–145
 - separation devices
 - electrostatic precipitators 230
 - fabric filters 229
 - granular-bed filters 230
 - scrubbers 229
 - U-beam separator 230
 - series cyclones 226
 - Sherwood number 318, 368
 - shrinking particle
 - chemical reaction control 366–367
 - combined chemical reaction 369
 - external mass transfer control 367–368
 - external surface 374
 - steps in 366–370
 - shrinking unreacted core model
 - chemical reaction control 371
 - combined chemical reaction 372–373
 - internal diffusion control 371–372
 - shrouded jet 468, 481
 - shrouds 80, 481, 482
 - single bubbles, rising velocity of 135
 - single-phase models 346–348
 - single slugs
 - cloud formation 157
 - properties 156–157
 - slot-rectangular spouted bed (SRSB) 544, 545
 - slotted distributor 464
 - slug
 - definition of 156
 - frequency 159
 - rising velocity 158
 - single (gas) 156–157
 - spacing and length 158, 159
 - slug flow 153–160
 - continuous, hydrodynamics of 158–159
 - experimental identification of 155–156
 - gas in slugging beds 159–160
 - in fluidized beds 155
 - in liquids 155
 - mixing of solids 159–160
 - round-nosed 153–154
 - square-nosed 154–155
 - transition to 156
 - types of 153–155
 - uniformity and symmetry of 159
 - slugging bed
 - as chemical reactors 160
 - mixing of solids and gas 159–160
 - slugging fluidization, onset of 57–58
 - soft-sphere model 116, 117, 511
 - solid flow control devices/feeders 230–232
 - solid fuel combustion 386, 387, 389
 - solid particles 3
 - and bed transport 560
 - behaviour of 537–538
 - heat capacity of 116
 - parameters affecting entrainment of 191–195
 - reactions of 377–378
 - shrinking core reaction modulus 372
 - single 364
 - solids
 - circulation flux 92, 241

- definition of 3
 - distribution 246–248
 - entrainment 478–479
 - holdup/voidage 243–246
 - mixing 144–145, 171–172
 - return systems 203–206
 - sampling 92–93
 - solid–solid reactions 363, 377, 378
 - spargers 79, 458, 459
 - pipe 211, 459
 - tube configuration 458
 - uses 459
 - sphericity
 - definition of 13
 - for nonspherical particles 15
 - splash zone 182
 - spouted beds 531–548
 - applications 546–547
 - chemical reaction 538–539
 - fluidized bed 541–542
 - heat and mass transfer 538
 - hydrodynamics 532–538
 - non-conventional 543–546
 - slot-rectangular 544
 - spout-fluid beds 540, 543, 545, 546
 - spouting vs. fluidization 539–540
 - spray nozzle design 478, 480
 - square-nosed slugs 154, 155, 157
 - standpipes 203, 206
 - automatic solid recirculation systems 212–213
 - configurations 207
 - controlled solid recirculation systems 213–215
 - function 215–216
 - gas-solids flow in 214
 - hybrid 203
 - for nonmechanical solids flow devices 216–222
 - overflow fluidized 207–208, 219
 - in recirculating solid systems 212
 - relative gas velocity flow 205
 - types of 206–212
 - underflow fluidized 210–212
 - underflow packed bed 208–209
 - stoichiometric coefficients 345, 366, 369
 - Stokes law 22
 - Stokes terminal velocity 15
 - streamtube model 539
 - subsonic jets 465, 466, 471, 474
 - superficial gas velocity 241, 257
 - superficial velocity
 - definition of 3
 - gas 4, 25, 408, 577
 - liquid 47, 571, 575, 577, 587
 - vs. pressure drop 18–20
 - spout 536
 - surface roughness 14, 17
 - surface tension, of liquid 12
 - surface-to-bed heat transfer 339, 569–571
- t**
- tangential force 116, 117, 511
 - teetering 1
 - terminal settling velocity 14–15, 31, 39, 49, 58, 62, 66, 67, 119, 181, 184, 191, 193, 194, 580
 - thermal conductivity
 - effective 295, 297, 298, 302
 - of gas phase 122
 - probes 89
 - thermal conversion 363
 - of solid fuels 386–390
 - thermal flux probes 89
 - thermal properties, particle 16, 47
 - thermal response time 89
 - thermal sensors 89
 - thermal stresses 275, 418, 421, 449
 - thermoconductivity detector 93
 - thermocouples 89, 93, 278, 461, 555
 - thermodynamic equilibrium 339, 363
 - three-phase fluidization 554
 - three-phase spouting 546
 - tracer-observed gas streamlines 535
 - transition velocity 59, 64, 69, 163, 173, 411, 565, 577
 - transport disengagement height (TDH) 62, 139, 182–183, 185–190, 313, 410, 569

- tribocharging 270–272
 - in distributor jets 467–468
 - triboelectric charging 269, 270, 272, 273
 - turbulent fluidization
 - flow regime 410–411, 442, 457
 - onset of 58–61, 95
 - termination of 62
 - transition from bubbling to 164
 - turbulent fluidized beds 165, 166, 172
 - axial and radial voidage distribution 165–166
 - column diameter, effect of 172–173
 - finest content, effect of 173
 - gas mixing 168–171
 - local void size and rise velocity 166
 - solids mixing 171–172
 - void phase and dense phase solids holdup 167
 - void phase volume fraction 167
 - turnover time 144–145
 - two-fluid model (TFM) 110
 - frictional model 114–115
 - governing equations 110–112
 - kinetic granular theory 112–114
 - limitations of 115
 - bubbling fluidized bed with tube bundle, simulation 123–124
- U**
- U-beam separator 230
 - underflow fluidized standpipes 210–212, 214
 - underflow packed-bed standpipe 207–209, 217, 219
 - uniflow cyclones 223
 - uniform gas composition 378–381
 - uniform gas distribution 459–461
 - uniform reaction model 373
 - uniform voidage slip velocity 256
 - unsteady state gas convective heat transfer 295
 - upstream piping design 479–480
 - upward vertical jets 465
- V**
- van der Waals forces 14, 55, 116, 181, 192, 270, 301
 - vertical baffles 432, 435–437, 445
 - viscosity, of liquid 12
 - visualization measurements 91–92
 - voidage
 - bulk 16
 - contour plot 124
 - definition of 3
 - distribution 165–166
 - layer inversion 43–44
 - at minimum fluidization 27–28, 147
 - relationship 37, 40
 - time-average 107, 108
 - voids 131
 - fraction 14, 16, 111, 167, 168, 345
 - phase volume fraction 167
 - von Mises yield conditions 115
 - vortex length, of cyclone 228
- W**
- wastage, *see* wear
 - wear 4, 278–280, 464–465
 - wheat particles 531, 533
 - wheat spouting 536
 - windbox 3, 81, 83, 458, 460, 468, 541
 - Wurster tube 482
- Y**
- Young's modulus 117