

Index

a

- acetic acid 37, 44, 90, 91, 93
- acrylonitrile (AN) 302
- activated carbons 35, 50, 263,
286–288, 291, 293, 297, 298, 300,
307
- adamantane (ADA) 274
- adsorption of natural gas (ANG) 75
- aerogel 124, 125, 132–138, 153
- agglomerates 14, 15, 23, 153
- aggregates and agglomerates (NOAA)
23
- agricultural applications 49–50
- amine functionality 304
- ammonia-induced solid state
polymerization (AISSP) 125,
132, 133
- anodization 14
- antibiotic amoxicillin (AM) 129
- anti-inflammatory drug 130
- aryl iodide aminocarbonylation
reactions 270
- azide–alkyne cycloaddition 209
- 2,2-azino-bis(3-ethylbenzothiazoline-6-
sulfonic acid) (ABTS) assays
134
- aziridine 124

b

- bending modes 230, 248
- 1,4-benzenediboronic acid 295
- 1,4-benzenedicarboxylate (BDC) linkers
82
- β -cyclodextrin 178, 187, 189, 240, 270,
275

- bimetallic nanosponges 145–147
- Boltzmann relation 217
- Born–Oppenheimer approximation
231
- Boson peak (BP) 47, 239–241
- branched polyethyleneimine (bPEI)
124

c

- carbon black 6
- carbon capture and storage (CCS) 297
- carbon nanotubes 14, 16, 19, 144, 157,
287, 298
- 1,1'-carbonyldiimidazole (CDI) 35,
36
- carboxymethylated β CD polymer films
275
- catalysis applications 50–51
- catechol 1,2-dioxygenase 271
- ceramic aerogels 134–136
- cetyltrimethylammonium bromide
(CTAB) 74, 149
- chemical cross-linking techniques
 - click reaction 209
 - polycondensation 207–208
 - radical polymerization 205–207
 - Schiff base cross-linking 208
- chemical hydrogels 210
- circular dichroism 35, 47
- conventional synthetic approach 66
- copper benzene tri-carboxylate
(Cu-BTC) 300
- cross-linking techniques 201
- cyclic voltammetry (CV) 160

- cyclodextrin nanosponges (CD-NS) 3, 269
- β-CDPMA14 hydrogel 246
- Caf-free spectrum 254
- carbonate nanosponges 35–42
- cross-linking density, in dry polymers 239–245
- ester nanosponges 42–43
- functionalized nanosponges 44–45
- fusion/melt based synthesis 46
- Kubo–Anderson model 248
- microwave-assisted synthesis
- characterization 47
 - nonpharmaceutical applications 48
 - pharmaceutical applications 47–48
- polymer matrix 253
- solvent-based synthesis 46
- stimuli-sensitive nanosponges 45–46
- 1,2,4,5-tetracarboxybenzoic acid
- dimethyl ester 246
- ultrasonication 46
- urethane/carbamate nanosponges 35
- cyclodextrin-based nanosponges 227, 236, 263, 273–276
- d**
- dealloying 144, 149–151, 158, 272
- diatomic molecule 227–229
- Diels–Alder reaction 82, 209
- 5,6-dihydroxyindole-2-carboxylic acid (DHICA) 125
- diphenyl carbonate (DPC) 28–31, 33, 35, 181, 269
- 2,2-diphenyl-1-picrylhydrazyl (DPPH) 134
- divinylbenzene (DVB) 302
- drug delivery 27, 29, 35–37, 40, 43–45, 49, 51, 74, 124, 138, 144, 147, 153, 158–159, 179, 180, 185, 193, 208, 213, 220–224, 263
- drug loading 158, 223–224
- drug release kinetics 189
- e**
- elastic scattering 214, 232
- electrochemical deposition 144, 149, 152
- electrochemical sensors 160, 272
- electrografting 273
- electroporation 157
- elementary osmotic pump (EOP) 222
- ELISA test 274
- energy storage device 159–160
- epichlorohydrin 34, 37, 39, 44, 45, 273
- ester nanosponges 42–43
- ether nanosponges 44
- ethylenediaminetetraacetic acid (EDTA) 240
- extracellular matrix (ECM) 195
- f**
- Fischer–Tropsch process 268
- floriculture 187
- Flory–Huggins interaction parameter 218
- Flory–Rehner theory 216–220
- formic acid 90, 91, 95, 97, 98, 185, 266
- Fourier transform infrared (FTIR) analysis 188
- Friedel–Crafts self-condensation reactions 295
- fullerene 14, 19, 287, 298
- functionalized nanosponges (FNS) 44–45, 188
- g**
- γ-cyclodextrin (γ-CD) 72
- gas adsorption 74–80, 306
- gelation process 199
- gel theory 200
- genosensors 275
- glycidyl–trimethylammonium chloride 45
- gold nanoparticles 7, 8, 10, 11, 13, 158, 176, 178, 274
- graphene 19, 20, 157, 159, 160, 272, 273, 291, 297, 298, 306
- graphene decorated melamine sponge (G-MS) 157
- graphene oxide (GO) 143, 267

h

hard template-based approach 146, 147

hexadecyltrimethylammonium 146

2,3,6,7,10,11-hexahydroxytriphenylene 295

hexamethylene diisocyanate 30, 35, 36, 45, 270

homogeneous broadening 237

hyaluronic acid (HA) 213

hybrid materials

- advantages 177
- disadvantages 178
- material types 173–176
- photochromic 176–177

hybrid nanosponges

- advantages 185–186
- applications 186–188
- characteristics 188–190
- cyclodextrin 180
- disadvantages 186
- factors 181–182
- hybrid nanosize particles 179
- hybrid system 178–179
- nanosponge-loaded hydrogel (NS-gel) 184
- preparation method 182–183
- targeting drug delivery 179
- toxicity 186–188
- types of 180–181

hybrid polymers 178–186

hybrid system 178–179

hydrogels

- biocompatibility 194
- characteristics 193
- classification 194
- cross-linking 194
 - chemical 205–209
 - physical 201–205
- degradation 195, 209
- gelation process 199
- mass transport 195, 197
- mechanical properties 194–195
- microenvironment 195
- network structure and characteristic parameters 213–220

- swelling behavior 195–198

hydrogen

- adsorption 75, 284, 287, 289
- atoms 61–63, 83–85, 90, 92, 94, 95, 98,
- bond 178, 194, 201, 204, 233, 247, 250, 269
- current/voltage measurements 272
- electrode 266
- and methane 75
- storage 156, 283–289

hydrogen fluoride 264

hydrogen peroxide 160, 264, 272, 274, 275

hydrolytic process 211

hydrothermal method 151, 159, 273

hydrothermal synthesis 88, 151

i

inelastic scattering 232

infrared spectroscopy 188, 234

inhomogeneous broadening 237

interfacial development technique 182

International System (SI) of units 1

in vitro photothermal effect 158

ionic interaction 202–204

ISO classification and standards 19–23

k

Kubo–Anderson analysis 250

l

Langmuir–Hinshelwood kinetic model 270

Le Châtelier's principle 90

linker deficiencies 92

linker metalation strategy 81

lithium hexafluorophosphate 160

Lorentzian function 216, 240, 244, 254

m

macroporous hydrogels 197

material degradation 221, 222

meloxicam 9, 10

- metal-organic frameworks (MOFs)
 - carbon dioxide adsorption 299
 - catalytic function 80
 - definition 59, 144
 - flexible 68–72
 - gas adsorption 75
 - hexanuclear zirconium (IV) clusters 86
 - hydrogen storage 287
 - missing cluster defects 98
 - missing linker defects 93–98
 - modulators 88–92
 - porosity 83
 - renewable resources 72–74
 - reticular synthesis 62, 63
 - solvents 88
 - stability of 84–85
 - structural dehydration 83–84
 - synthesis and solvent removal 65–68
 - thermal stability 100
 - UiO-66 defects 93
 - UiO-66 structure 86
 - UiO-67 and UiO-68 85
 - van der Waals surface maps 60
 - zeolitic imidazolate frameworks (ZIFs) 300
 - zirconium (IV) source 88
 - $Zr_6O_4(OH)_4(CO_2)_{12}$ cluster 86
 - metal-oxide framework 149
 - metal oxide nanosponges
 - antimicrobial and biomedical application 153–155
 - bimetallic nanosponges 145
 - catalyst 155–156
 - dealloying 150–151
 - drug delivery 158–159
 - electrochemical deposition 152
 - electrochemical sensors 160
 - energy storage device 159–160
 - hard template-based approach 146
 - metal-organic framework (MOF) 147–149
 - monometallic nanosponges 144
 - polymetallic nanosponges 145
 - precipitation method 151
 - soft template-based approach 146–147
 - sol-gel method 152–153
 - solvothermal method 151
 - water treatment 156–158
 - methane opportunities for vehicular energy (MOVE) 2012 program 290
 - 1-methylcyclopropene (1-MCP) 101, 187
 - 4,40-methylenebis(phenyl isocyanate) 45
 - microcomputed tomography (μ -CT) analysis 128
 - microporous templated carbons 287
 - missing cluster defects, MOF 92, 98, 99
 - missing linker defects, MOF
 - acetate terminated defects 94
 - HCl and monocarboxylic acid modulation 98
 - monocarboxylates 96, 97
 - nitrogen adsorption isotherms 93
 - OH^- and H_2O ligands 96
 - single crystal X-ray diffraction (SCXRD) 96
 - TGA data 92, 93
 - trifluoroacetate terminated missing linker defects 96
 - Zr_6 MOF determination 97
 - mixed matrix membranes (MMMs) 306
 - monocarboxylates 96, 97, 99
 - monocarboxylic acid modulated synthesis 91, 93, 94
 - monocarboxylic acid modulators 89–91, 96
 - monometallic nanosponges 144, 145
 - Morse potential 229
 - multi-walled carbon nanotubes (MWCNT) sponge 156
- n**
- nanomaterials
 - classifications 3
 - definition 1

- EPA regulatory approach 23–24
 and health concerns 15–17
 legislations 17–19
 manufacturing 13–15
 peculiarities
 aluminum distribution 8
 drug pharmacokinetics and
 bioavailability 6
 effect on surface 7
 meloxicam 9
 nanosized gold 13
 volume-specific surface area (VSSA)
 5
- nanosized particles 4, 179
- nanosponges
 carbon dioxide adsorption
 activated carbons 297
 adsorption and separation 297
 amine functionality 304
 biogas purification 297
 carbon capture and storage (CCS)
 297
 mixed matrix membranes (MMMs)
 306
 definition 179
 hybrid nanosponges 179–186
 hydrogen storage
 carbon materials 286
 parameters 284
 polymers with intrinsic
 microporosity (PIMs) 289
 porous materials 285
 templated carbons 287
 volumetric capacity values 284
 zeolites 287
- metal and metal oxide nanosponges
 144
 bimetallic PdRu nanosponges
 265
 cyclodextrin-based nanosponges
 273
 electrooxidation (EO) reactions
 264
 gas-phase ethylbenzene
 hydroisomerization 267
 mesoporous Pt nanosponges 266
 multimetallic nanosponges 266
 nanostructured zeolites 268
 oxygen reduction (OR) 266
 PdPt bimetallic alloy nanosponges
 265
 zeolites 267
- methane storage
 Friedel–Crafts self-condensation
 reactions 295
 van der Waals attractive forces
 294
 volumetric capacity 291
 zeolites 293
- metal-organic framework (MOF)
 299
 nanomaterials 297
 zeolites 303
- oligomeric/polymeric precursors
 268
- organic nanosponges 268–271
 catechol 1,2-dioxygenase 271
 CDNS 269–270
 Sonogashira coupling 269, 270
 supramolecular photochirogenesis
 271
- physisorption on 306
 Raman effect theory 227
 vibrational spectroscopy techniques
 227
- N,N*-dimethylacetamide (DMA) 90
N,N-dimethylformamide (DMF) 88
N,N'-dimethylethylenediamine (mmen)
 79
- normal modes 229, 230, 234, 236
N-oxoammonium ions 123
- O**
 organoimido polyoxomolybdates 178
- P**
p-chlorophenol 27
 1,4-phenylene diisocyanate 45
 photodegradation study 190
 photochromism 176
 photodegradation 134, 136, 139, 190,
 213, 267

- photolithography 14
 physical cross-linking techniques
 complex coacervation 203–204
 heating and cooling 202
 hydrogel bounding 204–205
 and hydrophobic interaction
 204–205
 ionic interaction 202–203
 physical gels 200, 201, 210
 plasma etching 14
 plasmon surface resonance 12
p-nitrophenol 27, 35, 50, 129
 polarizability 231, 232, 234, 249
 poly(amidoamine) CD nanosponges
 39, 44
 polycondensation 134, 205, 207–208
 polymer condensation technique 182
 polymeric matrix swelling 221, 222
 polymetallic oxide nanosponges 143,
 144, 145
 polyphenol oxidase 275
 polyvinyl acetate (PVA) 178, 208
 poly(vinyl alcohol) hydrogel 208
 pore-forming toxins (PFTs) 184
 porous metal oxide nanosponges 143,
 144
 porous organic polymers (POPs) 283,
 297
 postsynthetic ligand exchange (PSE)
 95, 100
 postsynthetic modification (PSM)
 147, 150
 precipitation method 144, 151
 push–pull osmotic pump (PPOP) 223
 pyromellitic dianhydride (PMA) 29,
 30, 32, 36, 38, 42, 45, 181,
 240
- q**
- quasi-emulsion solvent diffusion 182
- r**
- Radical polymerization 205–207
 Raman effect theory
 advantages and utility 232–234
 controlled polarization 236–238
 cyclodextrin nanosponges 238–257
 molecular vibration and principles
 227–232
 resonant Raman scattering effects
 234–236
 Raman spectroscopy 47, 177, 189,
 230, 232–234, 238, 258, 300
 reactive oxygen species (ROS) 13,
 155
 resonant Raman effect 233
 retro Diels–Alder cycloreversion 213
 reversible click reactions 213
 ring-opening polymerization (ROP)
 technique 124, 178
 risk assessment 16, 19, 20
- S**
- Schiff base cross-linking 205, 208
 self-assembling, MOF synthesis 65
 self-assembled monolayers (SAM)
 273
 shear stress 85, 101
 single crystal X-ray diffraction 91
 small angle neutron scattering
 214–216
 smart fabrics 36, 49
 soft template-based approach
 146–148
 sol–gel amorphous compounds 173
 sol–gel hybrid materials 175
 sol–gel method 144, 149, 152–153,
 159, 175
 sol–gel transition 153, 199, 271
 solute diffusion 221
 solvothermal method 144, 149, 151
 Sonogashira coupling 269, 270
 Soxhlet extraction 40, 46, 182, 183
 stretching modes 230, 239, 244, 248
 stimuli sensitive nanosponges 45
 supramolecular assembly 5
 supramolecular catalytic biosensors
 274
 supramolecular photochirogenesis 271
 surface-enhanced effect 233
 surface plasmon resonance (SPR) 158,
 183, 274, 275

t

- Technical Committee (TC) 299 –
 - Nanotechnology 19
- templated carbons 287
- TEMPO-oxidized cellulose nanofibers (TOCNF) 123
 - branched polyethyleneimine (bPEI) 124
 - applications 128–132
 - synthesis and characterization 125–128
 - eumelanin thin films 124
 - galactomannans 136–138
 - nanostructured templates 132–136
 - preparation of 124
- tetrabromobisphenol A (TBBPA) 157
- tetrabutylammonium fluoride 132
- thermoanalytical methods 188
- thermogravimetric analysis (TGA) 84, 100, 189
- thermogravimetric analysis 134
- thin-layer chromatography 188
- transmission electron microscopy (TEM) 123, 155, 215
- trichloroisocyanuric acid (TCCA) 267
- 2,4,5-trichlorophenol (tCPh) 129
- triposgene 35, 36

u

- ultrafine particles 4, 155
- ultrasonication process 46, 123

v

- van der Waals forces 173
- van der Waals interactions 71, 290
- volume-specific surface area (VSSA) 5

w

- water purification 36, 37, 48, 50, 51, 145

x

- xerogel 153
- X-ray diffraction 3, 93, 134
- X-ray structure analysis 189

z

- zeolites 61, 83, 144–146, 267, 268, 283–285, 287, 291, 293, 294, 296–299, 303, 304, 306
- zeolitic imidazolate frameworks (ZIFs) 68, 300
- zirconium tetrachloride (ZrCl₄) 88

