Index

а

absorption method 84 active corona 97 act with relevant experience 219-220 additive-depleted surface 50-51 adhesion of an insert on a variable base 227-229 adhesive bonding-blocking 226-227 adhesive replacement 226 adiabatic compression and shock waves 11 aerials 94 aerosol 234-236, 239-240 air boundary layers 242 alcohol cup 173 antistatic 45 antistatic packaging 182 application of liquid media 234 - 236application of water, use of charging during 236 asymmetrical rubbing 24 ATEX certification 240 atmosphere exchange 236

b

back discharge 160 balun 94 bang effect 144, 156 basics of fire and explosion danger triangle 2 exothermic reaction of fuel 1 explosion-endangered areas and permissible equipment 7 explosive atmosphere limits with combustible dusts 6

limits with flammable liquids 3-6 metal dusts 6 flammable liquids 15-18 fuel 2 heat 2-3 vs. oxygen 3 hybrid mixtures 6-7 ignition sources adiabatic compression and shock waves 11 cathodic protection 10 chemical reactions 11 electrical apparatus 10 electromagnetic field 10 electromagnetic radiation 10 flames and hot gases 9 hot surfaces 9 ionizing radiation 10 lightning 10 mechanically generated sparks 10 static electricity 10 ultrasonics 11 inerting process 3 minimum ignition energy 11–15 oxygen - 3 permissible equipment 7-9 big storage tanks, two explosions 189 - 192bipolar charge layers 124 blocking effect 230 blocking of newspapers 226 blow trunk 190 breakdown voltage of a discharge gap 267

Brownian molecular movement 28

Static Electricity: Understanding, Controlling, Applying, First Edition. Günter Lüttgens, Sylvia Lüttgens, and Wolfgang Schubert. © 2017 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2017 by Wiley-VCH Verlag GmbH & Co. KGaA. brush discharges 97–98, 104–108, 162 bulk materials 52, 74–75, 130, 132 burning handkerchief does not burn up 174

С

capacitance 38, 259–261 charge decay measurements 79-81 coaxial cable/cylinder capacitance 260 conductive sphere in space 260 measurement 77-78 permittivity value 78-79 plate capacitor 261 rod (wire) across a conductive area 259 series of single capacitors 261 shunt of single capacitors 261 sphere across a conductive area 260 capacitive current limit 136 capacitive hygrometer 86 capacitor 38, 135 carbon fiber brush 136 carriers 19 cast film process 230 cathodic protection 10 charge 263-264. see also targeted use of charges caused by separating process 149-150 conservation 223, 225 decay measurements 79-81 dissipation 20 of electron beam 263 mass charge density 264 measurement 54-56 moved charge 263 relaxation with liquids 30-31 surface charge density 263-264 volume charge density 264 charge decay measuring device QUMAT[®]-528 80 charge-emitting discharge electrode 114 charging bars 223 behavior 41

by gases 31–33 of liquids 28-31 of particles many 152-153 single 150-152 by separation 160 chemical reactions 11 chill roll 230–231 circular frequency 258 classification for flammable liquids 5-6 clean surfaces 128 climate 81-82 coating machine 237-241 coating process 241-243 coaxial cable/cylinder capacitance 260 "CombiCleaner" operating principle 128-129 combustible organic dusts 6 composite materials 125-127 conductance 269 conductive layers 125, 126 conductive sphere in space 260 conductive surfaces 135 conductivity 30, 51, 269 cone discharges 98 contact and separation 120 core dummy charge 232-233 corona discharges 96–97, 104, 161 - 162corona effect 114 corona systems 248-251 Coulomb forces 144, 224 Coulomb meter 66–67 cracks 193 current density 240 current limiter 134

d

danger triangle 2 "decanting" of gasoline vapors 171–172 description of demonstration experiments charges caused by separating process 149–150 charging by separation 160 charging of particles many 152-153 single 150-152 dissipating properties 157 - 158electric induction basic experiment 153–154 chimes 154-155 isolated conductive parts 155-157 electrostatic charging of a person 158-159 electrostatic force effects 144–145 electrical field lines 148 electroscope 147-148 hovering pipes 146–147 rolling pipes 145–146 electrotechnical ideas 139 explosion tube 142–144 field meter 57, 142 fire and explosion dangers burning handkerchief does not burn up 174 "decanting" of gasoline vapors 171-172 effects with large surfaces 168-169 extinguishing with water 173-174 flash point 168 inflaming solid combustibles 174-175 oxygen demand 172-173 progressive flame front 170-171 rich mixture 169-170 gas discharges brush discharges 162 corona discharges 161-162 evidence of ion wind 163-164 ignition by brush discharges 162–163 propagating brush discharges 164-167 spark discharges 160–161 super brush discharges 163 ignition voltage 159–160 preliminary remarks 140-141 static voltmeter 141 Van de Graaff generator 142–143

visualization 139 dew point hygrometry 83–84 dielectric strength 117-118 direct charge 232 dirty discharge electrodes 135 discharge electrodes 114 discharges, gas 89 avoidable 103-111 brush discharge 97-98 cone discharges 98 consequences of 102 corona discharge 96-97 electrostatic 90-94 mechanisms of 89-90 propagating brush discharge 98-102 spark discharge 94–95 traces caused by gas 102-103 discharges without electrodes 94 discharging charged surfaces 118-119 granules and similar particles 129-133 material webs behavior of composite materials 125-127 bipolar layers of equal field strength 124 double-sided discharging 123-124 electric potential 123 friction 120 nonporous materials 122 optimal discharging setup 120, 121 optimal placement of discharge bars 122rerolling process 120-121 single-sided discharging 123 static electric shocks 119 triboelectric effect 120 other objects 127-129 sheets 127-128 discharging granules 129 - 133discharging of sheets 127 - 128disruptive discharge 117 dissipating property 41, 157-158

280 Index

drying 236–237 of fast moving substrates 236–237 dust explosion 130

е

effects with large surfaces 168 - 169electrical apparatus 10 electrical breakdown 90 electrical charge 230 coverage 117, 118 electrical field lines 148, 235 electrical resistance 45 electric field 33-36 electric induction 156, 224, 225 basic experiment 153–154 chimes 154-155 image charge 37-38 isolated conductive parts 155–157 specification of 36-37 electric induction field meter 67 electroadhesion 247-248 electromagnetic field 10 electromagnetic radiation 10 electrometer amplifier 54 electron density 247 electron work function 21 electroscope 147-148 electrostatic application 223 electrostatic charging with fluids 75–76 of liquids 28–30 charge relaxation with liquids 30-31 charging by gases 31 - 33of a person 158–159 of powdery bulk materials 74-75 electrostatic discharge 89, 180 electrostatic disturbances prevention alternating current voltage 114 charge-emitting discharge electrode 114 clean and corroded points 115 dielectric strength 117-118 discharging charged surfaces 113, 118 - 119granules and similar particles 129-133 material webs 119-127

other objects 127-129 sheets 127-128 empty space 115 field line concentration 116–117 intentionally charging surfaces 113 ionizing electrodes 114 passive ionizer 116 potential hazards posed by discharge electrodes 134-136 electrostatic effect 236 electrostatic force effects 144-145 electrical field lines 148 electroscope 147-148 hovering pipes 146–147 rolling pipes 145–146 electrostatic ignitions, doubts with burst of a glass pipe 218-219 fire in a polyethylene drum 213-215 fire in a solvent cleaning area 215-217 electrostatic safety measures 44 electrostatic separation 245 electrostatic shock 111 electrostatic voltmeters 53-54 electro-technical explosion protection 178 energy *W* of a capacitance 255–256 "equipment protection levels" (EPLs) 8-9 equipotential lines 34 equipotential surface 34 evidence of ion wind 163-164 explosion 1 disaster near Bitburg 190-192 in a floating roof tank followed by fire 189-190 in a mixing silo for plastic granules 202 in a railcar bulk container 192-193 during rotational molding 201-202 explosion dangers, fire and burning handkerchief does not burn up 174 "decanting" of gasoline vapors 171-172 effects with large surfaces 168-169

extinguishing with water 173–174 flash point 168 inflaming solid combustibles 174–175 oxygen demand 172–173 progressive flame front 170–171 rich mixture 169–170 explosion range 4 explosion tube 142–144 explosive atmosphere limits with combustible dusts 6 limits with flammable liquids 3–6 metal dusts 6 extinguishing with water 173–174

f

Faraday cage 55 Faraday pail 55 feeder bowls 133 fiberglass fabric 169 field field of point charge 256 field of rod (wire) charge 257 homogeneous field between plane plates 256 lines 33, 34 meter 142 permittivity 257 strength (see field) fire 1 fire extinguishing installation 189-191 fixing coverings 227 fixing of thin materials 226 flames and hot gases 9 flammable liquids 15–18 flash point 4, 168 fluida 20 flux density 257 force 262 between 2 point charges 262 free-falling objects 55-56 frequency circular frequency 258 wavelength 258 frictional electrification 22 fuel 2 fuel/oxygen mixture 1–2

q

gas discharges 89 avoidable 103-111 brush discharges 97–98, 162 cone discharges 98 consequences of 102 corona discharges 96–97, 161–162 electrostatic 90-94 evidence of ion wind 163-164 ignition by brush discharges 162 - 163mechanisms of 89-90 propagating brush discharges 98-102, 164-167 spark discharges 94-95, 160-161 super brush discharges 163 traces caused by gas 102-103 gasification process with wood 174-175 gas stream 246 glass fiber fabric, impregnation of 186-187 Globally Harmonized System (GHS) 5 gravure printing 237-241 grounded emitter 93 guard ring circuit 47-49

h

hair hygrometer 84 Helmholtz double-layer effect 38 homogeneous field between plane plates 256 hose filter 208–209 hot surfaces 9 hovering pipes 146–147 humidity 81 hybrid mixtures 6–7 hygrometers 86–87

i

ignitability of brush discharges 109 ignition by brush discharges 162–163 ignition caused by cone discharges 212–213 ignition of dust 165–166 ignitions due to brush discharges filling pipe blocked with sulfur leading to ignition of methanol 187-188 ignition caused by an antistatic PE bag 182–183 impregnation of a glass fiber fabric 186-187 ion exchanger resin in toluene 188-189 PE liner slipping out of paper bag 181-182 pouring flaked product into an agitator vessel 180-181 pumping polluted toluene 185-186 shaking fine dust out of a PE bag 183-185 two explosions in big storage tanks 189–192 ignition sources 2, 9–11, 178 adiabatic compression and shock waves 11 cathodic protection 10 chemical reactions 11 electrical apparatus 10 electromagnetic field 10 electromagnetic radiation 10 flames and hot gases 9 hot surfaces 9 ionizing radiation 10 lightning 10 mechanically generated sparks 10 static electricity 10 ultrasonics 11 ignition voltage 159-160 image charge 37-38 impedance of a capacitance 271 of a inductance 271–273 impression roller 237 indirect charge 233-234 inductance, of an air coil 259 induction electric field meters 56–58 induction field meter 56 inerting process 3 inflaming a dust heap 175

solid combustibles 174–175 ink particles 239 in-mold-decoration (IMD) 232-234 in-mold-labeling (IML) 232–234 intermediate layers 227 investigation, strategy of 177-178 general approach 179 hasty consequence 179–180 ignition sources 178–179 ion exchanger resin in toluene 188-189 ionization 89-91 ionizing electrodes 114 ionizing radiation 10 ions 89–91 ion wind 97

k

Kasuga Denki KSD System 61–62 Kirchhoff's junction rule 266 Kirchhoff's loop rule 266

I

laminar air boundary layers 234 laminar airflow 234–237 laminar airflow boundary layer 236 leakage current 240 leakage resistance 269 Lewis acidic surfaces 119 Lewis base surface 119 Lichtenberg discharges 98 lightning 10 lithium-chloride hygrometer 85–86 lower explosion limit 4

m

mass charge density 264 material separation 246 maximum allowable capacitance 104 maximum allowed surface area 105 measurement methods. *see also* metrology electrical resistance 45 realization of resistance measurements 46–49 measuring area E-field meter 64 measuring area piezo sensor 65 mechanically generated sparks (MGSs) 10 mechanism of charging 19 metallic dust 6 metrology additive-depleted surface 50-51 applications of induction electric field meters 65–67 bulk materials 52 capacitance 77-81 conductivity of liquids 51 discharge capacity 71-73 electrostatic charges in chemical production 76-77 electrostatic charging of powdery bulk materials 74-75 electrostatic charging with fluids 75-76 electrostatic safety measures 44 electrostatics/electrical engineering 44-45 electrostatic voltmeters 53-54 errors when measuring field strength 58–61 Faraday pail 54–56 induction electric field meters 56-58 measurement methods electrical resistance 45 realization of resistance measurements 46–49 protective textile clothing 68–71 surface charge on moving webs 68 test procedure for paper 73–74 themes around air humidity 81-87 types of electric field meters 61-65 use of insulating material in endangered areas 52 walking test 41-43 microampere meter 161 micronizer jet mill, ignition in a 200 minimum ignition energy (MIE) 11-15 miraculous earthing clamp 212 modified ball electrode 67

modified induction electric field meter 66 moved charge 263 mutual binding effect 99

n

n-hexane 207-208

0

oil application 234 oil suction granules 168, 169 one-electrode discharges 95 opposite- and similar-poled charges 224 Optical-Web-Tension-Profile-Scanner 244 oxygen 3 oxygen demand 172–173

р

paper ribbon 230 particle mist 241-243 passive corona 97 passive discharge electrode 136 passive ionizer 116, 240 permittivity 257 permittivity value 78-79 Perspex[®] tube 142 Picoampere meter 67 pinch effect 91 pipe ionization 131 plasma 92 plate capacitor 261 polluted toluene pumping 185–186 potential 264 powder heap discharge 98. see also cone discharges print cylinder 237 progressive flame front 170–171 propagating brush discharges 98–100, 118 corona needle 164 curiosity during outflow of liquid from a metal pipe 202–204 explosion during rotational molding 201-202 explosion in a mixing silo for plastic granules 202

propagating brush discharges (contd.) explosion in a railcar bulk container 192-193 failed attempt to eliminate electrostatic nuisances 195-197 fire in a spray-bed dryer 197–200 ignition in a micronizer jet mill 200 ignition of dust 165-166 metal drum with inner liner 193-195 plastic drum with inner liner 195 short circuit of a double-layer charge 166-167 protective textile clothing test procedures with electrostatic influence 69–71 triboelectric test procedure 69 psychrometer 84-85

q

quenching distance 95

r

recombination 114 relaxation time 225 resistance 267 conductance 269 conductivity 269 impedance of a capacitance 271impedance of a inductance 271 - 273leakage resistance 269 measurements 46-49 resistivity of a conductor 268 series 270 shunt 270 surface resistivity 268 volume resistivity 268 resistive/capacitive coupling 134 resistive hygrometer 86 resistivity of a conductor 268 ribbon tacking 230 rich mixture 169-170 rod (wire) across a conductive area 259 rolling pipes 145–146

S

sawtooth sequence 162 semiconductive rollers 230 separation of pollutants 246 series of single capacitors 261 series resistance 270 short-circuit effect 92 short circuit of a double-layer charge 166-167 shunt of single capacitors 261 shunt resistance 270 sliding discharges 100 space charge clouds 114 spark discharges 94–95, 104, 135, 160 - 161alternative restrictions on insulating solid materials 219-220 dust removal from pharmaceutical pills 205-206 filling n-hexane into metal drums 207-208 hose filter 208-209 lost and found 211-212 miraculous earthing clamp 212 powder explosion in a metal drum 204-205 sparks at a throttle valve 206-207 water flowing through PVC hose 210-211 spark-gap transmitters 92 sphere across a conductive area 260 spray-bed dryer, fire in a 197-200 static electricity 10 basics 19-21 capacitance and capacitor 38 electric field 33-36 electric induction image charge 37-38 specification of 36-37 electrostatic charging of liquids 28-30 charge relaxation with liquids 30-31 charging by gases 31-33 electrostatic charging of solids 21-23 surface resistivity 24-28

influence of surface texture on static charging 28 triboelectric series 24 static voltmeters 53–54, 141 stoichiometric value 12 stored electrical energy 44 super brush discharges 98, 104–106, 163 supercapacitors 38 surface charge density 263 - 264surface resistance 48 surface resistivity 24–28, 48, 268 surface texture 28 surface treatment with corona systems 248-251

t

targeted use of charges adhesion of a melt layer on the chill 230 - 231roll adhesion of an insert on a variable base 227-229 adhesive bonding - blocking 226-227 application of liquid media on fast moving webs 234-236 applications 223-225 avoiding telescoping when winding 231–232 blocking a number of paper webs or film webs in one ribbon 229–230 drying of fast moving substrates 236-237 electroadhesion 247-248 gravure printing and coating machine 237-241 in-mold-labeling-in-molddecoration 232-234 oil application on metal sheets 234 precipitation of mixed substances 244-247 reduction of particle mist in the coating process 241-243 surface treatment with corona systems 248-251

use of charging for technical measurement processes 243–244 telescoping 231–232 thin laminates 226 time constant 266 traces caused by gas discharges 102–103 Trek contact voltmeter 64 triboelectric series 24, 150 triboelectric test procedure 69 two-electrode discharges 94

и

ultrasonics 11 upper explosion limits 4

V

Van de Graaff generator 142–143 vibratory conveyors 133 voltage 265-267 breakdown voltage of a discharge gap 267 in a homogeneous electric field 265 Kirchhoff's junction rule 266 Kirchhoff's loop rule 266 time constant 266 voltage gradient when charging a capacitor 265 voltage gradient when discharging a capacitor 265 voltage/current principle 46 voltage gradient when charging a capacitor 265 when discharging a capacitor 265 voltmeters 53-54 volume charge density 264 volume resistance 46-47 volume resistivity 46–47, 268

W

Walking Test 41–43 wavelength 258 web tension profile 243

Ζ

zones 7