

## Index

### Symbols

2,2'-thiodiethanol *see also* clearing  
 2D diffraction pattern 3  
 2-photon 12, 14, 16, 47, 64, 94, 188  
 – absorption 24  
 3B *see also* Bayesian analysis of blinking and bleaching (3B)  
 4Pi 13, 18, 121, 188, 365  
 – configuration 14, 190, 319  
 – SMLM (iPALM) 190  
 $\beta$ -mercaptoethanol ( $\beta$ ME) *see also* imaging buffer  
 $\beta$ -mercaptoethylamine (MEA) *see also* imaging buffer

### a

Abbe resolution limit 3  
 aberrations  
 – chromatic 99, 102, **103**, 198, 333  
 – correction 92, **103**  
 – effects 93  
 – magnification distortion 102, 103, 171  
 – spherical 84, 102, 103, 325, 334  
 absorption cross section 24  
 acceptance cone 3  
 – objective lens 84  
 accuracy 17  
 acousto-optical tunable filter (AOTF) 320  
 adaptive optics **92**, 302  
 – setup 95  
 – STED 302  
 afterpulsing 287  
 air bubbles in the sample 144  
 Airy disk 5, 6, 10, 100  
 Airy unit 5  
 Airyscan 166  
 Airy-scan detection 118  
 analog-to-digital unit (ADU) 89  
 anomalous subdiffusion 240

aptamers 56  
 ascorbic acid *see also* imaging buffer  
 atomic force microscopy (AFM) 8, 243, 307, 370  
 avalanche photodiode (APD) 286  
 axial intensity distribution (AID) 121  
 axially structured illumination microscopy (aSIM) 98, **118**, 369  
 – axial intensity distribution (AID) 121  
 – illumination pattern 122  
 – nanosizing 119, 124  
 – position determination 119, 125  
 – setup 119  
 axicon 319

### b

back focal plane 85  
 back-thinned CCD 87  
 bacterial artificial chromosome (BAC) 54  
 Bayesian analysis of blinking and bleaching (3B) 16, **200**  
 beads, fluorescent  
 – calibration sample 103, 126, 292  
 beam shaper 90  
 Bessel beam 11, 91, 325, 369  
 – annular mask 319  
 – generation 319  
 Bessel function 4  
 best practice 110  
 bleaching 25, **61**, 91  
 – reversible 25, 62  
 – stepwise 53, 70, 197  
 – transient 25, 62  
 bodipy dyes 45  
 brightness 49

### c

calibration sample  
 – beads in gel matrix 103, 106

- beads, fluorescent 126, 292
  - DNA origami 223
  - fluorophores in gel matrix 162
  - thin fluorescence layer 144
  - camera *see also* detector
  - carbocyanine dyes 66
  - carbopyronine dyes 45
  - charge-coupled device (CCD) *see also* detector
  - clathrin-coated pits (CCPs) 213
  - cleaning cover glasses 323
  - clearing 291, 328, 339, **343**
    - 2,2'-thiodiethanol (TDE) 291, 344
    - 3DISCO 344
    - ACT-PRESTO 347
    - benzyl alcohol and benzyl benzoate (BABB) 344
    - CLARITY 346
    - ClearT 346
    - formamide 346
    - polyethylene glycol (PEG) 346
    - Scale 346
    - SeeDB 346
    - SWITCH 347
  - cluster analysis 234
  - colocalization analysis 246
  - commercialization 372
  - complementarity determining region (CDR) 52
  - computer technology 94, 368
  - confidence analysis 109
  - confocal laser scanning microscopy (CLSM) 9, 125, 158, 316, 323, 348, 360
    - community 368
    - setup 10
  - confocal microscope 9
  - confocal theta microscopy 316, 317
  - contrast 24
  - contrast mechanisms 8, 372
  - contrast-to-noise ratio (CNR) 11, 220
  - correlative microscopy 370
  - CRISPR 54, 368
  - cross-talk 102, 103, 210
  - cut-off frequency 7, 11, 85, 170
  - cw STED 271
  - cyanine dyes 45, 48, 208
  - cysteamine ( $\beta$ -mercaptoethylamine, MEA) *see also* imaging buffer
- d**
- DAOSTORM 101, 180
  - deconvolution **13**, 109, 162, 200, 298
  - deep tissue imaging
    - alternative approaches 349
    - clearing *see also* clearing
    - ExM 348
    - expansion microscopy (ExM) 339
    - LSFM 324
    - OPT 336
    - STED 299, 301
  - dental silicone 70, 126
  - depletion efficiency 265
  - depth of field/depth of focus (DOF) 91, 187, 189, 326, 330, 333
  - descriptors, shape 237
  - detector 86
    - afterpulsing 288
    - avalanche photodiode (APD) 286
    - back-thinned CCD 87
    - CCD **86**, 89
    - dual-view adapter 90
    - EMCCD **87**, 89, 334
      - analog mode (AM) 88
      - calibration 89
      - excess noise factor (ENF) 88
    - hybrid photodetector (HPD) 286
    - HyD 285
    - ICCD 87
    - linearity 89
    - micro-channel plate (MCP) 87
    - multi-channel 90
    - offset 89
    - photomultiplier tube (PMT) 87, 285
    - pixel 86
    - pixel size 88
    - quantum efficiency 89
    - read-out noise 89
    - sCMOS **88**, 90, 334
      - calibration 149
      - selecting the right detector 88
  - diazabicyclo[2.2.2]octane (DABCO) *see also* imaging buffer
  - diffraction pattern
    - Airy disk 5, 6
    - axial 4
    - lateral 3
  - diffractive optical element (DOE) 320, 370
  - diffusion 75
    - single-molecule *see also* trajectories
  - diffusion constant 240
  - digital micro-mirror device (DMD) 141, 159, 302
  - dispersion 72
  - distortions in the illumination 144
  - dithiothreitol *see also* imaging buffer
  - DNA
    - labeling 54

- DNA repair 28, 156, 243  
double-strand break (DSB) 156  
drift 108, 127, 164, 185, 194, 215  
– correction 96, 99, **102**  
dual-color STED 279  
dual-view adapter 90  
duty cycle *see also* fluorophores
- e**  
electron microscopy (EM) 8, 358, 370  
– block-face scanning 362  
electron multiplying charge-coupled device (EMCCD) *see also* detector  
electron spectroscopic imaging (ESI) 8  
embedding media *see also* imaging buffer  
EMCCD *see also* detector  
emission OPT (eOPT) 329  
energy transfer 25, 59  
– fluorescence resonance (FRET) 49  
error correction 102  
excess noise factor (ENF) 88  
ExM *see also* expansion microscopy (ExM)  
expansion microscopy (ExM) 328, **339**,  
361–363  
– combined with SMLM 343  
– principle 339  
– proteinkinase K 340  
– protein-retention ExM (proExM) 340  
extinction coefficient 46, 49
- f**  
fDOT *see also* fluorescence diffusion optical tomography (fDOT)  
Fick's law 239  
fiducial markers 99, 106, 107, 322  
field of view  
– increased 369  
field-programmable gate array (FPGA) 94  
fixation 74  
fluorescence correlation spectroscopy (FCS) 287, 307  
fluorescence diffusion optical tomography (fDOT) 349  
fluorescence imaging with one nanometer accuracy (FIONA) 198  
fluorescence *in situ* hybridization (FISH) 52, 54, 57, 126, 132, 202  
fluorescence lifetime 25, 49, 87, 358, 364  
– localization microscopy 180  
– OPT 338  
– STED imaging 308  
fluorescence molecular tomography (FMT) 349  
fluorescent burst 23
- fluorophores  
– duty cycle **49**, 53, 210  
– highlighter class 48  
– imaging buffer *see also* imaging buffer  
– intrinsic 46  
– organic 44  
– photobleaching *see also* photobleaching|seebleaching  
– photon number 210  
– photoswitching 63  
– proteins 45  
– requirements on 49  
– STED 277  
FMT *see also* fluorescence molecular tomography (FMT)  
focused nanoscopy  
– 4Pi 13  
– STED 2  
fourier ring correlation (FRC) 109  
free diffusion 240  
frequency-distance relationship (FDR) 335  
fundamental limitations  
– on imaging 361  
future challenges 357
- g**  
gas lasers 128  
gated cw STED 272  
gene positioning system (GePS) 132  
generalized optical coordinates 4  
GLOX *see also* imaging buffer  
glutathione *see also* imaging buffer  
graphical processing unit (GPU) *see also* hardware  
ground state depletion (GSD) 19
- h**  
hardware **83**  
– beam shaper 90  
– computer 94  
– detector *see also* detector  
– dual-view adapter 90  
– FPGA 94  
– future challenges 368  
– GPU 94, 95, 101, 222, 332, 337, 368  
– Heterogeneous System Architecture (HSA) 95  
– light scrambler 90  
– objective lens 84  
– overall system 96  
– RAID 96  
– SSD 96  
heavy atoms 65  
heavy water *see also* imaging buffer

- heterogeneous computing 94
- Heterogeneous System Architecture (HSA) 95
- hidden Markov model (HMM) 201
- highly inclined and laminated optical light sheet (HILO) 91, 189, 321
- Hough transform 331
- hybrid photodetector (HPD) 286
  - photocathode 286
- i*
- I5M 14, 188
- I5S 188
- ICCD 87
- illumination 90
- illumination effects on the sample 73
- illumination pattern
  - Bessel beam *see also* Bessel beam
  - Gaussian beam 11
  - oscillating 11
  - remove distortions 144
  - speckles 139
  - TIRF 84
- image recombination transform (IRT) 150
- image registration 102, **106**
  - cross-correlation 109
- image scanning microscopy (ISM) 118, **157**
  - deconvolution 164
  - implementation 159
  - instant SIM 160
  - principles 158
- image stitching 148, 337
- imaging buffer 362
  - antifade 62
  - ascorbic acid 64, 68
  - characteristics 71
  - DABCO 126, 291
  - dithiothreitol 64
  - dye combinations 71
  - fluorescent proteins 66
  - GLOX 64, 211, 250
  - glutathione 64, 247
  - heavy water 65
  - L-cysteine methyl ester (L-Cys-ME) 208
  - $\beta$ -mercaptoethanol ( $\beta$ ME) 64, 211
  - $\beta$ -mercaptoethylamine (MEA) 64, 211, 247
  - methyl viologen 64, 68
  - Mowiol 126, 291
  - *N*-propyl gallate (NPG) 291
  - OxEA 69, 71
  - oxygen-scavenging system 64
  - phosphate buffered saline (PBS) 66
  - phosphine (TCEP) 69
  - polyvinyl alcohol 66
  - *p*-phenylene diamine (PPD) 291
  - protocatechuic acid/protocatechuic dioxygenase 65
  - pyranose oxidase 65
  - refractive index 291
  - ROXS 53, 64, 247, 291
  - SMLM 208
  - STED 290
  - thiol 64, 208
  - Tris 66, 291, 342
  - trolox 64
  - VectaShield 126, 208
  - viscosity 65, 75
- in vivo
  - fDOT 349
  - future challenges 361
  - LSM 325
  - micro-perfusion chamber 126
  - OPT 336
  - SIM 126, 151
  - SMLM 246, 361
  - STED 299, 361
- independent component analysis (ICA) 196
- intensified CCD (ICCD) 87
- interference pattern
  - secondary 144
- interferometric microscopy 14
- iPALM *see also* localization microscopy
- J*
- labeling density 57
- lattice light-sheet microscopy 91, 152, 250, 326
- L-cysteine methyl ester (L-Cys-ME) *see also* imaging buffer
- LED illumination
  - OPT 332
  - SIM 141
- light scrambler 90
- light-sheet fluorescence microscopy (LSFM) 11, 148, 189, **316**, 333, 348, 369
  - Bessel beam
    - – setup 319
  - clearing *see also* clearing
  - community 368
  - in vivo 325
  - lattice *see also* lattice light-sheet microscopy
  - multi-color 322, 325
  - oblique 91
  - principle 317

- Raman micro-spectroscopy 328
  - reconstructions 321
  - resolution 315
  - sample holder 323
  - SIM 152
  - spheroids 325
  - $\pi$ SPIM 319
  - video-rate 326
  - limitations in imaging
    - fundamental 363
  - linear excitation 6, 18, 90, 316, 318, 358
  - linear shift invariant (LSI) 6
  - linear spectral unmixing 103, 147, **297**
  - localization microscopy 6, **179**, 358
    - 3D 189
    - backpumping 70, 208, 210, 251
    - BALM 180, 198, 209
    - center-of-intensity (COI) 101, 222
    - cluster analysis 234
    - combined with ExM 343
    - dSTORM 91, 181, 214, 217, 219
    - filtering the list 102, **222**
    - fPALM 17, 181
    - gSHRImP 16, 198
    - HILO 189
    - in vivo 246, 361
    - iPALM 96, 121, **190**, 365
    - least-squares estimator (LSE) 101, 222
    - maximum-likelihood estimator 101, 222
    - microtubule staining protocol 207
    - multi-emitter localization 100, 101, 180, 196, 219, 222
    - NALMS 16, 197
    - optical sectioning 217
    - PAINT 180, 209, 244, 251
    - PALM 2, 19, 26, 91, 181, 361
    - PALMIRA 26
    - reactivation 70, 208
    - SMLM 64, 88, 181
    - software *see also* software
    - SPDM 16, 22, 64, 181, 198, 217, 219
    - spectrally resolved stochastic optical reconstruction microscopy (SR-STORM) 248
    - stop criterion 215
    - STORM 19, 26, 91, 181
    - structural biology 247
    - thinning out clusters while conserving the stoichiometry of labeling 204, 244
    - threshold 219
    - TIRF 189
    - troubleshooting 225
    - video rate 247
  - Lorentzian distribution 269
  - LSFM *see also* light-sheet fluorescence microscopy (LSFM)
  - luminescence 42
- m*
- Markov chain Monte Carlo sampling 201
  - MEA *see also* imaging buffer
  - mean square displacement (MSD) 240
    - increase 240
  - mesoscale imaging 348
  - meta-analysis 108
  - methyl viologen *see also* imaging buffer
  - micro-axial tomography 369
  - micro-channel plate (MCP) 87
  - micro-perfusion chamber 126
  - molecular orbital 42
    - $\sigma$ -bond 43
    - highest occupied (HOMO) 43
    - lowest unoccupied (LUMO) 43
  - molecular switch 66
  - motion effects 74
  - multi-color
    - aSIM 127
    - cross-talk 210
    - future challenges 362, 363
    - image registration *see also* image registration
    - imaging 26
    - ISM 164
    - LSFM 322, 325
    - SMLM 245
    - SMLM colocalization 205
    - STED 298
  - multi-emitter localization *see also* localization microscopy
  - multi-focal SIM (MSIM) 118, 159, 370
  - multi-modal
    - multi-spectral optoacoustic tomography (MSOT) 349
    - super-resolution imaging 370
  - multi-point-emitter fitting *see also* localization microscopy
  - multi-scale data visualization 97
  - multi-scale imaging 250, 315
    - alternatives 348
    - expansion microscopy (ExM) *see also* expansion microscopy (ExM)
    - LSFM *see also* light-sheet fluorescence microscopy (LSFM)

- nanoscopy 369
  - OPT *see also* optical projection tomography (OPT)
  - multi-spectral optoacoustic tomography (MSOT) 349
- n**
- nanometer-localized multiple single-molecule fluorescence microscopy (NALMS) 197
  - nanoparticles
    - gold 55
    - nanocrystals 55
  - nanosizing 119, **124**
  - nanostructure analysis 118
  - near field 12
  - near-field scanning optical microscopy 12
  - next-generation sequencing (NGS) 28
  - non-linear microscopy 12
    - RESOLFT 19, 140
    - SAX 20, 140
    - SIM 20
    - SPEM 19, 20, 140
    - SSIM 19, 20, 140
  - numerical aperture (NA) **3**, 14, 85, 91, 93, 138, 158, 166, 267, 315, 329, 338, 357
  - Nyquist–Shannon sampling theorem 58, 88, 99, 209
- o**
- objective lens 84
    - TIRF 84
  - oblique SPIM 91
  - oligonucleotides 56
  - open source software 110, 368
  - OPT *see also* optical projection tomography (OPT)
  - optical coordinates 4
  - optical photon reassignment (OPRA) 159
  - optical projection tomography (OPT) 315, **329**, 348, 369
    - 3D image formation 330
    - clearing 333
    - emission OPT 329
    - frequency-distance relationship 335
    - helical OPT (hOPT) 337
    - mounting 333
    - resolution 315
    - sample holder 323
    - sample preparation 333
    - setup 332
    - sinogram 331, 334
    - transmission OPT 329
    - upconversion 348
  - optical properties 71
  - optical transfer function (OTF) 7, 11, 137, 149, 169
  - orthogonal plane fluorescence optical sectioning (OPFOS) 316
  - out-of-focus light rejection 188
  - oversampling 89
  - oxazine dyes 45, 65, 66
  - oxygen-scavenging system 60, 64
- p**
- pair correlation analysis 228
  - PALM *see also* localization microscopy
    - with independently running acquisition (PALMIRA) *see also* localization microscopy
  - paraxial approximation 6
  - patterned excitation microscopy (PEM) 13
  - Pearson's correlation coefficient 246
  - phase-of-peaks (POP) 150
  - photoactivated localization microscopy (PALM) *see also* localization microscopy
  - photoactivation 63, 181
  - photobleaching *see also* bleaching
  - photoblinking 63
  - photoconversion 181
  - photodeactivation 63, 181
  - photolysis 25
  - photomultiplier tube (PMT) 9, 87, 285
  - photon reassignment microscopy 157
  - photoswitch 66
  - photoswitching 63, 361
  - pixel 86
  - pixel size 88
  - point accumulation for imaging in nanoscale topography (PAINT) *see also* localization microscopy
  - point process 228
  - point spread function (PSF) 6, 84, 93, 220
    - band-limited 7
    - depolarization effects 138, 289
    - detection 10, 84, 328
    - excitation 10
    - excitation beam 266
    - Gaussian approximation 6
    - high quality STED 289
    - illumination 10
    - Lorentzian 269
  - point-pair correlation function 229
  - Poisson distributed quantized emission 25
  - precision 17
  - programming environment 95
  - protected STED 274

protein-retention expansion microscopy  
 (proExM) *see also* expansion microscopy  
 (ExM)  
 proximity effects (fluorescence) 89  
 pulsed STED (p-STED) 270

**q**

quantification 360  
 quantum dots 55  
 quantum efficiency 89  
 quantum yield 24, 49  
 quenching 25

**r**

radial distribution function (RDF) 229, 233  
 radical state 64, 68, 70  
 – lifetime 26  
 Radon transform 331  
 Raman micro-spectroscopy 328  
 rapidSTORM 102  
 ratiometric imaging 103  
 Rayleigh criterion 5  
 Rayleigh resolution limit 2  
 read-out noise 89  
 recall 100, 109  
 reducing and oxidizing buffer system (ROXS)  
*see also* imaging buffer  
 redundant array of independent disks (RAID)  
 96  
 refractive index  
 – correction collar 293  
 relay lens system  
 – adjustment 144  
 re-scan confocal microscopy (RCM) 159  
 resolution  
 – CLSM 10  
 – confidence 98  
 – confocal theta microscopy 317  
 – future challenges 362  
 – gated cw STED 272  
 – LSFM 315  
 – OPT 315  
 – ROCS 170  
 – SMLM 223  
 – STED 267  
 – structural 99  
 – vs. depth of field 333  
 resolution limit  
 – Abbe 3  
 – classical 3  
 – contrast-to-noise ratio (CNR) 11  
 – Rayleigh 2, 5

reversible saturable optically linear  
 fluorescence transitions (RESOLFT) 19,  
 21, 140, 263  
 rhodamine dyes 45, 48, 66, 281  
 Ripley's *K* and *L* functions 231  
 rotating coherent scattering (ROCS) 118,  
**166**  
 – principle 166  
 – resolution 170  
 – setup 167  
 ROXS *see also* imaging buffer  
 rylene dyes 45

**s**

saturated excitation microscopy (SAX) 20  
 saturated patterned excitation microscopy  
 (SPEM) 19, 20, 140  
 saturated structured illumination  
 microscopy (SSIM) 19, 20, 140  
 scan speed  
 – STED 294  
 scanning near-field optical microscopy 12  
 scanning tunneling microscopy (STM) 8  
 scientific complementary  
 metal-oxide-semiconductor (sCMOS) *see*  
*also* detector  
 sCMOS *see also* detector  
 selective plane illumination microscopy  
 (SPIM) *see also* light-sheet fluorescence  
 microscopy (LSFM)  
 shear plate 144  
 signal-to-noise ratio (SNR) 98, 189  
 SIM *see also* structured illumination  
 microscopy (SIM)  
 single element detectors 285  
 single-molecule diffusion 238  
 single-molecule high-resolution  
 colocalization (SHREC) 198  
 single-molecule high-resolution imaging  
 with photobleaching (SHRIMP) 197  
 single-molecule localization microscopy  
 (SMLM) *see also* localization microscopy  
 single-particle tracking (SPT) 220  
 single-photon emission computed  
 tomography (SPECT) 335  
 single-photon-counting silicon avalanche  
 photodiodes (SPAD) 287  
 sinogram *see also* optical projection  
 tomography (OPT)  
 SMLM *see also* localization microscopy  
 SOFI *see also* super-resolution optical  
 fluctuation imaging (SOFI)  
 software 97  
 – feature extraction 98

- future challenges 368
- localization 98
  - – accuracy 98
  - – fitting 98
- open source 110, 368
- solid-state drive (SSD) 96
- spatial frequency 7
- spatial light modulator (SLM) 138, 140, 196, 277, 302
- spatial wave vector 7
- spatially modulated illumination (SMI) 98, 118
- speckle patterns 90
- spectral precision distance microscopy (SPDM) *see also* localization microscopy
- spectral unmixing *see also* linear spectral unmixing
- spectroscopic localization microscopy 248
- SPED light-sheet microscopy 333
- spheroids *see also* light-sheet fluorescence microscopy (LSFM)
- SPIM *see also* light-sheet fluorescence microscopy (LSFM)
- spiral phase plate (SPP) 277
- STED *see also* stimulated emission depletion (STED)
- stepwise photobleaching 53, 70, 197
- stimulated emission depletion (STED) 2, 13, 18, 19, 21, **263**, 358, 361
  - adaptive optics 302
  - base instrument 282
  - cw STED 271
  - data acquisition 293
  - deconvolution 298
  - deep tissue imaging 299, 301
  - depletion efficiency 265
  - detector selection 285
  - donut generation 275
  - dual-color 279
  - dye selection 280
  - embedding media 290
  - gated cw STED 272
  - gated detection 288
  - implementation 270
  - in vivo 299, 361
  - increasing the signal 295
  - isoSTED 188
  - lasers 282
    - – pulsed 283
    - – white light 284
  - lifetime imaging 308
  - Lorentzian PSF 269
  - multi-color 298
    - optimum STED laser power 295
    - phase mask 277
    - phase modulation 277
    - principle 266
    - protected STED 274
    - pulsed (p-STED) 270
    - quality of PSF 289
    - sample preparation 292
    - scan speed 294
    - setup 267
    - STED-FCS 307
    - STED-SPIM 308
    - ultra-high-resolution 299
    - video-rate 303
    - vortex phase plate 267, 275
- stochastic
  - precision 100, 109
  - read-out 19
  - switching 13, 181
  - transition 17
- structure averaging 228
- structured illumination microscopy (SIM) 13, 18, 96, 98, **117**, **134**, 348, 360
  - 3D 139
  - axial (aSIM) *see also* axially structured illumination microscopy (aSIM)
  - illumination pattern 143
  - image scanning *see also* image scanning microscopy (ISM)
  - implementation 138
  - in vivo 151
  - lattice light-sheet *see also* lattice light-sheet microscopy
  - LED illumination 141
  - LSFM 152
  - multi-focal (MSIM) 159
  - non-linear 20, 140
  - OPRA 159
  - optical sectioning 117
  - phase estimation 150
  - principle 136
  - reconstructions 149
  - rotating coherent scattering (ROCS) *see also* rotating coherent scattering (ROCS)
  - sample preparation 125
  - setup 136
  - software *see also* software
  - video rate 154
- supercritical angle 84
- super-resolution microscopy
  - implementation 16
  - naming 13



super-resolution optical fluctuation imaging  
 (SOFI) 21, 88, 158, **199**  
 – pcSOFI 200  
 support of the OTF 7

## t

TALE-N 54, 368  
 targeted read-out 19  
 targeted switching 13, 21, 181  
 TDE *see also* clearing  
 theta microscopy  
 – confocal 316, 317  
 thiol *see also* imaging buffer  
 thunderSTORM 101  
 topologically associating domain (TAD) 27,  
 202  
 total internal reflection (TIR) 84, 85, 91, 142,  
 154, 166, 186, 199  
 total variance regularization 337  
 trajectories  
 – confined diffusion 241  
 – mean square displacement (MSD) 240  
 – morphological imaging 243  
 – single molecule 237  
 – smoothing in observations 241  
 transmission electron microscopy (TEM) 8  
 transmission OPT (tOPT) 329  
 triplet state 64, 70  
 – lifetime 26  
 – quencher 62, 63, 68, 69, 75  
 Tris *see also* imaging buffer  
 trolox *see also* imaging buffer  
 tube length adjustment 144  
 tube lens  
 – adjustment 144  
 two-photon 278, 301, 306, 319, 325

## u

ultramicroscopy 316  
 undersampling 89  
 upconversion  
 – OPT 348

## v

variable angle epifluorescence microscopy  
 (VAEM) 91  
 VectaShield *see also* imaging buffer  
 video-rate  
 – instant SIM 164  
 – lattice LSFM 326  
 – ROCS 171  
 – SIM 154  
 – SMLM 247  
 – STED 303  
 view 322, **330**  
 virtual microscopy (VIM) 29, 119, 125, 358  
 viscosity 65, 75  
 visualization 107  
 vortex phase plate 267

## w

wave-field microscopy 14, 118  
 Wollaston prism 90

## x

xanthene dyes 45

## z

Zernike coefficient 73