

## Index

### **a**

- A201A compound 795, 796  
 Accelerated Solvent Extraction<sup>®</sup>  
     (ASE<sup>®</sup>) system 77  
 ACD/labs percepta predictors 659  
 acetic anhydride-pyridine reagent 720  
 acquired immunodeficiency syndrome  
     (AIDS) 446, 560  
 actinobacteria  
     kocurin 427, 428  
     marthiapeptide A 427, 428  
     microbial metabolites 426  
     MSSA 428  
     ohmyungsamycins 429, 430  
     peptidolipids 429  
     *Salinospora* 426  
     sungsanpin 430  
     thiopeptide 427  
 actinomycetes 417, 426, 427, 433, 434,  
     623  
 acylation 203, 510–512  
 acyl carrier protein (ACP) 192, 202,  
     557, 565  
 acyl-chitosan 511  
 acyl-chlorides 510, 601  
 Adcetris<sup>®</sup> 300, 621  
 Addgene Plasmid Repository 779  
 adenochromine 587  
 ADMET parameters 659  
*Aequorea victoria* 774, 778–783  
 aequorin 774–775, 778, 781, 783  
 agar 5, 160, 219, 221, 228, 241–243,  
     248, 256, 257, 268, 280, 427, 497

- age-related macular degeneration  
     (AMD) 20, 644, 654, 668  
 alcyonarian soft corals 858  
*Alexandrium* sp.  
     *A. catenella* 326  
     *A. tamarensis* 345  
 algae–grazer interactions 712  
 algae polysaccharides  
     biological properties 487, 488  
     trade-marks 487, 488  
     types of 487  
 algal biomass 8, 21, 34, 35, 38, 40, 43,  
     45, 54, 144, 145, 148, 165, 239,  
     399, 415, 669  
 algal culture collections 4–6  
 algal oil production, cost of 12  
 algal products 144  
     raw biomass 144–145  
     whole algae 145–146  
 alginates 714  
     applications 500  
     DDD 500  
     egg-box model 499  
     as excipient 500  
     extraction and purification 721  
     M and G monomers 498  
     in tissue engineering 501  
     as wound dressing 501–502  
 allowable health claims, in USA 172  
 $\alpha$ -ketoglutarate halogenase 562  
 $\alpha\beta$ -glycosidic linkages 539  
 AlpP protein 803–804  
*Alteromonas infernos* 513  
 alumina 885

- American lobster (*Homarus americanus*) 887
- amino acid oxidases, biotechnological applications 808
- amino acid score 147
- amnesic shellfish poisoning (ASP) 876
- Amphidinium* sp. 555
- andrimeide 423, 424
- angiogenesis 160, 267, 276–278, 281–285, 288
- anhydroaplysiatoxin 560
- anhydrodebromoaplysiatoxin 560
- animal feeds 165–166
- advantages 165
  - companion animals 163
  - disadvantages 165
  - edible legumes 163
  - macro-economic data 163, 164
  - production 161, 163
  - soy 163
  - SWOT analysis 167
- antibiofilm molecules 796
- biosurfactants 800–801
  - polysaccharides 796–800
- antibiofilm strategies 793
- antibiotics peptide 417 *see also* peptide antibiotics
- antimicrobial agents 730–731, 800
- antimicrobial AlpP protein 803–804
- antimicrobial compounds 793
- A201A compound 795–796
  - tropodithietic acid 794–795
- antioxidant enzymatic catalysts 121, 122
- antioxidants 4, 40, 49, 130, 145, 151, 155, 156, 165, 171, 189, 219, 544, 651, 654, 658, 696, 713
- antiproliferative properties, purified marennine 544
- anti-tumoral effect, carotenoid degradation 658
- Aphanizomenon flos-aquae* 11, 168, 342, 655
- aplanospores 18, 19, 46–49
- Aplysia* 649
- Aplysina aerophoba* sponge colony 838
- Aplysina cauliformis* sponge chitin scaffolds
- hermal stability 844
  - light microscopy of 845
- Aplysinellidae* 828
- A101 polysaccharide 799
- apratoxin A
- cytotoxic cyclodepsipeptides 563
  - methylated amino acids 563
  - novel approach 563
- aquaculture 4, 8–12, 16, 53, 54, 128, 165, 220–227, 420, 530, 541–542, 650–651
- arachidonic acid 16, 49, 150, 206
- Arbacia lixula* 586
- Architeuthis* sp. 622
- Arteriogenesis* 276
- Arthrospira* sp. 667
- A. maxima* 543
  - A. platensis* 543
  - A. platensis (Spirulina)* 11, 657
- biomass 43
- global production 40
- harvesting efficiency 43
- pH control 42
- production raceway ponds 41
- strains 41
- temperature 40
- Aspergillus* sp.
- A. fumigates* 425
  - A. fumigatus* 616
  - A. niger* 539
- astaxanthin 127
- β-carotene and 43
  - Haematococcus pluvialis* 46–49
  - isomers, chemical structures of 128
- astaxanthin 650, 652
- A-superfamily, conotoxins 461–462
- atacamite 894
- Atelopus zeteki* 330
- Aurantiochytrium* sp. 10, 21, 22, 54
- A. mangrovei* 22
- b**
- Bacillus* sp.
- B. mojavensis* 425

- B. silvestris* 425, 426
- bacteria 792
- biofilms 793
  - luciferase 776
- barbamide 561, 562, 565, 569
- batch treatment 80
- bath sponges 829, 873
- Bay of Marennes-Oléron 532
- β-carotene 18, 38, 43–46, 118, 149, 651–654, 658, 666, 667
- β-methoxy enone 561
- bilayer hydrocolloid films 731
- bioaccumulation 227, 229–230, 859, 878–882
- bioactive hydrogel dressing 493
- bioactive metabolites and molecules
- metabolites, pathogen-cell interaction 614–615
  - molecules, treatment of pain 622–623
  - oncologic, anti-tumor therapeutic potential 617–622
- bioassay guided fractionation 356, 425
- bioaugmentation* 218
- BioEnergy & Food Security Approach (BEFS) 161
- biofilms
- bacterial 793
  - definition 792
  - food industry 792
  - organisms in 792
- biofuels 12
- fermentation 258
  - hydrothermal liquefaction 258
- bioinspiration 710, 719, 856, 883, 892, 897
- bioinspired materials science 845
- bioluminescence
- green fluorescent protein
  - Addgene Plasmid Repository 779
  - Aequorea victoria* 778–779
  - calcium sensors 781–782
  - phototransformable fluorescent proteins 779–780
- marine luciferases
- aequorin 774
- bacterial concentration 773
- bacterial luciferase 776–777
- Cnidarians 772
- coelenterazine 772
- FLuc and Lux 774
- fluorescent proteins (FPs) 773
- Gaussia luciferase (GLuc) 776
- imidazopyrazinone luciferins 772
- Ophophorus* and NanoLuc 777
- photoprotein 772
- Renilla 775–776
- biomimetic approaches 838, 884
- biomineralization
- bioinspired nanotechnologies 882
  - biological carbonates 859
  - biological lithosphere 859
  - biometal-based technologies 894–897
  - calcareous sponges 863
  - calcified cnidarians 863
  - calcium carbonate-based biotechnologies
  - biogenic processes 883
  - carbonate-chitin hybrids 887–888
  - implants and bioinspired approaches 888
  - nacre 884
  - novel construction materials 883–884
  - optical-grade calcite and eye-like systems 886
  - paints, surface coatings and abrasives 886–887
  - proxy models, environmental monitoring 888
  - water filtration and precision technologies 883
- calcium phosphate-based biotechnologies 888–890
- crystallization pathways 858
- dahllite 867, 868
- deuterostomia invertebrates 867–870
- fish and vertebrates
- bones and teeth 868

- biomineralization (*contd.*)
  - bony fish 869
  - cartilaginous fish 869
  - reptiles, birds and mammals 870
- heavy metals
  - magnetosome biomineralization 880
  - magnetotactic bacteria 878–880
  - polychaetes, with metal-clad jaws 882
  - polymetallic nodules and crusts 880–881
  - siderophores, role of 878
  - vanadium-accumulating ascidians 881–882
- microbial and algal calcifiers
  - calcareous algae 862
  - cyanobacteria 860–862
  - haptophytes 861–862
- natural uses 858
- protostomia invertebrates
  - crustaceans 864
  - marine worms 864
  - molluscs 864–865
- protozoans 863
- silica-based bioinspired technologies 890–892
- silicon-based biominerals
  - diatoms (*Bacillariophyta*) 876
  - radiolarians 872–873
  - silica sponges 873–875
  - silicoflagellates 871–872
- biomineral regeneration 881
- biopharmaceutical research
  - ADME disposition 628
  - cell culture methods 628–629
  - pathophysiology technologies 623–628
- biorefinery approach 13, 14, 22
- bioremediation 896
  - biomass 219
  - culture systems 219
  - definition 218
  - dissolved metals
    - bioaccumulation 227–229
    - biosorption 227–228
  - environmental conditions 218
- high-value products 219
- kelp cultivation
  - biomass yields 225
  - biomitigation, of coastal eutrophication 226
  - growth strategy 225
  - IMTA system 225–226
  - inorganic nutrients 224
  - morphology and life cycle 224
- land-based systems, with *Ulva*
  - cultivation
  - areal production rates 221
  - IMTA 220
  - infrastructure 221
  - molecular sequencing 221
  - offshore raft systems 220
  - production rates and nutrient uptake 222–223
  - sheltered waters 221
  - in South Africa 223–224
  - strains 221
- macro-nutrients and metal contaminants 218
- nutrient concentrations 219
- seaweeds 218
- bioresorbable  $\beta$ -chitin sponge-like construct 840
- biosilica 891
- biosorption 227–229, 882
- biostimulation 218
- biosurfactants 796, 800–801
- biosynthetic pathway, ovothiol formation 596
- bladder pain syndrome (BPS) 356, 753
- NeoSTX infusion 753
- bloom formation 555, 878
- blue biotechnologies 650
  - blue-coloured compounds 543
  - chemical classes, flavonoids and quinones 543
- blue diatoms 530, 544
- blue *Haslea* 530–532, 536, 537, 541–542, 544 *see also* blue diatoms
- blue mussels (*Mytilus edulis*) 533, 542
- blue technologies, framework of 666

- Bolinus brandaris* 644  
*Botryococcus* sp. 13, 54  
*B. braunii* 13, 21, 37  
*Brachycephalus* sp.  
*B. ephippium* 330  
*B. nodoterga* 330  
*B. pernix* 330  
brentuximab vedotin (Adcetris<sup>®</sup>) 300, 301, 556, 621  
brevenal 616  
for cystic fibrosis 754–756  
discovery 755  
brevetoxins effects, on human health 616  
brittle star 867, 868, 886  
brown algal phlorotannins 69, 93, 96, 97  
*Bryopsis* 424, 425  
B-superfamily, conotoxins 462–464  
bupivacaine, chemical structure 748  
*Bursatella leachii* 562
- C**
- calcareous algae 862  
chlorophyta 862  
ochrophyta, phaeophyceae 863  
rhodophyta 862  
calcareous sponges 823, 863, 873, 888  
calcified cnidarians 863–864  
calcium carbonate  
aragonite 863, 864, 866, 868, 884  
calcite 863, 864, 866, 868, 884, 886  
vaterite 866  
calcium-modulated photoactivatable ratiometric integrator)  
(CaMPARI) 782, 783  
calcium phosphate 864, 868, 888, 889  
apatite 868, 869  
calcium sensors 774, 779, 781, 782  
Callyspongiidae marine, proteinaceous spongin-based skeleton 838  
CaMPARI fluorescence 783  
*Candida albicans* 423, 425, 562, 615  
canthaxanthin 19, 118, 645, 650, 652, 667  
carbonate-chitin hybrids 887–888  
carmabins 556, 564  
carotenes 120, 126–127, 151, 157, 645  
carotenogenesis responses  
nutrient limitation 124  
transition metal ions 124  
carotenoids 50, 53, 670  
astaxanthin for salmonids 645  
biosynthesis 122  
description 120, 151  
*F. serratus* 151  
functional benefits 126  
astaxanthin 127–130  
carotenes 126–127  
lutein and zeaxanthin 130  
xanthophyll cycle pigments 130–131  
global market 131  
pigments 18  
production 43  
reactive oxygen species scavenging 121–122  
synthesis 118–119  
tocopherols 155  
xanthophylls and carotenes 645  
carrageenans 495  
applications and chemistry 372  
carrageenan hydrocolloids 387  
chemical structure 377–380  
*Chondrus crispus* 372  
dairy products 387  
extraction 375, 377  
gelation mechanism 495–496  
glycoside hydrolases (GHs) 394  
hybrid carrageenans 394  
industrial carrageenophytes 374  
infra-red spectroscopy 381  
λ-carrageenases 394  
medicinal properties 372  
NMR spectroscopy 381–384  
oligosaccharides 399  
physico-chemical properties 380  
sulfatases 391–392  
sulfurylases 389, 391  
types 495, 496  
*Caulobacter crescentus* 807

- cell detachment methods  
 animal-adherent cultures 629  
 cell-based biotechnology 629  
 manual 630  
 strength of affinity, cell adhesion 629  
 cell-penetrating peptides (CPPs) 629  
 cells cultures 714  
 cell separation 630, 896  
 cell therapy 276  
 cell turgor 713  
 cell wall, macroalgae 712  
 Center for Biologics Evaluation and Research (CBER) 630  
 centrifugal partition extraction (CPE) 77, 78, 721  
 ceramics 884  
 cetane number 13, 14, 16  
 chemical space 301–311, 659, 671  
 chemolithotrophs 878  
 chemostat culture 37  
 Chinese Hamster Ovary (CHO) 629  
 Chinese traditional herbal medicine 268  
 chitin 503  
   carbonate-chitin hybrids 887–888  
   chemical structure of 503  
   description 821  
   history 821–283  
   matrix 867  
   structural components 822  
   thermal behavior 844  
 chitin, sponges 823–830  
 chitinase digestion, of chitinous fibre 836  
 chitin-based scaffolds 830, 834, 840, 842, 844, 846, 887  
 chitosan–Pluronic copolymers 513, 514  
 chitosans  
   acylation 510–512  
   chemical derivatives 507  
   chemical strategies 507  
   chitin 504  
   copolymerization 512–513  
   crayfish carapace 887  
   crosslinking 512  
   depolymerization 508  
   eco-friendly material 507  
   hydrophobization 508–509  
   properties and applications 504, 505  
   quaternization 509–510  
   salification 512  
   wound healing process 505, 506  
*Chlamydomonas* 123, 202, 204, 487  
*Chlorella* sp. 655  
   *C. protothecoides* 10  
   *C. pyrenoidosa* 667  
   *C. vulgaris* 7, 667  
   production 39  
 chlorophylls 18, 76, 123, 124, 645–649, 651, 656, 657, 659, 664, 665, 667, 670  
 chlorophyll *a* 118  
 chlorophyll *a* and *b* 645  
 Chlorophyta 118, 219, 555, 645, 666, 710, 862, 863  
*Chondrus crispus* 147, 372, 373, 718  
 chromatographic methods 335–337  
*Chromobacterium violaceum* 807  
 chromophores 539, 649, 685, 778–783  
 CIE *L<sup>\*</sup>a<sup>\*</sup>b<sup>\*</sup>* colour space 540, 541  
 ciguatera fish poisoning (CFP) 554, 616, 756  
 ciguatoxins (CTXs) 616, 617, 754, 756  
 clearance rate (CR) 533  
 closed commercial-scale microalgae culture systems 34  
*Clostridium difficile* 418  
 Cnidarians 645, 772, 777, 863–864  
<sup>13</sup>C NMR signals, of chitin-based scaffolds 834  
 coccoliths 858, 861–862, 886, 897  
*Codium fragile* 658  
 coelenterazine 772, 774–777  
 collagenous marine sponges 838  
 colour characteristics, green oyster gills 541  
 coloured carotenoid synthesis 118  
 columbamide 565–566, 569  
 commercial-scale microalgae culture systems  
   advantages and disadvantages 36

- classification 34  
 economic considerations 38  
 reliability 37  
 cone snails 445 *see also* Indian cone snail  
     chemical diversity of 461  
     fatal results of 461  
     future directions 472–473  
     geographical distribution of 452  
     global distribution and ecology 446–447  
     recent developments of 472  
 Conoidea 445, 447–449, 471  
 conopeptides  
     diversity of 468–471  
     therapeutic application of 471–472  
 conotoxins 446, 457, 461, 464–466, 472, 473, 622  
     super families 461, 463  
*Conus* sp. 445 *see also* cone snail  
     bioactive compounds 461  
     biology of 457  
*C. anemone* 447  
*C. araneosus* 470  
*C. aulicus* 459  
*C. californicus* 457  
*C. exiguous* 447  
*C. figulinus* 470  
*C. hanshassi* 447  
*C. hughmorrisoni* 447  
*C. obscurus* 459  
*C. pennaceus* 449  
*C. regius* 459  
*C. sponsalis* 449  
*C. victoriae* 447  
 DNA barcoding technique 448  
 envenomation non-fatal and fatal 459–460  
 geometric morphometric 458  
*halitropus* 459  
*hughmorrisoni* 447, 449  
 phylogenetic hypotheses 449  
 taxonomy 447  
 therapeutic application of 471  
 Convention on Biological Diversity (CDB) 669  
 copolymerization 257, 490–491, 507, 512–513  
 grating from and grafting onto 491  
 coral-associated bacteria (CAB),  
     antibiofilm activity 801  
*Corollospora maritima* 542  
 Cosmetic Products Regulation 652  
*Crassostrea gigas* 533–536  
 crayfish carapace 887  
 critical limb ischemia (CLI) 274, 278  
 crustaceans 229, 324, 331, 458, 489, 503, 645, 650, 710, 772, 829, 864, 887  
 cryopreservation 6  
*Cryptocodinium cohnii* 18, 34, 49–50  
*Cryptococcus neoformas* 425  
 cryptophytes 118, 543  
 Cryptophyta 155, 555, 645, 649  
 crystallization 858  
 C-superfamily, conotoxins 464  
 C-superfamily, conotoxins 464  
 Curaçao collection 563  
 curacin A 556  
     antiproliferative and cytotoxic compound 563  
     lipid chains 563  
 cyanobacteria 54, 429, 683, 858, 860–861  
     oxygen generation 555  
     photoprotective compounds 687  
     synthetic analogues 556  
 cyanobactins 429  
     octapeptide patellin 6, formation of 567  
     posttranslational modifications 566  
     RiPPs 566  
     trunkamides 567  
*Cyanophora paradoxa* 652  
 cyclic imine (CI) toxins  
     and fast-acting toxicity 758  
     gymnodimines 757–758  
     neuropharmacology and biotechnology applications 760–762  
 pinnatoxins 757

- cyclic imine (CI) toxins (*contd.*)  
 representative compounds 757  
 spirolides 757, 759
- cyclic peptides 423, 429, 566 *see also*  
*Ohmyungsamycis*
- cysteine tryptophylquinone (CTQ)  
 cofactor 805
- cystic fibrosis, brevenal for 754
- cytarabine (ara-C) 298, 621
- Cytosar-U® 621
- d**
- daily intake, of iodine 159–160
- daptomycin 417, 418, 420
- deacetylhectochlorin 562
- deacylated forms of LPS (dLPS) 799,  
 800
- debromoaplysiatoxin 560
- deep biosphere 612
- degreening 535
- dehydratase (DH) 557
- delta-type ( $\Delta$ -type) desaturases 17
- demosponge chitin 824
- Demospongiae 823, 826–830, 838,  
 873, 890
- Dendryphiella salina* 542
- depolymerization 508  
 periodate oxidation 508, 509
- deprotonation equilibria 588
- Dermasterias imbricata* 587
- dermo-beauty care 652
- deuterostomia invertebrates  
 echinoderms 867  
 tunicates 868
- D-glucono- $\delta$ -lactone (GDL) 499
- DHASCO® 50
- diagram of psychometric chromaticity  
 540
- dialysis/diffusion method 499
- diatomite 893
- diatoms 6, 10, 17, 150, 205, 530, 538,  
 542, 799, 823, 858, 866, 870,  
 876–878, 892, 897
- diatoxanthin/diadinoxanthin system  
 645
- dietary fibres 160–161
- $\beta$ -dihydroxyisovalerate (DHIV) 562
- 1,5-dimethyl-4-thioimidazole (DMI)  
 588, 589
- dinoflagellates  
 heterogenous sources 555  
*Karlodinium veneficum* 617  
 ladder-frame polyether toxins 756  
 neurotoxicity 555  
 unicellular microorganisms 553
- 2,2-diphenyl-1-picrylhydrazyl radical  
 (DPPH) 602
- Distinct methods 489
- DNA barcoding technique 448
- DNA damage 656, 696, 716
- DNA taxonomy 448
- Dolabella auricularia* 300, 621
- dolastatin-10 300, 301, 556
- domoic acid 876
- drug delivery devices (DDD) 500–501
- drug delivery systems (DDS) 300, 487,  
 489, 492, 505, 728, 892
- D-superfamily, conotoxins 464
- Dunaliella* sp. 655  
*D. bardawil* 8  
*D. salina* 35, 585, 651, 667
- e**
- E140 (magnesium anion) 657
- E141 (copper anion) 657
- echinoderms 586, 590, 621, 645, 823,  
 861, 867, 886
- Ecteinascidin-743 (ET-743/trabectedin)  
 298, 299
- Ectocarpus siliculosus* 69
- edible crab 887
- Electrical Retrieval (ER) 632
- electronegative uronic acid sugars, in  
 A101 799
- Elysia rufescens* 424
- endosymbioses 862
- endothelial progenitor cells (EPCs)  
 276–278, 281, 286, 287
- Enterobacter* 421, 423
- Enterococcus* sp.  
*E. faecalis* 427  
*E. faecium* 423, 427

- Enteromorpha* 158, 175, 221, 615  
 environmental monitoring and control 896–897  
 Environmental Sample Processor (ESP) system 340  
 enzyme-linked immunosorbent assay (ELISA) 282, 339, 340  
 epoxycarotenoids anti-proliferative or anti-carcinogenic activities 658  
 multi-drug resistance, cancer treatments 658  
 oxygenated carotenoids 657  
 Zeaxanthin 658  
 EPS273 799  
 eribulin 300, 302, 621  
*Eribulin mesylate* 300, 621  
*erythropoietin (EPO)* 277, 628  
*Escherichia coli* 95, 130, 421, 423, 542, 560, 808  
 E-superfamily, conotoxins 464  
*Eucheuma denticulatum* 374  
*Euglena gracilis* 10, 54, 586, 601  
 eukaryote algae 543  
 European Food Safety Authority (EFSA) 174, 653  
 European Medicines Agency (EMA) 621, 630, 664  
 European Union's MaCuMBA Project 613  
 eutrophication 144, 166, 218, 224, 226  
 exopolysaccharides (EPS) 13, 20, 792, 796, 799  
 extracellular marennine (EMn) 530, 534  
 pH, wavelength 538  
 extracellular matrix (ECM) 268, 492, 728, 840, 846, 869  
 extracellular polysaccharides (EPS) 160, 487, 513  
 extreme biomimetics 836, 842–845  
 eye-like systems 886
- f**  
*Fabrea salina* 45  
 fatty acids (FAs) algae  
 algae-based biomass production costs 207  
 biofuel applications 207  
 TAGs 205  
 VLC-PUFAs 206  
 composition 13  
 endoplasmic reticulum 202  
 in eukaryotes 194  
 even-numbered and odd-numbered FAs 194  
 FA editing 203  
 FA profiles 194  
 unsaturated FAs 194  
 Federal Food, Drug and Cosmetic Act 652  
 ferric citrate 795  
*Fines de Claire Vertes* 532  
 flash chromatography 81, 88  
 fluorescence resonance energy transfer (FRET) 665, 781  
 fluorescent probe, diagnostic applications 665  
 Folin–Denis method 80  
 Food and Agriculture Organization (FAO) 148, 541  
 Food for Specified Health Uses (FOSHU) ingredients 171, 172  
 Food Outlook report 168  
 food supplements 54, 159, 168, 171–176, 205, 671  
 market 173  
 foraminifera 857, 863  
 fossil *Conus* species 450  
 fresh-water sponges, chitin in 826–828  
 frustules 876, 892, 893, 897  
 F-superfamily, conotoxins 464  
 fucoidan angiogenic heparin-binding proteins 285  
 angiogenic properties 280  
 anticoagulant activity 279  
 cellular and molecular mechanisms 284  
 direct growth-factor signal transducer 285

- fucoidan (*contd.*)  
 molecular-weight fucoidan fractions 278  
 stem cells 267  
 structural determination 279  
 venous and arterial antithrombotic properties 267  
*In vivo* 286  
 fucoidans 160, 219, 267, 273, 487, 497, 713, 714  
 fucoxanthin 20, 53, 128, 149, 151, 645, 653, 658  
*Fucus* sp.  
*F. evanescens* 614  
*F. serratus* 151  
*F. vesiculosus* 78  
 functional foods 53, 145, 171, 173, 174, 644, 653–655, 722  
 functionality claims, in China 173
- g**  
 gas chromatography (GC) 337  
*Gaussia luciferase* (GLuc) 776  
 gene cluster 338, 343, 345, 433, 434, 561, 623, 692  
*Genipa americana* 543  
 genome mining 433, 434, 568–569, 689, 794, 806, 809  
 geometric morphometric techniques 458  
 giant basal spicule (GBS) 873–875  
 glass sponges 873–875  
   chitin in 824–826  
 glutathione-s-transferase (GST) 731  
*Glycera dibranchiata* 894  
 glycerolipid biosynthesis  
   primary endosymbionts  
     chloroplast glycerolipids 204  
     endoplasmic reticulum 202  
     lipids conservation 204  
     stromal enzyme systems 202  
     triacylglycerol, biosynthesis of 203–204  
   secondary endosymbionts 205  
 glycerolipids  
   de novo synthesis 192  
   fatty acids (FAs) 192  
 glycerol-3-phosphate 192  
 glycolipid biosurfactant, antibiofilm activity 801  
 glycopeptide antibiotics 418  
 glycoside hydrolases (GHs) 394  
 goethite 867  
 gonyautoxin (GTX) 2/3 epimers  
   clinical trials 752  
   safety trials 751  
*GoxA* 805, 806  
*Gracilaria* 149, 219, 221, 223, 228, 241, 242, 248, 256  
 gram negative bacteria 423  
   chitosan 505  
   kocurin 427  
   ohmyungsamycin 429  
   thiopeptide 427  
 gram-positive bacteria *see* actinobacteria  
   ohmyungsamycin 429  
 granatumin Y 304, 305, 308, 315  
 grazing molluscs 866–867, 878, 894  
 green fluorescent protein (GFP) 731, 774, 783  
 Addgene Plasmid Repository 779  
*Aequorea victoria* 778  
 calcium sensors 781–782  
 phototransformable fluorescent proteins  
   photoactivatable fluorescent proteins 780–781  
   photoconvertible fluorescent proteins 780  
   super-resolution microscopy 780  
 green-gill oysters 533, 536–538  
   Raman spectroscopy 537  
 green oysters  
   EMn and IMn 533  
   SFG 533  
 green seaweeds 68, 147, 151, 156–160, 219, 279, 615, 721  
 green-water systems 542  
 G-superfamily, conotoxins 465  
 GTX2/3, direct infiltration 754  
 guanidinium toxins, bioinformatic tools

- capillary electrophoresis (CE), with
- UV detection 336
  - genetic regulation 345
  - membrane proteins 354
  - nuclear magnetic resonance spectroscopy (NMR) 337
  - physical and chemical properties 333
  - quantitative structure–activity relationship (QSAR) models 353
  - saxitoxin (STX)
    - and analogs 330
    - biosynthesis 342–345
    - chemical methods 335
    - chemical synthesis 340
    - chromatographic methods 335–336
    - control and muscle relaxation 355–356
    - historical background 326
    - immunodiagnostic assays 339
    - receptor binding assays 338–339
    - structural and functional assays 338  - tetrodotoxin (TTX)
    - and analogs 328–330
    - biogeographical distribution 324
    - biosynthesis 341
    - chemical methods 337–338
    - chemical synthesis 340
    - chromatographic methods 335
    - heroin dependence 356
    - historical background 325
    - pain control and muscle relaxation 355–356
    - receptor binding assays 338–339  - gymnodimines 757, 758
- h**
- Haematococcus pluvialis* 18, 34, 46–49, 145, 653, 667
  - Halaven® 300, 621
  - halichondrin B 300, 621
  - Haptophyta 555, 645
  - haptophytes 53, 861–862
  - harmful algal blooms (HABs) 168, 223, 324, 616
  - Haslea ostrearia*
    - blue pigments 530
    - marenine pigment 531
    - purified marenine 530
    - Raman spectroscopy 536
    - water-soluble, extraction 530  - Haslea* sp.
    - H. acoran* 531, 532
    - H. karadagensis* 531, 532
    - H. nusantara* 531
    - H. provincialis* 531, 532, 542
    - H. silbo* 531, 532  - hatchery production, of live microalgal feeds 12
  - Hectochlorin 556, 562, 622
  - Helicobacter pylori* 421, 513, 658
  - Helioipora coerulea* 649
  - herpes simplex virus type 1 (HSV-1) 543
  - heterogenous sources 555
  - heterologous expression 560, 561, 567, 569
  - Heteronuclear Multiple Bond Coherence (HMBC)  $^1\text{H}$ – $^{13}\text{C}$  technique 384
  - Hexactinellida 823–826, 873–875, 890, 891
  - high performance liquid chromatography (HPLC) 18, 335, 336, 470, 590, 720
  - high rate algal ponds (HRAP) *see* raceway ponds
  - 5-histidyl-cysteine sulfoxide 596
  - H-superfamily, conotoxins 465
  - 1,3-Huisgen cycloaddition 490, 491
  - human food applications, microalgae 167
    - food supplements 171–175
    - market description 168–171
    - nutritional content 166  - human health benefits, macroalgal species 152

- human mesenchymal stromal stem cells (hMSC) research *I.basta* in 841, 842
- humpback whales 890
- hybrid non-ribosomal peptide synthetases (NRPS) 556
- hydrocarbons 13, 14, 120, 151, 218, 645, 800
- hydrogels 491
- bioactive hydrogel dressing 493
  - commercial products 493, 494
  - drug diffusion 492
  - gel particle technology 492, 493
  - water/gel interactions 492
- hydrophilic-interaction liquid chromatography (HILIC) 82
- hydrophobic chains 490
- hydrophobization 508–509
- hydrothermal liquefaction 13, 258–259, 263
- hydrothermal vents 486, 513, 612, 842, 880, 881
- hypochlorous acid (HOCl) 603
- i**
- Ianthella basta*
- flat 3D-skeleton 841
  - hMSC research 842
  - sponge skeleton 828
- imbricate 587, 594
- IMn position 540
- implants 846, 884, 888, 889, 891
- Indian cone snails 445 *see also* cone snails
- conopeptide diversity of 468–471
  - Conus* sp. 450
  - geographical distribution of 452, 453
  - in Gulf of Mannar region 450
  - novel conotoxin isolation 468, 469
- Indian Wildlife (Protection) Act 450
- industrial-scale fermentation
- technology 10
- infra-red spectroscopy 381
- Integrated Multi-Trophic Aquaculture (IMTA) 220, 225
- interdisciplinary PharmaSEA consortium 613
- International Commission on Illumination protocol 540
- International Nomenclature of Cosmetics Ingredients (INCI) 652
- intracellular marennine (IMn) 531, 533, 540
- in vitro* antifungal activities 542
- iodine 159–160
- Ion-pair chromatography 335, 336
- Ion-spray 336
- ischemia
- critical limb ischemia (CLI) 274
  - EPC 277
  - GAGs 286
  - muscle destruction 284
  - P-and/or L-selectins 286
  - tissue ischemia 284
- Isochrysis galbana* 53, 667
- isopentenyl pyrophosphate (IPP) 118, 119
- I-superfamily, conotoxins 465
- j**
- jamaicamides* 556, 561–562
- Japanese folk medicine 355
- jellyfish proteins 775
- J-superfamily, conotoxins 465
- k**
- Kaede protein 780
- kahalalide F 424, 425
- Kappaphycus* 241–243, 245, 248, 256, 258, 374
- alvarezii 258
- Kappaphycus alvarezii* 243, 255, 374, 495
- Karenia brevis* 616, 689, 754
- Kaupichthys hyoproroïdes 783
- kelp cultivation
- biomass yields 225
  - biomitigation, of coastal eutrophication 226
- growth strategy 225

- IMTA system 225–226  
 inorganic nutrients 224  
 morphology and life cycle 224  
 keratose demosponges 823, 828, 843  
 keto-carotenoid astaxanthin 127  
 ketoreductase (KR) 557  
 K/Na ratio 654  
*Kocuria palustris* 427  
 kocurin antibiotic 427, 428  
 K-superfamily, conotoxins 465
- I**
- laboratory-scale microalgal studies 13  
*Laminaria digitata* 156, 174, 224, 230, 271, 279, 615, 714  
 L-amino acid oxidase (LAAO) 805, 806, 808  
 lanthipeptides 568  
 lasso peptide 428  
 lateral flow immunochromatographic (LFI) assay 339  
*Leishmania* 586, 600, 601  
 leucamide A 556  
*Leucetta microraphis* 556  
 lidocaine, chemical structure 748  
 life-cycle assessment 13  
 light intensity, microalgal growth and carotenoid synthesis 122  
 lipid-soluble pigments *see* carotenoids  
 lipopeptide 418, 420, 424, 425, 428, 429, 431, 561  
 antibiotics 418  
*Bacillus mojavensis* 425  
 lipopolysaccharides (LPS) 799, 800  
 liquid chromatography with fluorescence detection (LC-FLD) 335–337  
*Lissoclinum patella* 566, 567  
 live-cell imaging and monitoring 628  
 livestock revolution 163  
 LodA-like proteins, ecological biofilm-related roles of 806  
 long-chain polyunsaturated fatty acids (LC-PUFAs) 16–18, 34, 49, 198
- lower critical solution temperature (LCST), pNIPAAm 631  
 low molecular weight fucoidan (LMWF) 282, 497  
 low pressure liquid chromatography 80  
*LPS* *see* lipopolysaccharides (LPS)  
 L-serine 341, 656  
 L-superfamily, conotoxins 465–466  
 luciferases  
     bacterial concentration 773  
     bacterial luciferase 776–777  
     Cnidarians 772  
     coelenterazine 772  
     FLuc and Lux 774  
     fluorescent proteins (FPs) 773  
     Gaussia luciferase (GLuc) 776  
     imidazopyrazinone luciferins 772  
     *Ophophorus* and NanoLuc 777  
     photoprotein 772  
*Lulworthia* sp. 542  
 lutein 18, 20, 40, 50, 118, 130, 151, 650, 654, 667  
*Lynbya* sp.  
     *L. bouillonii* 569  
     *L. majuscula* 430  
     *L. majuscula* (*Moorea producens*) 560–562  
 lyngbyatoxin (LTX) 556, 558–560  
 biosynthesis 566  
 lysine-epsilon-oxidase (LodA) 793, 804, 805  
 recombinant production in *E.coli* 808
- m**
- MACCS-II Drug Data Report  
 (MDDR)-like rule 664  
 macroalgae 487, 709  
 agar 497  
 applied cosmetology-oriented research 724–728  
 average composition 146  
 carrageenans 495  
 chemical strategies 712–719  
 and constraints 710

- macroalgae (*contd.*)
  - cosmetological applications
    - moisturizers 723
    - sunscreens 724
  - desiccation of 712
  - floridoside 714
  - fucoidans 497
  - mannitol 714
  - marine environment 710–712
  - osmoregulation 712
  - phlorotannins 718
  - photoprotection 716
  - porphyran 497
  - wound dressings 729–731
- macromolecules 271, 485, 486, 495, 505, 858, 866
- magnesium calcite 867
- Magnetospirillum gryphiswaldense* 896
- magnetotactic bacteria 878–880
  - ferromagnetism 878–879
  - magnetosome biomineralization 880
  - magnetosome formation 878, 879
- MAI (magnetosome island) 879
- mannitol 75, 81, 82, 85, 279, 713, 714, 723
- marennin chromaticity 540, 541
- marennin-like pigments
  - blue diatom
    - and blue *Haslea* species
    - biodiversity 531
    - colourimetric analyses 539
    - greening mechanism 536
  - structure
    - chromophores 539
    - chromoprotein 538
- marennin, Raman spectroscopy 536–538
- Marinactiniospora thermotolerans* 427, 795
- marine bacteria
  - adrimide 423, 424
  - Bacillus silvetris* 425, 426
  - Kahalalide F 424, 425
  - mojavensin A 425
- solanamides, unarmicins and ngercheumicins 423, 424
- marine-based drugs 748
- marine biominerals 856–858
- marine biopharmaceuticals 612–614, 632
- marine bloodworm *Glycera dibranchiata* 894
- marine demosponges, chitin in 828–830
- marine-derived compounds, FDA 302, 315, 618
- marine-derived drugs 665, 747
- marine ecosystems 10, 16, 189, 218, 229, 550, 612, 614, 710, 823, 860
- marine fungi 97, 431, 615
- marine luciferases, *Renilla* 775–776
- marine microalgae 16, 168, 553–570, 667, 748
- marine microorganisms 417–436, 553, 613, 614, 632, 792, 794, 800, 801
- marine natural products 297–301, 422, 612, 613, 615, 621, 632, 633, 670
- marine pathogenic bacteria 542
- marine peptides 423–426
  - antimicrobial activity 623
  - antimicrobial biopharmaceutical potential 624
- marine pigments
  - applications of 668
  - diversity
    - carotenoids 645
    - chlorophylls 645–649
    - organic pigments 644
    - phycobiliproteins 649
    - pigments, cosmetics and cosmeceutical applications 651
    - pigments in aquaculture 650
- marine polychaetes 882
- marine prokaryotic cyanobacteria 622
- marine scaffolds
  - Scaffold Networks approach 303
  - scaffold trees 303
- marine worms 864
- marinocine *see* lysine-epsilon-oxidase (LodA)

- Marthasterias glacialis* 586
- Marthiapeptide A 427, 428
- mass spectrometry (MS) 68, 88–89, 334, 336, 386, 433, 468, 470, 538, 539, 565, 566, 720
- mass spectroscopy (MS) 88, 89, 381, 384–387, 568, 591
- mediate pathogen interactions, human cells
- human microbiome 615
  - marine toxins 616
  - NSP 616
- Medicines and Healthcare products Regulatory Agency (MHRA, UK) 630
- medium pressure chromatography *see* flash chromatography
- Medusa tubular photobioreactor 35
- metagenomic library screening 564
- metal responsive elements (MREs) 600
- methicillin-resistant *Staphylococcal aureus* (MRSA) 418, 419, 423, 427, 428, 434, 615, 623
- methicillin sensitive *Staphylococcus aureus* (MSSA) 428
- 3-methoxyaplysiatoxin 560
- 3-methoxydebromoaplysiatoxin 560
- methyltransferase (MT) 557, 558
- 1-methyl-2-(3-trifluoromethylphenyl)-4-mercaptopimidazole (MFP-4MI) 585
- MICCP (microbially induced calcium carbonate precipitation) 884
- microalgae 4, 651
- advantages of 487
  - algal culture collections 4–6
  - animal feeds 161
  - applications 162
  - average composition 146
  - axenic culture 34
  - bioapplications 21
  - biofuels 12–13
  - biomass 4
  - carotenoids 50, 53
  - characteristics 37
  - chemotaxonomy 13–14
  - composition and characteristics 14
  - cultivation techniques 7
  - batch cultivation 7
  - fermentation systems 9–10
  - hybrid/combination growth systems 9
  - open pond 7–8
  - photobioreactors 8
  - plastic bags and tanks 8
  - and cyanobacteria, pigmented superfood 654
  - definition 33
  - feed components 12
  - food supplement 11
  - growth medium 5
  - lipid composition 14
  - long-chain polyunsaturated fatty acids 16–18
  - and macroalgae
  - antioxidants 652
  - colorants 652
  - Fucoxanthin 653
  - neutral lipids 13
  - polyhydroxyalkonates 53
  - polysaccharides 20
  - wastewater bioremediation and bioproducts 20–21
  - worldwide production 170
- microalgae
- human food applications 166–167
  - regulations and standards 54
  - sterols 53
- microalgal carotenoid *see* carotenoids
- micro-and nano-encapsulation 670
- microbial and algal calcifiers
- calcareous algae 862
  - cyanobacteria 860
  - haptophytes 861
- microbial metabolism 426, 433
- micro-infiltrated macro-laminated composites (MIMLCs) 887
- microorganisms
- advantages of 423
  - genetic diversity of 433

- MIMLC (microinfiltrated macrolaminated composites) 887
- minerals, composition in seaweeds 158
- Mms6 protein 894
- mojavensin A 425
- molecular docking 334, 350–352, 357
- molecular dynamics 352–353
- molluscivorous cone snail 457, 470
- molluscs
- grazing molluscs 866
  - Nacre 866
  - shell formation 865
- Monomethyl eurastatin E 300
- monophyly 448, 449
- Monoraphis chuni 873–875
- Moorea bouillonii* 565
- Moorea producens* 554, 558
- morphine 297, 298, 422
- M-superfamily, conotoxins 466, 470
- mucocytes 536
- multicellular organisms 487
- multidrug resistance 420, 658
- multiphase cultivation strategies 9
- multiple displacement amplification (MDA) 564, 569
- multi-stream, zero-effluent (MUZE) processing 245
- Murex brandaris* see *Bolinus brandaris*
- Muriellopsis* sp. 50, 130, 667
- Mycobacterium* sp.
- M. intracellularare* 425
  - M. thermoresistibile* 597
  - M. tuberculosis* 430, 617
- mycosporine-like amino acids (MAAs) 685, 687
- antioxidative potentials of 695–696
- biomedical applications 695
- DNA damage 696
- osmoregulator 696–697
- in photoprotection 693–695
- scytonemin 695–696
- in space research and geo sciences 697
- in tracing evolution 697
- mycosporine-like amino acids (MMAs) 54, 645
- Mytilus edulis* 533, 758
- n**
- nacre 865, 866, 884–887
- Nagoya protocol 664, 669
- Nannochloropsis* sp. 37, 655
- N. gaditana* 667
- nanofibrils 503, 840, 844
- NanoLuc 777
- nanoorganised tubulous chitin 845
- see also* Verongida sponges
- nanotechnologies 882, 892, 894–896
- Nantes Culture Collection (NCC) 531, 550
- natural marine products 268–273
- natural products biosynthesis, marine
- microalgae
  - cyanobacteria 555
  - aplysiatoxin 560
  - apratoxin A 563–564
  - barbamide 561
  - carmabins 564
  - columbamide 565–566
  - curacin A 563
  - hectochlorin 562
  - jamaicamides 561–562
  - lyngbyatoxin 558–560
  - phormidolide 564–565
  - dinoflagellates 553–555
  - lanthipeptides 568
- natural products, marine microalgae 554
- N*-bromosuccinimide (NBS) reaction 595
- near-infrared (NIR) light 631
- neosaxitoxin (NeoSTX)
- anesthetic efficacy 752
  - with bupivacaine 752
  - clinical trials 752
  - effects 751
  - nerve blocking properties 752

- neuromuscular and respiratory function 753  
 post-operative pain levels 753  
 neurotoxicity 330, 555, 761  
 neurotoxic shellfish poisoning (NSP) 554, 616, 755  
 neutral lipids 13  
 next-generation DNA sequencing technologies 794  
 next-generation sequencing (NGS) 623  
 ngercheumicins 423, 424  
 nicotinic acetylcholine receptor (nAChR) 462, 760  
 N,N,N-trimethyl-chitosan chloride (TMC) 509, 510  
*Nocardia* sp. 428  
 non-photochemical quenching (NPQ) 120, 123–124, 716  
 non ribosomal peptides (NRP) 418  
   marine peptides 423  
   structural diversity of 418  
 non-ribosomal peptide synthetases (NRPSs) 418, 556, 794  
 nori 147, 158, 159, 167, 248, 497, 498  
 normal phase chromatography 82  
 Novel Food Law 174  
 NRPS/PKS  
   ketoacyl synthase (KS) domain 557  
   multimodular enzymes 557  
   structures 559  
   thio-templated 556–558  
 N-superfamily, conotoxins 466  
 N-type voltage sensitive calcium channels (NVSCC) 298  
 nuclear magnetic resonance (NMR) 538, 588, 720  
 α/β conformation 384  
 oligosaccharides NMR spectra 383  
 sequence of units 384  
 nutrient limitation, carotenogenesis responses 124
- O**
- Octopamine  
   (hydroxyl-phenyethanolamine) 622  
*Octopus vulgaris* 586, 622  
 4-O-demethylbarbamide 561, 569  
 Ohmyungsamycins 429, 430  
 omega-type (ω-type) fatty acid desaturases 16  
 ω-conotoxins 298, 471  
 open commercial-scale microalgae culture systems 34  
 open pond algal cultivations 7  
 open reading frames (ORFs) 561, 795  
 Ophiuroids (brittle stars) 868  
*Oplophorus* 777  
 organic pigments, categories of 646  
 organomineral 856  
*Oscillatoria nigro-viridis* 560  
 osmoregulator 696–697  
 osteocompatibility 888  
 Ostracods 772, 773  
 O-succinyl chitosan 511, 512  
 O-superfamily, conotoxins 466  
 ovothial  
   biological activities  
     derivative MFP-4MI 604  
     ovothiol A 603  
   biological roles  
     algae 601  
     marine worms 600  
     pathogenic protozoa 600  
     sea urchins 598–600  
 biosynthesis  
   enzymatic OvoA activity, identification 595–597  
   OvoA structure and occurrence 597–598  
 chemical properties  
   acid-base properties 588–589  
   reactivity toward biological oxidants 589  
   redox properties 589  
   thiol disulfide equilibrium 589  
 chemical synthesis 591–595  
 derivatives

- ovothial (*contd.*)
- antioxidant properties 602
  - synthesis 601–602
  - detection of 591
  - histidine 585
  - history 583
  - isolation 589–591
  - marine organisms 587
  - natural conjugates 587
  - occurrence of 586
  - structural characterization 590
- ovothiol
- derivatives, synthesis of 602
  - diselenides derivatives 602
  - function, sea urchins 599
  - 4-thioimidazole ring precursor 591
- ovothiol A 584
- chemical synthesis of 593
  - chemical synthesis of enantiomeric pure 595
  - disulphide, spectral and optical properties of 591
  - flow chart of 590
  - NMR and mass spectra of 590, 592
  - protonation equilibria of 588
- ovothiol disulphide (OSO) 598
- oxygenic photosynthetic organisms 121
- oyster greening 532, 533
- oyster treatment effects 535
- p**
- Pacific oysters 884
- Pantoea agglomerans* 423
- Paracentrotus lividus* 586
- paralytic shellfish toxicity (PST) 750
- paramylon 54
- Pavlova lutheri* 667
- peacock mantis shrimp 887
- peptaibols trichorizianine 431, 432
- peptide antibiotics 417
- actinobacteria 426
  - bacteria 423
  - cyanobacteria 429
  - fungi 431
  - genomic of 431
  - glycopeptide antibiotics 418, 419
- lipopeptide antibiotics 418, 420
- NRP 418
- one strain many compounds 433
- ribosomal peptides 417
- searching for 419
- peptidyl-carrier-protein (PCP) 557, 561
- periodate Schiff-base-staining method 508
- peripheral arterial disease (PAD)
- anticoagulation 275
  - cell therapy 276
  - epidemiological studies 274
  - fibrofatty plaque 274
  - new blood vessel formation 276
  - prevention 274
  - risk factor 274
  - surgical revascularization 275
- Phaeodactylum tricornutum* 37, 198, 667, 876
- Phaeophyceae* 73, 75, 77, 79, 89, 219, 269, 270, 498, 710, 711, 863
- pharmacognosy 612
- pharmacological activities 354, 422, 426
- pH, colour of marenin 531
- phlorethols 72
- phloroglucinol 68, 69, 72, 88–90, 95, 97, 155, 156, 718, 719
- phloroglucinol
- (1,3,5-trihydroxybenzene) 718
- phlorotannins 155, 718
- biosynthetic routes 69–72
  - biotechnological applications 95–96
  - chemical structures 70–72
  - classification 70–72
  - cosmeceutical interest 95
  - efficient partial purification 81
  - extraction
    - centrifugal partition extraction 77
    - enzymatic hydrolysis 76
    - extraction medium, composition of 75
    - freeze-drying 74
    - pressurized liquid extraction 77–78

- supercritical fluid extraction 77  
 Folin– Ciocalteu method 89  
 functions in brown algae 90–93  
 high pressure liquid chromatography  
   82–83  
 history 67  
 identification techniques  
   Fourier transformed infra red  
     spectroscopy 85  
   mass spectroscopy 88–89  
   thin layer chromatography 84,  
     85  
   ultrafiltration 84  
 molecular weights 68  
 non colorimetric methods 90  
 organic solvent mixtures 75  
 pharmacological applications 94,  
   95  
 preparative thin layer  
   chromatography 84  
 purification 78  
 quantification 89  
 subcellular localisation 72–73  
 theoretical extraction and purification  
   chart 74  
 phlorotannins  
   identification techniques 85  
   pharmacological applications 93  
 phormidolide  
   biosynthetic cluster of 565  
   bromination 565  
   penultimate ketone 565  
 phosphodontin 868  
 phosphopanteteny transferase (PPTase)  
   557  
 photoactivatable fluorescent protein  
   779–781  
*Photobacterium halotolerans* 423  
 photobioreactors 6, 8–9, 34–39, 47,  
   48, 53, 208, 669, 887  
 photodynamic therapy (PDT) 656  
 Photosan® 656  
 photosynthesis 7, 22, 35, 42, 117, 118,  
   121–123, 126, 143, 191, 206, 645,  
   670, 684, 713, 714  
 photosynthetic microalgae 5, 12  
 photosynthetic pigments, Lipinski's  
   rules 663  
 phototransformable fluorescent proteins  
   779–780  
 photoconvertible fluorescent proteins  
   780–781  
 phototrophic microalgae 7, 8  
 phycobiliproteins 155, 247, 645,  
   649–651, 665, 667–670  
 phycocyanins 543  
   antioxidant protector of human cells  
     155  
   source 155  
 phycoerythrins 155  
 physodes 68, 73, 90  
 phytoremediation 149, 896  
 pigment function 120  
 pigments, coloring food and other  
   products 665  
 pigments, cosmetics and cosmeceutical  
   applications, microalgae and  
   macroalgae 652  
 pigments in aquaculture  
   astaxanthin 650  
   canthaxanthin 650  
   carotenoids, prawn diet 651  
   β-carotene 651  
   marine aquaculture 650  
 pigment sourcing  
   algal biomass 669  
   flow chart 672  
   photosynthetic organisms 667  
 pigments, pharmaceuticals and  
   therapies  
   chlorophyllins 657  
   chlorophylls 656  
   R-Phycoerythrin (R-PE) 657  
*Pinctada* sp.  
   *P. margaritifera* 884  
   *P. martensii* 425  
   *P. maxima* 884  
 piscivorous cone snail 457  
 Pitipeptolides 430, 431  
 Pitiprolamide 430, 431  
 plant and algal pigments 118

- plasminogen activator inhibitor-1 (PAI-1) 280, 281  
*Platynereis dumerilii* 585, 600  
*Polaribacter irgensii* 542  
 polychates 882  
 poly(ethylene glycole) (PEG) 513  
 poly(N-isopropylacrylamide) and (pNIPPAm) 501, 631  
 polyhydroxalkonates 53, 861  
 polyisobutylene (PIB) 730  
 polyketide synthase modules (PKS) 556  
 polyketide synthase (PKS) pathway 16  
 polymerisation of actin 556  
 of tubulin 556  
 Polymetallic nodules 859, 880–882, 897  
 polyphenols 82, 83, 88, 91, 155–156, 645, 720–722  
 polysaccharides 20, 160, 268  
 algae biological properties 487, 488  
 alginates applications 500  
 DDD 500–501  
 dialysis/diffusion method 499  
 as excipient 500  
 in tissue engineering 501–502  
 as wound dressing 501  
 chemical modification of 489, 490  
 chitin 503  
 chitosan 503  
 acylation 510–512  
 chemical strategies 507–508  
 copolymerization 512–513  
 crosslinking 512  
 depolymerization 508  
 hydrophobization 508–509  
 quaternization 509  
 salification 512  
 classification of 486  
 EPS 513  
 extraction method 489  
 as hydrogels 491  
 macroalgae agar 497  
 carrageenans 495–497  
 fucoidans 497  
 porphyran 497–498  
 purification method 489  
 sources of macroalgae 487  
 marine animals 489  
 microalgae 487–489  
 poly(vinyl alcohol)-sodium alginate 730  
 polyvinylpyrrolidone (PVPP) 80  
 porous irregular (fractured) silica gels 80  
 porphyran 497–498  
 preparative thin layer chromatography 84  
 pressurized hot water extraction (PHWE) *see* subcritical water extraction  
 pressurized liquid extraction (PLE) *vs.* solid/liquid extraction 77  
 primary xanthophylls 18  
 procaine, chemical structure 748  
*Prochloron didemni* 566  
*Profundiconus* 447, 449  
*P. barazeri* 447  
*P. maribelae* 447  
*P. neocaledonicus* 447  
*P. puillandrei* 447  
*P. virginiae* 447  
 protease nexin-1 (PN-1) 280  
 protein-fragment complementation assays (PCA) 776  
 protein kinase C (PKC) 560  
 proteins 4, 13, 20, 22, 54, 72, 92, 145, 147, 148, 167, 205, 268, 275, 285, 287, 354–355, 462, 485, 562, 597, 628, 630, 771–784, 803–808, 879, 880, 888  
 Proteomic Investigation of Secondary Metabolites (PrISM) 434  
 protostomia invertebrates crustaceans 864  
 marine worms 864  
 molluscs grazing molluscs 866

- Nacre 866  
 shell formation 865  
 protozoans 45, 601, 863, 875  
*Pseudoalteromonas* sp. 812  
 3J6 culture supernatant effect 803  
*P. carageenovora* 392  
*P. elyakowii* 542  
*P. haloplanktis* TAC125 antibiofilm molecule 802  
*P. ulvae* TC14, antibiofilm activity 799  
*Pseudocaranx dentex* 651  
 Pseudoceratinidae 828  
*Pseudomonas aeruginosa* 423, 544  
 biofilms 802  
*Pseudomonas fluorescens* 423, 434  
*Pseudo-nitzschia* 876, 897  
 P-superfamily, conotoxins 467  
 pyridoxal phosphate (PLP) 595
- q**  
 quantitative structure–activity relationship (QSAR) 311, 353–354  
 quaternization 509–510  
 quinine 297, 298  
 quorum quenching (QQ) 801  
 quorum sensing (QS) inhibitors 801–802
- r**  
 raceway ponds 8, 251, 801–802  
 radiolabelled amino acids 691  
 radiolarians 870–873, 892  
 radula 867  
 rainbow fluorescent proteins 783  
 Raman measurements, IMn and EMn 537  
 Raman spectroscopy 535–538, 541, 697, 827  
 ramoplanin 418, 420  
 raw material production, for human food 169  
 RcaD transcription factor 562  
 reactive nitrogen species (RNS) 684  
 reactive oxygen species (ROS) 652, 696  
 formation and detoxification mechanisms 121  
 metal stress-induced cellular generation 125  
 scavenging by carotenoids 121  
 receptor binding assays 328, 338–339, 617  
 red macroalgae, extraction and purification 720  
 regeneration 868  
 released polysaccharides (RPS) 513  
*Renilla* 774–776  
 reversed-phase chromatography 82  
*Rhabdocalyptus dawsoni* 874, 890  
*Rhodobacterales* TDA-producing representatives 795  
 rhodophyta 155, 219, 375, 645, 649, 710, 711, 862  
 rhodophytes 543  
 ribosomal peptides 417  
 ribosomal structures 566  
 Ro5 parameters 664  
 56 pigment subsets 660  
*Roseobacter* 794  
 R-Phycoerythrin (R-PE) 652, 657, 668
- s**  
*Saccharopolyspora erythrea* 433  
 salicylic acid 69, 297, 298  
*Salinospora* 426  
*Salmonella* sp.  
*S. pullorum* 470  
*S. typhimurium* 544  
*Sargassum siliquastrum* 653  
*Saxidomus giganteus* 327  
 saxitoxin (STX)  
 and analogs 330  
 biosynthesis 342  
 chemical methods 335  
 chemical synthesis 340  
 chromatographic methods 335  
 congeners  
 bioactivity 750  
 chemical structures 749  
 discovery 749  
 family 748

- saxitoxin (STX) (*contd.*)  
 historical background 326  
 immunodiagnostic assays 339  
 receptor binding assays 338  
 sub-lethal effects 750  
 and tetrodotoxin 750
- scallops (*Placopecten magellanicus*) 542
- Scenedesmus* sp. 50, 655, 666
- Schizochytrium* sp. 10, 16, 21, 34, 49, 50, 175
- Schizothrix calcicola* 560
- scleractinian corals 862, 888
- scope for growth (SFG) 533
- scytonemin 685–688, 691–693, 695–696
- Sea cucumbers 621, 628, 867, 868
- seamount crusts 881
- Sea urchins 583, 585, 596, 598, 600, 867–868
- seaweeds  
 fucoxanthin content 151  
 iodine content 159  
 mineral composition 158  
 vitamins 156
- secondary xanthophylls 18
- secretome 866
- selection/mutation techniques 670
- selenium levels 5
- self-organizing maps (SOMs) 309, 311–316
- semi-continuous batch culture 37
- Serratia marcescens* 802
- serial endosymbiosis hypothesis (SEH) 344
- Sericolophus hawaiicus* 824, 826
- shark skin 889
- short-chain fatty acids (SCFA) 160
- Silica  
 diatoms 876–878  
 radiolarians 872–873  
 silicoflagellates 871  
 sponges 863, 870, 873–875
- siderophores 878, 896
- silica sponges 863, 870, 872–875
- silicoflagellates 871
- silver alginate 730
- Skeletonema costatum* 534, 535
- S-(5'-L-histidyl)-L-cysteine sulfoxide 595
- sodium alginate (SA) 498, 499, 731
- solanamides 424
- solid GeO<sub>2</sub>-chitin-based composite 844
- solid/liquid extraction (SLE) 78
- solid seaweed concentrates (SWC)  
 agricultural biostimulants 255, 256  
 agricultural plant and animal applications 252  
 analytical techniques and instrumentation 250  
 animal feed components 254
- Ascophyllum* commercial extracts 251
- bacterial, fungal, insect and parasite depredations 251
- foliar and soil applications 251
- gastrointestinal health, and immune system responses, in animals 251
- physiological and biochemical processes 251
- physiological processes 253
- for plant applications 249
- producers 249
- rhizosphere community 251
- world-wide distribution 249
- solanamides 423, 424, 757–759
- sonodynamic therapy (SDT) 657
- SP1 EPS, antibiofilm activity 799
- Spinacea oleracea* 666
- spiroptides 757, 759
- spirulina 11, 33, 34, 39, 543, 667, 724
- Spirulina* sp. 655  
*S. platensis* 515
- sponge-associated bacteria 800
- sponges (Porifera)  
 chitin  
 isolation and identification 803  
 structural and physico-chemical properties 835  
 description 823  
 properties 838

- Spongia* sp.  
*S. agaricina* 839  
*S. lamella* 839
- Spongilla lacustris* fresh water  
demospunge 827
- spongin 823, 828, 830, 838, 843, 846, 873
- spongithymidine 297, 298
- spongouridine 297, 298
- squalene 21, 22, 54
- S-superfamily, conotoxins 467
- Staphylococcus pyogenes* 425
- Staphylococcus aureus* 418, 419, 424, 425, 544
- starfish 307, 328, 586, 587, 868
- stem cells 276, 277, 286, 840, 889
- stereom 867, 886
- Stomphia coccinea* 587
- Stonefish antivenom (SFAV) 617
- Streptococcus pneumoniae* 425
- Streptomyces* 426
- Streptomyces* sp.  
*S. avermitilis* 433  
*S. cheonanensis* 429  
*S. coelicolor* 433, 560  
*S. zhaozhouensis* 615
- stress responsive elements (SREs) 600
- stromatolites 857, 860
- structure-activity-relationship (SAR) 628, 664
- styrene-isoprene-styrene (SIS) 730
- subcritical water extraction (SWE) 77
- sulfatases 379, 389, 391–394, 597
- sungsapin 430
- sunscreens 653, 718, 719, 721, 724, 886
- Superabsorbent hydrogels 257, 491
- supercritical fluid extraction (SFE) 77, 721
- superheated water extraction *see* subcritical water extraction
- SWOT analysis 165–166
- three-dimensional fibre-based skeletons 828
- SWOT method 144
- Symbiodinium* 554
- Synechococcus* 568
- synthesize porphyrins 670
- synthetic pigments 18, 151
- t**
- tandem mass spectroscopy 568
- Taricha torosa* 341
- TDA *see* tropodithiolic acid (TDA)
- terrestrial pathogenic bacteria 544
- Tetraselmis* sp. 667
- tetrodotoxin (TTX)  
and analogs 328  
biogeographical distribution 324  
biosynthesis 341  
chemical methods 337  
chromatographic methods 335  
heroin dependence 356  
historical background 325  
pain control and muscle relaxation 355  
receptor binding assays 338
- Thalassiosira weissflogii* 667
- Theonella swinhonis* 422
- thioesterase (TE) 558, 561
- thiohistidine-related metabolites, occurrence of 586
- thiol-derivatization reactions 591
- thiol-disulfide system 589
- thiopeptide antibiotics 427
- thiotemplate biosynthesis 558
- thraustochytrids 10, 16–18, 20–22, 34, 206
- tocopherols 122, 149, 155, 158
- Tolyphothrix nodosa* 656
- trabectedin 298, 621
- transition metal ions, carotenogenesis responses 124
- trichoderin 431, 432
- Trichoderma* 431
- Trichoderma viridae* 431
- Trichodesmium erythraeum* 560, 567
- Trididemnum orbiculatum* 428
- trimethylhistidylglutamylcysteine sulfoxide 596
- tropical red seaweeds  
biofuels 257  
biomass production and uses 241

- tropical red seaweeds (*contd.*)
- farm success factor
    - crop and environmental factors 243
    - enterprise factors 244
    - farm placement 243
    - farm productivity 244
    - geographic factors 245
    - human factor 244
    - seawater conditions 244
    - social factors 245
    - vegetative cultivars 243
  - mechanized farm systems 245
  - MUZE processing systems 245
    - hydrocolloids 246
    - single-stream processing 247
    - water vapor 247
  - MUZE products
    - sea vegetables 247
    - solid seaweed concentrates (SWC) 248, 256
  - tropodithietic acid (TDA)
    - Roseobacter* strains 794
    - structure 794
  - Trypanosoma* 601
  - Trypsinization treatment 630
  - T-superfamily, conotoxins 468
  - tunicates 128, 422, 484, 868
  - turbidostat culture 37
  - two-stage *Haematococcus* production process 47
  - type I modular polyketide synthase (PKS) system 555
- u**
- ultrahigh-pressure liquid chromatography (UPLC) 82, 83, 89
  - ultraviolet radiation (UVR) 684
  - Ulva* cultivation
    - areal production rates 221
    - infrastructure 221
    - molecular sequencing 221
    - offshore raft systems 220
    - production rates and nutrient uptake 222
    - sheltered waters 221
  - in South Africa 223
  - strains 221
- Undaria pinnatifida* 614
- unnarmicins 423, 424
- US Food and Drug Administration (FDA) 446, 499, 542, 618
- UV-B radiation (UVBR) 716
- UV screening compounds 92, 685–688
- UV-visible spectra, EMn 540
- UV-visible spectrophotometry 538
- v**
- vanadium 72, 96, 878, 881, 882
  - vanadium-dependent haloperoxidases 72
  - vanadocytes 859, 878
  - varioxepine A 304, 306, 315
  - Veber's rule 664
  - Vermivorus cone snails 457
  - Verongida demosponges, chitin in 824
  - Verongida sponges
    - alkali-treated, SEM image of 837
    - chitinous scaffold isolation 833
    - features 835
    - multilayered structures 837
    - partial demineralization 831
    - V. gigantea* 828
  - Verongula gigantea 828, 832
  - Vibrio* sp.
    - V. aestuarianus* 542
    - V. anguillarum* 542, 795
    - V. cholera* 617
    - V. coralliilyticus* 542
    - V. shilonii* 425
    - V. splendidus-related* 542
  - Vibrio vulnificus* 799
  - vidarabine (ara-A) 298
  - violaxanthin 19, 118, 120, 123, 124, 149, 151, 245, 658
  - violaxanthin photoprotection system 645
  - vitamin C 156–158, 174, 657
  - vitamin E 49, 155–158

vitamins 4, 5, 11, 145, 156, 157, 162,  
163, 173, 651, 655  
V-superfamily, conotoxins 468

**w**

wastewater bioremediation and  
bioproducts 20  
whole-mount gills of oysters 536  
World Health Organization (WHO)  
541, 632  
wound dressings  
antimicrobial agents 730  
delivering therapeutic drugs to  
wounds 731  
skin regeneration and qualities 729

**x**

xanthophyll cycle pigments 130  
light effects 123

**y**

Yondelis® 300, 621  
Y-superfamily, conotoxins 468

**z**

zeaxanthin 123, 130, 645, 650, 652,  
668  
Zebra fish 889  
zinc alginate 730  
zones of inhibition (ZOI) 427

