

## Index

### a

activated complex 53, 54, 59, 60, 67, 68, 72, 253  
 activated complex theory, *see* transition-state theory  
 activation-controlled current density 3, 35, 43, 44, 88, 159, 160, 171, 336  
 activation overpotential 51, 253, 396, 417, 421  
 activation polarization 253  
 activity coefficient 9, 38, 49, 101, 187, 233, 234, 242  
 additive manufacturing (AM) 373  
 additives 20, 49, 317, 318, 323, 325, 336–339, 361  
 admittance 198, 201, 202, 213, 221–223  
 adsorbed hydrogen 28, 88, 90, 91, 125, 141, 142, 152, 282, 340  
 adsorption isotherm 123–128, 137, 151, 192, 337, 338  
 adsorption pseudocapacitance 127–132, 138, 150, 190  
 adsorption theory 269  
 alkaline battery 393  
 alkaline fuel cell (AFC) 413, 420  
 alloy deposition 49, 83, 325, 328, 329, 346–350  
 amphoteric 248, 249, 288  
 angular velocity 41, 42, 128, 428  
 anode 2, 66, 91, 103, 105, 228, 231, 239–241, 249, 263–265, 289, 291, 293, 295–297, 308–312, 314, 315, 328–330, 334–336, 339, 351, 357, 359, 372, 374, 388, 389, 392–394, 397–399, 401–405, 408–421, 423, 432, 441  
 anodic current 29, 30, 185, 254, 255, 258, 266, 275, 283, 311, 355  
 anodic dissolution 228, 258, 266, 268, 269, 275, 291, 292, 300, 301

anodic inhibitors 313, 314, 316  
 anodic protection 52, 272, 303, 304, 308, 312, 313, 320  
 anodic reaction 29, 54, 58–60, 67, 69, 79, 142, 228, 229, 254, 256, 258, 273, 293, 314, 399  
 anodizing 248, 291, 318  
 anomalous codeposition (ACD) 349, 357  
 applied potential 30, 36, 49, 50, 75, 97, 117, 137, 195, 254, 274, 347, 382  
 AT-cut quartz crystal 214, 219  
 atomic force microscopy (AFM) 285, 374  
 atomic hydrogen 91, 141, 152, 192, 219, 220, 279, 280, 282, 284, 297, 299, 310, 326  
 autocatalytic 290, 292, 352  
 auxiliary reference electrode 20

### b

batteries 52  
   classes of 388–389  
   quality 391–392  
 battery electric vehicles (BEVs) 409  
 battery stack 396  
 bimetallic corrosion, *see* galvanic corrosion  
 biofilms 285, 288, 305, 306  
 biofouling 288, 305  
 bi-potentiostat 45  
 Bode modulus plot 198, 200, 207  
 Bode phase-angle plot 198  
 Boltzmann constant 54, 280  
 Bond number 382, 383  
 bonding energy 11, 96, 137, 369  
 Born–Oppenheimer approximation 62–63  
 boundary condition 167–169, 171, 172, 186, 189, 383  
 Brasher–Kingsbury equation 210  
 breakdown potential 266, 268

- Brunauer–Emmett–Teller (BET) theory 372
- Butler–Volmer equation 55, 56, 252, 254, 255, 272, 277
- C**
- capacitor 4–6, 97, 99, 104–106, 128–130, 138, 162, 197
- capacity 387, 388, 398, 400, 405, 407–409, 437, 443
- capillary length 382
- carbon nanotubes (CNTs) 405, 442
- Carnot cycle 390
- catalysis 363–372, 421, 423, 443
- catalyst 14, 29, 353, 368, 369, 371, 408, 414, 416, 423, 441
- catalytic activity 4, 30, 83, 84, 89, 94–96, 139, 142, 282, 353, 368–370, 372
- cathode 52, 61, 66, 89, 95, 231, 239, 240, 259, 264, 295, 328
- cathodic inhibitors 314, 316
- cathodic protection (CP) 245, 250, 263, 288, 289, 297, 303–305, 308, 310–312
- cathodic transfer coefficient 68, 69
- cell voltage 17, 244, 387, 393, 394, 397, 399, 424
- charge transfer 1–3, 5, 30, 43, 50, 59–61, 64, 92, 123, 127, 146, 163, 166, 350, 351, 359, 417, 425
- current density 24
- resistance 5, 51, 97, 206, 255
- charge-transfer current density, *see*
- activation controlled current density
- chemical energy 1, 11, 151, 156, 239, 388–390, 412, 421
- chemical potential 9, 11, 12, 31, 97, 112, 148, 233, 236, 279, 364, 388
- chemical vapor deposition (CVD) 319, 320, 323
- chemisorption 145, 146
- chromate conversion coatings 318, 319
- chronoamperometry 168, 171
- chronopotentiometry 172
- coating 26, 137, 204, 207, 208, 210, 222, 223, 271, 282, 283, 285, 288, 289, 291, 295, 297, 299, 303–305, 308–313, 315–320, 324, 326–329, 331, 334, 341, 342, 350, 352, 354, 357–359, 363, 368, 405
- complex hydride 440, 441
- complexing agent 5, 326, 337, 348, 350, 353, 354
- complex-plane impedance plot 198, 202, 204–206
- concentration overpotential 51
- concentration polarization 204, 253, 320
- convection 30, 31, 46, 378, 379
- conversion coating 291, 317, 318
- copper 2, 10, 15, 150, 220, 224, 231, 238, 271, 289, 327, 352, 379
- corrosion
- cathodic protection 308
- current density 210, 256–258, 260, 262, 269, 274, 276, 315, 316
- fatigue 270, 303
- potential 206, 258–260, 268, 269, 272–276, 308, 315, 316
- corrosion inhibitors 207, 259, 288, 299, 313, 314, 316
- corrosion intensity (CI) 257
- corrosion penetration rate (CPR) 257
- corrosion rate (CR) 206, 241, 253, 257, 264, 277, 287, 288
- coulostatic (charge-injection) method 164
- counter electrode (CE) 17–19, 34, 328, 329, 331
- crevice corrosion 266, 268, 289–291
- critical pitting potential, *see* breakdown potential
- cryogenic 436, 439, 440
- crystal 12, 66, 96, 98, 137, 138–141, 149–151, 213, 214, 216–223, 253, 304, 325, 336, 340, 363, 440, 441
- crystallization overpotential 52, 325
- current collector 177, 390, 392, 398, 402, 405, 408, 412, 421, 425, 430
- current density 2
- current distribution 25, 26, 310, 328, 330, 331, 339, 348
- current efficiency, *see* faradaic efficiency
- current-potential relationship 58, 185
- cycle life 387, 396, 400, 434
- cyclic potentiodynamic polarization curves 266, 267
- cyclic voltammetry (CV) 181, 183, 188–190
- d**
- Daniell cell 238, 239
- dealloying 295
- Debye–Hückel theory 233
- Debye length 381
- deposition current density 332, 355
- dezincification 295
- differential-pulse polarography (DPP) 39

- diffuse double layer 100, 104, 110
- diffusion 3, 30, 31, 33, 35, 38, 39, 42, 86, 97, 160–163, 165–178, 184–188, 203–207, 218, 253, 262, 278, 280, 282, 283, 289, 315, 320, 325, 327, 342–344, 365, 370, 371, 379, 381, 423–425
- diffusion coefficient 3, 31, 38, 41, 167, 262, 282
- diffusion equation 167, 168, 172, 186
- diffusion layer 3, 31, 160, 167, 170, 330, 335
- diffusion limited current density 162
- dip-pen nanolithography (DPN) 375
- direct methanol fuel cell (DMFC) 390, 413, 415, 418
- discharge rate 396, 399, 400, 433
- double layer 4, 60, 99, 101, 103, 105, 107, 146, 153, 162, 236, 283, 360, 361, 430
- double-layer capacitance 4, 6, 37, 97, 100, 102, 131, 145, 161, 165
- double-pulse galvanostatic method 163, 165, 166
- driving force 240, 296
- dropping-mercury electrode (DME) 38
- e**
- effective diffusion coefficient 283
- effective equivalent weight 436, 441, 442
- electric vehicle (EV) 398, 409
- electrical double layer (EDL) 97, 103
- electrical energy 1, 59, 60, 156, 236, 239, 323, 388–391, 417, 432
- electrical potential 112, 304, 376
- electroactive 3, 30, 76, 84, 87, 174, 175, 205, 356, 390
- electrocapillary 113, 114, 117, 119
- electrocapillary electrometer 114, 148
- electrocapillary equation 112, 113
- electrocatalysts 368, 369
- electrochemical capacitor (EC) 388, 430, 432 *see also* supercapacitor
- electrochemical cell 22, 162, 164, 215, 220, 236, 239, 280, 286, 323, 374, 389
- electrochemical deposition 323, 373
- electrochemical dip-pen nanolithography (E-DPN) 375
- electrochemical double-layer capacitors (EDLCs) 431
- electrochemical enthalpy of activation 80, 81
- electrochemical fabrication (EFAB) 373
- electrochemical fountain pen nanofabrication (ec-FPN) 375
- electrochemical hydrogen permeation test 279, 280
- electrochemical impedance spectroscopy (EIS) 84, 195, 197, 272
- electrochemical jet printing 374
- electrochemical nanotechnology 363
- electrochemical noise (EN) 272, 278
- electrochemical permeation 282, 283
- electrochemical potential 9, 10, 12, 13, 28, 125, 236, 278, 279, 283, 300, 440
- electrochemical printing (EcP) 363, 372, 373, 379, 380
- electrochemical quartz crystal microbalance (EQCM) 28, 213, 224
- electrochemistry 10, 29, 34, 37, 52, 80, 110, 114, 128, 160, 167, 195, 202, 222, 272, 331, 363, 369, 371, 380, 401, 428
- electrode kinetics 1, 27, 34, 35, 38, 43, 50–52
- electrode potential 105, 236
- electrodeposition 46, 203, 323–326, 328, 331, 333, 338–340, 342, 344, 350, 373–376, 379
- electroless deposition 352–358
- electrolysis 2, 323, 373, 437, 438
- electrolytic cell 30, 239
- electrometer 114–119, 148
- electromotive force (EMF) series 14, 236, 241
- electrophoretic deposition (EPD) 323, 358
- electroplating 137, 169, 221, 224, 239, 279, 297, 299, 319, 323–327, 330, 332, 335, 338, 339, 343, 346, 352, 356, 357, 359, 373, 411
- electrosorption 37, 87, 121, 145–147, 150–153, 155, 157, 370, 432
- electrostatic energy 11, 101, 102, 153–155
- energy conversion 388, 389, 417, 419, 422
- energy density 387, 406, 408, 410, 415, 418, 432, 437, 439
- energy dispersive X-ray spectroscopy (EDS) 284, 379, 380
- energy storage 207, 387, 388, 396, 405, 407–409, 431, 432, 434, 435
- enthalpy of activation 30, 79, 81
- entropy 145, 146, 155–157, 236, 280, 439
- environmentally induced cracking (EIC) 297
- environmental stress cracking (ESC) 227
- epitaxial growth 325, 341
- equilibrium constant 72, 74, 78, 123, 125, 126, 146, 151–154, 156, 235, 241

- equilibrium constant (*contd.*)
- equivalent circuit 6, 35, 36, 97, 98, 129, 130, 160, 161, 163, 167, 199, 201, 203, 207
- equivalent weight (EW) 224, 225, 257, 390, 415, 436, 441, 442
- erosion corrosion 296, 304
- Evans diagram 257–265, 296, 311, 315, 316, 355, 356
- excess charge density 87, 97, 99, 150
- exchange current density 25, 50, 51, 55, 56, 71, 72, 77, 89, 91, 95, 252, 253, 260, 261, 263, 264, 326, 331, 332
- exfoliation 294, 295
- extended-range electric vehicle (E-REV) 409
- f**
- faradaic efficiency (FE) 83, 323, 348
- faradaic reaction 150, 165, 185, 254, 379
- faradaic resistance 97, 199, 203, 330–332, 338
- Faraday constant 3, 13, 27, 210
- fast transient 20, 35, 159, 178
- filiform corrosion 291
- focused ion beam (FIB) 375
- Fourier-transform infrared (FTIR) spectroscopy 285
- fractional surface coverage 89, 96, 125, 157
- frequency response analyzer (FRA) 196, 220
- Frumkin isotherm 126, 129, 130, 132, 154, 191
- fuel cell (FC) 67, 91, 146, 181, 184, 207, 239, 244, 338, 369, 388–390, 412, 414, 416–418, 421
- electric buses 426
- fugacity 279, 280
- g**
- galvanic cell, *see* reversible cell
- galvanic corrosion 240, 277, 288, 295, 296, 308, 309, 316
- galvanic couple 239, 263, 264, 273, 278, 296, 299
- galvanic series 240, 296
- galvanizing 319
- galvanostatic 33–35, 50, 162, 163, 172
- general corrosion, *see* uniform corrosion
- Gibbs adsorption isotherm 111, 112, 124
- Gibbs free energy 28, 29, 49, 53–55, 62, 110, 112, 123–126, 139, 146, 151, 155–157, 231, 236, 351, 364, 365, 368–370, 394, 404, 443
- Gibbs free energy of adsorption 123–126, 146, 151, 155, 157
- Gibbs phase rule 5
- glassy metal 252
- gold 96, 98, 139, 140, 142, 149, 150, 214, 220, 221, 223, 224, 227, 295, 306, 369, 384
- Gouy–Chapman diffuse double layer 218
- graphene 432
- h**
- halide 231, 287, 292
- hanging-dropping mercury electrode (HDME) 88
- Helmholtz capacitance 105
- Helmholtz double layer 105, 155
- Helmholtz model 99, 103
- heterogeneous catalyst 95, 368
- high-temperature fuel cell (HTFC) 421–423
- high-temperature PEMFC 419
- Hull cell 338, 339
- hybrid capacitor 432
- hybrid electric vehicles (HEVs) 409
- hybrid supercapacitors 432
- hydration energy 324
- hydride 280, 297, 341, 345, 439–442
- hydrocarbon 369, 438
- hydrogenation 91, 369
- hydrogen attack 299
- hydrogen economy 91, 436
- hydrogen embrittlement (HE) 270, 297, 323, 325
- hydrogen evolution reaction (HER) 14, 52, 67, 393
- hydrogen-induced blistering 299
- hydrogen storage 410, 436, 437, 439
- hydronium 20, 77, 79, 279, 297
- hydrophilic 220, 376, 383
- hydrophobic 220, 376, 407
- i**
- Ilkovic equation 38
- immunity 239, 245, 249, 252, 263, 308
- impedance 6, 196
- impedance modulus 196
- impressed-current cathodic protection (ICCP) 310
- indicator electrodes 20

- induced codeposition 350, 357  
 inductance 195  
 inhibitor 252, 285, 288, 289, 295, 297, 304, 313–315, 320, 338, 393  
 inner Helmholtz plane (IHP) 104  
 inner-sphere charge transfer 65  
 interface 1–6, 25, 27, 37, 54, 61, 68, 105, 128–130, 139, 207, 230, 269, 282, 298, 299, 303, 327, 341, 342, 357, 364–365, 382, 383, 414  
 intergranular corrosion 293  
 intermediate 53, 59, 60, 66, 69, 72, 73, 90, 94, 96, 124, 127, 146, 202, 225, 245, 247, 351, 365, 369, 370, 441  
 intermetallic hydride 441, 442  
 internal combustion engine (ICE) 390  
 interfacial tension 114  
 interphase 6, 10, 12–14, 17, 30–33, 36, 37, 51, 59–61, 63–66, 97–101, 103, 105–107, 109–117, 119, 121, 139, 145, 148, 151, 153–157, 162–167, 171, 189, 195–197, 199, 219, 220, 222, 331, 333, 346, 350–352, 354, 431, 434  
 interstitial hydrides 441  
 ion current rectification 381  
 ion–ion interactions 102, 124  
 ionic liquids 406, 407  
 ionic strength 101, 232–234  
 iron 15, 91, 229, 231, 245, 249, 250, 256, 258–260, 262–264, 286, 288, 292, 306, 309, 318, 319, 368, 441  
 isoelectric point 360
- k**
- Kelvin equation 365  
 kinematic viscosity 40, 41
- l**
- Langmuir isotherm 123, 125, 126, 130, 131, 152, 190, 191  
 Laplace operator 167  
 lead–acid battery 389, 397  
 Leclanché cell 389, 392–395, 402, 405, 411  
 limiting current density 3, 4, 30, 31, 41–43, 51, 159, 160, 175, 176, 223, 262, 263, 326, 342, 370  
 linear polarization resistance (LPR) 272, 277  
 linear potential sweep 36, 181, 184–186, 188, 272  
 linear sweep voltammetry (LSV) 181  
 lithium–air 408  
 lithium–iodine solid-state battery 395  
 lithium-ion battery (LIB) 402  
 lithium-thionyl chloride battery 393, 394  
 localized corrosion 231, 267, 272, 275, 277, 279, 286, 289  
 localized electrochemical deposition (LECD) 373  
 low-temperature PEMFCs 419  
 Luggin capillary 18, 19, 21, 23, 24, 52
- m**
- Marcus theory 61, 63, 64  
 mass-transport limitation 1, 2, 6, 30, 51, 56, 77, 88, 89, 138, 159, 160, 163, 255, 330, 333, 336, 342, 347, 357, 371  
 mass-transport-limited current 2, 4, 31, 35, 42, 43, 84, 160, 218, 224, 262, 333  
 mean activity coefficient 101, 233, 234  
 mechanical equilibrium 115  
 melting point 341, 344, 345, 365, 367, 368, 422  
 meniscus-confined electrodeposition (MCED) 375, 376  
 mercury 37–39, 61, 64, 67, 69, 86, 87, 89, 92, 95, 98, 107, 111, 114–117, 119, 139, 147, 404  
 metal–air batteries 408  
 metallic coatings 317–319, 352  
 Mg–air batteries 408  
 microbiological corrosion (MIC) 227, 305  
 microelectrode 34, 174–178, 285, 370, 374  
 micro-electromechanical systems (MEMS) 324  
 micropipette 374, 375  
 migrating corrosion inhibitors 315  
 migration 30, 184, 360, 361, 379  
 mixed inhibitor 315  
 mixed-potential theory 252, 255, 257, 258, 263, 355  
 molten carbonate fuel cell (MCFC) 422  
 monolayer 27, 85, 86, 90, 93, 111, 123, 124, 128, 135, 137, 141, 148, 222, 383
- n**
- Nafion 416, 417, 424  
 nanoelectrochemistry 379  
 nanoelectrode 379–381  
 nanoparticle 353, 363, 366, 370, 405  
 nanopipette 381–383  
 nanotechnology 363, 364, 416, 442  
 Nernst diffusion layer 3, 31, 35, 160, 167, 168, 174, 218

- Nernst equation 5, 12, 15, 20, 49, 73, 74, 76, 78, 138, 152, 169, 186, 192, 235, 236, 241–243, 247, 250, 251, 273, 280, 348, 390
- neutral species 59, 87, 89, 112, 121, 152
- nickel 11, 49, 91, 106, 150, 266, 368, 399, 441
- nickel–cadmium battery 398
- nickel–metal hydride battery (NiMH) 401
- noble metal 93, 149, 236, 273, 295, 297, 315, 327, 423
- nonaqueous solution 64, 166, 343
- nonpolarizable electrode 5, 49
- normal hydrogen electrode (NHE) 13
- normal-pulse polarography (NPP) 39
- Nyquist diagram 198, 200
- O**
- Ohmic resistance 197, 417
- open-circuit potential (OCP) 255, 272, 392
- organic coatings 210, 285, 303, 317
- organic inhibitors 314
- outer Helmholtz plane (OHP) 104, 105, 109
- outer-sphere charge transfer 61, 64, 65, 351
- overpotential 49–53, 55–58, 63, 64, 71, 73–75, 77, 88–91, 93, 95, 136, 163, 164, 166, 171, 186, 187, 203, 205, 238, 252, 254, 255, 262, 277, 280, 326, 331, 337, 338, 343, 347, 355, 376, 396, 408, 423
- overpotential deposition (OPD) 136
- oxidation reaction 15, 45, 228, 236, 238, 239, 255, 257, 282, 290, 354, 355
- oxide 93, 227, 231, 248, 266, 269, 270, 288, 303, 336, 358, 364, 368, 420
- oxide film theory 269
- oxygen evolution reaction (OER) 91, 92
- oxygen reduction reaction (ORR) 290
- P**
- palladium 91, 220, 223, 282, 441
- partial pressure 235, 241, 243, 244, 280, 287, 304
- passivating inhibitor 314, 315
- passivation 181, 239, 245, 252, 264, 266, 267, 269, 273, 276, 287, 289, 312, 317
- passivity 239, 245, 249, 252, 264–267, 269, 270, 273
- permeation flux 280, 284
- permittivity 99, 102, 106, 210, 402, 428
- phase shift 196, 204
- phosphatizing 318
- phosphoric acid fuel cell (PAFC) 412, 413
- physical electrochemistry 1
- physical vapor deposition (PVD) 319, 324
- pickling 265, 297
- pitting corrosion 52, 268, 276, 291, 316
- platinum 2, 14, 20, 27, 84, 89–91, 93, 95, 106, 142, 223
- plug-in hybrid electric vehicles (PHEVs) 409
- poison 282, 314
- polarity 64, 346, 410, 430
- polarizable interface 4, 5, 37
- polarization curve 255, 266–268, 273, 275, 276, 289, 302, 418
- polarization resistance 56, 207, 210, 255, 256, 275, 277
- polarization tests 273
- polarography 37, 39, 99
- polymer electrolyte membrane (PEM) 416
- polymer electrolyte membrane fuel cell, *see* proton exchange membrane fuel cell
- porous gas diffusion electrodes 423
- potential drop 11, 18, 19, 21–24, 35, 37
- potential of zero charge 87, 89, 93, 96, 99, 100, 102–104, 106, 113, 119, 138, 148–151, 153, 154, 313, 338
- potential-pH diagram, *see* Pourbaix diagrams
- potential sweep rate 135
- potentiostat 34, 37, 45, 276–279, 282, 283, 357
- potentiostatic 33–35, 37, 172, 181, 188, 276, 278, 279
- Pourbaix diagrams 239, 242–245, 247–249, 252
- power density 387, 391, 396, 398
- pressure–composition isotherms 439
- primary batteries 388, 392, 394, 397, 401
- primary current distribution 329, 330, 335, 357
- primary passivation potential 266
- primary reference electrode 13, 19
- protection potential 267, 268, 312
- proton exchange membrane fuel cell (PEMFC) 413, 418
- pseudocapacitance 127, 138, 150, 190, 191, 430
- pseudocapacitors 432
- pulse plating 341
- pure capacitor 128, 197, 202

**q**

quartz crystal microbalance 213, 214, 216, 222  
 quasi-equilibrium 69, 71, 72, 79, 92, 253

**r**

Ragone plot 433  
 Randles equivalent circuit 6, 198, 199, 204  
 rate constant 3, 28, 55  
 rate-determining step (RDS) 68, 70  
 reaction order 74–77, 79, 89, 90, 92, 171  
 reaction rate 27, 34, 53, 54, 56, 60, 74, 77, 146, 253, 369  
 reciprocal Debye length 109  
 reducing agent 244, 352, 353, 355, 357, 358  
 reference electrode (RE) 2, 5, 18–20, 22–25  
 refractory metal 344  
 repassivation potential, *see* protection potential  
 resistance (Ohmic) overpotential 52  
 resistance polarization 253  
 resistor 34, 70, 129, 161, 162, 197, 199, 200, 202, 214, 277, 328, 330  
 resonance frequency 213, 214, 217, 218, 220, 221, 223  
 reversible cell 236  
 reversible electrode potential 236  
 reversible hydrogen electrode (RHE) 93, 327  
 reversible potential 5, 20, 49, 52, 55, 58, 72, 75, 79, 90, 93–95, 135, 137, 138, 141, 204, 242, 244–248, 258–260, 262, 273, 274, 331, 343, 348, 355, 390, 410  
 Reynolds number 40, 41, 382  
 rotating cone electrode (RConeE) 44  
 rotating cylinder electrode (RCylE) 272  
 rotating disk electrode (RDE) 40  
 rotating ring disc electrode (RRDE) 40, 45  
 roughness factor 184, 191, 218, 338, 425

**s**

Sand equation 172  
 Sauerbrey equation 216, 217  
 scanning electrochemical microscopy (SECM) 285, 379  
 scanning electron microscopy (SEM) 284, 298  
 scanning tunneling microscopy (STM) 139, 285  
 scavengers 314  
 secondary (rechargeable) batteries 389

secondary current distribution 329–331, 333, 335, 357  
 secondary ion mass spectrometry (SIMS) 285  
 secondary reference electrode 19  
 selective leaching, *see* dealloying  
 self-ionization 234, 244  
 semi-infinite linear diffusion 39, 167, 168, 174, 175, 178, 184, 205  
 sensitization 293, 294  
 separators 396, 401–403, 430, 435  
 silver 20, 34, 59, 140, 216, 224, 264, 306, 327  
 single-crystal electrochemistry 135  
 single-step electrode reaction 54  
 slippage 219, 223  
 solid electrolyte 93, 405, 421  
 solid/electrolyte interphase (SEI) 394  
 solid oxide fuel cells (SOFC) 359, 413, 421  
 solid polymer electrolyte (SPE) 416  
 solution resistance 6, 17, 19, 22–24, 97, 176, 188, 197, 199, 328–330, 335, 370, 371, 425, 433  
 solvent reorganization energy 63, 64  
 specific conductivity 21, 176, 371  
 specific energy 387, 391, 393–397, 399, 400, 402, 404, 409, 410, 412, 415, 429, 430, 433  
 specific power 387, 429, 433  
 specific resistivity 329, 330, 332  
 square-wave polarography (SWP) 39  
 standard chemical potential 13, 247, 248, 251  
 standard electrochemical Gibbs free energy 29, 54, 60  
 standard Gibbs energy 155, 191  
 standard hydrogen electrode (SHE) 5, 13, 14, 232, 392  
 standard potential 5, 14, 37, 39, 49, 74, 94, 131, 136, 138, 185, 186, 191, 236, 239, 243, 247, 251, 260, 262, 326, 327, 332, 338, 349, 350, 390, 399  
 static-dropping mercury electrode (SDME) 39  
 Stern–Geary coefficient (SGC) 256  
 Stern model 103–106, 360  
 stoichiometric coefficient 236, 242, 243  
 Stokes–Einstein law 282  
 stored charge density 99  
 stress corrosion cracking (SCC) 270, 300  
 supercapacitor 207, 388, 428–432  
 supercapattery 432

surface concentration 3, 5, 33, 69, 111, 128, 172, 185, 192, 280, 284, 342, 347, 366  
 surface coverage 69, 72, 73, 90, 155, 157, 191, 314, 340, 353  
 surface energy 297, 364, 368, 376, 383  
 surface excess 109–114, 118, 119  
 surface tension 37, 111–119, 364, 382, 383  
 sweep rate 135, 138, 181, 182, 186, 187, 189  
 symmetry factor 29, 54–57, 59, 64, 67, 69, 72, 79, 88, 90, 252–255, 352

**t**

Tafel constant 277  
 Tafel equation 52, 53, 61, 252, 256, 258, 272, 274  
 Tafel extrapolation 255, 256, 272, 275, 277  
 Tafel slope 39, 49, 52, 56–58, 68, 71–73, 77, 79, 81, 88–90, 92, 187, 203, 210, 256, 258, 260, 275, 315, 316, 331, 347, 355  
 Teflon 40, 416, 419  
 Temkin isotherm 127  
 thermodynamic equilibrium 115, 340, 383, 440  
 thermodynamics 1, 15, 37, 74, 79, 102, 135, 136, 145, 148, 232, 390  
 three-electrode setup 18  
 throwing power 137, 313, 324, 326, 332, 334, 343  
 time constant 4, 130, 162, 165, 198, 202, 206, 207, 380, 428, 429, 432, 433  
 titanium 91, 140, 273, 276, 305, 310, 318, 368, 441  
 transfer coefficient 29, 67–69, 72, 73, 77, 79, 81, 88, 90, 92, 187, 255, 347  
 transition-state theory 29, 53, 253, 254  
 two-electrode cell 6, 34, 45

**u**

ultramicroelectrode (UME) 174, 177, 370  
 uncompensated solution resistance 21–23, 36, 37, 89, 98, 163, 182, 184, 188, 189  
 underfilm corrosion, *see* filiform corrosion  
 underpotential deposition (UPD) 135, 136, 323  
 uniform corrosion 231, 272, 277, 286, 289

**v**

valve metal 93, 266  
 van't Hoff equation 439  
 vapor pressure 315, 365–368, 406, 417  
 vapor phase inhibitors, *see* volatile corrosion inhibitors  
 viscosity 40, 217–222, 282, 289, 304  
 volatile corrosion inhibitors (VCIs) 315  
 volcano plot 369  
 voltammogram 139, 140, 142, 151, 181, 182, 185, 189, 191, 192  
 volumetric density 440

**w**

Wagner number 329, 330, 333, 335  
 Warburg impedance 160, 161, 163, 166, 203, 205–207  
 water 28, 78, 84, 91, 104–106, 145, 146, 148, 152, 153, 155–157, 210, 222, 243–245, 248, 250, 286, 289, 294, 301, 306, 310, 358, 360, 368–370, 382, 417, 419–421, 424, 436–438  
 wetting 115, 116, 383, 406  
 work function 96, 138, 151, 152, 360  
 working electrode (WE) 17–22, 24, 33, 52, 80, 87, 93, 210, 220, 255, 272, 277, 279, 286, 328, 379

**x**

X-ray diffraction (XRD) 285  
 X-ray photoelectron spectroscopy (XPS) 285

**y**

Young–Laplace equation 114–116, 383  
 Young's equation 383

**z**

zero-resistance ammeter (ZRA) 272, 277, 278  
 zeta potential 105, 360  
 Zn–air batteries 408