

Index

a

ab initio molecular dynamics (AIMD)
 method 203
 achiral dye 126
 active site opening (ASO) mechanism
 211, 231
 adatoms 294, 314
 adhesion switching 33
 aggregation-induced emission (AIE)
 20
 amphiphilic copolymers 59, 62
 anthraceneimide moieties 19
 aromatic polyamide polymerization
 characteristic of 226
 FT-30 220
 MPD/TMC 220
 water permeability and fidelity
 224–226
 artificial force induced reaction (AFIR)
 method
 cluster structures 187–188
 lanthanide ion catalyzed Mukaiyama
 aldol reaction 184
 multi-component algorithm
 aldol reaction 178–179
 base-mediated borylation with
 silylborane 184–186
 co-catalyzed hydroformylation
 181–184
 Passerini reaction 179–180
 Paternò-Büchi (PB) reaction
 188–189
 procedures 175
 RFO method 174

single-component algorithm
 (SC-AFIR)
 co-catalyzed hydroformylation
 181–184
fac-[Re^I(bpy)(CO)₃PR₃]⁺ system
 193
 fragment pairs 176
 SF-TDDFT 189
 S₀/S₁-MECI structures 189
 transition states (TSs) 174
 aryl–aryl coupling reaction 314, 319,
 325
 Ashkaran's group 147
 associative active site opening (AASO)
 211
 atomic force microscopy (AFM) 53,
 80, 112, 305–310
 atoms-in-molecules (AIM) analysis
 214
 atom-transfer living radical
 polymerization (ATRP) 59

b

4*n*π Baird aromaticity 19
 base-mediated borylation with a
 silylborane (BBS) 184–186
 B-doped carbon nanoparticles (BNCs)
 157
 bimetallic and alloy nanoparticles
 145–147
 bio-based catechol-containing polymers
 53–56
 block copolymers 59, 63, 64, 66, 89
 micelles 63

- block copolymers lithography (BCP)
 - lithography 71–73
- boronic acid condensation 333
- BP update (BPU) method 178
- branching plane (BP) 178
- C**
- caffeic acid 54, 56
- calcination 123, 125, 158
- carbon nanotubes (CNTs) 152, 163, 264, 291
- catechol-containing polymers
 - adhesion properties 60
 - adhesive proteins of mussels 53, 54
 - bio-based 53–56
 - biomimetic molecular technology 59–60
 - carbon materials 66
 - proton conductive thin films 66
 - reducing agents 62–65
 - surface modification 60–62
 - synthetic polymers 56–59
- cationic amphiphile 115–118, 120
- cetyl-trimethylammonium (CTA) 115, 118
- C₆₀ FET 4
- charges from electrostatic potentials
 - using a grid-based method (CHELPG) 210, 217
- chirality
 - gemini-tartrate amphiphiles
 - cationic amphiphile 116–118
 - conformation of tartrate salts 115–116
 - dication amphiphiles and tartrates 114–115
 - ECD and VCD 118–122
 - nanoribbon structures 112–113
 - XRD 122
 - induction and transfer
 - characterization methods of 111–112
 - inorganic chiral structures 110–111
 - molecular assemblies to molecules 109–110
 - molecule to molecule 108
 - molecule to self-assembled systems 109
 - notion and examples of 108
 - organic-inorganic nanohelices 122–125
 - silica nanohelices
 - GNPs 127–12
 - non-chiral dye 125–127
 - circular polarized light (CPL) 109, 110
 - Claisen rearrangement 180–181
 - coarse-grained model 86–88, 90, 91, 93, 95, 98, 99
 - computational molecular technology (CMT)
 - aggregation structure, specificity of 203
 - first-generation 201, 203
 - first-principle 202
 - MACHeP 201, 205
 - MC/MD reaction method 204
 - Red Moon methodology 202
 - second-generation 201
 - stereoselectivity 203
 - conformational flexibility 17–19, 28, 44
 - conformation of tartrate salts 115
 - counter anion (CA) 211, 214, 215, 219
 - counterion tartrate 126
 - covalent organic frameworks (COFs) 333, 334
 - crystalline polymers
 - hierarchical structures of 85
 - mechanical properties 85
 - polymer glass
 - fracture process of 88
 - non-crystalline glassy and rubbery layer 90
 - stresses of 89
 - semicrystalline polymers 85
 - cyclooctatetraene (COT) 19, 20, 24, 27–29, 38
- d**
- degenerate coupled-oscillator model 116
- degree of polymer cross-linking (DPC) 220, 222, 226

- density functional theory (DFT) 12, 28, 177, 189, 209, 215, 231, 275, 306
- depolymerization process 5, 9
- diarylethene-introduced polymer material 33
- 10,10'-dibromo-9,9'-bianthryl (DBBA) 320
- Diels–Alder activity 33
- dihydroxy phenyl propionic acid 62
- 3,4-dimethoxy styrene (DMSt) 63, 64
- directed self-assembly (DSA) technology 71
- direct tunnelling (DT) 264, 272
- dopamine methacrylamide 56, 60, 63
- double-decker phthalocyanate Ln complex 265
- dumbbell type polymerization 2
- dynamic light scattering (DLS) 235, 248, 249, 252, 255
- e**
- electron beam (EB) irradiation
low energy 12–14
plasma 11–12
- electronic circular dichroism (ECD) 111, 113, 115, 116, 118–122, 126, 128, 130
- enantiomeric conformers 114
- energetic beams
time-correlation measurements
particle diffusion 251–252
surface fluctuation of fluids 252–255
X-ray photon correlation spectroscopy 248–249
- time-domain measurements
femtosecond optical pump-probe studies 236–238
femtosecond X-ray and electron pulse sources 238–242
X-ray/electron probes 243, 245–248
- epoxy resin curing monitor 31–32
- ethanol mole fraction (X_{ethanol}) 143
- ethylenedioxy-tetrathiafulvalene (EDOTTF) 245, 246
- ethylene glycol diglycidyl ether (EGDE) 31
- ethylene oxide methacrylate 60
- ethylene polymerization 203, 204, 213, 214
- excited-state intramolecular proton transfer (ESIPT) 20, 31
- f**
- Fano-dip 294, 296
- field effect transistors (FETs) 4, 17, 33, 269
- Flory–Huggins solution theory 72
- fluorescence lifetime imaging (FLIM) 24
- fluoroethylene carbonate (FEC) 228, 230
- FT-30 membrane 220, 222, 224, 226
- g**
- gas-phase plasma 137–139
- gemini surfactant-silica composite 126
- gemini-tartrate amphiphiles
cationic amphiphile 116–118
conformation of tartrate salts 115–116
dication amphiphiles and tartrates 114–115
ECD and VCD 118–122
nanoribbon structures 112–113
XRD 122
- general AMBER force field (GAFF) 210, 213
- gold nanoparticles (GNPs) 63, 110, 127–128, 130
- GP/SME/AFIR approach
1,3-butadiene and benzene 189
fac-[Re^I(bpy)(CO)₃PR₃]⁺ 192–193
MESX / MECI optimization method 178
PB reaction 188–189
SF-TDDFT 189
S₀/S₁-MECI structures 189
- gradient projection (GP) method 177
- graphene nanoribbon (GNR) 320

h

- heteroatom-doped carbons 156, 157
- hetero-ligand double-decker molecule 281–283
- hexabenzocoronene 17
- 1-hexadecylpyridinium (CPyB) 149
- 1,1,1,3,3,3-hexafluoro-2-propanol (HFIP) 76, 77
- high- χ BCP microphase-separated domains
 - Flory–Huggins solution theory 72
 - perpendicular orientation
 - challenges in 72–74
 - polysiloxane derivative 77–81
 - silicon-containing polymer 75–77
 - solvent annealing method 74–75
 - top-coat method 75
- highest occupied molecular orbital (HOMO) 1, 13, 268, 273, 279, 281, 288, 306
- high resolution electron energy loss spectroscopy (HREELS) 291
- hot-melt adhesives 36
- 4π Hückel antiaromaticity 19
- 4-hydroxycinnamic acid 56
- 2-hydroxyethyl methacrylate (HEMA) 79

i

- inelastic tunneling spectroscopy (IETS) 273, 293
- inner sphere ion pair (ISIP) 212, 215
- inorganic chiral structures 110–111
- interfacial polycondensation reaction process 220–224
- interior active (IA) region 222, 224
- intermolecular bond formation 3

j

- Joule heating effect 138
- jump-into-contact instability 308

k

- Kondo effect 264, 273, 305
- Kondo resonance 273, 286, 287, 289–291, 293–297

l

- lanthanide phthalocyanine (LnPc₂) 264
- Lanthanoid double-decker complexes (LnPc₂) 265
- layer-by-layer (LbL) membranes 60
- Lennard–Jones (LJ)
 - intermolecular 174, 213
 - potential 174
- L-3,4-hydroxyphenyl alanine (DOPA) 53, 56, 59
- ligand field (LF) 265, 268
- light-melt adhesive
 - adhesive performance 38–42
 - materials design 38
 - requirements for applications 36–38
 - working mechanism 42–44
- light-removable adhesive
 - light-melt adhesive 36–44
 - liquid crystal (LC) 33–36
 - polymer and supramolecular approach 33
- liquid crystal (LC) 17, 33–36, 66, 256
- liquid-phase plasma 137, 138
- lithium-ion batteries (LIB) 137, 138, 226, 228
- local DOS (LDOS) 281–283, 294, 296
- localized surface plasmon resonance (LSPR) 141, 161
- locally updated planes (LUP) method 174, 175, 185
- longitudinal optic (LO) modes 123
- lowest unoccupied molecular orbital (LUMO) 273, 294
- low molecular weight biopolymer 158–160

m

- macroscopic chemical phenomena (MACHeP) 201–231
- MAXIPIX detector 250
- MC/MD cycle 209, 213, 214
- Medipix-2 detector 250
- Mertz–Singh–Kollman method 210
- Merz–Kollman (MK) method 217
- mesoporous silica 111, 123, 158, 159, 161

- metal nanoparticles 62–64, 66, 140
 metal oxide NPs 147, 149, 151
 methylaluminoxane (MAO) 214
 minimum bond convention (MBC)
 220, 225, 226
 minimum energy conical intersection
 (MECI) structures 177, 189
 minimum energy seam of crossing
 (MESX) 177, 178, 191, 194
 $4\pi\pi$ Möbius aromaticity 19
 molecular aggregation states 201–204
 molecular dynamics (MD)
 reaction method 91, 204
 simulations 202, 206, 207
 molecular mechanical (MM) force fields
 207, 210–213
 molecular orbital (MO) 1, 28, 203, 273,
 275, 288, 306
 Monte Carlo (MC) 93, 98, 207
 reaction method 204
m-phenylenediamine (MPD) 220–224
 multi-component algorithm (MC-AFIR)
 aldol reaction 178–179
 base-mediated borylation with a
 silylborane 184–186
 co-catalyzed hydroformylation
 181–184
 MESX 177
 Passerini reaction 179–180
 Paternò-Büchi (PB) reaction
 188–189
 multi-configuration time-dependent
 Hartree (MCTDH) 191, 192
 multiply twinned particles (MTP) 143
 μ -SQUID array 266
 mussels 53, 54
- n**
- Nafion membranes 66
 nanochannel structures 66
 3-naphthalocyaninato phthalocyaninato
 Tb^{III} double-decker complex
 (TbNPcPc) 281, 283, 286, 291,
 293, 294, 296
 natural population analysis (NPA) 210,
 217
- Navier–Stokes equation 252, 253
 N-doped carbon films 66
 N-doped carbon nanoparticles (NCNPs)
 156, 157
 Newtonian equations of motion 206
N-methyl pyrrolidone (NMP) 157
n-2-*n* dimeric amphiphiles 114
 noble metal nanoparticles 62, 141–144
 noncontact atomic force microscopy
 (NC-AFM) 308, 310, 312, 322
 non-noble metal nanoparticles
 144–145
 non-thermal plasma 138
 n-type FET action 4–5
 NVT-Red Moon simulation 208
- O**
- on-surface chemical reaction
 classification of 314
 liquid/solid interface
 boronic acid condensation
 333–336
 carbon–carbon bond formations
 325–329
 dynamic imine formation reactions
 329–333
 scanning probe microscopy
 313–314
 scanning tunneling microscopy
 305–306
 ultrahigh-vacuum environment
 atomic force microscopy 306–310
 functionalized tip measurement
 310–313
 metal surfaces 314–318
 thermal-assisted on-surface
 reaction 318–320
 organic field effect transistors (OFET)
 17, 33
 organic-inorganic nanohelices
 122–125
 organic light-emitting diodes (OLED)
 17, 33
 organic photovoltaics (OPV) 17, 33
 organoboronate esters 184
 outer sphere ion pair (OSIP) 212, 215

P

- partial DOS (PDOS) 288
- Passerini reaction 179–180
- Paternò–Büchi (PB) reaction 188
- path length difference (PLD) 249
- Perdew–Burke–Ernzerhof (PBE) 275
- periodic boundary condition (PBC)
220, 226
- perylene 17, 19, 310, 322
- photochromic compounds 18, 19
- photo-deactivatable polymers 33, 34
- photodimerization 33, 36, 38, 42
- photomelting small-molecule
compounds 36
- photon correlation spectroscopy (PCS)
235, 236, 248–249
- photon upconversion fluorescence via
triplet-triplet annihilation
(TTA-UC) 20
- photo-polymerization of C_{60} 5
- PILATUS detector 250
- π -conjugated molecules
conformational flexibility 18
flapping fluorophore 19–23
hybridization of rigidity and flexibility
17–18
- plasma
discovery of 137
gas-phase plasma 137
history of 137
industrial manufacturing process
137
liquid-phase plasma 137
solution 138–139
- PMAPOSS₅-*b*-PTFEMA₉₈ 77
- polarity-independent viscochromism
29–31
- polycondensation of caffeic acid 56
- poly(3,4-dihydroxy phenyl alanine)
(PDOPA) 63
- polydimethylsiloxane (PDMS) 74, 77
- polydispersity index (PDI) 63, 64, 76
- polydopamine (PDA) 53, 54, 62, 66
- poly(dopamine methacrylamide-*co*-methoxy ethyl acrylate)
(P(DMA-*co*-MEA)) 56
- polyethyleneimine (PEI) 62
- polyhedral oligomeric silsesquioxane
(POSS) 75, 253
- polymer crystallization 90–92
- polymer glass
fracture process of 88
non-crystalline glassy and rubbery
layer 90
stresses of 89
- polymerization of C_{60} fullerene
doping effect, alkali metal and
superconductivity 8–9
high pressure and high temperature
application 9–11
history of 1–4
low energy EB irradiation 12–14
photo irradiation 5–8
plasma and EB irradiation 11–12
- polymers containing poly(vinyl
catechol) (PVCa) 63–66
- poly(methacrylamide) copolymers 63
- polymethyl methacrylate (PMMA)
73–76, 81
- poly(methyl methacrylate-*random*-
methylacrylate)
(PMMA-*ran*-PMA) 79
- polyphenols 62
- polysiloxane-based high- χ block
copolymer (PS-*b*-PMHxOHS)
78
- polysiloxane derivative 77–81
- polystyrene (PS) 62, 64, 66, 73, 75, 251,
253
- polytetrafluoroethylene (PTFE)
54, 62
- potential energy surface (PES) 174,
191–193
- projector augmented-wave (PAW)
potentials 275
- pseudomelanin membrane 62
- phthalocyaninato-terbium(III)
multiple-decker complexes
double-and triple-decker Pc and
Kondo behavior 286–291
film formation on metal substrates
274–275

- hetero-ligand double-decker molecule 281–283
- ligand effect on the Kondo behavior 291–293
- molecular ordering and Kondo resonance 293–296
- molecule films of 276–281
- Pc ligands 275–276
- PVCa-b-PSt 64–66
- q**
- quantum chemical (QC) calculations 173, 201, 202
- quantum tunneling of magnetization (QTM) 264–266, 268, 269, 272, 297
- r**
- ratiometric fluorescence technique 24
- rational function optimization (RFO) method 174
- reaction scheme (RS) 2, 205, 208, 209, 318
- Red Moon methodology
- algorithmic procedure of 208–209
 - aromatic polyamide polymerization 220–226
 - atomic and molecular information 204
 - atomistic molecular simulation 204
 - $[\text{CH}_3\text{B}(\text{C}_6\text{F}_5)_3]^-$ 215–217
 - $(\text{CH}_3)_2\text{Si}(\text{Ind})_2\text{ZrCH}_3(\text{C}_3\text{H}_6)^+$ 217–220
 - $\text{H}_2\text{Si}(\text{Ind})_2\text{ZrCH}_3^+$ 214–215
 - ion pair structure 211–213
 - MC part of 207
 - MD of 206–207
 - molecular description of 205–206
 - molecular mechanical (MM) force fields 210
 - (pyridylamide)Hf(IV) complex 211, 213
 - reaction scheme (RS) 209–210
 - research target of 204
 - SEI 226
- replica exchange molecular dynamics (REMD) method 211
- reverse osmosis (RO) 220, 226
- reversible addition–fragmentation chain transfer (RAFT) 63, 64, 76, 77
- rh-polymer phase 10
- Rudermann–Kittel–Kasuya–Yosida (RKKY) coupling 294
- Rutherford backscattering spectrometry (RBS) 220, 222, 224
- s**
- Saito's group 138, 149, 165
- scanning tunneling microscopy (STM) 112, 273–296, 305–306
- scanning tunneling spectroscopy (STS) measurement 273–296
- seam model function (SMF) 177–178, 188–191
- semicrystalline polymers 85
- chain scission and embrittlement of 99
 - deformation and fracture process of 92–97
 - large-scale simulation 95, 97
 - mechanical properties of 98
 - orientational order 97
 - schematic of 86
- side-chain-functionalized polymers 59
- SIESTA program package 187
- silicon-containing polymer 73, 75–77
- single-component algorithm (SC-AFIR)
- Claisen rearrangement 180–181
 - co-catalyzed hydroformylation 181–184
 - fac*- $[\text{Re}^{\text{I}}(\text{bpy})(\text{CO})_3\text{PR}_3]^+$ system 193
 - fragment pairs 176
 - MESX 177
 - SF-TDDFT 189
 - S_0/S_1 -MECI structures 189
- single molecule magnets (SMMs)
- double decker 265–269
 - electronic devices 264
 - Kondo resonance 274

- single molecule magnets (SMMs) (*contd.*)
- phthalocyaninato-terbium(III)
 - multiple-decker complexes 274
 - research on 264
 - spintronic operations 269–272
 - STM 273–296
 - STS measurement 273–296
- single-walled carbon nanotube (SWCNT) 264, 269–272, 297, 305
- singly occupied molecular orbital (SOMO) 273, 288–290, 297
- small angle X-ray scattering (SAXS) 77, 120, 249
- sodium dodecyl sulfate (SDS) 143, 149, 150
- sodium (Na) ion batteries (NIB) 226, 228, 230
- sol-gel polycondensation 111
- solid electrolyte interphase (SEI)
 - EC-based electrolyte 228
 - LIBs 228
 - NIB 228
 - PC-based electrolyte 228
- solution plasma
 - bimetallic and alloy nanoparticles 145–147
 - bottom-up approach 140
 - carbon materials 152–158
 - computational simulation 165
 - highly controllable synthesis of materials 163–164
 - high precision tools and measurements 164–165
 - large-scale synthesis 165–166
 - low molecular weight biopolymer 158–160
 - mesoporous silica 158
 - metal boride NPs 152
 - metal carbide 151
 - metal nanoparticle/biopolymer composite 161–163
 - metal nanoparticle/mesoporous silica composite 161
 - metal nanoparticle/metal oxide composite 161
 - metal oxide 147–150
 - metal oxide/carbon composite 161
 - metal sulfide 152
 - noble metal nanoparticle/carbon composite 160–161
 - noble metal nanoparticles 141–144
 - non-noble metal nanoparticles 144–145
 - polymer/carbon composite 163
 - power supply 138
 - top-down approach 140
 - wire-to-wire electrode 139
- solvent annealing method 74–75
- spin-flip TDDFT (SF-TDDFT) 189–191
- square-antiprismatic (SAP) 265, 266
- Stone–Wales (S-W) transition 12
- structural rigidity 17, 18
- synthetic polymers containing catechol moieties 56–59
- t**
- Tb^{III}-Pc double-decker complex (TBA)⁺[TbPc₂]⁻ 265
- terbium phthalocyanine (TbPc₂^{*}) 269
- 2,2,6,6-tetramethylpiperidine 1-oxyl (TEMPO) 63
- thermal-assisted on-surface reaction 318–320
- thermally activated delayed fluorescence (TADF) 20
- time-consuming first principle methods 201
- time-dependent density functional theory (TDDFT) 189
- titanium-doped sapphire (Ti:sapphire) 236
- top-coat method 74, 75
- top-down approach 140, 143, 149
- transition states (TSs) 173–176, 181, 184, 209
- transverse optic (TO) mode 123
- 1,3,5-tricarboxylic acid chloride (TMC) 220, 222, 224
- triphenylene 17
- twisted intramolecular charge transfer (TICT) molecules 19, 20, 31

U

- Ullmann reaction 319
- ultra-high vacuum (UHV) 13, 274, 305–318
- ultrahigh-vacuum environment
 - AFM 306–310
 - functionalized tip measurement 310–313
 - metal surfaces 314
 - thermal-assisted on-surface reaction 318–320
- ultra-microfabricating polymeric materials 71–82
- ultraviolet photoemission spectroscopy (UPS) 13, 14
- urushiol 56

V

- van der Waals (vdW) 2, 208, 210, 275, 293, 325, 333
 - interaction 2, 275, 293, 333
- variable range hopping (VRH) 4, 5
- vibrational circular dichroism (VCD) 117
 - complementary information 116–118
 - enantiomeric excess 118–122
 - silica nanohelices 123–125
- vibrational mode of *nu* (Metal-N) 291
- viscosity imaging technique
 - flapping viscosity probe
 - epoxy resin curing monitoring 31–32
 - fluorescence and excited-state dynamics 27–29

- polarity-independent visochromism 29–31
- synthesis 24–27
- molecular design of chemical viscosity probes 23–24

W

- wide-angle X-ray scattering (WAXS) 120
- Woodward–Hoffmann rules 2

X

- XPCS at grazing incidence (GI-XPCS) 253, 254
- X-ray CCD 250
- X-ray diffraction (XRD) structural analysis 111
- X-ray free electron lasers (XFELs) 238, 241, 245
- X-ray photoelectron spectroscopy (XPS) 220, 222, 224
- X-ray photon correlation spectroscopy (XPCS) 236, 248–249, 256, 257

Y

- ytterbium-doped potassium-gadolinium tungstate (Yb:KGW) 236
- ytterbium-doped potassium-yttrium tungstate (Yb:KYW) 236

Z

- ZnO nanoflowers 148, 149, 164
- zwitterionic surfactants 60

