

Contents

Foreword by Dr Hamaguchi *xiii*

Foreword by Dr Noyori *xv*

Preface *xvii*

- 1 Control of DNA Packaging by Block Cationomers for Systemic Gene Delivery System 1**
Kensuke Osada
 - 1.1 Introduction 1
 - 1.2 Packaging of pDNA by Block Cationomers 2
 - 1.2.1 Rod-Shaped Packaging of pDNA 3
 - 1.2.2 Rod Shape or Globular Shape 5
 - 1.3 Polyplex Micelles as a Systemic Gene Delivery System 6
 - 1.3.1 Stable Encapsulation of pDNA Within Polyplex Micelles for Systemic Delivery 6
 - 1.3.2 Polyplex Micelles for Efficient Cellular Entry 9
 - 1.3.3 Polyplex Micelles for Safe Endosome Escape 11
 - 1.3.4 Polyplex Micelles for Nuclear Translocation 13
 - 1.3.5 Polyplex Micelles for Efficient Transcription 13
 - 1.4 Design Criteria of Block Cationomers Toward Systemic Gene Therapy 14
 - 1.5 Rod Shape or Toroid Shape 17
 - 1.6 Summary 18
 - References 18

- 2 Manipulation of Molecular Architecture with DNA 25**
Akinori Kuzuya
 - 2.1 Introduction 25
 - 2.2 Molecular Structure of DNA 25
 - 2.3 Immobile DNA Junctions 26
 - 2.4 Topologically Unique DNA Molecules 28
 - 2.5 DNA Tiles and Their Assemblies 28
 - 2.6 DNA Origami 30
 - 2.7 DNA Origami as a Molecular Peg Board 32
 - 2.8 Molecular Machines Made of DNA Origami 33
 - 2.9 DNA Origami Pinching Devices 33

2.10	Novel Design Principles	35
2.11	DNA-PAINT: An Application of DNA Devices	36
2.12	Prospects	36
	References	36
3	Chemical Assembly Lines for Skeletally Diverse Indole Alkaloids	43
	<i>Hiroki Oguri</i>	
3.1	Introduction	43
3.2	Macmillan's Collective Total Synthesis by Means of Organocascade Catalysis	45
3.3	Systematic Synthesis of Indole Alkaloids Employing Cyclopentene Intermediates by the Zhu Group	52
3.4	Biogenetically Inspired Synthesis Employing a Multipotent Intermediate by the Oguri Group	58
	References	68
4	Molecular Technology for Injured Brain Regeneration	71
	<i>Itsuki Ajioka</i>	
4.1	Introduction	71
4.2	Biology of Angiogenesis	71
4.3	Angiogenesis for Injured Brain Regeneration	73
4.4	Molecular Technology to Promote Angiogenesis	74
4.5	Biology of Cell Cycle	75
4.6	Biology of Neurogenesis	77
4.7	Molecular Technology to Promote Neuron Regeneration	78
4.8	Conclusion	80
	References	80
5	Engineering the Ribosomal Translation System to Introduce Non-proteinogenic Amino Acids into Peptides	87
	<i>Takayuki Katoh</i>	
5.1	Introduction	87
5.2	Decoding the Genetic Code	88
5.3	Aminoacylation of tRNA by Aminoacyl-tRNA Synthetases	90
5.4	Methods for Preparing Noncanonical Aminoacyl-tRNAs	91
5.4.1	Ligation of Aminoacyl-pdCpA Dinucleotide with tRNA Lacking the 3'-Terminal CA	91
5.4.2	Post-aminoacylation Modification of Aminoacyl-tRNA	93
5.4.3	Misacylation of Non-proteinogenic Amino Acids by ARSs	94
5.4.4	Flexizyme, an Aminoacylation Ribozyme	94
5.5	Methods for Assigning Non-proteinogenic Amino Acids to the Genetic Code	95
5.5.1	The Nonsense Codon Method	96
5.5.2	Genetic Code Reprogramming	97
5.5.3	The Four-base Codon Method	98
5.5.4	The Nonstandard Base Method	100
5.6	Limitation of the Incorporation of Noncanonical Amino Acids: Substrate Scope	101

- 5.7 Improvement of the Substrate Tolerance of Ribosomal Translation 103
- 5.8 Ribosomally Synthesized Noncanonical Peptides as Drug Discovery Platforms 104
- 5.9 Summary and Outlook 105
References 106

- 6 Development of Functional Nanoparticles and Their Systems Capable of Accumulating to Tumors 113**
Satoru Karasawa
- 6.1 Introduction 113
- 6.2 Accumulation Based on Aberrant Morphology and Size 114
- 6.3 Accumulation Based on Aberrant pH Microenvironment 117
- 6.4 Accumulation Based on Temperature of Tumor Microenvironment 124
- 6.5 Perspective 129
References 129

- 7 Glycan Molecular Technology for Highly Selective *In Vivo* Recognition 131**
Katsunori Tanaka
- 7.1 Molecular Technology for Chemical Glycan Conjugation 133
 - 7.1.1 Conjugation to Lysine 133
 - 7.1.2 Conjugation to Cysteine 133
 - 7.1.3 Bioorthogonal Conjugation 136
 - 7.1.4 Enzymatic Glycosylation 136
- 7.2 *In Vivo* Kinetic Studies of Monosaccharide-Modified Proteins 137
 - 7.2.1 Dissection-Based Kinetic and Biodistribution Studies: Effects of Protein Modification by Galactose, Mannose, and Fucose 137
 - 7.2.2 Noninvasive Imaging of *In Vivo* Kinetic and Organ-Specific Accumulation of Monosaccharide-Modified Proteins 138
- 7.3 *In Vivo* Kinetic Studies of Oligosaccharide-Modified Proteins 139
 - 7.3.1 *In Vivo* Kinetics of Proteins Modified by a Few Molecules of *N*-glycans 139
 - 7.3.2 *In Vivo* Kinetics of Proteins Modified by Many *N*-glycans: Homogeneous *N*-glycoalbumins 141
 - 7.3.3 *In Vivo* Kinetics of Proteins Modified by Many *N*-glycans: Heterogeneous *N*-glycoalbumins 145
 - 7.3.4 Tumor Targeting by *N*-glycoalbumins 148
 - 7.3.5 Glycan Molecular Technology on Live Cells: Tumor Targeting by *N*-glycan-Engineered Lymphocytes 148
- 7.4 Glycan Molecular Technology Adapted as Metal Carriers: *In Vivo* Metal-Catalyzed Reactions within Live Animals 150
- 7.5 Concluding Remarks 153
Acknowledgments 155
References 155

8	Molecular Technology Toward Expansion of Nucleic Acid Functionality	165
	<i>Michiko Kimoto and Kiyohiko Kawai</i>	
8.1	Introduction	165
8.2	Molecular Technologies that Enable Genetic Alphabet Expansion	168
8.2.1	Nucleotide Modification	168
8.2.2	Unnatural Base Pairs (UBPs) as Third Base Pairs Toward Expansion of Nucleic Acid Functionality	168
8.2.3	High-Affinity DNA Aptamer Generation Using the Expanded Genetic Alphabet	169
8.3	Molecular Technologies that Enable Fluorescence Blinking Control	171
8.3.1	Single Molecule Detection Based on Blinking Observations	171
8.3.2	Blinking Kinetics	172
8.3.3	Control of Fluorescence Blinking by DNA Structure	174
8.3.3.1	Triplet Blinking	174
8.3.3.2	Redox Blinking	175
8.3.3.3	Isomerization Blinking	176
8.4	Conclusions	178
	Acknowledgments	178
	References	178
9	Molecular Technology for Membrane Functionalization	183
	<i>Michio Murakoshi and Takahiro Muraoka</i>	
9.1	Introduction	183
9.2	Synthetic Approach for Membrane Functionalization	185
9.2.1	Formation of Multipass Transmembrane Structure	185
9.2.2	Formation of Supramolecular Ion Channels	187
9.2.3	Demonstration of Ligand-Gated Ion Transportation	187
9.2.4	Light-Triggered Membrane Budding	190
9.3	Semi-biological Approach for Membrane Functionalization	191
9.3.1	Mechanical Analysis of the Transmembrane Structure of Membrane Proteins	191
9.3.2	Development of the Nanobiodevice Using a Membrane Protein Expressing in the Inner Ear	193
9.3.3	Improvement of Protein Performance by Genetic Engineering	198
	References	199
10	Molecular Technology for Degradable Synthetic Hydrogels for Biomaterials	203
	<i>Hiroharu Ajiro and Takamasa Sakai</i>	
	Scope of the Chapter	203
10.1	Degradation Behavior of Hydrogels	203
10.2	Poly lactide Copolymer	205
10.3	Trimethylene Carbonate Derivatives	207
10.4	Polyurethane	211
	References	213

- 11 Molecular Technology for Epigenetics Toward Drug Discovery** 219
Takayoshi Suzuki
- 11.1 Introduction 219
 - 11.2 Epigenetics 219
 - 11.3 Isozyme-Selective Histone Deacetylase (HDAC) Inhibitors 221
 - 11.3.1 Identification of HDAC3-Selective Inhibitors by Click Chemistry Approach 221
 - 11.3.2 Identification of HDAC8-Selective Inhibitors by Click Chemistry Approach and Structure-Based Drug Design 224
 - 11.3.3 Identification of HDAC6-Insensitive Inhibitors Using C–H Activation Reaction 224
 - 11.3.4 Identification of HDAC6-Selective Inhibitors by Substrate-Based Drug Design 228
 - 11.3.5 Identification of SIRT1-Selective Inhibitors by Target-Guided Synthesis 228
 - 11.3.6 Identification of SIRT2-Selective Inhibitors by Structure-Based Drug Design and Click Chemistry Approach 232
 - 11.4 Histone Lysine Demethylase (KDM) Inhibitors 234
 - 11.4.1 Identification of KDM4C Inhibitors by Structure-Based Drug Design 235
 - 11.4.2 Identification of KDM5A Inhibitors by Structure-Based Drug Design 237
 - 11.4.3 Identification of KDM7B Inhibitors by Structure-Based Drug Design 238
 - 11.4.4 Identification of LSD1 Inhibitors by Target-Guided Synthesis 239
 - 11.4.5 Small-Molecule-Based Drug Delivery System Using LSD1 and its Inhibitor 250
 - 11.5 Summary 253
References 254
- 12 Molecular Technology for Highly Efficient Gene Silencing: DNA/RNA Heteroduplex Oligonucleotides** 257
Kotaro Yoshioka, Kazutaka Nishina, Tetsuya Nagata, and Takanori Yokota
- 12.1 Introduction 257
 - 12.2 Therapeutic Oligonucleotides 257
 - 12.2.1 siRNA 257
 - 12.2.2 ASO 258
 - 12.3 Chemical Modifications of Therapeutic Oligonucleotide 259
 - 12.3.1 Modifications of Internucleotide Linkage 259
 - 12.3.2 Modifications of Sugar Moiety 260
 - 12.4 Ligand Conjugation for DDS 261
 - 12.4.1 Development of Ligand Molecules for Therapeutic Oligonucleotides 261
 - 12.4.2 Vitamin E for Ligand Molecule 261
 - 12.4.3 siRNA Conjugated with Tocopherol 261
 - 12.4.4 ASO Conjugated with Tocopherol 261
 - 12.5 DNA/RNA Heteroduplex Oligonucleotide 262

- 12.5.1 Basic Concept of Heteroduplex Oligonucleotide 262
- 12.5.2 HDO Conjugated with Tocopherol (Toc-HDO) 264
 - 12.5.2.1 Design of Toc-HDO 264
 - 12.5.2.2 Potency of Toc-HDO 264
 - 12.5.2.3 Adverse Effect of Toc-HDO 266
 - 12.5.2.4 Mechanism of Toc-HDO 268
- 12.6 Future Prospects 269
- References 269

- 13 Molecular Technology for Highly Sensitive Biomolecular Analysis: Hyperpolarized NMR/MRI Probes 273**
Shinsuke Sando and Hiroshi Nonaka
- 13.1 Hyperpolarization 273
- 13.2 Requirements for HP Molecular Imaging Probes 275
- 13.3 HP ¹³C Molecular Probes for Analysis of Enzymatic Activity 277
 - 13.3.1 [1-¹³C]Pyruvate 277
 - 13.3.2 HP ¹³C Probes for Analysis of Glycolysis and Tricarboxylic Acid Cycle 278
 - 13.3.3 γ -Glutamyl-[1-¹³C]glycine: HP ¹³C Probe for Analysis of γ -glutamyl Transpeptidase 278
 - 13.3.4 [1-¹³C]Alanine-NH₂: HP ¹³C Probes for Analysis of Aminopeptidase N 282
- 13.4 HP ¹³C Molecular Probes for Analysis of the Chemical Environment 283
 - 13.4.1 [1-¹³C]Bicarbonate 283
 - 13.4.2 [1-¹³C]Ascorbate and Dehydroascorbate 283
 - 13.4.3 [¹³C]Benzoylformic Acid for Sensing H₂O₂ 284
 - 13.4.4 [¹³C,¹³D₃]-*p*-Anisidine for Sensing of HOCl 284
 - 13.4.5 [¹³C,¹³D]EDTA for Sensing of Metal Ions 285
- 13.5 HP ¹⁵N Molecular Probes 286
- 13.6 A Strategy for Designing HP Molecular Probes 287
 - 13.6.1 Scaffold Structure for Design of ¹⁵N HP Probes: [¹⁵N,¹³D₉]TMPA 288
 - 13.6.1.1 [¹⁵N,¹³D₁₄]TMPA 291
 - 13.6.2 Scaffold Structure for Designing ¹³C Hyperpolarized Probes 292
- 13.7 Conclusion 294
- References 294

- 14 Molecular Technologies in Life Innovation: Novel Molecular Technologies for Labeling and Functional Control of Proteins Under Live Cell Conditions 297**
Itaru Hamachi, Shigeki Kiyonaka, Tomonori Tamura, and Ryou Kubota
- 14.1 General Introduction 297
- 14.2 Ligand-Directed Chemistry for Neurotransmitter Receptor Proteins Under Live Cell Condition and its Application 300
- 14.3 Affinity-Guided DMAP Reaction for Analysis of Live Cell Surface Proteins 308
- 14.4 Coordination Chemistry-Based Chemogenetic Approach to Switch the Activity of Glutamate Receptors in Live Cells 312
- 14.5 Concluding Remarks 320
- References 321

15	Molecular Technologies for Pseudo-natural Peptide Synthesis and Discovery of Bioactive Compounds Against Undruggable Targets	329
	<i>Joseph M. Rogers and Hiroaki Suga</i>	
15.1	Introduction	329
15.2	Peptides Could Target Undruggable Targets	330
15.2.1	Druggable Proteins	330
15.2.2	Undruggable Proteins	332
15.2.3	Natural Peptides as Drugs	333
15.2.4	Modification to Peptides can Improve Their Drug-Like Characteristics	334
15.2.4.1	Macrocyclization	334
15.2.4.2	Amino Acids with Unnatural Side Chains	335
15.2.4.3	Backbone Modifications Including N-Methylation	335
15.2.4.4	Cyclosporin – A Membrane-Permeable Anomaly	336
15.2.4.5	Membrane Permeability Cannot be Calculated from Amino Acid Content	336
15.2.5	Cyclosporin – The Inspiration for the Cyclic Peptide Approach to Undruggable Targets	337
15.3	Molecular Technologies to Discover Functional Peptides	337
15.3.1	Ribosomal Synthesis of Peptides	337
15.3.2	Natural Peptide Synthesis is an Efficient Method to Generate Huge Libraries	339
15.3.3	Selection Methods	340
15.3.3.1	Intracellular Peptide Selection	340
15.3.3.2	Phage Display	341
15.3.3.3	A Cell-Free Display, mRNA Display	345
15.3.4	Other Methods of Selection	347
15.4	Molecular Technology for Pseudo-natural Peptide Synthesis and Its Use in Peptide Drug Discovery	347
15.4.1	The Need for Pseudo-natural Synthesis – The Limitations of SPPS	348
15.4.2	Intein Cyclization and SICLOPPS	348
15.4.3	Post-translation Modification	351
15.4.4	Genetic Code Expansion	352
15.4.5	Replacing Amino Acids in Translation	354
15.4.6	Genetic Code Reprogramming	355
15.4.6.1	Flexizymes	355
15.4.6.2	RaPID System	356
15.5	Conclusion	361
	Acknowledgment	361
	References	362
	Index	371

