

Index

a

air/liquid interface 32
 grazing incidence (GI) mode 8
 α -diimine complexes 221
 α -sexithiophene (α -6T) 263
 amorphous molybdenum sulfide
 (a-MoS_x) 262
 amsterdam density functional (ADF)
 program 63
 Anderson-type static disorder potentials
 16, 19
 antenna effect 132
 artificial carbon-cycle system 210
 artificial photosynthesis 209, 210, 242,
 251
 artificial Z-Scheme mechanism 243
 atomic force microscope (AFM)
 measurements 141
 atomic layer deposition (ALD) 257,
 266, 268
 2,2'-azino-bis(3-ethylbenzothiazoline-6-
 sulphonic acid) (ABTS) 295
 azobenzene, photoisomerization of
 201

b

band narrowing 9, 10
 band transport 4, 7–9, 16, 19
 Belousov–Zhabotinsky (BZ) reaction
 191, 203
 bent-shaped heteroacenes 66–71
 benzobis(thiazole) (BBT) 74
 benzothieno[1]benzothiophene (BTBT)
 63

1-benzyl-1,4-dihyronicotinamide
 (BNAH) 219

bioanodes 291, 292
 bioelectrocatalytic buckypaper
 electrodes 292
 biomolecular machines 204
 biosensing 287
 bipyridine ligand 215, 268, 276
 bis(2-hydroxypyridine) chelate
 complexes 89–93
 block copolymer (BCP) 108
 Boltzmann constant 5, 158
 boron subphthalocyanine chloride
 (SubPc) 263
 Brewster angle microscopy (BAM)
 32–34, 39
 brickwork-packing (2D) 59
 bulky-type substituents 64–65

c

carbon nanotubes (CNTs) 256, 290
 C₈–BTBT 66
 C₁₀–DNBDT–NW 68
 C₁₀–DNT–VW 68
 C₁₀–DNTT 65, 66
 Chebyshev polynomials 14
 chemical actuators 187–188, 191
 chemical energy 188, 243, 274, 278
 chirality control, molecular technology
 for
 chiroptical properties and optical
 activity
 amphiphilic barbituric acid
 derivative 141

- chirality control, molecular technology for (*contd.*)
- high-sensitive detection technique 141
 - light-matter interaction 141
 - macroscopic polarization 142
 - microscopic CD measurements
 - measurements via far-field field detection 142
 - PEM technique 143
 - transition dipole moments 141
- chiral lanthanide(III) complexes
- circularly polarized luminescence (CPL) 130
 - electric and magnetic dipole transitions 132
 - Frontier applications 135
 - luminescence dissymmetry factor 131
 - optical activity of 132–135
- circularly polarized luminescence 129
- MCD and MCPL
- ferromagnetic materials 135
 - magnetic fields break, light absorption and emission 136–137
 - molecular materials and applications 137–138
- molecular self-Assembled helical structures:
- chiral liquid crystalline phases 139
 - CLC laser action 139–140
 - electromagnetic wave reflection 138
 - natural photonic crystals 138
- near-field optics 145
- chiral lanthanide(III) complexes 146
- circularly polarized luminescence (CPL) 130
 - electric and magnetic dipole transitions 132
 - Frontier applications 135
 - luminescence dissymmetry factor 131
 - optical activity of 132–135
- cinnamic acid (CA) 110
- circularly polarized light 129, 130, 135, 138–140
- cobaloxime 259, 260, 268, 272, 273
- cobalt diimine-dioxime catalyst 268
- coherent band transport model 7–9
- coherent polaron transport model 9–10
- coherent transport approach 19
- composite films 110
- concavo-convex pattern 201
- conventional band and hopping models 18, 19
- Coulomb coupling 157
- coupled-cluster theory (CC2) 160
- cyclic voltammetry (CV) 64, 74, 266
- cytochrome c oxidase 289
- d**
- DBTDT 62, 63
- density functional theory (DFT) 7, 11–15, 159
- depolarization 145
- diarylethenes 196, 197
- dielectric constant 139, 192
- 1,8-dihydroxyanthraquinone (DHA) 144
- dimer approach 14
- N,N*-dimethylformamide (DMF) 221
- 1,3-dimethyl-2-phenyl-2,3-dihydro-1*H*-benzo[*d*]imidazole (BIH) 231
- dinaphtho[2,3-*b*:2',3'-*f*]thieno[3,2-*b*]thiophene (DNTT) 4, 63
- direct electron transfer (DET) 288
- distributed feedback 139
- dye-free system 107, 108, 116, 117
- dye-sensitized photocathodes 278–281
- covalent/supramolecular dye-catalyst assemblies 268–270
 - multielectronic catalysis 264
 - p-type dye-sensitized solar cells (p-DSSCs) 264
 - p-type semiconductors 265
 - physisorbed/diffusing catalysts 266–268
 - quasi-metallic oxides 265
- e**
- electronic-couplings 156, 157, 159, 160
- for triplet energy transfer 161

- electron–phonon couplings 5, 6, 8–12, 19
- electron–phonon scatterings 12, 16
- emitters, chemical structures of 168
- enzymatic biofuel cells (EBFCs) 287, 297, 299
- external quantum efficiency (EQE) 172, 176
- f**
- Faradaic efficiency 254, 266, 277, 279
- Fe porphyrin 220, 221
- ferrocenophane 258, 259
- ferromagnetic materials 135
- field-effect transistor (FETs) 2, 28, 57, 61
- finite-difference time domain method 139
- Fischer–Tropsch process 210
- flashing ratchet 191, 192
- flavin–adenine–dinucleotide (FAD) 292
- fluorescence resonance energy transfer (FRET) 156–157
- flushing ratchet 193
- formic acid 91–93, 210, 277
- Förster energy transfer model 156
- fossil resources 209
- freeze-pump-thaw degassing 168
- full-width at half maximum (FWHM) 45
- functional organic molecules
with long alkyl chains 27
without long alkyl chains 27
- g**
- global warming 209, 273
- glucose biofuel cell electrodes
carbon nanotubes (CNTs) 290
cytochrome c oxidase 289
direct electron transfer (DET) 288
electrochemical and quartz crystal microbalance (QCM) experiments 296
enzymatic electrocatalytic oxidation
bioelectrocatalytic buckypaper electrodes 292
- FAD dependent glucose dehydrogenases 294
- glucose oxidase (GOx) 291
- NAD dependent enzymes 294
- osmium redox hydrogels 291
- PABMSA 292
- quinones 292
- laccases and bilirubin oxidases (BOD) 295
- lipid-membrane-modified electrodes 289
- low power consumptions 288
- mediated electron transfer (MET) 289
- molecular technology 290
- self-assembled monolayer techniques 288
- graphite 1, 294
- h**
- H-bridged cobaloximes 258, 260
- Herringbone-packing (2D) 59
- heteroacene 58, 61–63, 65, 74, 175
- hexacene 65, 175
- hydrogen, photocathode materials
low band gap semiconductors
covalent attachment 258, 260
physisorb, semiconductor surface 253, 255, 257
- organic semiconductor materials
 α -sexithiophene (α -6T) 263
bulk heterojunction 260
HER catalyst implementation 261
solar spectrum 260
- p-n junction 253
- hydrogenases 82, 89, 251, 292, 300
- i**
- incoherent hopping transport model 6–7
- inner filter effect 276
- intersystem crossing (ISC) 163, 224
- Ir(III)-Re(I) and Os(II)-Re(I) systems 234
- k**
- Kasha's rule 198
- kinetic energy 9, 188, 189, 193, 197

I

- Langmuir–Blodgett (LB) film 26, 141
 - Langmuir film 26–28
 - layer-by-Layer (LbL) deposition 38, 41
 - ligand-centered electric dipole transitions 134
 - light energy conversion efficiency 281
 - linear alkyl chain substituents 65–66
 - linear fused acene-type molecules 59–61, 75
 - linear heteroacenes 61, 64
 - linear polarization anisotropy 142–145
 - linear polarization component 142, 143
 - lipid-membrane-modified electrodes 289
 - liquid crystals (LC)
 - photo-contraction of 106
 - polymer networks 119
 - liquid-phase interfacial synthesis
 - air/liquid interfaces 27
 - Langmuir–Blodgett (LB) film 26
 - metal-organic frameworks (MOFs) 29
 - porphyrins on metal ion solutions 28, 29
 - with long alkyl chains 27
 - without long alkyl chains 27, 28
- m**
- magnetic field 129, 135–137, 147, 172, 175, 178
 - magneto-chiral dichroism 138
 - Marcus theory 3, 6, 7, 10, 15, 19, 158, 289
 - mediated electron transfer (MET) 289
 - merocyanine dye films 2
 - mesoporous TiO₂ scaffold 276
 - mesoscale motion
 - autonomous motion 203, 204
 - in gradient fields 199, 201
 - movement triggered by mobile molecules 201, 202
 - mesoscopic motion 188–191, 193, 201, 203
 - metal and functional groups
 - hydrogenases 82
 - nitrogenase 83
 - peroxidases 82, 83
 - proton-responsive metal complexes 84, 93
 - metal-organic frameworks (MOFs) 28
 - formation process 32, 34
 - in-plane molecular 46, 49
 - layer stacking motif 41, 46
 - LbL deposition 38, 41
 - nanosheet creation 29, 31
 - post-injection method 35, 37
 - 1-methyl-ferrocenophane catalyst 258
 - molar absorption coefficients 196, 198
 - molecular design
 - for long diffusion length 155, 158
 - of SF compounds 172
 - molecular machine 189, 193, 197, 201–204
 - molecular power 189
 - gliding motion 189, 191
 - motion generated by 189
 - photochromic molecules 196, 197
 - photochromic reaction 197, 199
 - photoisomerization and actuation 199
 - stimuli-responsive compounds 193, 199
 - supramolecular structure 193, 196
 - monosaccharides 299
 - multiexciton generating process (MEG) 179
 - multi-walled carbon nanotube (MWCNT) defects 294
- n**
- nafion film 277
 - nanofabrication techniques 199
 - nanosheet domain size 34–38
 - naphthalene diimide (NDI) 72
 - and perylene diimide 72, 74
 - naphthalenes 4, 17, 18, 59, 60, 63, 72–74
 - naphthoquinone 292, 294, 295
 - naphthoquinone-based hydrogels 295
 - near-field optics 145
 - nematic liquid crystals (NLCs) 112

- nicotine adenine dinucleotide (NAD) 292
- nitrogenase 83–84, 86, 87
- non-dye LC materials 107
- non-polycyclic π -conjugated compounds 177, 178
- non-polycyclic SF compounds 179
- nonlinear optical (NLO)
photo-functional materials 106
systems 112
- n-type semiconductor photoanode 242, 277
- O**
- oil-shock 209
- organic conductors 2
- organic light-emitting diode 57, 135
- organic semiconductors
anthracenes 2
coherent band transport model 7–9
coherent polaron transport model 9–10
computational molecular technology:
power-law temperature dependence 4
rubrene single-crystal FETs 4
dimensionless electron-phonon coupling constant 5
effective charge transport of 58, 59
electroluminescent (EL) devices 2
electron-donor-acceptor complex 1
electronic device applications 2
external electric field 2
field-effect transistor (FET) 2
graphite 1
incoherent hopping transport model 6–7
insulating materials 1
intrinsic mobilities evaluations 17–18
linear fused acene-type molecules 59, 75
low-cost printing processes 1
low-mobility regime 3
multi-component systems 2
n-type 71, 74
 π -conjugated cores for 61, 64, 66, 71
 π -conjugated polymers 3
polaron formation energy vs. transfer integrals 15–16
requirements of 58
single-component organic compounds 2
substituents for 64, 65
temperature dependence of mobility 17–18
tetracyano-*p*-quinodimethane (TCNQ) 2
tetrathiafulvalene (TTF) 2
time-of-flight technique 2
trap potentials 10
wave-packet dynamics approach 11–15
organic synthesis techniques 177
organothiols 288
osmium redox hydrogels 291
- P**
- PEM technique 143
- pentacene 3, 5, 7, 16, 61, 64, 172–174
- peroxidases 82, 83, 87
- perylene 1, 72, 74, 165, 175–176, 266
- perylene diimide (PDI) 72–74, 165
- phenyl-C₆₁-butyric-acid methyl ester (PCBM) 261
- photoactuators 118–122
- photo-alignable polymer film 110
- photo-alignment techniques 107
- photocatalytic CO₂ reduction
catalyst (CAT) 212
CO₂ low concentrations 236–241
CuI complexes 222
earth-abundant metals 220–223
hybrid systems, supramolecular photocatalyst and semiconductors 241–245
initiation mechanism 213
multicomponent Systems 218
one-photon excitation 212
reaction mechanism
anionic ligands 216
one-electron-reduced species (OERS) 216
redox photosensitizer 212

- photocatalytic CO₂ reduction (*contd.*)
 redox reactions 211
 rhenium(I) complexes
 bipyridine ligand 215
 cis, trans-[Re(4,4'-X₂-2,2'-bpy)
 (CO)₂(PR₃)(PR'₃)]⁺ 215
 π-π interaction 215
 [Ru(dmb)₃]²⁺ and functions 223
 supramolecular photocatalysts
 heterogeneous materials 223
 hybrid systems 224
 Ir(III)-Re(I) and Os(II)-Re(I)
 systems 234–236
 Ru(II)-Re(I) systems 224–233
 Ru(II)-Ru(II) systems 233–234
 photocatalytic reactions 162, 212, 213,
 216, 218, 220, 222, 229, 233,
 239–243
 photocathode materials
 CO₂ reduction
 dye-sensitized photocathodes
 278–281
 molecular catalyst and
 semiconductor photoelectrode
 274–278
 H₂ evolution
 dye-sensitized photocathodes
 263–265
 low band gap semiconductors
 253–260
 organic semiconductor materials
 260–263
 p-n junction 253
 photo-chemical alignment 107–112
 photo-chemical reactions 108
 photo-crosslinkable polymer surface
 107
 photo-elastic modulator (PEM) 142
 photo-electrochemical cells (PECs)
 252
 photoisomerization 196
 and actuation 199
 photonic crystals 138
 photon upconversion 158, 162–171
 photo-physical alignment 112–115,
 123
 photo-physico-chemical alignment
 107, 115–118, 123
 photo-polymerization-induced
 molecular 118
 photoreaction kinetics 197
 photostationary state (PSS) 198, 231
 photo-switching effect 109, 123
 pincer-type bis(azole) complexes 84,
 89
 pincer-type ruthenium 89, 93
 π-stacking (1D) 59
 poly(3-aminobenzoic
 acid-co-2-methoxyaniline-5-
 sulfonic acid) (PABMSA) 292
 polycyclic π-conjugated compounds
 heteroacene 175
 hexacene 175
 pentacene 172, 174
 perylene 175
 terrylene 175
 tetracene 174, 175
 polymer-stabilized LCs 114
 polystyrene film 258
 polyvinylimidazole (PVI) 258
 polyvinylpyridine (PVP) 258
 porous coordination polymers (PCPs)
 28
 power conversion efficiency (PCE)
 171, 174, 180, 260
 proton-coupled electron transfer
 (PCET) 82
 proton-responsive metal complexes
 bis(2-hydroxypyridine) chelate
 complexes 89, 93
 pincer-type bis(azole) complexes 84,
 89
 with three appended protic groups on
 tripodal scaffolds 94, 98
 p-type dye-sensitized solar cells
 (p-DSSCs) 264
 pyrazolato-imidazolyl carbonyl complex
 89
 pyrazolato-pyrazole complex 86
 pyrene derivatives 294
 PyrroloQuinoline Quinone (PQQ) 292

- Pyrroloquinoline Quinone Glucose
 Dehydrogenase (PQQ GDH)
 292
- q**
- quinones 292, 295
- R**
- Raman scattering 147
 reversible photo-switching 106
 rhenium(I) complexes, bipyridine ligand
 215
 robots 187, 188
 rubredoxin domain 295
 Ru(II)-Ru(II) systems 233
 rylene-type SF compounds 177
- S**
- scanning electron microscopy 170
 Schrödinger equation 158
 second-order nonlinear optical (NLO)
 materials 109
 self-assembled monolayer techniques
 288
 semiclassical Marcus theory 6
 sensitizers
 chemical structures of 166
 conventional triplet 164
 Shockley–Queisser limit 159, 162, 169,
 171
 single-crystal field-effect transistors 3,
 61, 74
 solar batteries 210
 solar energy conversion 210, 253
 solvothermal reactions 29
 spectroscopic analyses 147
 spiropyrans 196, 197, 201
 supramolecular photocatalysts 279
 Ir(III)-Re(I) and Os(II)-Re(I) systems
 234–236
 Ru(II)-Re(I) systems 224–233
 Ru(II)-Ru(II) systems 233–234
 supramolecular polymerization 135
 surface photochemistry 107
- t**
- temperature-dependent behavior 7
 terrylene 165, 175, 177
 tetrabutylammonium
 hexafluorophosphate 276,
 279
 tetracene 59, 61, 165, 174, 175
 tetracyano-*p*-quinodimethane (TCNQ)
 2
 thermal fluctuation 187, 188
 threshold excitation intensity 164
 time-dependent density functional
 theory (TD-DFT) 160
 time-of-flight technique 2
 time-resolved resonance-Raman
 spectroscopy 177
 TIPS-pentacene 173–175
 trap potentials 10–12, 16, 19
 triethanolamine (TEOA) 213, 236,
 238, 241, 268
 triisopropylsilylethynyl (TIPSE) 64,
 66
 triplet energy migration-based photon
 upconversion (TEM-UC) 164
 triplet excitons
 diffusion coefficient (*D*) and length
 156
 electronic transition processes 158,
 162
 triplet-triplet annihilation (TTA)
 process 158, 162
 triplet-triplet annihilation-based photon
 upconversion (TTA-UC) 162
 NIR-to-visible 165, 169
 properties of 164
 quantum yield 164
 sensitized by metal complexes with
 S-T absorption 169, 170
 triplet-triplet energy transfer (TTET)
 163
 turnover number for CO formation
 (TON_{CO}) 239
- V**
- van der Waals and π - π interactions 28
 van der Waals force 58
 van der Waals interactions 4, 15, 27,
 41, 65, 70, 192
 visualization 145, 147

X

X-ray photoelectron spectroscopy 289

Y

Young's modulus 106

Z

zinc porphyrin sensitiser 279

Z-scheme-type electron transfer
277