

## Contents

	<b>Foreword by Dr Hamaguchi</b>	<i>xiii</i>
	<b>Foreword by Dr Noyori</b>	<i>xv</i>
	<b>Preface</b>	<i>xvii</i>
<b>1</b>	<b>Charge Transport Simulations for Organic Semiconductors</b>	<b>1</b>
	<i>Hiroyuki Ishii</i>	
1.1	Introduction	1
1.1.1	Historical Approach to Organic Semiconductors	1
1.1.2	Recent Progress and Requirements to Computational “Molecular Technology”	4
1.2	Theoretical Description of Charge Transport in Organic Semiconductors	4
1.2.1	Incoherent Hopping Transport Model	6
1.2.2	Coherent Band Transport Model	7
1.2.3	Coherent Polaron Transport Model	9
1.2.4	Trap Potentials	10
1.2.5	Wave-packet Dynamics Approach Based on Density Functional Theory	11
1.3	Charge Transport Properties of Organic Semiconductors	15
1.3.1	Comparison of Polaron Formation Energy with Dynamic Disorder of Transfer Integrals due to Molecular Vibrations	15
1.3.2	Temperature Dependence of Mobility	16
1.3.3	Evaluation of Intrinsic Mobilities for Various Organic Semiconductors	17
1.4	Summary	18
1.4.1	Forthcoming Challenges in Theoretical Studies	19
	Acknowledgments	20
	References	20
<b>2</b>	<b>Liquid-Phase Interfacial Synthesis of Highly Oriented Crystalline Molecular Nanosheets</b>	<b>25</b>
	<i>Rie Makiura</i>	
2.1	Introduction	25
2.2	Molecular Nanosheet Formation with Traditional Surfactants at Air/Liquid Interfaces	26

2.2.1	History of Langmuir–Blodgett Film	26
2.2.2	Basics of Molecular Nanosheet Formation at Air/Liquid Interfaces	27
2.3	Application of Functional Organic Molecules for Nanosheet Formation at Air/Liquid Interfaces	27
2.3.1	Functional Organic Molecules with Long Alkyl Chains	27
2.3.2	Functional Organic Molecules without Long Alkyl Chains	27
2.3.3	Application of Functional Porphyrins on Metal Ion Solutions	28
2.4	Porphyrin-Based Metal–Organic Framework (MOF) Nanosheet Crystals Assembled at Air/Liquid Interfaces	29
2.4.1	Metal–Organic Frameworks	29
2.4.2	Method of MOF Nanosheet Creation at Air/Liquid Interfaces	29
2.4.3	Study of the Formation Process of MOF Nanosheets by <i>In Situ</i> X-Ray Diffraction and Brewster Angle Microscopy at Air/Liquid Interfaces	32
2.4.4	Application of a Postinjection Method Leading to Enlargement of the Uniform MOF Nanosheet Domain Size	35
2.4.5	Layer-by-Layer Sequential Growth of Nanosheets – Toward Three-Dimensionally Stacked Crystalline MOF Thin Films	38
2.4.6	Manipulation of the Layer Stacking Motif in MOF Nanosheets	41
2.4.7	Manipulation of In-Plane Molecular Arrangement in MOF Nanosheets	46
	References	51
<b>3</b>	<b>Molecular Technology for Organic Semiconductors Toward Printed and Flexible Electronics</b>	<b>57</b>
	<i>Toshihiro Okamoto</i>	
3.1	Introduction	57
3.2	Molecular Design and Favorable Aggregated Structure for Effective Charge Transport of Organic Semiconductors	58
3.3	Molecular Design of Linearly Fused Acene-Type Molecules	59
3.4	Molecular Technology of $\pi$ -Conjugated Cores for p-Type Organic Semiconductors	61
3.5	Molecular Technology of Substituents for Organic Semiconductors	64
3.5.1	Bulky-Type Substituents	64
3.5.2	Linear Alkyl Chain Substituents	65
3.6	Molecular Technology of Conceptually-new Bent-shaped $\pi$ -Conjugated Cores for p-Type Organic Semiconductors	66
3.6.1	Bent-Shaped Heteroacenes	66
3.7	Molecular Technology for n-Type Organic Semiconductors	71
3.7.1	Naphthalene Diimide and Perylene Diimide	72
	References	77

- 4 Design of Multiproton-Responsive Metal Complexes as Molecular Technology for Transformation of Small Molecules 81**  
*Shigeki Kuwata*
- 4.1 Introduction 81
- 4.2 Cooperation of Metal and Functional Groups in Metalloenzymes 81
- 4.2.1 [FeFe] Hydrogenase 82
- 4.2.2 Peroxidase 82
- 4.2.3 Nitrogenase 83
- 4.3 Proton-Responsive Metal Complexes with Two Appended Protic Groups 84
- 4.3.1 Pincer-Type Bis(azole) Complexes 84
- 4.3.2 Bis(2-hydroxypyridine) Chelate Complexes 89
- 4.4 Proton-Responsive Metal Complexes with Three Appended Protic Groups on Tripodal Scaffolds 94
- 4.5 Summary and Outlook 98
- Acknowledgments 98
- References 98
- 5 Photo-Control of Molecular Alignment for Photonic and Mechanical Applications 105**  
*Miho Aizawa, Christopher J. Barrett, and Atsushi Shishido*
- 5.1 Introduction 105
- 5.2 Photo-Chemical Alignment 107
- 5.3 Photo-Physical Alignment 112
- 5.4 Photo-Physico-Chemical Alignment 115
- 5.5 Application as Photo-Actuators 118
- 5.6 Conclusions and Perspectives 123
- References 123
- 6 Molecular Technology for Chirality Control: From Structure to Circular Polarization 129**  
*Yoshiaki Uchida, Tetsuya Narushima, and Junpei Yuasa*
- 6.1 Chiral Lanthanide(III) Complexes as Circularly Polarized Luminescence Materials 130
- 6.1.1 Circularly Polarized Luminescence (CPL) 130
- 6.1.2 Theoretical Explanation for Large CPL Activity of Chiral Lanthanide(III) Complexes 131
- 6.1.3 Optical Activity of Chiral Lanthanide(III) Complexes 132
- 6.1.4 CPL of Chiral Lanthanide(III) Complexes for Frontier Applications 135
- 6.2 Magnetic Circular Dichroism and Magnetic Circularly Polarized Luminescence 135

- 6.2.1 Magnetic-Field-induced Symmetry Breaking on Light Absorption and Emission 136
- 6.2.2 Molecular Materials Showing MCD and MCPL and Applications 137
- 6.3 Molecular Self-assembled Helical Structures as Source of Circularly Polarized Light 138
  - 6.3.1 Chiral Liquid Crystalline Phases with Self-assembled Helical Structures 139
  - 6.3.2 Strong CPL of CLC Laser Action 139
- 6.4 Optical Activity Caused by Mesoscopic Chiral Structures and Microscopic Analysis of the Chiroptical Properties 140
  - 6.4.1 Microscopic CD Measurements via Far-field Detection 142
  - 6.4.2 Optical Activity Measurement Based on Improvement of a PEM Technique 143
  - 6.4.3 Discrete Illumination of Pure Circularly Polarized Light 143
  - 6.4.4 Complete Analysis of Contribution From All Polarization Components 145
  - 6.4.5 Near-field CD Imaging 145
- 6.5 Conclusions 146
- References 147
  
- 7 Molecular Technology of Excited Triplet State 155**  
*Yuki Kurashige, Nobuhiro Yanai, Yong-Jin Pu, and So Kawata*
  - 7.1 Properties of the Triplet Exciton and Associated Phenomena for Molecular Technology 155
    - 7.1.1 Introduction: The Triplet Exciton 155
    - 7.1.2 Molecular Design for Long Diffusion Length 155
    - 7.1.3 Theoretical Analysis for the Electronic Transition Processes Associated with Triplet 158
  - 7.2 Near-infrared-to-visible Photon Upconversion: Chromophore Development and Triplet Energy Migration 162
    - 7.2.1 Introduction 162
    - 7.2.2 Evaluation of TTA-UC Properties 164
    - 7.2.3 NIR-to-visible TTA-UC Sensitized by Metalated Macrocyclic Molecules 165
    - 7.2.4 TTA-UC Sensitized by Metal Complexes with S-T Absorption 169
    - 7.2.5 Conclusion and Outlook 171
  - 7.3 Singlet Exciton Fission Molecules and Their Application to Organic Photovoltaics 171
    - 7.3.1 Introduction 171
    - 7.3.2 Polycyclic  $\pi$ -Conjugated Compounds 172
      - 7.3.2.1 Pentacene 172
      - 7.3.2.2 Tetracene 174
      - 7.3.2.3 Hexacene 175
      - 7.3.2.4 Heteroacene 175
      - 7.3.2.5 Perylene and Terrylene 175

7.3.3	Nonpolycyclic $\pi$ -Conjugated Compounds	177
7.3.4	Polymers	178
7.3.5	Perspectives	179
	References	180
<b>8</b>	<b>Material Transfer and Spontaneous Motion in Mesoscopic Scale with Molecular Technology</b>	<b>187</b>
	<i>Yoshiyuki Kageyama, Yoshiko Takenaka, and Kenji Higashiguchi</i>	
8.1	Introduction	187
8.1.1	Introduction of Chemical Actuators	187
8.1.2	Composition of This Chapter	188
8.2	Mechanism to Originate Mesoscale Motion	189
8.2.1	Motion Generated by Molecular Power	189
8.2.2	Gliding Motion of a Mesoscopic Object by the Gradient of Environmental Factors	189
8.2.3	Mesosopic Motion of an Object by Mechanical Motion of Molecules	191
8.2.4	Toward the Implementation of a One-Dimensional Actuator: Artificial Muscle	191
8.3	Generation of “Molecular Power” by a Stimuli-Responsive Molecule	193
8.3.1	Structural Changes of Molecules and Supramolecular Structures	193
8.3.2	Structural Changes of Photochromic Molecules	196
8.3.3	Fundamentals of Kinetics of Photochromic Reaction	197
8.3.4	Photoisomerization and Actuation	199
8.4	Mesoscale Motion Generated by Cooperation of “Molecular Power”	199
8.4.1	Motion in Gradient Fields	199
8.4.2	Movement Triggered by Mobile Molecules	201
8.4.3	Autonomous Motion with Self-Organization	203
8.5	Summary and Outlook	204
	References	205
<b>9</b>	<b>Molecular Technologies for Photocatalytic CO<sub>2</sub> Reduction</b>	<b>209</b>
	<i>Yusuke Tamaki, Hiroyuki Takeda, and Osamu Ishitani</i>	
9.1	Introduction	209
9.2	Photocatalytic Systems Consisting of Mononuclear Metal Complexes	213
9.2.1	Rhenium(I) Complexes	213
9.2.2	Reaction Mechanism	216
9.2.3	Multicomponent Systems	218
9.2.4	Photocatalytic CO <sub>2</sub> Reduction Using Earth-Abundant Elements as the Central Metal of Metal Complexes	220

- 9.3 Supramolecular Photocatalysts: Multinuclear Complexes 223
  - 9.3.1 Ru(II)—Re(I) Systems 224
  - 9.3.2 Ru(II)—Ru(II) Systems 233
  - 9.3.3 Ir(III)—Re(I) and Os(II)—Re(I) Systems 234
- 9.4 Photocatalytic Reduction of Low Concentration of CO<sub>2</sub> 236
- 9.5 Hybrid Systems Consisting of the Supramolecular Photocatalyst and Semiconductor Photocatalysts 241
- 9.6 Conclusion 245
  - Acknowledgements 245
  - References 245
  
- 10 Molecular Design of Photocathode Materials for Hydrogen Evolution and Carbon Dioxide Reduction 251**  
*Christopher D. Windle, Soundarrajan Chandrasekaran, Hiromu Kumagai, Go Sahara, Keiji Nagai, Toshiyuki Abe, Murielle Chavarot-Kerlidou, Osamu Ishitani, and Vincent Artero*
  - 10.1 Introduction 251
  - 10.2 Photocathode Materials for H<sub>2</sub> Evolution 253
    - 10.2.1 Molecular Photocathodes for H<sub>2</sub> Evolution Based on Low Bandgap Semiconductors 253
      - 10.2.1.1 Molecular Catalysts Physisorbed on a Semiconductor Surface 253
      - 10.2.1.2 Covalent Attachment of the Catalyst to the Surface of the Semiconductor 256
      - 10.2.1.3 Covalent Attachment of the Catalyst Within an Oligomeric or Polymeric Material Coating the Semiconductor Surface 258
    - 10.2.2 H<sub>2</sub>-evolving Photocathodes Based on Organic Semiconductors 260
    - 10.2.3 Dye-sensitised Photocathodes for H<sub>2</sub> Production 263
      - 10.2.3.1 Dye-sensitised Photocathodes with Physisorbed or Diffusing Catalysts 266
      - 10.2.3.2 Dye-sensitised Photocathodes Based on Covalent or Supramolecular Dye–Catalyst Assemblies 268
      - 10.2.3.3 Dye-sensitised Photocathodes Based on Co-grafted Dyes and Catalysts 270
  - 10.3 Photocathodes for CO<sub>2</sub> Reduction Based on Molecular Catalysts 273
    - 10.3.1 Photocatalytic Systems Consisting of a Molecular Catalyst and a Semiconductor Photoelectrode 274
    - 10.3.2 Dye-sensitised Photocathodes Based on Molecular Photocatalysts 278
      - Acknowledgements 281
      - References 281
  
- 11 Molecular Design of Glucose Biofuel Cell Electrodes 287**  
*Michael Holzinger, Yuta Nishina, Alan Le Goff, Masato Tominaga, Serge Cosnier, and Seiya Tsujimura*
  - 11.1 Introduction 287
  - 11.2 Molecular Approaches for Enzymatic Electrocatalytic Oxidation of Glucose 291

11.3	Molecular Designs for Enhanced Electron Transfers with Oxygen-Reducing Enzymes	295
11.4	Conclusion and Future Perspectives	297
	References	300

<b>Index</b>	307
--------------	-----

